



January 17, 2020

Project No. 19119232

Ms. Maureen Hatfield

MC-127

VCP-CA Section, Team 1, Remediation Division

Texas Commission on Environmental Quality

P.O. Box 13087

Austin, Texas 78711-3087

**SUBJECT: CORRECTIVE ACTION MONITORING REPORT: 2019 SECOND SEMI-ANNUAL EVENT
UNION PACIFIC RAILROAD HOUSTON WOOD PRESERVING WORKS, HOUSTON, TEXAS
4910 LIBERTY ROAD, HOUSTON, HARRIS COUNTY, TEXAS
TCEQ SWR NO. 31547; TCEQ PERMIT/COMPLIANCE PLAN NO. 50343
EPA ID NO. TXD000820266
CUSTOMER NO. CN600131098; REGULATED ENTITY NO. RN100674613**

Dear Ms. Hatfield:

Golder Associates Inc (Golder), on behalf of Union Pacific Railroad Company (UPRR), is pleased to provide the Corrective Action Monitoring Report: 2019 Second Semi-Annual Event for above referenced site for your review. The report was prepared in accordance with Section VII.C.2 of Compliance Plan No. CP-50343, which was issued in conjunction with Post-Closure Care Permit No. HW-50343, both dated June 10, 2005. In addition to the original copy of the report, a flash drive with an electronic version of the report is also attached for your files.

If you have any questions or need additional information, please feel free to call me at (512) 671-3434 or email eric_matzner@golder.com; or Mr. Kevin Peterburs of UPRR at (414) 267-4164 and email kjpeterb@up.com.

Sincerely

Golder Associates Inc.

A handwritten signature in black ink, appearing to read "Eric C. Matzner", is written over a horizontal line.

Eric C. Matzner, P.G.

Principal

CC: Waste Program Manager, TCEQ Region 12, Houston
Mr. Kevin Peterburs, UPRR – Milwaukee, WI



CORRECTIVE ACTION MONITORING REPORT

2019 Second Semi-Annual Event

Former Houston Wood Preserving Works

4910 Liberty Road Houston, Texas

Submitted to:



Mr. Kevin Peterburs

Union Pacific Railroad Company
4823 N 119th Street
Milwaukee, WI 53225

Submitted by:


Golder Associates Inc.

Round Rock, Texas, USA 78664

+1 512 671-3434

Project No. 19119232

January 17, 2020



Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision according to a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.



Signature



Date

Mark Lutz

Name

AVP Fuel and Environmental

Title

Table of Contents

1.0 EXECUTIVE SUMMARY3

2.0 INTRODUCTION4

3.0 2019 SECOND SEMI-ANNUAL GROUNDWATER MONITORING EVENT.....7

 3.1 Narrative Summary of Second Semi-Annual Monitoring Activities7

 3.1.1 Corrective Action Program7

 3.1.2 Groundwater Monitoring7

 3.2 Purge Water Management8

 3.3 Monitoring and Corrective Action System Wells8

 3.4 Analytical Results8

 3.5 Well Measurements8

 3.6 Potentiometric Surface Maps9

 3.7 Non-Aqueous Phase Liquids9

 3.8 Recovered Groundwater and NAPL9

 3.9 Contaminant Mass Recovered9

 3.10 Analytical Data Evaluation9

 3.11 Reported Concentration Maps10

 3.12 Extent of NAPL10

 3.13 Updated Compliance Schedule10

 3.14 Summary of Changes Made to Corrective Action Program10

 3.15 Modifications and Amendments to Compliance Plan11

 3.16 Corrective Measures Implementation (CMI) Report11

 3.17 Well Casing Elevations11

 3.18 Recommendation for Changes11

 3.19 Well Installation and/or Abandonment11

 3.20 Activity Within Area Subject to Institutional Control11

 3.21 Other Requested Items11

TABLES

- 1 Summary of Analytical Results for the A-Transmissive Zone (A-TZ)
- 2 Summary of Analytical Results for the B-Transmissive Zone (B-TZ)
- 3 Summary of Analytical Results for Quality Assurance/Quality Control Samples
- 4 Water Level Measurements
- 5 Compliance Status of Wells and Piezometers

FIGURES

- 1 Site Location Map
- 2 Corrective Action Monitoring Well Network – TCEQ Permit Unit No. 1
- 3 A-TZ Potentiometric Surface Contour Map – July 2019
- 4 B-TZ Potentiometric Surface Contour Map – July 2019
- 5 A-TZ Reported Concentrations – 2019 2nd Semi Annual Monitoring Event
- 6 B-TZ Reported Concentrations – 2019 2nd Semi Annual Monitoring Event

APPENDICES**Tables****Figures****APPENDIX A**

Compliance Plan Tables

APPENDIX B

Field Parameters

APPENDIX C

Laboratory Analytical Reports and Data Usability Summaries

APPENDIX D

Waste Manifest

APPENDIX E

POC Concentration vs. Time Graphs

APPENDIX F

Updated Compliance Schedule

APPENDIX G

Laboratory Data QA/QC Report Checklist

APPENDIX H

TCEQ Notification Letter - Verified GWPS Exceedance - POC Well MW-11B dated September 5, 2019

1.0 EXECUTIVE SUMMARY

This semi-annual report presents a summary and evaluation of the Corrective Action Groundwater Monitoring for July through December 2019 for the Closed Surface Impoundment (Solid Waste Management Unit (SWMU) 1) at the former Wood Preserving Works facility (the Site) located in Houston, Texas. The groundwater monitoring activities for this period were performed by Golder Associates Inc. (Golder) on behalf of Union Pacific Railroad (UPRR) in July 2019.

The two uppermost groundwater bearing units, the A-Transmissive Zone (A-TZ) and the B-Transmissive Zone (B-TZ), were monitored during this period. Groundwater elevation data collected during the July 2019 sampling event show groundwater generally flows to the west/northwest/southeast in the A-TZ with a hydraulic gradient across SWMU 1 of approximately 0.001 ft/ft to 0.02 ft/ft. Groundwater flow during the previous event (2019 first semi-annual monitoring event) in the A-TZ was observed to have a similar hydraulic gradient with a general flow direction of west/northwest across SWMU 1.

Groundwater elevation data collected in the B-TZ show groundwater flow to the northwest/west/southwest across SWMU 1 with a hydraulic gradient of approximately 0.025 ft/ft. Groundwater flow during the previous event (2019 first semi-annual monitoring event) was observed to have a hydraulic gradient of approximately 0.002 ft/ft with a general flow direction to the southwest across SWMU 1.

Analytical results from the 2019 second sampling event were compared to Texas Commission on Environmental Quality (TCEQ) Texas Risk Reduction Program (TRRP) Protective Concentration Limits (PCLs) or Groundwater Protection Standards (GWPs), as designated in Section IV.D of the Compliance Plan, dated June 10, 2005. Constituent concentrations were below their respective PCLs during the 2019 second semi-annual monitoring period except at one monitoring well. Naphthalene concentrations were detected above the GWPS during the initial and resampling events conducted in July 2019 at Point of Compliance (POC) well MW-11B completed in the B-TZ. The TCEQ was notified of the verified exceedance in a letter dated on September 5, 2019, and UPRR proposed to collect an additional groundwater sample from MW-11B in October 2019 to evaluate naphthalene concentrations. The naphthalene concentration at POC well MW-11B in October 2019 was also above the GWPS. All other POC monitoring wells in the A-TZ and B-TZ are considered to be compliant for this monitoring period.

2.0 INTRODUCTION

This semi-annual report presents a summary and evaluation of groundwater monitoring data collected during the 2019 second semi-annual monitoring period (July through December) at the Union Pacific Railroad (UPRR) former Houston Wood Preserving Works facility (the Site) located at 4910 Liberty Road in Houston, Texas (Figure 1). Semi-annual groundwater monitoring is required for the Site as a condition of the Texas Commission on Environmental Quality (TCEQ) Hazardous Waste Permit No. 50343 and associated Compliance Plan (CP) No. 50343, both renewed and issued on June 10, 2005. Groundwater monitoring at the Site is performed to monitor groundwater quality beneath the Closed Surface Impoundment Unit No. 001 (Solid Waste Management Unit (SWMU) 1).

On behalf of UPRR, Golder Associates Inc (Golder) conducted groundwater monitoring activities at SWMU 1 on July 1-2, 2019. Groundwater monitoring activities included sampling and gauging the background and point of compliance (POC) wells and piezometers associated with SWMU 1. The sampling event, analytical data, and data evaluation provided in this report fulfill the semi-annual corrective action reporting requirements for the second half of 2019 as described in the CP, Section VII.C.2. This section requires the following reporting elements:

Semi-Annual Corrective Action Report Requirements	Report Section, Table(s) and/or Figure(s)
A narrative summary of the evaluations made in accordance with CP Sections V, VI, and VII for the preceding six-month period. These periods shall be January 1 through June 30 and July 1 through December 31 (VII.C.2.a.)	3.0
Summary of Methods utilized for management of recovered/purged water (VII.C.2.b.)	3.2
An updated table and map of the monitoring and corrective action system wells (VII.C.2.c.)	Section 3.1.1 and Figure 2
The results of the chemical analyses, submitted in a tabulated format in a form acceptable to the Executive Director, which clearly indicates each parameter that exceeds the Groundwater Protection Standard (GWPS). Copies of the original laboratory report for chemical analyses showing detection limits and quality control and quality assurance data shall be provided if requested by the Executive Director (VII.C.2.d.)	Tables 1 & 2 Appendix C
Tabulation of the water level elevations (relative to mean sea level), depth to water measurements, and total depth of well measurements collected since the data that was submitted in the previous semiannual report (VII.C.2.e.)	Table 4
Potentiometric surface maps showing the elevation of the water table at the time of sampling and direction of groundwater flow gradients (VII.C.2.f.)	Figures 3 & 4

Semi-Annual Corrective Action Report Requirements (cont'd)	Report Section, Table(s) and/or Figure(s)
Quarterly tabulations of quantities of recovered groundwater and NAPLs, and graphs of monthly recorded flow rates versus time for the recovery wells during each period. A narrative summary describing and evaluating the NAPL recovery program shall also be included (VII.C.2.h.)	Not Applicable
Tabulation of the total contaminant mass recovered from each recovery system for each reporting period, if such a system is installed (VII.C.2.i.)	Not Applicable
Tabulation of the data evaluation results pursuant to Section VI.D and status of each well listed on CP Table V with regard to compliance with the corrective action objectives and compliance with the GWPSs (VII.C.2.j.)	Table 5
Maps of the contaminated area depicting concentrations of constituents listed in Table IV and any newly detected Table III constituents as isopleths contours or discrete concentrations if isopleths contours cannot be inferred (VII.C.2.k.)	Not Applicable
Maps indicating the extent and thickness of the LNAPLs and DNAPLs, if detected (VII.C.2.l.)	Not Detected
An updated schedule summary as required by Section X (VII.C.2.m.)	Appendix D
Summary of any changes made to the monitoring/corrective action program and a summary of recovery well inspections, repairs, and any operational difficulties (VII.C.2.n.)	None
A table of the modifications and amendments made to this Compliance Plan with their corresponding approval dates by the executive director or the Commission and a brief description of each action (VII.C.2.o.)	None
Corrective Measures Implementation (CMI) Report to be submitted in accordance with Section VIII.F, if necessary (VII.C.2.p.)	Not Applicable
Tabulation of well casing elevations in accordance with Attachment B No. 16 (VII.C.2.q.)	Table 4
Recommendation for any changes (VII.C.2.r.)	None
Certification and well installation diagram for any new well installation or replacement and certification for any well plugging and abandonment (VII.C.2.s.)	Not Applicable
A summary of any activity within an area subject to institutional control (VII.C.2.t.)	None
Any other items requested by the Executive Director (VII.C.2.u.)	None

As of December 2019, a recovery system had not been installed and is not necessary for the regulated unit. Therefore, Provisions 8, 9, and 10 that relate to recovery wells or recovery system, are not applicable for this reporting period.

Responses to each of the semi-annual report provisions required by CP Section VII.C.2 are provided in Section 3.0.

3.0 2019 SECOND SEMI-ANNUAL GROUNDWATER MONITORING EVENT

A discussion of each of the semi-annual report provisions required by CP Section VII.C.2 is presented below by reference number to the list of provisions in Section 2.0.

3.1 Narrative Summary of Second Semi-Annual Monitoring Activities

The CP requires an evaluation of the Corrective Action Program (Section V) and Groundwater Monitoring Program summarizing the overall effectiveness of the Corrective Action Program (Section VI). This narrative summary includes provisions for response and reporting requirements as detailed in the CP Section VII, as discussed below.

3.1.1 Corrective Action Program

Groundwater samples were collected from the Background and POC wells (as detailed in CP Table V, which is provided in Appendix A) to assess potentially affected groundwater quality in the A-Transmissive Zone (A-TZ) and the B-Transmissive Zone (B-TZ). These water-bearing zones are defined as:

- A-TZ refers to the first sand unit encountered at approximately 13 feet below ground surface (bgs) and averages 7 feet in thickness; and
- B-TZ refers to the second sand unit encountered at approximately 30 feet bgs and averages 9 feet in thickness.

The definitions of the A-TZ and B-TZ are consistent with the Uppermost Transmissive Zone (UTZ) and Second Transmissive Zone (STZ), respectively, as defined in CP Provision I.A.

The following monitoring wells were sampled during this event (Figure 2):

- A-TZ POC wells: MW-01A, MW-02, MW-07, MW-10A, and MW-11A;
- A-TZ Background well: MW-08;
- B-TZ POC wells: MW-10B, MW-11B, and P-10; and
- B-TZ Background well: P-12.

3.1.2 Groundwater Monitoring

Golder performed quarterly inspections of SWMU 1 in July and October 2019 and conducted semi-annual groundwater sampling activities on July 1-2, 2019. A verification groundwater sample for naphthalene was collected from POC well MW-11B on July 30, 2019. An additional groundwater sample was collected on October 17, 2019 from POC well MW-11B to further evaluate the naphthalene concentrations. Groundwater sampling was performed using procedures outlined in a U.S. Environmental Protection Agency (EPA) document titled Low-Flow (Minimal Drawdown) Ground-Water Sampling Procedures (EPA/540/S-95/504) published in April 1996 and approved in the CP application. Groundwater samples were analyzed for the Detected Hazardous and Solid Waste Constituents listed in the CP, Table III (Appendix A).

Monitoring wells are equipped with dedicated polytetrafluoroethylene (PTFE) tubing for groundwater sampling. A peristaltic pump was used to purge and collect the groundwater samples. An approximate one-foot section of disposable silicon tubing was placed around the pump head and attached to the PTFE tubing for proper operation of the pump. Groundwater was pumped from the screened interval of each well at a flow rate of less than 0.5

L/min using a flow-through cell. Field parameters including temperature, pH, specific conductivity, dissolved oxygen, and turbidity were measured during purging and sampling activities. When field parameters had stabilized to the EPA-specified criteria, a sample was then collected for analysis. The samples were also collected at a flow rate of less than 0.5 L/min. Recorded field parameters are summarized in Appendix B.

For each well, sample bottles were filled directly from the pumping apparatus described above, and were sealed and packed in coolers with sufficient ice to maintain a sample temperature of approximately 4°C. The sample coolers were delivered to ALS Environmental in Houston, Texas for laboratory analysis. Chain-of-Custody (COC) forms were completed and kept with their respective samples. Copies of the analytical data and COCs are included in Appendix C. Groundwater samples were then analyzed for the Detected Hazardous and Solid Waste Constituents listed in the CP, Table III (Appendix A).

3.2 Purge Water Management

Approximately six gallons of purge water were generated during the July 2019 low-flow groundwater sampling event. The purge water was containerized in a Department of Transportation (DOT) certified, 55-gallon steel drum and temporarily stored on site in a fenced and locked container storage area (NOR 007). Wastes generated during the 2019 second semi-annual monitoring event were transported from the Site by Stericycle Specialty Waste Solutions, Inc. to the Clean Harbors Deer Park, LLC facility, located in La Porte, Texas on September 25, 2019 under EPA waste code F034 and TCEQ Notice of Registration (NOR) waste code 0914101H. The waste manifest is provided in Appendix D.

3.3 Monitoring and Corrective Action System Wells

A summary of the current monitoring and corrective action groundwater wells is discussed in Section 3.1.1. Configuration of the current monitoring and corrective action well network is presented on Figure 2.

3.4 Analytical Results

The 2019 second semi-annual groundwater analytical results from the A-TZ and B-TZ are summarized in Tables 1 and 2, respectively and the laboratory analytical report is provided in Appendix C. The analytical results were compared to the Detected Hazardous and Solid Waste Constituent limits, which are taken from the current TCEQ Texas Risk Reduction Program (TRRP) Tier 1 Protective Concentration Levels (PCLs). TRRP PCLs serve as the Groundwater Protection Standard (GWPS), as detailed in Section IV.D and Table III of the CP. If concentrations exceeded the concentration limits of this report, the concentration is bolded within the table.

Quality assurance/quality control (QA/QC) samples (matrix spike and matrix spike duplicate results) are summarized in Table 3.

3.5 Well Measurements

During the sampling event, the following information was recorded at each monitoring well:

Before Sampling:

- The presence of light NAPLs was evaluated; and
- Depth to groundwater below the top of casing was measured to the nearest 0.01 foot.

After Sampling:

- The presence of dense non-aqueous phase liquids (DNAPLs) were evaluated using visual observations and an oil-water interface probe; and
- Total well depths of the wells were measured.

Table 4 provides a summary of these measurements. None of the compliance wells had measurable amounts or any indication of LNAPL or DNAPL.

3.6 Potentiometric Surface Maps

Groundwater elevation data recorded during the 2019 second semi-annual monitoring event were used to create potentiometric surface maps of the A-TZ and B-TZ, presented on Figures 3 and 4, respectively.

The two uppermost groundwater bearing units, the A-TZ and the B-TZ, were monitored during this period. Groundwater elevation data collected in the A-TZ during the July 2019 sampling event show a groundwater high in the center of the unit with a hydraulic gradient in a west/northwest/southeast direction of approximately 0.001 to 0.02 ft/ft. Groundwater flow during the previous event (2019 first semi-annual monitoring event) in the A-TZ was observed to have a similar hydraulic gradient with a general flow direction of west/northwest across SWMU 1.

Groundwater elevation data collected in the B-TZ show groundwater flow to the northwest/west/southwest across SWMU 1 with a hydraulic gradient of approximately 0.025 ft/ft. Groundwater flow during the previous event (2019 first semi-annual monitoring event) was observed to have a hydraulic gradient of approximately 0.002 ft/ft with a general flow direction to the southwest across SWMU 1.

3.7 Non-Aqueous Phase Liquids

Measurable amounts of LNAPL and/or DNAPL were not observed in any of the compliance wells.

3.8 Recovered Groundwater and NAPL

To date, a recovery system has not been installed nor is necessary at the SWMU 1; therefore, this provision is not applicable.

3.9 Contaminant Mass Recovered

With no groundwater recovery system installed, or necessary, this provision is not applicable for the Site.

3.10 Analytical Data Evaluation

Section VI.D of the CP describes two methods which may be used to determine the compliance status of a given well:

- Analytical results may be either directly compared with PCLs (CP Table III; included in Appendix A), or
- Analytical results can be statistically compared with PCLs using the Confidence Interval Procedure for the mean concentration based on normal, log-normal, or non-parametric distribution, which the 95% confidence coefficient of the t-distribution will be used in construction of the confidence interval.

Direct comparison to PCLs was used to evaluate the analytical data. Tables 1 (A-TZ) and 2 (B-TZ) show the results of a direct comparison of data for this sampling event to the respective PCLs. Wells and piezometers are in compliance if each of the constituents listed in the CP Table III was reported at a concentration less than or

equal to the PCL. Based on the analytical results from the July 2019 monitoring event, the compliance wells completed in both transmissive zones are compliant with GWPSs except for naphthalene concentrations detected at POC well MW-11B. Naphthalene concentrations were detected at 0.70 mg/L, above the GWPS of 0.49 mg/L at POC well MW-11B. As allowed under the Compliance Plan Section VI.D3, monitoring well MW-11B was resampled on July 30, 2019 for naphthalene to confirm the initial GWPS exceedance. The resampled results indicated that naphthalene concentrations were detected at 1.1 mg/L. Therefore, the initial GWPS exceedance at MW-11B for naphthalene was verified with the resampling event and the POC well is considered to be non-compliant. The TCEQ was notified of the verified exceedance in a letter dated September 5, 2019 (copy provided in Appendix H). An additional groundwater sample from POC well MW-11B was collected in October 2019. The naphthalene concentration in MW-11B in October 2019 was detected at 0.6 mg/L, also above the GWPS. All other monitoring wells in A-TZ and B-TZ have not exceeded the established CP PCLs since July 2005 and are considered compliant. Compliance status for each of the monitoring wells is provided in Table 5.

Concentration versus time graphs for COCs in the A-TZ (2-methylnaphthalene (Figure E-1), dibenzofuran (Figure E-2), and naphthalene (Figure E-3)) and the B-TZ (dibenzofuran (Figure E-4) and naphthalene (Figure E-5)) are provided in Appendix E. The graphs demonstrate that COC concentrations in the A-TZ and B-TZ POC wells have shown a steady decrease over time with sporadic detections.

A QA/QC review and Data Usability Summary (DUS) were prepared for the July 2019 analytical data by GHD Services Inc. (Appendix C). The laboratory qualified analytes with concentrations above the sample detection limits (SDLs) but below the method quantitation limits (MQLs) as estimated on analytical tables (Tables 1 and 2). In addition to the laboratory qualifiers, GHD qualified the following results:

- FB-01 and FB-02 - Both field blanks yielded low level detections for bis(2-ethylhexyl)phthalate. The associated sample results that were reported with comparable concentrations to the field blanks were qualified as non-detect.

3.11 Reported Concentration Maps

Reported concentrations of each constituent analyzed for the 2019 second semi-annual monitoring event are presented on Figures 5 and 6 for the A-TZ and B-TZ compliance wells, respectively. In the event a constituent exceeded their respective PCL, the value would be highlighted on the figures. There was a verified exceedance of PCLs for naphthalene in MW-11B. Concentrations in all other wells were below PCLs.

3.12 Extent of NAPL

No measurable amounts of LNAPL or DNAPL were detected in any of the compliance wells.

3.13 Updated Compliance Schedule

Section X of the CP requires that the Permittee submit a schedule summarizing the activities required by the Compliance Plan issued on June 10, 2005, which was originally submitted to the TCEQ on August 4, 2004. An updated compliance schedule is included as Appendix F of this report.

3.14 Summary of Changes Made to Corrective Action Program

No changes have been made to the corrective action program.

3.15 Modifications and Amendments to Compliance Plan

A compliance plan renewal application was submitted to TCEQ on December 23, 2003 consistent with the renewal requirements for the RCRA permit at the site. The RCRA permit and CP were issued June 10, 2005. There have been no modifications or amendments to the Compliance Plan since the last permit issued. However, a RCRA Part A and Part B Permit Renewal Application with a Major Modification to the Compliance Plan was submitted on December 10, 2014, with revisions dated December 7, 2015, July 29, 2016, and June 24, 2017. The Permit Renewal Application is currently under TCEQ review. A Class 1 Permit Modification to update the facility contact information was submitted on February 28, 2018 and approved by the TCEQ in a letter dated March 20, 2018. The subsequent groundwater monitoring events and results from POC well MW-11B will be evaluated to determine if the SWMU No. 1 will need to remain in the corrective action program pursuant to 30 Texas Administrative Code (TAC) §335.166, or compliance monitoring program per 30 TAC §335.165 proposed in the December 10, 2014 Permit Renewal application.

3.16 Corrective Measures Implementation (CMI) Report

A Response Action Plan (RAP) was submitted within the Compliance Plan on December 10, 2014 with revisions on December 7, 2015 to the TCEQ. Additional revisions (Revision 4) to the RAP dated July 9, 2019 were submitted for TCEQ review.

3.17 Well Casing Elevations

In accordance with the facility Groundwater Sampling and Analysis Plan (GWSAP) dated May 13, 2004 (Revision 1), which requires SWMU 1 monitoring well elevations to be resurveyed every five years, the six A-TZ and four B-TZ monitoring well elevations were most recently surveyed on December 23, 2015. The report for the resurveyed well casing elevations was submitted to the TCEQ on January 29, 2016 under a separate cover letter.

3.18 Recommendation for Changes

Recommendations for changes to the post-closure care for SWMU 1 are included in the RCRA Part B Permit Renewal Application submitted on December 10, 2014, with revisions dated December 7, 2015, July 29, 2016, and June 24, 2017.

3.19 Well Installation and/or Abandonment

No monitoring wells were installed or abandoned as part of the monitoring program or the Corrective Action Program during the reporting period.

3.20 Activity Within Area Subject to Institutional Control

No areas are under institutional control; therefore, this provision does not apply.

3.21 Other Requested Items

No other items have been requested by the executive director.

TABLES

Table 1
Summary of Analytical Results for the A-Transmissive Zone (A-TZ)
Semiannual Monitoring Report: 2019 Second Semi-Annual Event

Houston Wood Preserving Works
Houston, Texas

Analyte	PCL (mg/L)	Monitoring Well IDs (Concentrations mg/L)																							
		MW-01A			FD-01			MW-02			MW-07			FD-02			MW-08			MW-10A			MW-11A		
		7/2/2019	LQ	VQ	7/2/2019	LQ	VQ	7/2/2019	LQ	VQ	7/1/2019	LQ	VQ	7/1/2019	LQ	VQ	7/1/2019	LQ	VQ	7/2/2019	LQ	VQ	7/2/2019	LQ	VQ
Acenaphthene	1.5	0.063			0.053			0.0019			0.000027	U	U	0.000027	U	U	0.000027	U	U	0.000027	U	U	0.00025		
Acenaphthylene	1.5	0.00071			0.00071			0.000015	U	U	0.000015	U	U	0.000015	U	U	0.000015	U	U	0.000015	U	U	0.000015	U	U
Anthracene	7.3	0.00097			0.00096			0.000064	J	J	0.00014			0.00029			0.000014	U	U	0.000014	U	U	0.000097	J	U
bis(2-ethylhexyl)phthalate	0.006	0.000037	U	U	0.000079	J	U	0.00015	J	U	0.000037	U	U	0.000037	U	U	0.000037	U	U	0.000037	U	U	0.00007	J	U
Dibenzofuran	0.098	0.0058			0.0054			0.00041			0.00002	U	U	0.00002	U	U	0.00002	U	U	0.00002	U	U	0.00002	U	U
Fluoranthene	0.98	0.0013			0.0012			0.000071	J	J	0.00001	U	U	0.00001	U	U	0.00001	U	U	0.00001	U	U	0.000018	J	J
Fluorene	0.98	0.019			0.016			0.00097			0.00003	U	U	0.00003	U	U	0.00003	U	U	0.00003	U	U	0.00003	U	U
2-Methylnaphthalene	0.098	0.00074			0.00069	U	U	0.00011			0.000019	U	U	0.000023	J	J	0.000019	U	U	0.000019	U	U	0.000019	U	U
Naphthalene	0.49	0.00034			0.00034			0.00011			0.00002	U	U	0.00025			0.00002	U	U	0.000043	J	J	0.000041	J	J
Phenanthrene	0.73	0.00076			0.00067			0.000054	J	J	0.000021	U	U	0.000021	U	U	0.000021	U	U	0.000021	U	U	0.000021	U	U
Pyrene	0.73	0.00059			0.00055			0.000037	J	J	0.000019	U	U	0.000019	U	U	0.000019	U	U	0.000019	U	U	0.000031	J	U

Notes:

PCL = Protective Concentration Level

The Compliance Plan Section IV.D defines the Groundwater Protection Standard (GWPS) as the PCL

FD-01 = Duplicate sample collected at MW-01A

FD-01 = Duplicate sample collected at MW-07

LQ - Lab Qualifier

J = Estimated value between the SDL and the MQL

U = Value not detected greater than the MQL

VQ - Validation Qualifier

J = Estimated concentration

U = Non-detect due to low concentrations detected in the associated field blank

Table 2
Summary of Analytical Results for the B-Transmissive Zone (B-TZ)
Semiannual Monitoring Report: 2019 Second Semi-Annual Event

Houston Wood Preserving Works
Houston, Texas

Analyte	PCL (mg/L)	Monitoring Well IDs (Concentrations mg/L)																	
		MW-10B			MW-11B						P-10			P-12					
		7/2/2019	LQ	VQ	7/2/2019	LQ	VQ	7/30/2019	LQ	VQ	10/17/2019	LQ	VQ	7/1/2019	LQ	VQ	7/1/2019	LQ	VQ
Acenaphthene	1.5	0.042			0.13								0.0028			0.000027	U	U	
Acenaphthylene	1.5	0.00031			0.0013								0.000015	U	U	0.000015	U	U	
Anthracene	7.3	0.0012			0.0045								0.000065	J	J	0.000052	J	J	
bis(2-ethylhexyl)phthalate	0.006	0.000037	U	U	0.00026	J	U						0.00029			0.000037	U	U	
Dibenzofuran	0.098	0.013			0.051								0.00002	U	U	0.00002	U	U	
Di-n-butyl phthalate	2.4	0.00002	U	U	0.00002	U	U						0.00002	U	U	0.00002	U	U	
Fluoranthene	0.98	0.0012			0.0005								0.00001	U	U	0.00001	U	U	
Fluorene	0.98	0.018			0.061								0.00003	U	U	0.00003	U	U	
Naphthalene	0.49	0.00023			0.7			1.1		0.6			0.000063	J	J	0.00002	U	U	
Phenol	7.3	0.000035	U	U	0.000035	U	U						0.000035	U	U	0.000035	U	U	
Pyrene	0.73	0.00049			0.0027								0.000019	U	U	0.000019	U	U	

Notes:

PCL = Protective Concentration Level

The Compliance Plan Section IV.D defines the Groundwater Protection Standard (GWPS) as the PCL

LQ - Lab Qualifier

J = Estimated value between the SDL and the MDQ

U = Value not detected greater than the MQL

VQ - Validation Qualifier

J = Estimated concentration

U = Non-detect due to low concentrations detected in the associated field blank

Table 3
Summary of Analytical Results for Quality Assurance/Quality Control Samples
Semiannual Monitoring Report: 2019 Second Semi-Annual Event

Houston Wood Preserving Works
Houston, Texas

Analyte	PCL (mg/L)	P-12(MS) ⁽¹⁾		P-12(MSD) ⁽¹⁾	
		Matrix Spike		Matrix Spike Duplicate	
Acenaphthene	1.5	0.002815		0.003082	
Acenaphthylene	1.5	0.002753		0.002979	
Anthracene	7.3	0.003412		0.003858	
bis(2-ethylhexyl)phthalate	0.006	0.004295		0.004996	
Dibenzofuran	0.098	0.003088		0.003269	
Fluoranthene	0.98	0.003935		0.004508	
Fluorene	0.98	0.003209		0.003444	
2-Methylnaphthalene	0.098	0.002584		0.003038	
Naphthalene	0.49	0.002592		0.002948	
Phenanthrene	0.73	0.003405		0.003853	
Pyrene	0.73	0.003839		0.004535	

Notes:

PCL = Protective Concentration Level

(1) = P-12(MS) and P-12(MSD) are matrix spike and matrix spike duplicate samples collected at P-12, respectively.

N = Relative percent difference of the MS and MSD exceeds the control limits.

Table 4
Water Level Measurements
Semiannual Monitoring Report: 2019 Second Semi-Annual Event

Houston Wood Preserving Works
Houston, Texas

Well ID	Top of Casing Elevation (TOC) (ft MSL) ⁺	Date Measured	Water Depth (ft. BTOC)	Depth to NAPL (ft. BTOC)	Total Well Depth as Completed (ft. BTOC)	Total Well Depth (ft. BTOC)	Potentiometric Elevation (ft. MSL)
A-TZ Monitoring Locations							
MW-01A	47.90	7/1/2019	2.85	ND	20.2	19.85	45.05
MW-02	47.89	7/1/2019	3.09	ND	20.3	24.05	44.80
MW-07	48.91	7/1/2019	3.93	ND	25.9	22.25	44.98
MW-08	49.33	7/1/2019	3.98	ND	26.8	25.05	45.35
MW-10A	49.83	7/1/2019	4.69	ND	25.9	20.15	45.14
MW-11A	50.16	7/1/2019	5.06	ND	24.4	24.05	45.10
B-TZ Monitoring Locations							
MW-10B	49.96	7/1/2019	4.82	ND	48.8	46.45	45.14
MW-11B	50.24	7/1/2019	5.21	ND	46.8	46.65	45.03
P-10	47.71	7/1/2019	3.12	ND	40.0	42.85	44.59
P-12	48.76	7/1/2019	3.06	ND	40.0	42.80	45.70

Notes

BTOC = feet below the top of the well casing

ft. MSL = feet above Mean Sea Level

NA = Not Available


*TOC elevations based on December 2015 survey (see Section 3.17)

Table 5
Compliance Status of Wells and Piezometers
Semiannual Monitoring Report: 2019 Second Semi-Annual Event

Houston Wood Preserving Works
Houston, Texas

Zone	Monitoring Well Location	Well Designation	Compliance Status
A-TZ Monitoring Location	MW-01A	Point of Compliance	Compliant
	MW-02	Point of Compliance	Compliant
	MW-07	Point of Compliance	Compliant
	MW-08	Background Well	Compliant
	MW-10A	Point of Compliance	Compliant
	MW-11A	Point of Compliance	Compliant
B-TZ Monitoring Location	MW-10B	Point of Compliance	Compliant
	MW-11B	Point of Compliance	Not Compliant
	P-10	Point of Compliance	Compliant
	P-12	Background Well	Compliant

FIGURES



REFERENCE(S)
 BASE MAP TAKEN FROM USGS 7.5 MINUTE QUADRANGLE, SETTEGAST, TEXAS, 1982.

CLIENT
 UNION PACIFIC RAILROAD CO.

PROJECT
 HOUSTON WOOD PRESERVING WORKS


TITLE
 SITE LOCATION MAP

CONSULTANT	YYYY-MM-DD	2018-12-10
	DESIGNED	AJD
	PREPARED	AJD
	REVIEWED	MH
	APPROVED	ECM

PROJECT NO. 30401358 **REV.** 0 **FIGURE** 1



QUADRANGLE LOCATION



LEGEND

- PROPERTY BOUNDARY
- ROAD, PARKING LOT, SIDEWALK
- FENCE
- RAILROAD
- A-TZ MONITORING WELL LOCATION
 (- COMPLIANCE WELL)
 (42.32) GROUNDWATER ELEVATION (FT, MSL)
 (NM = NOT MEASURED)
 GROUNDWATER ELEVATION CONTOUR (FT, MSL)
 C.I. = 1 FT
 (DASHED WHERE INFERRED)
- ↑ GENERAL GROUNDWATER FLOW DIRECTION

ESTIMATED GRADIENT

$$A_i \rightarrow A_j = \frac{2ft}{140ft} = 0.014 ft/ft$$

NOTE(S)

1. "- DATA NOT USED TO DEVELOP POTENTIOMETRIC SURFACE.

REFERENCE(S)

BASE MAP TAKEN FROM ERM-SOUTHWEST, INC 0014419a310.DWG, 6/19/2006.

CLIENT
 UNION PACIFIC RAILROAD CO.

PROJECT
 HOUSTON WOOD PRESERVING WORKS

TITLE
 A-TZ POTENTIOMETRIC SURFACE CONTOUR MAP
 JULY 2019

CONSULTANT
 GOLDER

DESIGNED 219-09-04
AJD

PREPARED PJM

REVIEWED MH

APPROVED ECM

PROJECT NO. 19119232

REV. 0

FIGURE 3

STATE OF TEXAS
 ERIC C. MATZNER
 GEOLOGY
 LIC. # 795
 LICENSED PROFESSIONAL GEOSCIENTIST

Texas Geosciences Firm No. 50369

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM A1814

APPENDIX A

Compliance Plan Tables

TABLE III - CORRECTIVE ACTION PROGRAM
 Table of Detected Hazardous and Solid Waste Constituents and
 Concentration Limits for the Ground-Water Protection Standard

Closed Surface Impoundment (NOR Unit No. 001, SWMU No. 01)

<u>A-Transmissive Zone</u>		<u>B-Transmissive Zone</u>	
COLUMN A Hazardous Constituents	COLUMN B Concentration Limits (mg/l)	COLUMN A Hazardous Constituents	COLUMN B Concentration Limits (mg/l)
Acenaphthene	1.5 ^{PCL}	Acenaphthene	1.5 ^{PCL}
Acenaphthylene	1.5 ^{PCL}	Acenaphthylene	1.5 ^{PCL}
Anthracene	7.3 ^{PCL}	Anthracene	7.3 ^{PCL}
Dibenzofuran	0.098 ^{PCL}	Dibenzofuran	0.098 ^{PCL}
Bis(2-ethylhexyl)phthalate	0.006 ^{PCL}	Bis(2-ethylhexyl)phthalate	0.006 ^{PCL}
Fluoranthene	0.98 ^{PCL}	Fluoranthene	0.98 ^{PCL}
Fluorene	0.98 ^{PCL}	Fluorene	0.98 ^{PCL}
2-Methylnaphthalene	0.098 ^{PCL}	Di-n-butyl phthalate	2.4 ^{PCL}
Naphthalene	0.49 ^{PCL}	Naphthalene	0.49 ^{PCL}
Phenanthrene	0.73 ^{PCL}	Phenol	7.3 ^{PCL}
Pyrene	0.73 ^{PCL}	Pyrene	0.73 ^{PCL}

PCL. Alternate Concentration Limit pursuant to 30 TAC §335.160(b) based upon the Protective Concentration Level determined under 30 TAC Chapter 350 for Residential Land Use. The PCL value, Column B, will change as updates to the rule are promulgated. Changes to the rule automatically change the concentration value established in Column B in this table.

TABLE V
Designation of Wells by Function

POINT OF COMPLIANCE WELLS

1. Closed Surface Impoundment (NOR Unit No. 001, SWMU No. 01)
A-Transmissive Zone: MW-01A, MW-02, MW-07, MW-10A, and MW-11A
B-Transmissive Zone: MW-10B, MW-11B, and P-10

POINT OF EXPOSURE WELLS

1. Closed Surface Impoundment (NOR Unit No. 001, SWMU No. 01)
None

BACKGROUND WELLS

1. Closed Surface Impoundment (NOR Unit No. 001, SWMU No. 01)
A-Transmissive Zone: MW-8
B-Transmissive Zone: P-12

Note: Wells and piezometers identified on Attachment A maps that are not listed in this table are subject to change, upon approval by the executive director, without modification to the Compliance Plan. The wells and piezometers for the Closed Surface Impoundment are depicted on Attachment A, Sheets 3 and 4.

APPENDIX B

Field Parameters

Table B-1
Groundwater Sampling Field Parameters
Semiannual Monitoring Report: 2019 Second Semi-Annual Event

Houston Wood Preserving Works
Houston, Texas

Field Parameter	Monitoring Well IDs									
	A-Transmissive Zone						B-Transmissive Zone			
	MW-01A	MW-02	MW-07	MW-08	MW-10A	MW-11A	MW-10B	MW-11B	P-10	P-12
	7/2/2019	7/2/2019	7/1/2019	7/1/2019	7/2/2019	7/2/2019	7/2/2019	7/2/2019	7/1/2019	7/1/2019
Time Sampled (hrs CST)	12:10	11:15	16:55	15:10	9:25	7:45	10:20	8:35	16:00	14:15
Temperature (°C)	21.7	22.4	22.4	21.4	21.9	22.7	22.1	22.1	21.6	22.1
pH (Standard Units)	6.82	6.73	6.91	6.62	6.86	6.82	6.84	6.96	6.72	6.71
Specific Conductivity (mmhos/cm)	1140	1070	1310	1120	1060	1030	1010	1160	1360	970
Dissolved Oxygen (mg/L)	0.42	0.65	0.26	0.32	0.38	0.82	0.43	0.61	0.56	0.52
Turbidity (NTU)	6.1	4.7	12	5.6	6.7	4.6	9.2	12	7.2	5.7

APPENDIX C

Laboratory Analytical Reports and Data Usability Summaries



Memorandum

July 16, 2019

To: Eric Matzner Ref. No.: 11183954-1620

From: ^{ck} Chris G. Knight/eew/313-NF Tel: 512-506-8803

cc: Jesse Orth, Jon Lang; Julie Lidstone

**Subject: Data Usability Summary
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
July 2019**

1. Scope of Data Usability Study

This document details a Data Usability Summary (DUS) of analytical results for groundwater samples collected in support of the Semiannual Groundwater Monitoring Event at the Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works site during July 2019. Samples were submitted to ALS Environmental (ALS), located in Houston, Texas and are reported in data package HS19070159. The intended use of the data is to support the Semiannual Groundwater Monitoring Event at the site by providing current concentration of chemicals of concern.

Data were reviewed and validated by Chris G. Knight of GHD, in accordance with Title 30 of the Texas Administrative Code Section 350.54 (30 TAC 350.54) as described in the Texas Commission on Environmental Quality (TCEQ) Regulatory Guidance document entitled "Review and Reporting of COC Concentration Data under TRRP", (RG-366/TRRP-13), revised May 2010, herein referred to as "TRRP-13 Guidance". Evaluation of the data was based on information obtained from the chain of custody forms, the finished report forms, method blank data, recovery data from surrogate spikes/laboratory control samples (LCS)/matrix spikes (MS), field quality assurance/quality control (QA/QC) samples, the laboratory review checklists (LRC), and the laboratory exception report (ER).

A sample collection and analysis summary is presented in Table 1. This summary provides a cross-reference of field sample identification numbers and location identification. Each sample is assigned a unique field identification number.

The validated sample results are presented in Table 2. A summary of the analytical methodology is presented in Table 3.



2. Laboratory Qualifications

The Laboratory's quality assurance program is consistent with the quality standards outlined in the National Environmental Laboratory Accreditation Program (NELAP). This laboratory was accredited under Texas Certification number # TX104704231 at the time the analysis was performed and the certificate is included in Attachment A.

3. Project Objectives

3.1 Sampling/Analytical QA/QC Objectives

The QA/QC program was designed to identify contamination resulting from the sampling, sample transport and analytical process through the analysis of field blank samples, field duplicate sample sets, and method blanks. The QA/QC program was designed to evaluate the quality of the resulting data with respect to bias and precision through analysis of LCS and MS analyses.

4. Data Review/Validation Results

4.1 Sample Holding Time and Preservation

Samples were shipped with a chain of custody and the paper work was filled out properly with the following exception:

- i) The sample time for WG-1620-FD02-20190701 listed on the sample label did not match the sample time listed on the chain of custody. The sample time listed on the chain of custody was used for log in. No further action was required.

All samples were properly preserved, delivered on ice, and stored by the laboratory at the required temperature (0-6°C).

The sample chain of custody documents and the analytical report were used to determine sample holding times. All samples were prepared and analyzed within the required holding times.

4.2 Sample Containers

Sample containers used were certified pre-cleaned glass containers provided by the laboratory. These containers meet or exceed analyte specifications established in the United States Environmental Protection Agency (USEPA) *Specifications and Guidance for Contaminant-free Sample Containers*.

4.3 Calibrations

According to the LRC, initial calibration and continuing calibration data met the criteria for the selected method.



4.4 Laboratory Method Blank Analyses

Method blanks are prepared from a purified matrix and analyzed with investigative samples to determine the existence and magnitude of sample contamination introduced during the analytical procedures. As these were not discrete samples handled in the field, these blanks are not listed on the sample identification cross-reference list found in the data package.

For this study, laboratory method blanks were analyzed at a minimum frequency of one per twenty investigative samples and/or one per analytical batch and results are reported in the laboratory data package.

The method blank result was non-detect or below the method quantitation limit (MQL), indicating that laboratory contamination was not a factor for this investigation.

4.5 Internal Standard and Surrogate Spike Recoveries

Recoveries of internal standards are addressed in the LRC of the data package. All internal standard recoveries associated with the compounds of interest were acceptable per the LRC.

In accordance with the methods employed, all samples, blanks, and QC samples analyzed for semi-volatile organic compounds (SVOCs) are spiked with surrogate compounds prior to sample analysis. Surrogate recoveries provide a means to evaluate the effects of laboratory performance on individual sample matrices. The recovery ranges established by the laboratory are adopted as the acceptance criteria for the project. Each individual surrogate compound is expected to meet the laboratory control limits. According to the TRRP-13 Guidelines, one outlying surrogate is acceptable for methods with multiple surrogate spike compounds as long as the recovery is at least ten percent. Sample analyzed at elevated sample dilutions (greater than five times) were not assessed.

Surrogate recoveries were assessed against laboratory control limits and/or the guidance in TRRP-13. All surrogate recoveries met the above criteria.

4.6 Laboratory Control Sample Analysis

LCS/LCSD are prepared and analyzed as samples to assess the analytical efficiencies of the methods employed, independent of sample matrix effects. The relative percent difference (RPD) of the LCS/LCSD recoveries is used to evaluate analytical precision. The recovery ranges established by the laboratory are adopted as the acceptance criteria for the project.

For this study, LCS/LCSD were analyzed at a minimum frequency of one per twenty investigative samples and/or one per analytical batch.

The LCS/LCSD contained all compounds specified in the method. All LCS recoveries and RPDs were within the laboratory control limits, demonstrating acceptable analytical accuracy and precision.

4.7 Matrix Spike/Matrix Spike Duplicate Analysis

To evaluate the effects of sample matrices on the preparation process, measurement procedures, and accuracy of a particular analysis, samples are spiked with known concentrations of the analytes of interest



and analyzed as MS/MSD samples. The RPD between the MS and MSD is used to assess analytical precision.

The MS/MSD analysis was performed as specified in Table 1. The recovery ranges established by the laboratory is adopted as the acceptance criteria for the project.

The MS/MSD samples were spiked with all compounds specified in the method. All percent recoveries and the RPD value were within the laboratory control limits, demonstrating acceptable analytical accuracy and precision.

4.8 Field QA/QC Samples

The field QA/QC consisted of two field blank samples and two field duplicate sample sets.

Field Blank Sample Analysis

To assess ambient conditions at the site, two field blank samples were submitted for analysis, as identified in Table 1. All results were non-detect for the compounds of interest with the following exceptions (see Table 4):

- i) WQ-1620-FB01-20190701 and WQ-1620-FB02-20190702 both yielded low level detected results for bis(2-ethylhexyl)phthalate (DEHP). Associated sample results that were significantly greater than the concentrations found in the field blanks or were non-detect were not impacted. No further action was required. Associated sample results with comparable concentrations were qualified as non-detect.

Field Duplicate Sample Analysis

To assess the analytical and sampling protocol precision, two field duplicate sample sets were collected and submitted "blind" to the laboratory, as specified in Table 1. The RPDs associated with these duplicate samples must be less than thirty percent for water samples. The RPDs are only used when sample concentrations are above the estimated regions of detection.

Field duplicate summary data are presented in Table 2. All field duplicate results were within acceptable agreement, demonstrating acceptable sampling and analytical precision.

4.9 Field Procedures

Golder Associates, Inc. collected groundwater samples in accordance with their Standard Operating Procedures (SOP) for sample collection.

4.10 Analyte Reporting

The laboratory reported detected results for each analyte down to the sample detection limit (SDL), which is defined as the method detection limit (MDL) with sample-specific adjustments for dilutions, aliquot size, volumes, etc. Positive analyte detections less than the MQL but greater than the SDL were qualified as estimated (J) in Table 2 unless qualified otherwise in this memorandum.

The detectability check standard (DCS) results supported the laboratory MDL.



5. Conclusion

Based on the assessment detailed in the foregoing, the data summarized in Table 2 are usable for the purpose of supporting the Semiannual Groundwater Monitoring Event at the site by providing current concentration of chemicals of concern with the specific qualifications noted herein.

Table 1

Sample Collection and Analysis Summary
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
July 2019

Sample Identification	Location	Matrix	Collection Date (mm/dd/yyyy)	Collection Time (hr:min)	<u>Analysis/Parameters</u>	
					SVOCs	Comments
WG-1620-P12-20190701	P-12	Water	07/01/2019	14:15	X	MS/MSD
WG-1620-MW08-20190701	MW-08	Water	07/01/2019	15:10	X	
WG-1620-P10-20190701	P-10	Water	07/01/2019	16:00	X	
WG-1620-MW07-20190701	MW-07	Water	07/01/2019	16:55	X	
WG-1620-FD02-20190701	MW-07	Water	07/01/2019	16:55	X	Field duplicate of MW-07
WG-1620-FB01-20190701	-	Water	07/01/2019	17:15	X	Field Blank
WG-1620-MW11A-20190702	MW-11A	Water	07/02/2019	07:45	X	
WG-1620-MW11B-20190702	MW-11B	Water	07/02/2019	08:35	X	
WG-1620-MW10A-20190702	MW-10A	Water	07/02/2019	09:25	X	
WG-1620-MW10B-20190702	MW-10B	Water	07/02/2019	10:20	X	
WG-1620-MW02-20190702	MW-02	Water	07/02/2019	11:15	X	
WG-1620-MW01A-20190702	MW-01A	Water	07/02/2019	12:10	X	
WG-1620-FD01-20190702	MW-01A	Water	07/02/2019	12:10	X	Field duplicate of MW-01A
WG-1620-FB02-20190702	-	Water	07/02/2019	12:30	X	Field Blank

Notes:

- SVOCs - Semi-volatile Organic Compounds
MS/MSD - Matrix Spike/Matrix Spike Duplicate

Table 2
Analytical Results Summary
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
July 2019

Location ID:	MW-01A	MW-01A	MW-02	MW-07	
Sample Name:	WG-1620-MW01A-20190702	WG-1620-FD01-20190702	WG-1620-MW02-20190702	WG-1620-MW07-20190701	
Sample Date:	07/02/2019	07/02/2019 Duplicate	07/02/2019	07/01/2019	
Parameters	Unit				
Semi-volatile Organic Compounds					
2-Methylnaphthalene	mg/L	0.00074	0.00069	0.00011	<0.000019
Acenaphthene	mg/L	0.063	0.053	0.0019	<0.000027
Acenaphthylene	mg/L	0.00071	0.00071	<0.000015	<0.000015
Anthracene	mg/L	0.00097	0.00096	0.000064 J	0.00014
bis(2-Ethylhexyl)phthalate (DEHP)	mg/L	<0.000037	<0.000079	<0.00015	<0.000037
Di-n-butylphthalate (DBP)	mg/L	--	--	--	--
Dibenzofuran	mg/L	0.0058	0.0054	0.00041	<0.000020
Fluoranthene	mg/L	0.0013	0.0012	0.000071 J	<0.000010
Fluorene	mg/L	0.019	0.016	0.00097	<0.000030
Naphthalene	mg/L	0.00034	0.00034	0.00011	<0.000020
Phenanthrene	mg/L	0.00076	0.00067	0.000054 J	<0.000021
Phenol	mg/L	--	--	--	--
Pyrene	mg/L	0.00059	0.00055	0.000037 J	<0.000019

Table 2
Analytical Results Summary
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
July 2019

Location ID:	MW-07	MW-08	MW-10A	MW-10B
Sample Name:	WG-1620-FD02-20190701	WG-1620-MW08-20190701	WG-1620-MW10A-20190702	WG-1620-MW10B-20190702
Sample Date:	07/01/2019 Duplicate	07/01/2019	07/02/2019	07/02/2019
Parameters	Unit			
Semi-volatile Organic Compounds				
2-Methylnaphthalene	mg/L	0.000023 J	<0.000019	<0.000019
Acenaphthene	mg/L	<0.000027	<0.000027	<0.000027
Acenaphthylene	mg/L	<0.000015	<0.000015	<0.000015
Anthracene	mg/L	0.00029	<0.000014	<0.000014
bis(2-Ethylhexyl)phthalate (DEHP)	mg/L	<0.000037	<0.000037	<0.000037
Di-n-butylphthalate (DBP)	mg/L	--	--	--
Dibenzofuran	mg/L	<0.000020	<0.000020	<0.000020
Fluoranthene	mg/L	<0.000010	<0.000010	<0.000010
Fluorene	mg/L	<0.000030	<0.000030	<0.000030
Naphthalene	mg/L	0.00025	<0.000020	0.000043 J
Phenanthrene	mg/L	<0.000021	<0.000021	<0.000021
Phenol	mg/L	--	--	--
Pyrene	mg/L	<0.000019	<0.000019	<0.000019

Table 2
Analytical Results Summary
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
July 2019

Location ID:	MW-11A	MW-11B	P-10	P-12
Sample Name:	WG-1620-MW11A-20190702	WG-1620-MW11B-20190702	WG-1620-P10-20190701	WG-1620-P12-20190701
Sample Date:	07/02/2019	07/02/2019	07/01/2019	07/01/2019
Parameters	Unit			
Semi-volatile Organic Compounds				
2-Methylnaphthalene	mg/L	<0.000019	--	--
Acenaphthene	mg/L	0.00025	0.13	0.0028
Acenaphthylene	mg/L	<0.000015	0.0013	<0.000015
Anthracene	mg/L	0.000097 J	0.0045	0.000065 J
bis(2-Ethylhexyl)phthalate (DEHP)	mg/L	<0.000070	<0.00026	0.00029
Di-n-butylphthalate (DBP)	mg/L	--	<0.000020	<0.000020
Dibenzofuran	mg/L	<0.000020	0.051	<0.000020
Fluoranthene	mg/L	0.000018 J	0.0050	<0.000010
Fluorene	mg/L	<0.000030	0.061	<0.000030
Naphthalene	mg/L	0.000041 J	0.70	0.000063 J
Phenanthrene	mg/L	<0.000021	--	--
Phenol	mg/L	--	<0.000035	<0.000035
Pyrene	mg/L	0.000031 J	0.0027	<0.000019

Notes:
 < - Not detected at the associated reporting limit
 J - Estimated concentration
 "--" Not Applicable

Table 3

Analytical Methods
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
July 2019

Parameter	Method	Matrix	Holding Time	Holding Time
			Collection to Extraction (Days)	Extraction to Analysis (Days)
SVOCs	SW-846 8270D	Water	7	40

Notes:

SVOCs - Semi-volatile Organic Compounds

Method References:

SW-846 - "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", SW-846, Third Edition, 1986, with subsequent revisions

Table 4

**Qualified Sample Data Due to Analyte Concentrations in the Field Blanks
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
July 2019**

Parameter	Field Blank ID	Blank Date (dd/mm/yyyy)	Analyte	Blank Result	Associated Sample ID	Original Result	Qualified Result	Units
SVOCs	WG-1620-FB02-20190702	07/02/2019	bis(2- Ethylhexyl)phthalate (DEHP)	0.000068 J	WG-1620-FD01-20190702	0.000079 J	<0.000079	mg/L
					WG-1620-MW02-20190702	0.00015 J	<0.00015	mg/L
					WG-1620-MW11A-20190702	0.000070 J	<0.000070	mg/L
					WG-1620-MW11B-20190702	0.00026 J	<0.00026	mg/L

Notes:

SVOCs - Semi-volatile Organic Compounds

< - Not detected at the associated reporting limit

J - Estimated concentration

Attachment A

Laboratory NELAP Certificate



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Method EPA 1613

Analyte	AB	Analyte ID	Method ID
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10120408

Method EPA 200.8

Analyte	AB	Analyte ID	Method ID
Copper	TX	1055	10014605
Lead	TX	1075	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	AB	Analyte ID	Method ID
Method EPA 1010			
Analyte Ignitability	TX	1780	10116606
Method EPA 120.1			
Analyte Conductivity	TX	1610	10006403
Method EPA 1311			
Analyte TCLP	TX	849	10118806
Method EPA 1312			
Analyte SPLP	TX	850	10119003
Method EPA 160.4			
Analyte Residue-volatile	TX	1970	10010409
Method EPA 1613			
Analyte 1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10120408
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10120408
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10120408
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10120408
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10120408
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10120408
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10120408
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10120408
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,6,7,8-HxCDD)	TX	9456	10120408
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10120408
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10120408
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10120408
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10120408
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10120408



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10120408
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10120408
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10120408
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10120408
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10120408
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10120408
Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10120408
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10120408
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10120408
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10120408
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10120408
Method EPA 1664			
Analyte	AB	Analyte ID	Method ID
n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10127807
Method EPA 180.1			
Analyte	AB	Analyte ID	Method ID
Turbidity	TX	2055	10011606
Method EPA 200.8			
Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10014605
Antimony	TX	1005	10014605
Arsenic	TX	1010	10014605
Barium	TX	1015	10014605
Beryllium	TX	1020	10014605
Boron	TX	1025	10014605
Cadmium	TX	1030	10014605
Calcium	TX	1035	10014605
Chromium	TX	1040	10014605
Cobalt	TX	1050	10014605
Copper	TX	1055	10014605
Iron	TX	1070	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Lead	TX	1075	10014605
Magnesium	TX	1085	10014605
Manganese	TX	1090	10014605
Molybdenum	TX	1100	10014605
Nickel	TX	1105	10014605
Potassium	TX	1125	10014605
Selenium	TX	1140	10014605
Silver	TX	1150	10014605
Sodium	TX	1155	10014605
Strontium	TX	1160	10014605
Thallium	TX	1165	10014605
Tin	TX	1175	10014605
Titanium	TX	1180	10014605
Uranium	TX	3035	10014605
Vanadium	TX	1185	10014605
Zinc	TX	1190	10014605

Method EPA 245.1

Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10036609

Method EPA 300.0

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10053200
Chloride	TX	1575	10053200
Fluoride	TX	1730	10053200
Nitrate as N	TX	1810	10053200
Nitrate-nitrite	TX	1820	10053200
Nitrite as N	TX	1840	10053200
Orthophosphate as P	TX	1870	10053200
Sulfate	TX	2000	10053200

Method EPA 325.1

Analyte	AB	Analyte ID	Method ID
---------	----	------------	-----------



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Chloride	TX	1575	10056801
Method EPA 335.1			
Analyte Amenable cyanide	AB TX	Analyte ID 1510	Method ID 10060001
Method EPA 335.2			
Analyte Total cyanide	AB TX	Analyte ID 1645	Method ID 10278203
Method EPA 335.4			
Analyte Total cyanide	AB TX	Analyte ID 1645	Method ID 10061402
Method EPA 350.3			
Analyte Ammonia as N	AB TX	Analyte ID 1515	Method ID 10064401
Method EPA 365.3			
Analyte Orthophosphate as P Phosphorus	AB TX TX	Analyte ID 1870 1910	Method ID 10070801 10070801
Method EPA 375.4			
Analyte Sulfate	AB TX	Analyte ID 2000	Method ID 10073800
Method EPA 376.1			
Analyte Sulfide	AB TX	Analyte ID 2005	Method ID 10074201
Method EPA 410.4			
Analyte Chemical oxygen demand (COD)	AB TX	Analyte ID 1565	Method ID 10077404
Method EPA 415.1			
Analyte Total Organic Carbon (TOC)	AB TX	Analyte ID 2040	Method ID 10078407
Method EPA 420.1			
Analyte Total phenolics	AB TX	Analyte ID 1905	Method ID 10079400



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 420.4

Analyte	AB	Analyte ID	Method ID
Total phenolics	TX	1905	10080203

Method EPA 6020

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10156419
Antimony	TX	1005	10156419
Arsenic	TX	1010	10156419
Barium	TX	1015	10156419
Beryllium	TX	1020	10156419
Boron	TX	1025	10156419
Cadmium	TX	1030	10156419
Calcium	TX	1035	10156419
Chromium	TX	1040	10156419
Cobalt	TX	1050	10156419
Copper	TX	1055	10156419
Iron	TX	1070	10156419
Lead	TX	1075	10156419
Lithium	TX	1080	10156419
Magnesium	TX	1085	10156419
Manganese	TX	1090	10156419
Molybdenum	TX	1100	10156419
Nickel	TX	1105	10156419
Potassium	TX	1125	10156419
Selenium	TX	1140	10156419
Silver	TX	1150	10156419
Sodium	TX	1155	10156419
Strontium	TX	1160	10156419
Thallium	TX	1165	10156419
Tin	TX	1175	10156419
Titanium	TX	1180	10156419



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Vanadium	TX	1185	10156419
Zinc	TX	1190	10156419
Method EPA 608			
Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10103603
4,4'-DDE	TX	7360	10103603
4,4'-DDT	TX	7365	10103603
Aldrin	TX	7025	10103603
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10103603
alpha-Chlordane	TX	7240	10103603
Aroclor-1016 (PCB-1016)	TX	8880	10103603
Aroclor-1221 (PCB-1221)	TX	8885	10103603
Aroclor-1232 (PCB-1232)	TX	8890	10103603
Aroclor-1242 (PCB-1242)	TX	8895	10103603
Aroclor-1248 (PCB-1248)	TX	8900	10103603
Aroclor-1254 (PCB-1254)	TX	8905	10103603
Aroclor-1260 (PCB-1260)	TX	8910	10103603
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10103603
Chlordane (tech.)	TX	7250	10103603
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10103603
Dieldrin	TX	7470	10103603
Endosulfan I	TX	7510	10103603
Endosulfan II	TX	7515	10103603
Endosulfan sulfate	TX	7520	10103603
Endrin	TX	7540	10103603
Endrin aldehyde	TX	7530	10103603
Endrin ketone	TX	7535	10103603
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10103603
gamma-Chlordane	TX	7245	10103603
Heptachlor	TX	7685	10103603



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Heptachlor epoxide	TX	7690	10103603
Methoxychlor	TX	7810	10103603
Toxaphene (Chlorinated camphene)	TX	8250	10103603

Method EPA 624

Analyte	AB	Analyte ID	Method ID
1,1,1-Trichloroethane	TX	5160	10107207
1,1,1,2-Tetrachloroethane	TX	5110	10107207
1,1,2-Trichloroethane	TX	5165	10107207
1,1-Dichloroethane	TX	4630	10107207
1,1-Dichloroethylene	TX	4640	10107207
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10107207
1,2-Dichlorobenzene	TX	4610	10107207
1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10107207
1,2-Dichloropropane	TX	4655	10107207
1,3-Dichlorobenzene	TX	4615	10107207
1,4-Dichlorobenzene	TX	4620	10107207
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10107207
2-Chloroethyl vinyl ether	TX	4500	10107207
Acetone (2-Propanone)	TX	4315	10107207
Acrolein (Propenal)	TX	4325	10107207
Acrylonitrile	TX	4340	10107207
Benzene	TX	4375	10107207
Bromodichloromethane	TX	4395	10107207
Bromoform	TX	4400	10107207
Carbon tetrachloride	TX	4455	10107207
Chlorobenzene	TX	4475	10107207
Chlorodibromomethane	TX	4575	10107207
Chloroethane (Ethyl chloride)	TX	4485	10107207
Chloroform	TX	4505	10107207
cis-1,2-Dichloroethylene	TX	4645	10107207



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

cis-1,3-Dichloropropene	TX	4680	10107207
Ethylbenzene	TX	4765	10107207
m+p-xylene	TX	5240	10107207
Methyl bromide (Bromomethane)	TX	4950	10107207
Methyl chloride (Chloromethane)	TX	4960	10107207
Methyl tert-butyl ether (MTBE)	TX	5000	10107207
Methylene chloride (Dichloromethane)	TX	4975	10107207
Naphthalene	TX	5005	10107207
o-Xylene	TX	5250	10107207
Tetrachloroethylene (Perchloroethylene)	TX	5115	10107207
Toluene	TX	5140	10107207
trans-1,2-Dichloroethylene	TX	4700	10107207
trans-1,3-Dichloropropylene	TX	4685	10107207
Trichloroethene (Trichloroethylene)	TX	5170	10107207
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10107207
Vinyl chloride	TX	5235	10107207
Xylene (total)	TX	5260	10107207

Method EPA 625

Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10107401
1,2,4-Trichlorobenzene	TX	5155	10107401
1,2-Dichlorobenzene	TX	4610	10107401
1,2-Diphenylhydrazine	TX	6220	10107401
1,3-Dichlorobenzene	TX	4615	10107401
1,4-Dichlorobenzene	TX	4620	10107401
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10107401
2,4,5-Trichlorophenol	TX	6835	10107401
2,4,6-Trichlorophenol	TX	6840	10107401
2,4-Dichlorophenol	TX	6000	10107401
2,4-Dimethylphenol	TX	6130	10107401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2,4-Dinitrophenol	TX	6175	10107401
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10107401
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10107401
2-Chloronaphthalene	TX	5795	10107401
2-Chlorophenol	TX	5800	10107401
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10107401
2-Methylphenol (o-Cresol)	TX	6400	10107401
2-Nitrophenol	TX	6490	10107401
3,3'-Dichlorobenzidine	TX	5945	10107401
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10107401
4-Chloro-3-methylphenol	TX	5700	10107401
4-Chlorophenyl phenylether	TX	5825	10107401
4-Methylphenol (p-Cresol)	TX	6410	10107401
4-Nitrophenol	TX	6500	10107401
Acenaphthene	TX	5500	10107401
Acenaphthylene	TX	5505	10107401
Anthracene	TX	5555	10107401
Benzidine	TX	5595	10107401
Benzo(a)anthracene	TX	5575	10107401
Benzo(a)pyrene	TX	5580	10107401
Benzo(b)fluoranthene	TX	5585	10107401
Benzo(g,h,i)perylene	TX	5590	10107401
Benzo(k)fluoranthene	TX	5600	10107401
bis(2-Chloroethoxy)methane	TX	5760	10107401
bis(2-Chloroethyl) ether	TX	5765	10107401
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10107401
Butyl benzyl phthalate	TX	5670	10107401
Chrysene	TX	5855	10107401
Dibenz(a,h) anthracene	TX	5895	10107401
Diethyl phthalate	TX	6070	10107401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Dimethyl phthalate	TX	6135	10107401
Di-n-butyl phthalate	TX	5925	10107401
Di-n-octyl phthalate	TX	6200	10107401
Fluoranthene	TX	6265	10107401
Fluorene	TX	6270	10107401
Hexachlorobenzene	TX	6275	10107401
Hexachlorobutadiene	TX	4835	10107401
Hexachlorocyclopentadiene	TX	6285	10107401
Hexachloroethane	TX	4840	10107401
Indeno(1,2,3-cd) pyrene	TX	6315	10107401
Isophorone	TX	6320	10107401
Naphthalene	TX	5005	10107401
Nitrobenzene	TX	5015	10107401
n-Nitrosodiethylamine	TX	6525	10107401
n-Nitrosodimethylamine	TX	6530	10107401
n-Nitrosodi-n-butylamine	TX	5025	10107401
n-Nitrosodi-n-propylamine	TX	6545	10107401
n-Nitrosodiphenylamine	TX	6535	10107401
Pentachlorobenzene	TX	6590	10107401
Pentachlorophenol	TX	6605	10107401
Phenanthrene	TX	6615	10107401
Phenol	TX	6625	10107401
Pyrene	TX	6665	10107401
Pyridine	TX	5095	10107401
Method EPA 7196			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	10162206
Method EPA 7470			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10165603



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 8011

Analyte	AB	Analyte ID	Method ID
1,2,3-Trichloropropane	TX	5180	10173009
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10173009
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10173009

Method EPA 8015

Analyte	AB	Analyte ID	Method ID
Diesel range organics (DRO)	TX	9369	10173203
Ethanol	TX	4750	10173203
Ethylene glycol	TX	4785	10173203
Gasoline range organics (GRO)	TX	9408	10173203
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10173203
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10173203
Methanol	TX	4930	10173203
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10173203
n-Propanol (1-Propanol)	TX	5055	10173203
Propylene Glycol	TX	6657	10173203
tert-Butyl alcohol	TX	4420	10173203

Method EPA 8021

Analyte	AB	Analyte ID	Method ID
Benzene	TX	4375	10174400
Ethylbenzene	TX	4765	10174400
m+p-xylene	TX	5240	10174400
Methyl tert-butyl ether (MTBE)	TX	5000	10174400
o-Xylene	TX	5250	10174400
Toluene	TX	5140	10174400
Xylene (total)	TX	5260	10174400

Method EPA 8081

Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10178402
4,4'-DDE	TX	7360	10178402



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

4,4'-DDT	TX	7365	10178402
Aldrin	TX	7025	10178402
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10178402
alpha-Chlordane	TX	7240	10178402
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10178402
Chlordane (tech.)	TX	7250	10178402
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10178402
Dieldrin	TX	7470	10178402
Endosulfan I	TX	7510	10178402
Endosulfan II	TX	7515	10178402
Endosulfan sulfate	TX	7520	10178402
Endrin	TX	7540	10178402
Endrin aldehyde	TX	7530	10178402
Endrin ketone	TX	7535	10178402
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10178402
gamma-Chlordane	TX	7245	10178402
Heptachlor	TX	7685	10178402
Heptachlor epoxide	TX	7690	10178402
Hexachlorobenzene	TX	6275	10178402
Methoxychlor	TX	7810	10178402
Mirex	TX	7870	10178402
Toxaphene (Chlorinated camphene)	TX	8250	10178402

Method EPA 8082

Analyte	AB	Analyte ID	Method ID
Aroclor-1016 (PCB-1016)	TX	8880	10179201
Aroclor-1221 (PCB-1221)	TX	8885	10179201
Aroclor-1232 (PCB-1232)	TX	8890	10179201
Aroclor-1242 (PCB-1242)	TX	8895	10179201
Aroclor-1248 (PCB-1248)	TX	8900	10179201
Aroclor-1254 (PCB-1254)	TX	8905	10179201



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Aroclor-1260 (PCB-1260)	TX	8910	10179201
PCBs (total)	TX	8870	10179201

Method EPA 8151

Analyte	AB	Analyte ID	Method ID
2,4,5-T	TX	8655	10183003
2,4-D	TX	8545	10183003
2,4-DB	TX	8560	10183003
Dalapon	TX	8555	10183003
Dicamba	TX	8595	10183003
Dichloroprop (Dichloroprop, Weedone)	TX	8605	10183003
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10183003
MCPA	TX	7775	10183003
MCPP	TX	7780	10183003
Silvex (2,4,5-TP)	TX	8650	10183003

Method EPA 8260

Analyte	AB	Analyte ID	Method ID
1,1,1,2-Tetrachloroethane	TX	5105	10184404
1,1,1-Trichloroethane	TX	5160	10184404
1,1,2,2-Tetrachloroethane	TX	5110	10184404
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	TX	5195	10184404
1,1,2-Trichloroethane	TX	5165	10184404
1,1-Dichloroethane	TX	4630	10184404
1,1-Dichloroethylene	TX	4640	10184404
1,1-Dichloropropene	TX	4670	10184404
1,2,3-Trichlorobenzene	TX	5150	10184404
1,2,3-Trichloropropane	TX	5180	10184404
1,2,4-Trichlorobenzene	TX	5155	10184404
1,2,4-Trimethylbenzene	TX	5210	10184404
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10184404
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10184404
1,2-Dichlorobenzene	TX	4610	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10184404
1,2-Dichloropropane	TX	4655	10184404
1,3,5-Trimethylbenzene	TX	5215	10184404
1,3-Dichlorobenzene	TX	4615	10184404
1,3-Dichloropropane	TX	4660	10184404
1,4-Dichlorobenzene	TX	4620	10184404
1,4-Dioxane (1,4-Diethyleneoxide)	TX	4735	10184404
1-Chlorohexane	TX	4510	10184404
1-Propanol	TX	5060	10184404
2,2-Dichloropropane	TX	4665	10184404
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10184404
2-Chloroethyl vinyl ether	TX	4500	10184404
2-Chlorotoluene	TX	4535	10184404
2-Hexanone (MBK)	TX	4860	10184404
2-Pentanone	TX	5045	10184404
4-Chlorotoluene	TX	4540	10184404
4-Isopropyltoluene (p-Cymene)	TX	4915	10184404
4-Methyl-2-pentanone (MIBK)	TX	4995	10184404
Acetone (2-Propanone)	TX	4315	10184404
Acetonitrile	TX	4320	10184404
Acrolein (Propenal)	TX	4325	10184404
Acrylonitrile	TX	4340	10184404
Allyl alcohol	TX	4350	10184404
Allyl chloride (3-Chloropropene)	TX	4355	10184404
Benzene	TX	4375	10184404
Benzyl chloride	TX	5635	10184404
Bromobenzene	TX	4385	10184404
Bromochloromethane	TX	4390	10184404
Bromodichloromethane	TX	4395	10184404
Bromoform	TX	4400	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Carbon disulfide	TX	4450	10184404
Carbon tetrachloride	TX	4455	10184404
Chlorobenzene	TX	4475	10184404
Chlorodibromomethane	TX	4575	10184404
Chloroethane (Ethyl chloride)	TX	4485	10184404
Chloroform	TX	4505	10184404
Chloroprene (2-Chloro-1,3-butadiene)	TX	4525	10184404
cis-1,2-Dichloroethylene	TX	4645	10184404
cis-1,3-Dichloropropene	TX	4680	10184404
Dibromofluoromethane	TX	4590	10184404
Dibromomethane (Methylene bromide)	TX	4595	10184404
Dichlorodifluoromethane (Freon-12)	TX	4625	10184404
Diethyl ether	TX	4725	10184404
Di-isopropylether (DIPE)	TX	9375	10184404
Epichlorohydrin (1-Chloro-2,3-epoxypropane)	TX	4745	10184404
Ethanol	TX	4750	10184404
Ethyl acetate	TX	4755	10184404
Ethyl methacrylate	TX	4810	10184404
Ethylbenzene	TX	4765	10184404
Ethylene oxide	TX	4795	10184404
Ethyl-t-butylether (ETBE) (2-Ethoxy-2-methylpropane)	TX	4770	10184404
Hexachlorobutadiene	TX	4835	10184404
Iodomethane (Methyl iodide)	TX	4870	10184404
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10184404
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10184404
Isopropylbenzene (Cumene)	TX	4900	10184404
m+p-xylene	TX	5240	10184404
Methacrylonitrile	TX	4925	10184404
Methyl acetate	TX	4940	10184404
Methyl acrylate	TX	4945	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Methyl bromide (Bromomethane)	TX	4950	10184404
Methyl chloride (Chloromethane)	TX	4960	10184404
Methyl methacrylate	TX	4990	10184404
Methyl tert-butyl ether (MTBE)	TX	5000	10184404
Methylcyclohexane	TX	4965	10184404
Methylene chloride (Dichloromethane)	TX	4975	10184404
Naphthalene	TX	5005	10184404
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10184404
n-Butylbenzene	TX	4435	10184404
n-Propylbenzene	TX	5090	10184404
o-Xylene	TX	5250	10184404
Pentachloroethane	TX	5035	10184404
Propionitrile (Ethyl cyanide)	TX	5080	10184404
Pyridine	TX	5095	10184404
sec-Butylbenzene	TX	4440	10184404
Styrene	TX	5100	10184404
T-amylmethylether (TAME)	TX	4370	10184404
tert-Butyl alcohol	TX	4420	10184404
tert-Butylbenzene	TX	4445	10184404
Tetrachloroethylene (Perchloroethylene)	TX	5115	10184404
Toluene	TX	5140	10184404
trans-1,2-Dichloroethylene	TX	4700	10184404
trans-1,3-Dichloropropylene	TX	4685	10184404
trans-1,4-Dichloro-2-butene	TX	4605	10184404
Trichloroethene (Trichloroethylene)	TX	5170	10184404
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10184404
Vinyl acetate	TX	5225	10184404
Vinyl chloride	TX	5235	10184404
Xylene (total)	TX	5260	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 8270

Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10185203
1,2,4-Trichlorobenzene	TX	5155	10185203
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10185203
1,2-Dichlorobenzene	TX	4610	10185203
1,2-Dinitrobenzene	TX	6155	10185203
1,2-Diphenylhydrazine	TX	6220	10185203
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10185203
1,3-Dichlorobenzene	TX	4615	10185203
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10185203
1,4-Dichlorobenzene	TX	4620	10185203
1,4-Dinitrobenzene	TX	6165	10185203
1,4-Naphthoquinone	TX	6420	10185203
1,4-Phenylenediamine	TX	6630	10185203
1-Chloronaphthalene	TX	5790	10185203
1-Naphthylamine	TX	6425	10185203
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10185203
2,3,4,6-Tetrachlorophenol	TX	6735	10185203
2,4,5-Trichlorophenol	TX	6835	10185203
2,4,5-Trimethylaniline	TX	6880	10185203
2,4,6-Trichlorophenol	TX	6840	10185203
2,4-Diaminotoluene	TX	5880	10185203
2,4-Dichlorophenol	TX	6000	10185203
2,4-Dimethylphenol	TX	6130	10185203
2,4-Dinitrophenol	TX	6175	10185203
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10185203
2,6-Dichlorophenol	TX	6005	10185203
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10185203
2-Acetylaminofluorene	TX	5515	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2-Chloronaphthalene	TX	5795	10185203
2-Chlorophenol	TX	5800	10185203
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10185203
2-Methylaniline (o-Toluidine)	TX	5145	10185203
2-Methylnaphthalene	TX	6385	10185203
2-Methylphenol (o-Cresol)	TX	6400	10185203
2-Naphthylamine	TX	6430	10185203
2-Nitroaniline	TX	6460	10185203
2-Nitrophenol	TX	6490	10185203
2-Picoline (2-Methylpyridine)	TX	5050	10185203
3,3'-Dichlorobenzidine	TX	5945	10185203
3,3'-Dimethylbenzidine	TX	6120	10185203
3-Methylcholanthrene	TX	6355	10185203
3-Methylphenol (m-Cresol)	TX	6405	10185203
3-Nitroaniline	TX	6465	10185203
4-Aminobiphenyl	TX	5540	10185203
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10185203
4-Chloro-3-methylphenol	TX	5700	10185203
4-Chloroaniline	TX	5745	10185203
4-Chlorophenyl phenylether	TX	5825	10185203
4-Dimethyl aminoazobenzene	TX	6105	10185203
4-Methylphenol (p-Cresol)	TX	6410	10185203
4-Nitroaniline	TX	6470	10185203
4-Nitrobiphenyl	TX	6480	10185203
4-Nitrophenol	TX	6500	10185203
4-Nitroquinoline-1-oxide	TX	6510	10185203
5-Chloro-2-methylaniline	TX	5695	10185203
5-Nitro-o-toluidine	TX	6570	10185203
7,12-Dimethylbenz(a) anthracene	TX	6115	10185203
a-a-Dimethylphenethylamine	TX	6125	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Acenaphthene	TX	5500	10185203
Acenaphthylene	TX	5505	10185203
Acetophenone	TX	5510	10185203
Aniline	TX	5545	10185203
Anthracene	TX	5555	10185203
Aramite	TX	5560	10185203
Atrazine	TX	7065	10185203
Azinphos-methyl (Guthion)	TX	7075	10185203
Azobenzene	TX	5562	10185203
Benzenethiol (Thiophenol)	TX	6750	10185203
Benzidine	TX	5595	10185203
Benzo(a)anthracene	TX	5575	10185203
Benzo(a)pyrene	TX	5580	10185203
Benzo(b)fluoranthene	TX	5585	10185203
Benzo(e)pyrene	TX	5605	10185203
Benzo(g,h,i)perylene	TX	5590	10185203
Benzo(k)fluoranthene	TX	5600	10185203
Benzoic acid	TX	5610	10185203
Benzyl alcohol	TX	5630	10185203
Biphenyl	TX	5640	10185203
bis(2-Chloroethoxy)methane	TX	5760	10185203
bis(2-Chloroethyl) ether	TX	5765	10185203
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10185203
Butyl benzyl phthalate	TX	5670	10185203
Caprolactam	TX	7180	10185203
Captan	TX	7190	10185203
Carbaryl (Sevin)	TX	7195	10185203
Carbazole	TX	5680	10185203
Carbophenothion	TX	7220	10185203
Chlorobenzilate	TX	7260	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Chrysene	TX	5855	10185203
Coumaphos	TX	7315	10185203
Demeton	TX	7390	10185203
Demeton	TX	7390	10185203
Demeton-o	TX	7395	10185203
Demeton-s	TX	7385	10185203
Diallate	TX	7405	10185203
Dibenz(a,h) anthracene	TX	5895	10185203
Dibenz(a,j) acridine	TX	5900	10185203
Dibenzofuran	TX	5905	10185203
Dichlorovos (DDVP, Dichlorvos)	TX	8610	10185203
Diethyl phthalate	TX	6070	10185203
Dimethoate	TX	7475	10185203
Dimethoate	TX	7475	10185203
Dimethyl phthalate	TX	6135	10185203
Di-n-butyl phthalate	TX	5925	10185203
Di-n-octyl phthalate	TX	6200	10185203
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10185203
Dioxathion	TX	7495	10185203
Diphenylamine	TX	6205	10185203
Disulfoton	TX	8625	10185203
Ethion	TX	7565	10185203
Ethyl methanesulfonate	TX	6260	10185203
Famphur	TX	7580	10185203
Fluoranthene	TX	6265	10185203
Fluorene	TX	6270	10185203
Hexachlorobenzene	TX	6275	10185203
Hexachlorobutadiene	TX	4835	10185203
Hexachlorocyclopentadiene	TX	6285	10185203
Hexachloroethane	TX	4840	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Hexachlorophene	TX	6290	10185203
Hexachloropropene	TX	6295	10185203
Indeno(1,2,3-cd) pyrene	TX	6315	10185203
Isodrin	TX	7725	10185203
Isophorone	TX	6320	10185203
Isosafrole	TX	6325	10185203
Kepone	TX	7740	10185203
Maleic anhydride	TX	6335	10185203
Methapyrilene	TX	6345	10185203
Methyl methanesulfonate	TX	6375	10185203
Methyl parathion (Parathion, methyl)	TX	7825	10185203
Mevinphos	TX	7850	10185203
Naled	TX	7905	10185203
Naphthalene	TX	5005	10185203
Nitrobenzene	TX	5015	10185203
n-Nitrosodiethylamine	TX	6525	10185203
n-Nitrosodimethylamine	TX	6530	10185203
n-Nitrosodi-n-butylamine	TX	5025	10185203
n-Nitrosodi-n-propylamine	TX	6545	10185203
n-Nitrosodiphenylamine	TX	6535	10185203
n-Nitrosomethylethylamine	TX	6550	10185203
n-Nitrosomorpholine	TX	6555	10185203
n-Nitrosopiperidine	TX	6560	10185203
n-Nitrosopyrrolidine	TX	6565	10185203
o,o,o-Triethyl phosphorothioate	TX	8290	10185203
o-Anisidine	TX	5550	10185203
Parathion, ethyl	TX	7955	10185203
p-Cresidine	TX	5860	10185203
Pentachlorobenzene	TX	6590	10185203
Pentachloronitrobenzene (PCNB)	TX	6600	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Pentachlorophenol	TX	6605	10185203
Phenacetin	TX	6610	10185203
Phenanthrene	TX	6615	10185203
Phenol	TX	6625	10185203
Phorate	TX	7985	10185203
Phosmet (Imidan)	TX	8000	10185203
Phthalic anhydride	TX	6640	10185203
Pronamide (Kerb)	TX	6650	10185203
Pyrene	TX	6665	10185203
Pyridine	TX	5095	10185203
Quinoline	TX	6670	10185203
Resorcinol	TX	6680	10185203
Safrole	TX	6685	10185203
Sulfotepp	TX	8155	10185203
Terbufos	TX	8185	10185203
Tetrachlorvinphos (Stirophos, Gardona)	TX	8197	10185203
Thionazin (Zinophos)	TX	8235	10185203
Toluene diisocyanate	TX	6775	10185203
Trifluralin (Treflan)	TX	8295	10185203

Method EPA 8290

Analyte	AB	Analyte ID	Method ID
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10187209
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10187209
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10187209
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10187209
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10187209
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10187209
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10187209
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10187209
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-HxCDD)	TX	9456	10187209



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10187209
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10187209
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10187209
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10187209
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10187209
2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10187209
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10187209
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10187209
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10187209
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10187209
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10187209
Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10187209
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10187209
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10187209
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10187209
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10187209

Method EPA 8316

Analyte	AB	Analyte ID	Method ID
Acrylamide	TX	4330	10188202

Method EPA 8330

Analyte	AB	Analyte ID	Method ID
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10189807
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10189807
2,4,6-Trinitrotoluene (2,4,6-TNT)	TX	9651	10189807
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10189807
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10189807
2-Amino-4,6-dinitrotoluene (2-am-dnt)	TX	9303	10189807
2-Nitrotoluene	TX	9507	10189807
3-Nitrotoluene	TX	9510	10189807
4-Amino-2,6-dinitrotoluene (4-am-dnt)	TX	9306	10189807
4-Nitrotoluene	TX	9513	10189807



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Methyl-2,4,6-trinitrophenylamine (tetryl)	TX	6415	10189807
Nitrobenzene	TX	5015	10189807
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	TX	9522	10189807
RDX (hexahydro-1,3,5-trinitro-1,3,5-triazine)	TX	9432	10189807
Method EPA 9014			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	10193803
Total cyanide	TX	1645	10193803
Method EPA 9038			
Analyte	AB	Analyte ID	Method ID
Sulfate	TX	2000	10196608
Method EPA 9040			
Analyte	AB	Analyte ID	Method ID
pH	TX	1900	10196802
Method EPA 9050			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	10198604
Method EPA 9056			
Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10199209
Chloride	TX	1575	10199209
Fluoride	TX	1730	10199209
Nitrate as N	TX	1810	10199209
Nitrate-nitrite	TX	1820	10199209
Nitrite as N	TX	1840	10199209
Orthophosphate as P	TX	1870	10199209
Sulfate	TX	2000	10199209
Method EPA 9060			
Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	10200201



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	Analyte	AB	Analyte ID	Method ID
EPA 9065	Total phenolics	TX	1905	10200405
EPA 9066	Total phenolics	TX	1905	10200609
EPA 9250	Chloride	TX	1575	10207202
EPA RSK 175	2-methylpropane (Isobutane)	TX	4942	10212905
	Ethane	TX	4747	10212905
	Ethene	TX	4752	10212905
	Methane	TX	4926	10212905
	n-Butane	TX	5007	10212905
	n-Propane	TX	5029	10212905
HACH 8000	Chemical oxygen demand (COD)	TX	1565	60003001
SM 2120 B	Color	TX	1605	20223807
SM 2310 B (4a)	Acidity, as CaCO3	TX	1500	20002806
SM 2320 B	Alkalinity as CaCO3	TX	1505	20045005
SM 2340 B		AB		



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Total hardness as CaCO ₃	TX	1755	20046008
Method SM 2510 B			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	20048004
Method SM 2540 B			
Analyte	AB	Analyte ID	Method ID
Residue-total (total solids)	TX	1950	20004608
Method SM 2540 C			
Analyte	AB	Analyte ID	Method ID
Residue-filterable (TDS)	TX	1955	20049803
Method SM 2540 D			
Analyte	AB	Analyte ID	Method ID
Residue-nonfilterable (TSS)	TX	1960	20004802
Method SM 3500-Cr B			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	20065809
Method SM 4500-Cl F			
Analyte	AB	Analyte ID	Method ID
Total residual chlorine	TX	1940	20080482
Method SM 4500-Cl ⁻ E			
Analyte	AB	Analyte ID	Method ID
Chloride	TX	1575	20019209
Method SM 4500-CN ⁻ C			
Analyte	AB	Analyte ID	Method ID
Total cyanide	TX	1645	20020808
Method SM 4500-CN ⁻ E			
Analyte	AB	Analyte ID	Method ID
Total cyanide	TX	1645	20021209
Method SM 4500-CN ⁻ G			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	20021607



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	Analyte	AB	Analyte ID	Method ID
SM 4500-H+ B				
	pH	TX	1900	20104603
SM 4500-NH3 D				
	Ammonia as N	TX	1515	20108809
	Kjeldahl Nitrogen (Total Kjeldahl Nitrogen-TKN)	TX	1790	20108809
SM 4500-NH3 F				
	Ammonia as N	TX	1515	20023001
SM 4500-O G				
	Oxygen, dissolved	TX	1880	20025405
SM 4500-P E				
	Orthophosphate as P	TX	1870	20025803
	Phosphorus	TX	1910	20025803
SM 4500-S2 ⁻ F				
	Sulfide	TX	2005	20126209
SM 4500-SiO2 D				
	Silica as SiO2	TX	1990	20127202
SM 4500-SO3 ⁻ B				
	Sulfite	TX	2015	20026806
SM 5210 B				
	Biochemical oxygen demand (BOD)	TX	1530	20027401
	Carbonaceous BOD, CBOD	TX	1555	20027401
SM 5310 B				
	Analyte	AB	Analyte ID	Method ID



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	Analyte	AB	Analyte ID	Method ID
	Total Organic Carbon (TOC)	TX	2040	20137206
Method	SM 5310 C			
	Total Organic Carbon (TOC)	TX	2040	20138209
Method	SM 5540 C			
	Surfactants - MBAS	TX	2025	20144405
Method	TCEQ 1005			
	Total Petroleum Hydrocarbons (TPH)	TX	2050	90019208



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method	Analyte	AB	Analyte ID	Method ID
ASTM D2216	Moisture	TX	10337	ASTM D2216-05
EPA 1010	Ignitability	TX	1780	10116606
EPA 1030	Ignitability	TX	1780	10117201
EPA 1311	TCLP	TX	849	10118806
EPA 1312	SPLP	TX	850	10119003
EPA 1668	Decachlorobiphenyls	TX	10332	10262007
	Dichlorobiphenyls	TX	464	10262007
	Heptachlorobiphenyls	TX	486	10262007
	Hexachlorobiphenyls	TX	487	10262007
	Monochlorobiphenyls	TX	501	10262007
	Nonachlorobiphenyls	TX	507	10262007
	Octachlorobiphenyls	TX	508	10262007
	Pentachlorobiphenyls	TX	515	10262007
	Tetrachlorobiphenyls	TX	528	10262007
	Trichlorobiphenyls	TX	541	10262007
EPA 200.8	Uranium	TX	3035	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method EPA 300.0

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10053200
Chloride	TX	1575	10053200
Fluoride	TX	1730	10053200
Nitrate as N	TX	1810	10053200
Nitrate-nitrite	TX	1820	10053200
Nitrite as N	TX	1840	10053200
Orthophosphate as P	TX	1870	10053200
Sulfate	TX	2000	10053200

Method EPA 310.1

Analyte	AB	Analyte ID	Method ID
Alkalinity as CaCO3	TX	1505	10054805

Method EPA 350.3

Analyte	AB	Analyte ID	Method ID
Ammonia as N	TX	1515	10064401

Method EPA 365.3

Analyte	AB	Analyte ID	Method ID
Orthophosphate as P	TX	1870	10070801
Phosphorus	TX	1910	10070801

Method EPA 6020

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10156204
Antimony	TX	1005	10156204
Arsenic	TX	1010	10156204
Barium	TX	1015	10156204
Beryllium	TX	1020	10156204
Boron	TX	1025	10156204
Cadmium	TX	1030	10156204
Calcium	TX	1035	10156204
Chromium	TX	1040	10156204



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Cobalt	TX	1050	10156204
Copper	TX	1055	10156204
Iron	TX	1070	10156204
Lead	TX	1075	10156204
Lithium	TX	1080	10156204
Magnesium	TX	1085	10156204
Manganese	TX	1090	10156204
Molybdenum	TX	1100	10156204
Nickel	TX	1105	10156204
Potassium	TX	1125	10156204
Selenium	TX	1140	10156204
Silver	TX	1150	10156204
Sodium	TX	1155	10156204
Strontium	TX	1160	10156204
Thallium	TX	1165	10156204
Tin	TX	1175	10156204
Titanium	TX	1180	10156204
Vanadium	TX	1185	10156204
Zinc	TX	1190	10156204
Method EPA 7196			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	10162206
Method EPA 7470			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10165603
Method EPA 7471			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10166004
Method EPA 8015			
Analyte	AB	Analyte ID	Method ID
Diesel range organics (DRO)	TX	9369	10173203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Ethanol	TX	4750	10173203
Ethylene glycol	TX	4785	10173203
Gasoline range organics (GRO)	TX	9408	10173203
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10173203
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10173203
Methanol	TX	4930	10173203
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10173203
n-Propanol (1-Propanol)	TX	5055	10173203
Propylene Glycol	TX	6657	10173203
tert-Butyl alcohol	TX	4420	10173203

Method EPA 8021

Analyte	AB	Analyte ID	Method ID
Benzene	TX	4375	10174400
Ethylbenzene	TX	4765	10174400
m+p-xylene	TX	5240	10174400
Methyl tert-butyl ether (MTBE)	TX	5000	10174400
o-Xylene	TX	5250	10174400
Toluene	TX	5140	10174400
Xylene (total)	TX	5260	10174400

Method EPA 8081

Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10178402
4,4'-DDE	TX	7360	10178402
4,4'-DDT	TX	7365	10178402
Aldrin	TX	7025	10178402
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10178402
alpha-Chlordane	TX	7240	10178402
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10178402
Chlordane (tech.)	TX	7250	10178402
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10178402
Dieldrin	TX	7470	10178402



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Endosulfan I	TX	7510	10178402
Endosulfan II	TX	7515	10178402
Endosulfan sulfate	TX	7520	10178402
Endrin	TX	7540	10178402
Endrin aldehyde	TX	7530	10178402
Endrin ketone	TX	7535	10178402
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10178402
gamma-Chlordane	TX	7245	10178402
Heptachlor	TX	7685	10178402
Heptachlor epoxide	TX	7690	10178402
Methoxychlor	TX	7810	10178402
Mirex	TX	7870	10178402
Toxaphene (Chlorinated camphene)	TX	8250	10178402

Method EPA 8082

Analyte	AB	Analyte ID	Method ID
Aroclor-1016 (PCB-1016)	TX	8880	10179201
Aroclor-1221 (PCB-1221)	TX	8885	10179201
Aroclor-1232 (PCB-1232)	TX	8890	10179201
Aroclor-1242 (PCB-1242)	TX	8895	10179201
Aroclor-1248 (PCB-1248)	TX	8900	10179201
Aroclor-1254 (PCB-1254)	TX	8905	10179201
Aroclor-1260 (PCB-1260)	TX	8910	10179201
PCBs (total)	TX	8870	10179201

Method EPA 8260

Analyte	AB	Analyte ID	Method ID
1,1,1,2-Tetrachloroethane	TX	5105	10184404
1,1,1-Trichloroethane	TX	5160	10184404
1,1,2,2-Tetrachloroethane	TX	5110	10184404
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	TX	5195	10184404
1,1,2-Trichloroethane	TX	5165	10184404
1,1-Dichloroethane	TX	4630	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

1,1-Dichloroethylene	TX	4640	10184404
1,1-Dichloropropene	TX	4670	10184404
1,2,3-Trichlorobenzene	TX	5150	10184404
1,2,3-Trichloropropane	TX	5180	10184404
1,2,4-Trichlorobenzene	TX	5155	10184404
1,2,4-Trimethylbenzene	TX	5210	10184404
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10184404
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10184404
1,2-Dichlorobenzene	TX	4610	10184404
1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10184404
1,2-Dichloropropane	TX	4655	10184404
1,3,5-Trimethylbenzene	TX	5215	10184404
1,3-Dichlorobenzene	TX	4615	10184404
1,3-Dichloropropane	TX	4660	10184404
1,4-Dichlorobenzene	TX	4620	10184404
1,4-Dioxane (1,4-Diethyleneoxide)	TX	4735	10184404
1-Chlorohexane	TX	4510	10184404
1-Propanol	TX	5060	10184404
2,2-Dichloropropane	TX	4665	10184404
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10184404
2-Chloroethyl vinyl ether	TX	4500	10184404
2-Chlorotoluene	TX	4535	10184404
2-Hexanone (MBK)	TX	4860	10184404
4-Chlorotoluene	TX	4540	10184404
4-Isopropyltoluene (p-Cymene)	TX	4915	10184404
4-Methyl-2-pentanone (MIBK)	TX	4995	10184404
Acetone (2-Propanone)	TX	4315	10184404
Acetonitrile	TX	4320	10184404
Acrolein (Propenal)	TX	4325	10184404
Acrylonitrile	TX	4340	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Allyl chloride (3-Chloropropene)	TX	4355	10184404
Benzene	TX	4375	10184404
Benzyl chloride	TX	5635	10184404
Bromobenzene	TX	4385	10184404
Bromochloromethane	TX	4390	10184404
Bromodichloromethane	TX	4395	10184404
Bromoform	TX	4400	10184404
Carbon disulfide	TX	4450	10184404
Carbon tetrachloride	TX	4455	10184404
Chlorobenzene	TX	4475	10184404
Chlorodibromomethane	TX	4575	10184404
Chloroethane (Ethyl chloride)	TX	4485	10184404
Chloroform	TX	4505	10184404
Chloroprene (2-Chloro-1,3-butadiene)	TX	4525	10184404
cis-1,2-Dichloroethylene	TX	4645	10184404
cis-1,3-Dichloropropene	TX	4680	10184404
Dibromofluoromethane	TX	4590	10184404
Dibromomethane (Methylene bromide)	TX	4595	10184404
Dichlorodifluoromethane (Freon-12)	TX	4625	10184404
Diethyl ether	TX	4725	10184404
Epichlorohydrin (1-Chloro-2,3-epoxypropane)	TX	4745	10184404
Ethanol	TX	4750	10184404
Ethyl acetate	TX	4755	10184404
Ethyl methacrylate	TX	4810	10184404
Ethylbenzene	TX	4765	10184404
Ethylene oxide	TX	4795	10184404
Hexachlorobutadiene	TX	4835	10184404
Iodomethane (Methyl iodide)	TX	4870	10184404
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10184404
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Isopropylbenzene (Cumene)	TX	4900	10184404
m+p-xylene	TX	5240	10184404
Methacrylonitrile	TX	4925	10184404
Methyl acetate	TX	4940	10184404
Methyl acrylate	TX	4945	10184404
Methyl bromide (Bromomethane)	TX	4950	10184404
Methyl chloride (Chloromethane)	TX	4960	10184404
Methyl methacrylate	TX	4990	10184404
Methyl tert-butyl ether (MTBE)	TX	5000	10184404
Methylcyclohexane	TX	4965	10184404
Methylene chloride (Dichloromethane)	TX	4975	10184404
Naphthalene	TX	5005	10184404
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10184404
n-Butylbenzene	TX	4435	10184404
n-Propylbenzene	TX	5090	10184404
o-Xylene	TX	5250	10184404
Pentachloroethane	TX	5035	10184404
Propionitrile (Ethyl cyanide)	TX	5080	10184404
Pyridine	TX	5095	10184404
sec-Butylbenzene	TX	4440	10184404
Styrene	TX	5100	10184404
tert-Butyl alcohol	TX	4420	10184404
tert-Butylbenzene	TX	4445	10184404
Tetrachloroethylene (Perchloroethylene)	TX	5115	10184404
Toluene	TX	5140	10184404
trans-1,2-Dichloroethylene	TX	4700	10184404
trans-1,3-Dichloropropylene	TX	4685	10184404
trans-1,4-Dichloro-2-butene	TX	4605	10184404
Trichloroethene (Trichloroethylene)	TX	5170	10184404
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Vinyl acetate	TX	5225	10184404
Vinyl chloride	TX	5235	10184404
Xylene (total)	TX	5260	10184404

Method EPA 8270

Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10185203
1,2,4-Trichlorobenzene	TX	5155	10185203
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10185203
1,2-Dichlorobenzene	TX	4610	10185203
1,2-Dinitrobenzene	TX	6155	10185203
1,2-Diphenylhydrazine	TX	6220	10185203
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10185203
1,3-Dichlorobenzene	TX	4615	10185203
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10185203
1,4-Dichlorobenzene	TX	4620	10185203
1,4-Dinitrobenzene	TX	6165	10185203
1,4-Naphthoquinone	TX	6420	10185203
1,4-Phenylenediamine	TX	6630	10185203
1-Chloronaphthalene	TX	5790	10185203
1-Naphthylamine	TX	6425	10185203
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10185203
2,3,4,6-Tetrachlorophenol	TX	6735	10185203
2,4,5-Trichlorophenol	TX	6835	10185203
2,4,5-Trimethylaniline	TX	6880	10185203
2,4,6-Trichlorophenol	TX	6840	10185203
2,4-Diaminotoluene	TX	5880	10185203
2,4-Dichlorophenol	TX	6000	10185203
2,4-Dimethylphenol	TX	6130	10185203
2,4-Dinitrophenol	TX	6175	10185203
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

2,6-Dichlorophenol	TX	6005	10185203
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10185203
2-Acetylaminofluorene	TX	5515	10185203
2-Chloronaphthalene	TX	5795	10185203
2-Chlorophenol	TX	5800	10185203
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10185203
2-Methylaniline (o-Toluidine)	TX	5145	10185203
2-Methylnaphthalene	TX	6385	10185203
2-Methylphenol (o-Cresol)	TX	6400	10185203
2-Naphthylamine	TX	6430	10185203
2-Nitroaniline	TX	6460	10185203
2-Nitrophenol	TX	6490	10185203
2-Picoline (2-Methylpyridine)	TX	5050	10185203
3,3'-Dichlorobenzidine	TX	5945	10185203
3,3'-Dimethylbenzidine	TX	6120	10185203
3-Methylcholanthrene	TX	6355	10185203
3-Methylphenol (m-Cresol)	TX	6405	10185203
3-Nitroaniline	TX	6465	10185203
4-Aminobiphenyl	TX	5540	10185203
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10185203
4-Chloro-3-methylphenol	TX	5700	10185203
4-Chloroaniline	TX	5745	10185203
4-Chlorophenyl phenylether	TX	5825	10185203
4-Methylphenol (p-Cresol)	TX	6410	10185203
4-Nitroaniline	TX	6470	10185203
4-Nitrophenol	TX	6500	10185203
4-Nitroquinoline-1-oxide	TX	6510	10185203
5-Nitro-o-toluidine	TX	6570	10185203
7,12-Dimethylbenz(a) anthracene	TX	6115	10185203
a-a-Dimethylphenethylamine	TX	6125	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Acenaphthene	TX	5500	10185203
Acenaphthylene	TX	5505	10185203
Acetophenone	TX	5510	10185203
Aniline	TX	5545	10185203
Anthracene	TX	5555	10185203
Aramite	TX	5560	10185203
Atrazine	TX	7065	10185203
Azinphos-methyl (Guthion)	TX	7075	10185203
Azobenzene	TX	5562	10185203
Benzenethiol (Thiophenol)	TX	6750	10185203
Benzidine	TX	5595	10185203
Benzo(a)anthracene	TX	5575	10185203
Benzo(a)pyrene	TX	5580	10185203
Benzo(b)fluoranthene	TX	5585	10185203
Benzo(e)pyrene	TX	5605	10185203
Benzo(g,h,i)perylene	TX	5590	10185203
Benzo(k)fluoranthene	TX	5600	10185203
Benzoic acid	TX	5610	10185203
Benzyl alcohol	TX	5630	10185203
Biphenyl	TX	5640	10185203
bis(2-Chloroethoxy)methane	TX	5760	10185203
bis(2-Chloroethyl) ether	TX	5765	10185203
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10185203
Butyl benzyl phthalate	TX	5670	10185203
Caprolactam	TX	7180	10185203
Carbaryl (Sevin)	TX	7195	10185203
Carbazole	TX	5680	10185203
Carbophenothion	TX	7220	10185203
Chlorobenzilate	TX	7260	10185203
Chrysene	TX	5855	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Demeton	TX	7390	10185203
Demeton-o	TX	7395	10185203
Demeton-s	TX	7385	10185203
Diallate	TX	7405	10185203
Dibenz(a,h) anthracene	TX	5895	10185203
Dibenz(a,j) acridine	TX	5900	10185203
Dibenzo(a,e) pyrene	TX	5890	10185203
Dibenzofuran	TX	5905	10185203
Dichlorovos (DDVP, Dichlorvos)	TX	8610	10185203
Diethyl phthalate	TX	6070	10185203
Dimethoate	TX	7475	10185203
Dimethyl phthalate	TX	6135	10185203
Di-n-butyl phthalate	TX	5925	10185203
Di-n-octyl phthalate	TX	6200	10185203
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10185203
Diphenylamine	TX	6205	10185203
Disulfoton	TX	8625	10185203
Ethyl methanesulfonate	TX	6260	10185203
Fluoranthene	TX	6265	10185203
Fluorene	TX	6270	10185203
Hexachlorobenzene	TX	6275	10185203
Hexachlorobutadiene	TX	4835	10185203
Hexachlorocyclopentadiene	TX	6285	10185203
Hexachloroethane	TX	4840	10185203
Hexachlorophene	TX	6290	10185203
Hexachloropropene	TX	6295	10185203
Indeno(1,2,3-cd) pyrene	TX	6315	10185203
Isodrin	TX	7725	10185203
Isophorone	TX	6320	10185203
Isosafrole	TX	6325	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Kepone	TX	7740	10185203
Malathion	TX	7770	10185203
Methapyrilene	TX	6345	10185203
Methyl methanesulfonate	TX	6375	10185203
Methyl parathion (Parathion, methyl)	TX	7825	10185203
Mevinphos	TX	7850	10185203
Naphthalene	TX	5005	10185203
Nitrobenzene	TX	5015	10185203
n-Nitrosodiethylamine	TX	6525	10185203
n-Nitrosodimethylamine	TX	6530	10185203
n-Nitrosodi-n-butylamine	TX	5025	10185203
n-Nitrosodi-n-propylamine	TX	6545	10185203
n-Nitrosodiphenylamine	TX	6535	10185203
n-Nitrosomethylethylamine	TX	6550	10185203
n-Nitrosomorpholine	TX	6555	10185203
n-Nitrosopiperidine	TX	6560	10185203
n-Nitrosopyrrolidine	TX	6565	10185203
o,o,o-Triethyl phosphorothioate	TX	8290	10185203
o-Anisidine	TX	5550	10185203
Parathion, ethyl	TX	7955	10185203
p-Cresidine	TX	5860	10185203
Pentachlorobenzene	TX	6590	10185203
Pentachloronitrobenzene (PCNB)	TX	6600	10185203
Pentachlorophenol	TX	6605	10185203
Phenacetin	TX	6610	10185203
Phenanthrene	TX	6615	10185203
Phenol	TX	6625	10185203
Phorate	TX	7985	10185203
Pronamide (Kerb)	TX	6650	10185203
Pyrene	TX	6665	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Pyridine	TX	5095	10185203
Quinoline	TX	6670	10185203
Safrole	TX	6685	10185203
Sulfotepp	TX	8155	10185203
Terbufos	TX	8185	10185203
Tetrachlorvinphos (Stirophos, Gardona)	TX	8197	10185203
Thionazin (Zinophos)	TX	8235	10185203
Toluene diisocyanate	TX	6775	10185203

Method EPA 8290

Analyte	AB	Analyte ID	Method ID
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10187209
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10187209
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10187209
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10187209
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10187209
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10187209
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10187209
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10187209
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-HxCDD)	TX	9456	10187209
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10187209
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10187209
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10187209
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10187209
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10187209
2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10187209
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10187209
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10187209
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10187209
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10187209
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10187209



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10187209
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10187209
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10187209
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10187209
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10187209

Method EPA 8316

Analyte	AB	Analyte ID	Method ID
Acrylamide	TX	4330	10188202

Method EPA 8330

Analyte	AB	Analyte ID	Method ID
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10189807
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10189807
2,4,6-Trinitrotoluene (2,4,6-TNT)	TX	9651	10189807
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10189807
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10189807
2-Amino-4,6-dinitrotoluene (2-am-dnt)	TX	9303	10189807
2-Nitrotoluene	TX	9507	10189807
3-Nitrotoluene	TX	9510	10189807
4-Amino-2,6-dinitrotoluene (4-am-dnt)	TX	9306	10189807
4-Nitrotoluene	TX	9513	10189807
Methyl-2,4,6-trinitrophenylnitramine (tetryl)	TX	6415	10189807
Nitrobenzene	TX	5015	10189807
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	TX	9522	10189807
RDX (hexahydro-1,3,5-trinitro-1,3,5-triazine)	TX	9432	10189807

Method EPA 9014

Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	10193803
Total cyanide	TX	1645	10193803

Method EPA 9038

Analyte	AB	Analyte ID	Method ID
Sulfate	TX	2000	10196608



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method EPA 9040

Analyte	AB	Analyte ID	Method ID
Corrosivity	TX	1615	10197203
pH	TX	1900	10196802

Method EPA 9045

Analyte	AB	Analyte ID	Method ID
Corrosivity	TX	1615	10197805
pH	TX	1900	10197805

Method EPA 9050

Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	10198604

Method EPA 9056

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10199209
Chloride	TX	1575	10199209
Fluoride	TX	1730	10199209
Nitrate as N	TX	1810	10199209
Nitrate-nitrite	TX	1820	10199209
Nitrite as N	TX	1840	10199209
Orthophosphate as P	TX	1870	10199209
Sulfate	TX	2000	10199209

Method EPA 9060

Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	10200201

Method EPA 9065

Analyte	AB	Analyte ID	Method ID
Total phenolics	TX	1905	10200405

Method EPA 9071

Analyte	AB	Analyte ID	Method ID
n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10201204



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method	AB	Analyte ID	Method ID
EPA 9095			
Analyte Paint Filter Liquids Test	TX	10312	10204009
EPA 9250			
Analyte Chloride	TX	1575	10207202
SM 2320 B			
Analyte Alkalinity as CaCO3	TX	1505	20045005
SM 2510 B			
Analyte Conductivity	TX	1610	20048004
SM 2540 G			
Analyte Residue-total (total solids)	TX	1950	20005203
SSA/ASA Part 3:34			
Analyte Carbon, organic (Walkley-Black)	TX	10340	SSA/ASA Pt 3:34
TCEQ 1005			
Analyte Total Petroleum Hydrocarbons (TPH)	TX	2050	90019208



10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

July 11, 2019

Eric Matzner
Golder Associates Inc.
2201 Double Creek Drive
Suite 4004
Round Rock, TX 78664

Work Order: **HS19070159**

Laboratory Results for: **Houston TX-Wood Preserving Works**

Dear Eric,

ALS Environmental received 14 sample(s) on Jul 02, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
Dane J. Wacasey

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

**TRRP Laboratory Data
Package Cover Page**

This data package consists of all or some of the following as applicable:

This signature page, the laboratory review checklist, and the following reportable data:

- R1 Field chain-of-custody documentation;
- R2 Sample identification cross-reference;
- R3 Test reports (analytical data sheets) for each environmental sample that includes:
 - a) Items consistent with NELAC Chapter 5,
 - b) dilution factors,
 - c) preparation methods,
 - d) cleanup methods, and
 - e) if required for the project, tentatively identified compounds (TICs).
- R4 Surrogate recovery data including:
 - a) Calculated recovery (%R), and
 - b) The laboratory's surrogate QC limits.
- R5 Test reports/summary forms for blank samples;
- R6 Test reports/summary forms for laboratory control samples (LCSs) including:
 - a) LCS spiking amounts,
 - b) Calculated %R for each analyte, and
 - c) The laboratory's LCS QC limits.
- R7 Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
 - a) Samples associated with the MS/MSD clearly identified,
 - b) MS/MSD spiking amounts,
 - c) Concentration of each MS/MSD analyte measured in the parent and spiked samples,
 - d) Calculated %Rs and relative percent differences (RPDs), and
 - e) The laboratory's MS/MSD QC limits.
- R8 Laboratory analytical duplicate (if applicable) recovery and precision:
 - a) the amount of analyte measured in the duplicate,
 - b) the calculated RPD, and
 - c) the laboratory's QC limits for analytical duplicates.
- R9 List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 Other problems or anomalies.
The Exception Report for each "No" or "Not Reviewed (NR)" item in Laboratory Review Checklist and for each analyte, matrix, and method for which the laboratory does not hold NELAC accreditation under the Texas Laboratory Accreditation Program.

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

**TRRP Laboratory Data
Package Cover Page**

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the attached exception reports. By my signature below, I affirm to the best of my knowledge, all problems/anomalies, observed by the laboratory have been identified by the laboratory in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Check, if applicable: [NA] This laboratory meets an exception under 30 TAC §25.6 and was last inspected by TCEQ or _____ on (enter date of last inspection). Any findings affecting the data in this laboratory data package are noted in the Exception Reports herein. The official signing the cover page of the report in which these data are used is responsible for releasing this data package and is by signature affirming the above release statement is true.



Dane J. Wacasey

Laboratory Review Checklist: Reportable Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 07/11/2019			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS19070159			
Reviewer Name: Dane Wacasey				Prep Batch Number(s): 142762			
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?	X				
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?			X		
		Were % moisture (or solids) reported for all soil and sediment samples?			X		
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW-846 Method 5035?			X		
		If required for the project, TICs reported?			X		
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?		X			1
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?	X				
		Were MS/MSD RPDs within laboratory QC limits?	X				
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?			X		
		Were analytical duplicates analyzed at the appropriate frequency?			X		
		Were RPDs or relative standard deviations within the laboratory QC limits?			X		
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Were all necessary corrective actions performed for the reported data?	X				
		Was applicable and available technology used to lower the SDL and minimize the matrix interference effects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Program for the analytes, matrices and methods associated with this laboratory data package?	X				

Laboratory Review Checklist: Supporting Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 07/11/2019			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS19070159			
Reviewer Name: Dane Wacasey				Prep Batch Number(s): 142762			
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
S1	OI	Initial calibration (ICAL)					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB)					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?			X		
S3	O	Mass spectral tuning:					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	Internal standards (IS):					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC section 1 appendix A glossary, and section 5.12 or ISO/IEC 17025 section					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?			X		
S7	O	Tentatively identified compounds (TICs):					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	Interference Check Sample (ICS) results:					
		Were percent recoveries within method QC limits?			X		
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	Proficiency test reports:					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5C or ISO/IEC 4?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chap 5 or ISO/IEC 17025 Section 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs):					
		Are laboratory SOPs current and on file for each method performed?	X				

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.

O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);

NA = Not Applicable;

NR = Not Reviewed;

R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Exception Reports

Laboratory Name: ALS Laboratory Group	LRC Date: 07/11/2019
Project Name: Houston TX-Wood Preserving Works	Laboratory Job Number: HS19070159
Reviewer Name: Dane Wacasey	Prep Batch Number(s): 142762

ER#⁵	Description
1	Semivolatile Organics Method Sw8270, sample WG-1620-MW11B-20190702, the surrogate recoveries could not be determined due to dilution below the calibration range.

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);
NA = Not Applicable;
NR = Not Reviewed;
R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
Work Order: HS19070159

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19070159-01	WG-1620-P12-20190701	Groundwater		01-Jul-2019 14:15	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-02	WG-1620-MW08-20190701	Groundwater		01-Jul-2019 15:10	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-03	WG-1620-P10-20190701	Groundwater		01-Jul-2019 16:00	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-04	WG-1620-MW07-20190701	Groundwater		01-Jul-2019 16:55	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-05	WG-1620-FD02-20190701	Groundwater		01-Jul-2019 16:55	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-06	WG-1620-FB01-20190701	Water		01-Jul-2019 17:15	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-07	WG-1620-MW11A-20190702	Groundwater		02-Jul-2019 07:45	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-08	WG-1620-MW11B-20190702	Groundwater		02-Jul-2019 08:35	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-09	WG-1620-MW10A-20190702	Groundwater		02-Jul-2019 09:25	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-10	WG-1620-MW10B-20190702	Groundwater		02-Jul-2019 10:20	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-11	WG-1620-MW02-20190702	Groundwater		02-Jul-2019 11:15	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-12	WG-1620-MW01A-20190702	Groundwater		02-Jul-2019 12:10	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-13	WG-1620-FD01-20190702	Groundwater		02-Jul-2019 12:10	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-14	WG-1620-FB02-20190702	Water		02-Jul-2019 12:30	02-Jul-2019 14:35	<input type="checkbox"/>

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-P12-20190701
 Collection Date: 01-Jul-2019 14:15

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-01
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
Acenaphthene	U		0.000027	0.00010	mg/L	1	09-Jul-2019 21:24
Acenaphthylene	U		0.000015	0.00010	mg/L	1	09-Jul-2019 21:24
Anthracene	0.000052	J	0.000014	0.00010	mg/L	1	09-Jul-2019 21:24
Bis(2-ethylhexyl)phthalate	U		0.000037	0.00020	mg/L	1	09-Jul-2019 21:24
Dibenzofuran	U		0.000020	0.00010	mg/L	1	09-Jul-2019 21:24
Di-n-butyl phthalate	U		0.000020	0.00020	mg/L	1	09-Jul-2019 21:24
Fluoranthene	U		0.000010	0.00010	mg/L	1	09-Jul-2019 21:24
Fluorene	U		0.000030	0.00010	mg/L	1	09-Jul-2019 21:24
Naphthalene	U		0.000020	0.00010	mg/L	1	09-Jul-2019 21:24
Phenol	U		0.000035	0.00020	mg/L	1	09-Jul-2019 21:24
Pyrene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 21:24
<i>Surr: 2,4,6-Tribromophenol</i>	<i>98.1</i>			<i>34-129</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 21:24</i>
<i>Surr: 2-Fluorobiphenyl</i>	<i>76.9</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 21:24</i>
<i>Surr: 2-Fluorophenol</i>	<i>69.7</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 21:24</i>
<i>Surr: 4-Terphenyl-d14</i>	<i>76.8</i>			<i>40-135</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 21:24</i>
<i>Surr: Nitrobenzene-d5</i>	<i>84.4</i>			<i>41-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 21:24</i>
<i>Surr: Phenol-d6</i>	<i>72.9</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 21:24</i>

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW08-20190701
 Collection Date: 01-Jul-2019 15:10

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-02
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D	Method:SW8270					Prep:SW3510 / 05-Jul-2019	Analyst: GEY
2-Methylnaphthalene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 21:44
Acenaphthene	U		0.000027	0.00010	mg/L	1	09-Jul-2019 21:44
Acenaphthylene	U		0.000015	0.00010	mg/L	1	09-Jul-2019 21:44
Anthracene	U		0.000014	0.00010	mg/L	1	09-Jul-2019 21:44
Bis(2-ethylhexyl)phthalate	U		0.000037	0.00020	mg/L	1	09-Jul-2019 21:44
Dibenzofuran	U		0.000020	0.00010	mg/L	1	09-Jul-2019 21:44
Fluoranthene	U		0.000010	0.00010	mg/L	1	09-Jul-2019 21:44
Fluorene	U		0.000030	0.00010	mg/L	1	09-Jul-2019 21:44
Naphthalene	U		0.000020	0.00010	mg/L	1	09-Jul-2019 21:44
Phenanthrene	U		0.000021	0.00010	mg/L	1	09-Jul-2019 21:44
Pyrene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 21:44
<i>Surr: 2,4,6-Tribromophenol</i>		70.7		34-129	%REC	1	09-Jul-2019 21:44
<i>Surr: 2-Fluorobiphenyl</i>		53.2		40-125	%REC	1	09-Jul-2019 21:44
<i>Surr: 2-Fluorophenol</i>		51.9		20-120	%REC	1	09-Jul-2019 21:44
<i>Surr: 4-Terphenyl-d14</i>		65.6		40-135	%REC	1	09-Jul-2019 21:44
<i>Surr: Nitrobenzene-d5</i>		66.8		41-120	%REC	1	09-Jul-2019 21:44
<i>Surr: Phenol-d6</i>		53.6		20-120	%REC	1	09-Jul-2019 21:44

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-P10-20190701
 Collection Date: 01-Jul-2019 16:00

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-03
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
Acenaphthene	0.0028		0.000027	0.00010	mg/L	1	09-Jul-2019 22:04
Acenaphthylene	U		0.000015	0.00010	mg/L	1	09-Jul-2019 22:04
Anthracene	0.000065	J	0.000014	0.00010	mg/L	1	09-Jul-2019 22:04
Bis(2-ethylhexyl)phthalate	0.00029		0.000037	0.00020	mg/L	1	09-Jul-2019 22:04
Dibenzofuran	U		0.000020	0.00010	mg/L	1	09-Jul-2019 22:04
Di-n-butyl phthalate	U		0.000020	0.00020	mg/L	1	09-Jul-2019 22:04
Fluoranthene	U		0.000010	0.00010	mg/L	1	09-Jul-2019 22:04
Fluorene	U		0.000030	0.00010	mg/L	1	09-Jul-2019 22:04
Naphthalene	0.000063	J	0.000020	0.00010	mg/L	1	09-Jul-2019 22:04
Phenol	U		0.000035	0.00020	mg/L	1	09-Jul-2019 22:04
Pyrene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 22:04
<i>Surr: 2,4,6-Tribromophenol</i>	<i>73.1</i>			<i>34-129</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:04</i>
<i>Surr: 2-Fluorobiphenyl</i>	<i>67.5</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:04</i>
<i>Surr: 2-Fluorophenol</i>	<i>70.4</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:04</i>
<i>Surr: 4-Terphenyl-d14</i>	<i>67.3</i>			<i>40-135</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:04</i>
<i>Surr: Nitrobenzene-d5</i>	<i>89.9</i>			<i>41-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:04</i>
<i>Surr: Phenol-d6</i>	<i>70.3</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:04</i>

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW07-20190701
 Collection Date: 01-Jul-2019 16:55

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-04
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D	Method:SW8270					Prep:SW3510 / 05-Jul-2019	Analyst: GEY
2-Methylnaphthalene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 17:03
Acenaphthene	U		0.000027	0.00010	mg/L	1	09-Jul-2019 17:03
Acenaphthylene	U		0.000015	0.00010	mg/L	1	09-Jul-2019 17:03
Anthracene	0.00014		0.000014	0.00010	mg/L	1	09-Jul-2019 17:03
Bis(2-ethylhexyl)phthalate	U		0.000037	0.00020	mg/L	1	09-Jul-2019 17:03
Dibenzofuran	U		0.000020	0.00010	mg/L	1	09-Jul-2019 17:03
Fluoranthene	U		0.000010	0.00010	mg/L	1	09-Jul-2019 17:03
Fluorene	U		0.000030	0.00010	mg/L	1	09-Jul-2019 17:03
Naphthalene	U		0.000020	0.00010	mg/L	1	09-Jul-2019 17:03
Phenanthrene	U		0.000021	0.00010	mg/L	1	09-Jul-2019 17:03
Pyrene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 17:03
<i>Surr: 2,4,6-Tribromophenol</i>	<i>70.0</i>			<i>34-129</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:03</i>
<i>Surr: 2-Fluorobiphenyl</i>	<i>56.1</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:03</i>
<i>Surr: 2-Fluorophenol</i>	<i>58.6</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:03</i>
<i>Surr: 4-Terphenyl-d14</i>	<i>68.4</i>			<i>40-135</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:03</i>
<i>Surr: Nitrobenzene-d5</i>	<i>72.6</i>			<i>41-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:03</i>
<i>Surr: Phenol-d6</i>	<i>63.3</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:03</i>

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-FD02-20190701
 Collection Date: 01-Jul-2019 16:55

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-05
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
2-Methylnaphthalene	0.000023	J	0.000019	0.00010	mg/L	1	09-Jul-2019 22:24
Acenaphthene		U	0.000027	0.00010	mg/L	1	09-Jul-2019 22:24
Acenaphthylene		U	0.000015	0.00010	mg/L	1	09-Jul-2019 22:24
Anthracene	0.00029		0.000014	0.00010	mg/L	1	09-Jul-2019 22:24
Bis(2-ethylhexyl)phthalate		U	0.000037	0.00020	mg/L	1	09-Jul-2019 22:24
Dibenzofuran		U	0.000020	0.00010	mg/L	1	09-Jul-2019 22:24
Fluoranthene		U	0.000010	0.00010	mg/L	1	09-Jul-2019 22:24
Fluorene		U	0.000030	0.00010	mg/L	1	09-Jul-2019 22:24
Naphthalene	0.00025		0.000020	0.00010	mg/L	1	09-Jul-2019 22:24
Phenanthrene		U	0.000021	0.00010	mg/L	1	09-Jul-2019 22:24
Pyrene		U	0.000019	0.00010	mg/L	1	09-Jul-2019 22:24
<i>Surr: 2,4,6-Tribromophenol</i>	<i>81.2</i>			<i>34-129</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:24</i>
<i>Surr: 2-Fluorobiphenyl</i>	<i>64.4</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:24</i>
<i>Surr: 2-Fluorophenol</i>	<i>57.2</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:24</i>
<i>Surr: 4-Terphenyl-d14</i>	<i>71.7</i>			<i>40-135</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:24</i>
<i>Surr: Nitrobenzene-d5</i>	<i>72.0</i>			<i>41-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:24</i>
<i>Surr: Phenol-d6</i>	<i>64.4</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:24</i>

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-FB01-20190701
 Collection Date: 01-Jul-2019 17:15

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-06
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
2-Methylnaphthalene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 17:43
Acenaphthene	U		0.000027	0.00010	mg/L	1	09-Jul-2019 17:43
Acenaphthylene	U		0.000015	0.00010	mg/L	1	09-Jul-2019 17:43
Anthracene	U		0.000014	0.00010	mg/L	1	09-Jul-2019 17:43
Bis(2-ethylhexyl)phthalate	0.000053	J	0.000037	0.00020	mg/L	1	09-Jul-2019 17:43
Dibenzofuran	U		0.000020	0.00010	mg/L	1	09-Jul-2019 17:43
Di-n-butyl phthalate	U		0.000020	0.00020	mg/L	1	09-Jul-2019 17:43
Fluoranthene	U		0.000010	0.00010	mg/L	1	09-Jul-2019 17:43
Fluorene	U		0.000030	0.00010	mg/L	1	09-Jul-2019 17:43
Naphthalene	U		0.000020	0.00010	mg/L	1	09-Jul-2019 17:43
Phenanthrene	U		0.000021	0.00010	mg/L	1	09-Jul-2019 17:43
Phenol	U		0.000035	0.00020	mg/L	1	09-Jul-2019 17:43
Pyrene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 17:43
<i>Surr: 2,4,6-Tribromophenol</i>	64.2			34-129	%REC	1	09-Jul-2019 17:43
<i>Surr: 2-Fluorobiphenyl</i>	64.2			40-125	%REC	1	09-Jul-2019 17:43
<i>Surr: 2-Fluorophenol</i>	78.7			20-120	%REC	1	09-Jul-2019 17:43
<i>Surr: 4-Terphenyl-d14</i>	67.7			40-135	%REC	1	09-Jul-2019 17:43
<i>Surr: Nitrobenzene-d5</i>	96.0			41-120	%REC	1	09-Jul-2019 17:43
<i>Surr: Phenol-d6</i>	80.0			20-120	%REC	1	09-Jul-2019 17:43

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW11A-20190702
 Collection Date: 02-Jul-2019 07:45

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-07
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
2-Methylnaphthalene		U	0.000019	0.00010	mg/L	1	09-Jul-2019 18:04
Acenaphthene	0.00025		0.000027	0.00010	mg/L	1	09-Jul-2019 18:04
Acenaphthylene		U	0.000015	0.00010	mg/L	1	09-Jul-2019 18:04
Anthracene	0.000097	J	0.000014	0.00010	mg/L	1	09-Jul-2019 18:04
Bis(2-ethylhexyl)phthalate	0.000070	J	0.000037	0.00020	mg/L	1	09-Jul-2019 18:04
Dibenzofuran		U	0.000020	0.00010	mg/L	1	09-Jul-2019 18:04
Fluoranthene	0.000018	J	0.000010	0.00010	mg/L	1	09-Jul-2019 18:04
Fluorene		U	0.000030	0.00010	mg/L	1	09-Jul-2019 18:04
Naphthalene	0.000041	J	0.000020	0.00010	mg/L	1	09-Jul-2019 18:04
Phenanthrene		U	0.000021	0.00010	mg/L	1	09-Jul-2019 18:04
Pyrene	0.000031	J	0.000019	0.00010	mg/L	1	09-Jul-2019 18:04
Surr: 2,4,6-Tribromophenol	79.1			34-129	%REC	1	09-Jul-2019 18:04
Surr: 2-Fluorobiphenyl	64.4			40-125	%REC	1	09-Jul-2019 18:04
Surr: 2-Fluorophenol	64.3			20-120	%REC	1	09-Jul-2019 18:04
Surr: 4-Terphenyl-d14	67.7			40-135	%REC	1	09-Jul-2019 18:04
Surr: Nitrobenzene-d5	77.4			41-120	%REC	1	09-Jul-2019 18:04
Surr: Phenol-d6	66.4			20-120	%REC	1	09-Jul-2019 18:04

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW11B-20190702
 Collection Date: 02-Jul-2019 08:35

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-08
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
Acenaphthene	0.13		0.0027	0.010	mg/L	100	10-Jul-2019 14:34
Acenaphthylene	0.0013		0.000015	0.00010	mg/L	1	09-Jul-2019 18:25
Anthracene	0.0045		0.000014	0.00010	mg/L	1	09-Jul-2019 18:25
Bis(2-ethylhexyl)phthalate	0.00026		0.000037	0.00020	mg/L	1	09-Jul-2019 18:25
Dibenzofuran	0.051		0.00020	0.0010	mg/L	10	10-Jul-2019 14:14
Di-n-butyl phthalate	U		0.000020	0.00020	mg/L	1	09-Jul-2019 18:25
Fluoranthene	0.0050		0.000010	0.00010	mg/L	1	09-Jul-2019 18:25
Fluorene	0.061		0.00030	0.0010	mg/L	10	10-Jul-2019 14:14
Naphthalene	0.70		0.0020	0.010	mg/L	100	10-Jul-2019 14:34
Phenol	U		0.000035	0.00020	mg/L	1	09-Jul-2019 18:25
Pyrene	0.0027		0.000019	0.00010	mg/L	1	09-Jul-2019 18:25
Surr: 2,4,6-Tribromophenol	97.9			34-129	%REC	10	10-Jul-2019 14:14
Surr: 2,4,6-Tribromophenol	0	JS		34-129	%REC	100	10-Jul-2019 14:34
Surr: 2,4,6-Tribromophenol	72.4			34-129	%REC	1	09-Jul-2019 18:25
Surr: 2-Fluorobiphenyl	62.6			40-125	%REC	1	09-Jul-2019 18:25
Surr: 2-Fluorobiphenyl	84.9			40-125	%REC	10	10-Jul-2019 14:14
Surr: 2-Fluorobiphenyl	0	JS		40-125	%REC	100	10-Jul-2019 14:34
Surr: 2-Fluorophenol	100			20-120	%REC	10	10-Jul-2019 14:14
Surr: 2-Fluorophenol	0	JS		20-120	%REC	100	10-Jul-2019 14:34
Surr: 2-Fluorophenol	74.5			20-120	%REC	1	09-Jul-2019 18:25
Surr: 4-Terphenyl-d14	70.0			40-135	%REC	1	09-Jul-2019 18:25
Surr: 4-Terphenyl-d14	100			40-135	%REC	10	10-Jul-2019 14:14
Surr: 4-Terphenyl-d14	0	JS		40-135	%REC	100	10-Jul-2019 14:34
Surr: Nitrobenzene-d5	109			41-120	%REC	10	10-Jul-2019 14:14
Surr: Nitrobenzene-d5	0	JS		41-120	%REC	100	10-Jul-2019 14:34
Surr: Nitrobenzene-d5	80.2			41-120	%REC	1	09-Jul-2019 18:25
Surr: Phenol-d6	69.8			20-120	%REC	1	09-Jul-2019 18:25
Surr: Phenol-d6	101			20-120	%REC	10	10-Jul-2019 14:14
Surr: Phenol-d6	0	JS		20-120	%REC	100	10-Jul-2019 14:34

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW10A-20190702
 Collection Date: 02-Jul-2019 09:25

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-09
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
2-Methylnaphthalene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 18:44
Acenaphthene	U		0.000027	0.00010	mg/L	1	09-Jul-2019 18:44
Acenaphthylene	U		0.000015	0.00010	mg/L	1	09-Jul-2019 18:44
Anthracene	U		0.000014	0.00010	mg/L	1	09-Jul-2019 18:44
Bis(2-ethylhexyl)phthalate	U		0.000037	0.00020	mg/L	1	09-Jul-2019 18:44
Dibenzofuran	U		0.000020	0.00010	mg/L	1	09-Jul-2019 18:44
Fluoranthene	U		0.000010	0.00010	mg/L	1	09-Jul-2019 18:44
Fluorene	U		0.000030	0.00010	mg/L	1	09-Jul-2019 18:44
Naphthalene	0.000043	J	0.000020	0.00010	mg/L	1	09-Jul-2019 18:44
Phenanthrene	U		0.000021	0.00010	mg/L	1	09-Jul-2019 18:44
Pyrene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 18:44
<i>Surr: 2,4,6-Tribromophenol</i>	<i>64.1</i>			<i>34-129</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 18:44</i>
<i>Surr: 2-Fluorobiphenyl</i>	<i>60.8</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 18:44</i>
<i>Surr: 2-Fluorophenol</i>	<i>52.6</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 18:44</i>
<i>Surr: 4-Terphenyl-d14</i>	<i>72.5</i>			<i>40-135</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 18:44</i>
<i>Surr: Nitrobenzene-d5</i>	<i>72.8</i>			<i>41-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 18:44</i>
<i>Surr: Phenol-d6</i>	<i>56.7</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 18:44</i>

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW10B-20190702
 Collection Date: 02-Jul-2019 10:20

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-10
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
Acenaphthene	0.042		0.00027	0.0010	mg/L	10	10-Jul-2019 14:54
Acenaphthylene	0.00031		0.000015	0.00010	mg/L	1	09-Jul-2019 19:04
Anthracene	0.0012		0.000014	0.00010	mg/L	1	09-Jul-2019 19:04
Bis(2-ethylhexyl)phthalate	U		0.000037	0.00020	mg/L	1	09-Jul-2019 19:04
Dibenzofuran	0.013		0.00020	0.0010	mg/L	10	10-Jul-2019 14:54
Di-n-butyl phthalate	U		0.000020	0.00020	mg/L	1	09-Jul-2019 19:04
Fluoranthene	0.0012		0.000010	0.00010	mg/L	1	09-Jul-2019 19:04
Fluorene	0.018		0.00030	0.0010	mg/L	10	10-Jul-2019 14:54
Naphthalene	0.00023		0.000020	0.00010	mg/L	1	09-Jul-2019 19:04
Phenol	U		0.000035	0.00020	mg/L	1	09-Jul-2019 19:04
Pyrene	0.00049		0.000019	0.00010	mg/L	1	09-Jul-2019 19:04
Surr: 2,4,6-Tribromophenol	87.2			34-129	%REC	10	10-Jul-2019 14:54
Surr: 2,4,6-Tribromophenol	75.6			34-129	%REC	1	09-Jul-2019 19:04
Surr: 2-Fluorobiphenyl	67.1			40-125	%REC	1	09-Jul-2019 19:04
Surr: 2-Fluorobiphenyl	90.6			40-125	%REC	10	10-Jul-2019 14:54
Surr: 2-Fluorophenol	91.1			20-120	%REC	10	10-Jul-2019 14:54
Surr: 2-Fluorophenol	77.1			20-120	%REC	1	09-Jul-2019 19:04
Surr: 4-Terphenyl-d14	70.5			40-135	%REC	1	09-Jul-2019 19:04
Surr: 4-Terphenyl-d14	86.1			40-135	%REC	10	10-Jul-2019 14:54
Surr: Nitrobenzene-d5	106			41-120	%REC	10	10-Jul-2019 14:54
Surr: Nitrobenzene-d5	98.2			41-120	%REC	1	09-Jul-2019 19:04
Surr: Phenol-d6	77.1			20-120	%REC	1	09-Jul-2019 19:04
Surr: Phenol-d6	96.0			20-120	%REC	10	10-Jul-2019 14:54

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW02-20190702
 Collection Date: 02-Jul-2019 11:15

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-11
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
2-Methylnaphthalene	0.00011		0.000019	0.00010	mg/L	1	09-Jul-2019 19:24
Acenaphthene	0.0019		0.000027	0.00010	mg/L	1	09-Jul-2019 19:24
Acenaphthylene		U	0.000015	0.00010	mg/L	1	09-Jul-2019 19:24
Anthracene	0.000064	J	0.000014	0.00010	mg/L	1	09-Jul-2019 19:24
Bis(2-ethylhexyl)phthalate	0.00015	J	0.000037	0.00020	mg/L	1	09-Jul-2019 19:24
Dibenzofuran	0.00041		0.000020	0.00010	mg/L	1	09-Jul-2019 19:24
Fluoranthene	0.000071	J	0.000010	0.00010	mg/L	1	09-Jul-2019 19:24
Fluorene	0.00097		0.000030	0.00010	mg/L	1	09-Jul-2019 19:24
Naphthalene	0.00011		0.000020	0.00010	mg/L	1	09-Jul-2019 19:24
Phenanthrene	0.000054	J	0.000021	0.00010	mg/L	1	09-Jul-2019 19:24
Pyrene	0.000037	J	0.000019	0.00010	mg/L	1	09-Jul-2019 19:24
Surr: 2,4,6-Tribromophenol	77.0			34-129	%REC	1	09-Jul-2019 19:24
Surr: 2-Fluorobiphenyl	66.1			40-125	%REC	1	09-Jul-2019 19:24
Surr: 2-Fluorophenol	67.0			20-120	%REC	1	09-Jul-2019 19:24
Surr: 4-Terphenyl-d14	81.4			40-135	%REC	1	09-Jul-2019 19:24
Surr: Nitrobenzene-d5	89.6			41-120	%REC	1	09-Jul-2019 19:24
Surr: Phenol-d6	71.6			20-120	%REC	1	09-Jul-2019 19:24

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW01A-20190702
 Collection Date: 02-Jul-2019 12:10

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-12
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
2-Methylnaphthalene	0.00074		0.000019	0.00010	mg/L	1	09-Jul-2019 19:44
Acenaphthene	0.063		0.00027	0.0010	mg/L	10	10-Jul-2019 15:14
Acenaphthylene	0.00071		0.000015	0.00010	mg/L	1	09-Jul-2019 19:44
Anthracene	0.00097		0.000014	0.00010	mg/L	1	09-Jul-2019 19:44
Bis(2-ethylhexyl)phthalate	U		0.000037	0.00020	mg/L	1	09-Jul-2019 19:44
Dibenzofuran	0.0058		0.000020	0.00010	mg/L	1	09-Jul-2019 19:44
Fluoranthene	0.0013		0.000010	0.00010	mg/L	1	09-Jul-2019 19:44
Fluorene	0.019		0.00030	0.0010	mg/L	10	10-Jul-2019 15:14
Naphthalene	0.00034		0.000020	0.00010	mg/L	1	09-Jul-2019 19:44
Phenanthrene	0.00076		0.000021	0.00010	mg/L	1	09-Jul-2019 19:44
Pyrene	0.00059		0.000019	0.00010	mg/L	1	09-Jul-2019 19:44
Surr: 2,4,6-Tribromophenol	89.0			34-129	%REC	1	09-Jul-2019 19:44
Surr: 2,4,6-Tribromophenol	97.5			34-129	%REC	10	10-Jul-2019 15:14
Surr: 2-Fluorobiphenyl	106			40-125	%REC	10	10-Jul-2019 15:14
Surr: 2-Fluorobiphenyl	79.2			40-125	%REC	1	09-Jul-2019 19:44
Surr: 2-Fluorophenol	92.7			20-120	%REC	1	09-Jul-2019 19:44
Surr: 2-Fluorophenol	111			20-120	%REC	10	10-Jul-2019 15:14
Surr: 4-Terphenyl-d14	99.2			40-135	%REC	10	10-Jul-2019 15:14
Surr: 4-Terphenyl-d14	80.2			40-135	%REC	1	09-Jul-2019 19:44
Surr: Nitrobenzene-d5	105			41-120	%REC	1	09-Jul-2019 19:44
Surr: Nitrobenzene-d5	116			41-120	%REC	10	10-Jul-2019 15:14
Surr: Phenol-d6	109			20-120	%REC	10	10-Jul-2019 15:14
Surr: Phenol-d6	92.3			20-120	%REC	1	09-Jul-2019 19:44

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-FD01-20190702
 Collection Date: 02-Jul-2019 12:10

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-13
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MLL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
2-Methylnaphthalene	0.00069		0.000019	0.00010	mg/L	1	09-Jul-2019 20:04
Acenaphthene	0.053		0.00027	0.0010	mg/L	10	10-Jul-2019 16:35
Acenaphthylene	0.00071		0.000015	0.00010	mg/L	1	09-Jul-2019 20:04
Anthracene	0.00096		0.000014	0.00010	mg/L	1	09-Jul-2019 20:04
Bis(2-ethylhexyl)phthalate	0.000079	J	0.000037	0.00020	mg/L	1	09-Jul-2019 20:04
Dibenzofuran	0.0054		0.000020	0.00010	mg/L	1	09-Jul-2019 20:04
Fluoranthene	0.0012		0.000010	0.00010	mg/L	1	09-Jul-2019 20:04
Fluorene	0.016		0.00030	0.0010	mg/L	10	10-Jul-2019 16:35
Naphthalene	0.00034		0.000020	0.00010	mg/L	1	09-Jul-2019 20:04
Phenanthrene	0.00067		0.000021	0.00010	mg/L	1	09-Jul-2019 20:04
Pyrene	0.00055		0.000019	0.00010	mg/L	1	09-Jul-2019 20:04
Surr: 2,4,6-Tribromophenol	88.8			34-129	%REC	1	09-Jul-2019 20:04
Surr: 2,4,6-Tribromophenol	108			34-129	%REC	10	10-Jul-2019 16:35
Surr: 2-Fluorobiphenyl	96.4			40-125	%REC	10	10-Jul-2019 16:35
Surr: 2-Fluorobiphenyl	77.8			40-125	%REC	1	09-Jul-2019 20:04
Surr: 2-Fluorophenol	84.3			20-120	%REC	1	09-Jul-2019 20:04
Surr: 2-Fluorophenol	102			20-120	%REC	10	10-Jul-2019 16:35
Surr: 4-Terphenyl-d14	93.4			40-135	%REC	10	10-Jul-2019 16:35
Surr: 4-Terphenyl-d14	77.8			40-135	%REC	1	09-Jul-2019 20:04
Surr: Nitrobenzene-d5	107			41-120	%REC	1	09-Jul-2019 20:04
Surr: Nitrobenzene-d5	115			41-120	%REC	10	10-Jul-2019 16:35
Surr: Phenol-d6	107			20-120	%REC	10	10-Jul-2019 16:35
Surr: Phenol-d6	84.7			20-120	%REC	1	09-Jul-2019 20:04

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-FB02-20190702
 Collection Date: 02-Jul-2019 12:30

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-14
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
2-Methylnaphthalene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 20:24
Acenaphthene	U		0.000027	0.00010	mg/L	1	09-Jul-2019 20:24
Acenaphthylene	U		0.000015	0.00010	mg/L	1	09-Jul-2019 20:24
Anthracene	U		0.000014	0.00010	mg/L	1	09-Jul-2019 20:24
Bis(2-ethylhexyl)phthalate	0.000068	J	0.000037	0.00020	mg/L	1	09-Jul-2019 20:24
Dibenzofuran	U		0.000020	0.00010	mg/L	1	09-Jul-2019 20:24
Di-n-butyl phthalate	U		0.000020	0.00020	mg/L	1	09-Jul-2019 20:24
Fluoranthene	U		0.000010	0.00010	mg/L	1	09-Jul-2019 20:24
Fluorene	U		0.000030	0.00010	mg/L	1	09-Jul-2019 20:24
Naphthalene	U		0.000020	0.00010	mg/L	1	09-Jul-2019 20:24
Phenanthrene	U		0.000021	0.00010	mg/L	1	09-Jul-2019 20:24
Phenol	U		0.000035	0.00020	mg/L	1	09-Jul-2019 20:24
Pyrene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 20:24
<i>Surr: 2,4,6-Tribromophenol</i>	<i>91.3</i>			<i>34-129</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 20:24</i>
<i>Surr: 2-Fluorobiphenyl</i>	<i>89.2</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 20:24</i>
<i>Surr: 2-Fluorophenol</i>	<i>89.2</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 20:24</i>
<i>Surr: 4-Terphenyl-d14</i>	<i>80.2</i>			<i>40-135</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 20:24</i>
<i>Surr: Nitrobenzene-d5</i>	<i>108</i>			<i>41-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 20:24</i>
<i>Surr: Phenol-d6</i>	<i>91.5</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 20:24</i>

Note: See Qualifiers Page for a list of qualifiers and their explanation.

WEIGHT LOG

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

Batch ID: 142762 **Method:** LOW-LEVEL SEMIVOLATILES BY 8270D **Prep:** 3510_B_LOW

SampID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS19070159-01	1	1000	1 (mL)	0.001
HS19070159-02	1	1000	1 (mL)	0.001
HS19070159-03	1	1000	1 (mL)	0.001
HS19070159-04	1	1000	1 (mL)	0.001
HS19070159-05	1	1000	1 (mL)	0.001
HS19070159-06	1	1000	1 (mL)	0.001
HS19070159-07	1	1000	1 (mL)	0.001
HS19070159-08	1	1000	1 (mL)	0.001
HS19070159-09	1	1000	1 (mL)	0.001
HS19070159-10	1	1000	1 (mL)	0.001
HS19070159-11	1	1000	1 (mL)	0.001
HS19070159-12	1	1000	1 (mL)	0.001
HS19070159-13	1	1000	1 (mL)	0.001
HS19070159-14	1	1000	1 (mL)	0.001

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

DATES REPORT

Sample ID	Client Samp ID	Collection Date	TCLP Date	Prep Date	Analysis Date	DF
Batch ID: 142762 (0)		Test Name : LOW-LEVEL SEMIVOLATILES BY 8270D			Matrix: Water	
HS19070159-06	WG-1620-FB01-20190701	01 Jul 2019 17:15		05 Jul 2019 13:11	09 Jul 2019 17:43	1
HS19070159-14	WG-1620-FB02-20190702	02 Jul 2019 12:30		05 Jul 2019 13:11	09 Jul 2019 20:24	1
Batch ID: 142762 (0)		Test Name : LOW-LEVEL SEMIVOLATILES BY 8270D			Matrix: Groundwater	
HS19070159-01	WG-1620-P12-20190701	01 Jul 2019 14:15		05 Jul 2019 13:11	09 Jul 2019 21:24	1
HS19070159-02	WG-1620-MW08-20190701	01 Jul 2019 15:10		05 Jul 2019 13:11	09 Jul 2019 21:44	1
HS19070159-03	WG-1620-P10-20190701	01 Jul 2019 16:00		05 Jul 2019 13:11	09 Jul 2019 22:04	1
HS19070159-04	WG-1620-MW07-20190701	01 Jul 2019 16:55		05 Jul 2019 13:11	09 Jul 2019 17:03	1
HS19070159-05	WG-1620-FD02-20190701	01 Jul 2019 16:55		05 Jul 2019 13:11	09 Jul 2019 22:24	1
HS19070159-07	WG-1620-MW11A-20190702	02 Jul 2019 07:45		05 Jul 2019 13:11	09 Jul 2019 18:04	1
HS19070159-08	WG-1620-MW11B-20190702	02 Jul 2019 08:35		05 Jul 2019 13:11	10 Jul 2019 14:34	100
HS19070159-08	WG-1620-MW11B-20190702	02 Jul 2019 08:35		05 Jul 2019 13:11	10 Jul 2019 14:14	10
HS19070159-08	WG-1620-MW11B-20190702	02 Jul 2019 08:35		05 Jul 2019 13:11	09 Jul 2019 18:25	1
HS19070159-09	WG-1620-MW10A-20190702	02 Jul 2019 09:25		05 Jul 2019 13:11	09 Jul 2019 18:44	1
HS19070159-10	WG-1620-MW10B-20190702	02 Jul 2019 10:20		05 Jul 2019 13:11	10 Jul 2019 14:54	10
HS19070159-10	WG-1620-MW10B-20190702	02 Jul 2019 10:20		05 Jul 2019 13:11	09 Jul 2019 19:04	1
HS19070159-11	WG-1620-MW02-20190702	02 Jul 2019 11:15		05 Jul 2019 13:11	09 Jul 2019 19:24	1
HS19070159-12	WG-1620-MW01A-20190702	02 Jul 2019 12:10		05 Jul 2019 13:11	10 Jul 2019 15:14	10
HS19070159-12	WG-1620-MW01A-20190702	02 Jul 2019 12:10		05 Jul 2019 13:11	09 Jul 2019 19:44	1
HS19070159-13	WG-1620-FD01-20190702	02 Jul 2019 12:10		05 Jul 2019 13:11	10 Jul 2019 16:35	10
HS19070159-13	WG-1620-FD01-20190702	02 Jul 2019 12:10		05 Jul 2019 13:11	09 Jul 2019 20:04	1

WorkOrder: HS19070159
 InstrumentID: SV-7
 Test Code: 8270_LOW_W
 Test Number: SW8270
 Test Name: Low-Level Semivolatiles by 8270D

**METHOD DETECTION /
 REPORTING LIMITS**

Matrix: Aqueous

Units: mg/L

Type	Analyte	CAS	DCS Spike	DCS	MDL	PQL
A	2-Methylnaphthalene	91-57-6	0.000050	0.000033	0.000019	0.00010
A	Acenaphthene	83-32-9	0.000050	0.000044	0.000027	0.00010
A	Acenaphthylene	208-96-8	0.000050	0.000042	0.000015	0.00010
A	Anthracene	120-12-7	0.000050	0.000043	0.000014	0.00010
A	Bis(2-ethylhexyl)phthalate	117-81-7	0.00010	0.000095	0.000037	0.00020
A	Dibenzofuran	132-64-9	0.000050	0.000035	0.000020	0.00010
A	Di-n-butyl phthalate	84-74-2	0.00010	0.000084	0.000020	0.00020
A	Fluoranthene	206-44-0	0.000050	0.000041	0.000010	0.00010
A	Fluorene	86-73-7	0.000050	0.000042	0.000030	0.00010
A	Naphthalene	91-20-3	0.000050	0.000045	0.000020	0.00010
A	Phenanthrene	85-01-8	0.000050	0.000045	0.000021	0.00010
A	Phenol	108-95-2	0.00010	0.000085	0.000035	0.00020
A	Pyrene	129-00-0	0.000050	0.000044	0.000019	0.00010
S	2,4,6-Tribromophenol	118-79-6	0	0	0	0.00020
S	2-Fluorobiphenyl	321-60-8	0	0	0	0.00020
S	2-Fluorophenol	367-12-4	0	0	0	0.00020
S	4-Terphenyl-d14	1718-51-0	0	0	0	0.00020
S	Nitrobenzene-d5	4165-60-0	0	0	0	0.00020
S	Phenol-d6	13127-88-3	0	0	0	0.00020

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

QC BATCH REPORT

Batch ID: 142762 (0)		Instrument: SV-7		Method: LOW-LEVEL SEMIVOLATILES BY 8270D						
MBLK	Sample ID: MBLK-142762	Units: ug/L			Analysis Date: 09-Jul-2019 13:43					
Client ID:	Run ID: SV-7_342117	SeqNo: 5160050		PrepDate: 05-Jul-2019		DF: 1				
Analyte	Result	MLQ	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual	
2-Methylnaphthalene	U	0.10								
Acenaphthene	U	0.10								
Acenaphthylene	U	0.10								
Anthracene	U	0.10								
Bis(2-ethylhexyl)phthalate	U	0.20								
Dibenzofuran	U	0.10								
Di-n-butyl phthalate	U	0.20								
Fluoranthene	U	0.10								
Fluorene	U	0.10								
Naphthalene	U	0.10								
Phenanthrene	U	0.10								
Phenol	U	0.20								
Pyrene	U	0.10								
<i>Surr: 2,4,6-Tribromophenol</i>	3.006	0.20	5	0	60.1	34 - 129				
<i>Surr: 2-Fluorobiphenyl</i>	3.855	0.20	5	0	77.1	40 - 125				
<i>Surr: 2-Fluorophenol</i>	4.129	0.20	5	0	82.6	20 - 120				
<i>Surr: 4-Terphenyl-d14</i>	3.423	0.20	5	0	68.5	40 - 135				
<i>Surr: Nitrobenzene-d5</i>	4.721	0.20	5	0	94.4	41 - 120				
<i>Surr: Phenol-d6</i>	4.33	0.20	5	0	86.6	20 - 120				

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

QC BATCH REPORT

Batch ID: 142762 (0)		Instrument: SV-7		Method: LOW-LEVEL SEMIVOLATILES BY 8270D						
LCS	Sample ID: LCS-142762	Units: ug/L			Analysis Date: 09-Jul-2019 14:03					
Client ID:	Run ID: SV-7_342117	SeqNo: 5160051		PrepDate: 05-Jul-2019		DF: 1				
Analyte	Result	MLQ	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	3.96	0.10	5	0	79.2	50 - 120				
Acenaphthene	3.723	0.10	5	0	74.5	45 - 120				
Acenaphthylene	3.707	0.10	5	0	74.1	47 - 120				
Anthracene	3.476	0.10	5	0	69.5	45 - 120				
Bis(2-ethylhexyl)phthalate	4.07	0.20	5	0	81.4	40 - 139				
Dibenzofuran	3.775	0.10	5	0	75.5	50 - 120				
Di-n-butyl phthalate	3.864	0.20	5	0	77.3	45 - 123				
Fluoranthene	3.634	0.10	5	0	72.7	45 - 125				
Fluorene	3.604	0.10	5	0	72.1	49 - 120				
Naphthalene	3.773	0.10	5	0	75.5	45 - 120				
Phenanthrene	3.418	0.10	5	0	68.4	45 - 121				
Phenol	4.024	0.20	5	0	80.5	20 - 124				
Pyrene	3.792	0.10	5	0	75.8	40 - 130				
<i>Surr: 2,4,6-Tribromophenol</i>	3.769	0.20	5	0	75.4	34 - 129				
<i>Surr: 2-Fluorobiphenyl</i>	4.113	0.20	5	0	82.3	40 - 125				
<i>Surr: 2-Fluorophenol</i>	4.135	0.20	5	0	82.7	20 - 120				
<i>Surr: 4-Terphenyl-d14</i>	3.572	0.20	5	0	71.4	40 - 135				
<i>Surr: Nitrobenzene-d5</i>	5.031	0.20	5	0	101	41 - 120				
<i>Surr: Phenol-d6</i>	4.606	0.20	5	0	92.1	20 - 120				

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

QC BATCH REPORT

Batch ID: 142762 (0)		Instrument: SV-7		Method: LOW-LEVEL SEMIVOLATILES BY 8270D						
MS		Sample ID: HS19070159-01MS		Units: ug/L		Analysis Date: 09-Jul-2019 20:44				
Client ID: WG-1620-P12-20190701		Run ID: SV-7_342117		SeqNo: 5160062		PrepDate: 05-Jul-2019		DF: 1		
Analyte	Result	MLQ	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual	
2-Methylnaphthalene	2.584	0.10	5	0	51.7	50 - 120				
Acenaphthene	2.815	0.10	5	0	56.3	45 - 120				
Acenaphthylene	2.753	0.10	5	0	55.1	47 - 120				
Anthracene	3.412	0.10	5	0.05218	67.2	45 - 120				
Bis(2-ethylhexyl)phthalate	4.295	0.20	5	0	85.9	40 - 139				
Dibenzofuran	3.088	0.10	5	0	61.8	50 - 120				
Di-n-butyl phthalate	4.178	0.20	5	0	83.6	45 - 123				
Fluoranthene	3.935	0.10	5	0	78.7	45 - 125				
Fluorene	3.209	0.10	5	0	64.2	49 - 120				
Naphthalene	2.592	0.10	5	0	51.8	45 - 120				
Phenanthrene	3.405	0.10	5	0	68.1	45 - 121				
Phenol	2.666	0.20	5	0	53.3	20 - 124				
Pyrene	3.839	0.10	5	0	76.8	40 - 130				
<i>Surr: 2,4,6-Tribromophenol</i>	3.752	0.20	5	0	75.0	34 - 129				
<i>Surr: 2-Fluorobiphenyl</i>	2.699	0.20	5	0	54.0	40 - 125				
<i>Surr: 2-Fluorophenol</i>	2.86	0.20	5	0	57.2	20 - 120				
<i>Surr: 4-Terphenyl-d14</i>	3.534	0.20	5	0	70.7	40 - 135				
<i>Surr: Nitrobenzene-d5</i>	3.417	0.20	5	0	68.3	41 - 120				
<i>Surr: Phenol-d6</i>	2.982	0.20	5	0	59.6	20 - 120				

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

QC BATCH REPORT

Batch ID: 142762 (0)		Instrument: SV-7		Method: LOW-LEVEL SEMIVOLATILES BY 8270D						
MSD		Sample ID: HS19070159-01MSD		Units: ug/L		Analysis Date: 09-Jul-2019 21:04				
Client ID: WG-1620-P12-20190701		Run ID: SV-7_342117		SeqNo: 5160063		PrepDate: 05-Jul-2019		DF: 1		
Analyte	Result	MLQ	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	3.038	0.10	5	0	60.8	50 - 120	2.584	16.2	20	
Acenaphthene	3.082	0.10	5	0	61.6	45 - 120	2.815	9.05	20	
Acenaphthylene	2.979	0.10	5	0	59.6	47 - 120	2.753	7.87	20	
Anthracene	3.858	0.10	5	0.05218	76.1	45 - 120	3.412	12.3	20	
Bis(2-ethylhexyl)phthalate	4.996	0.20	5	0	99.9	40 - 139	4.295	15.1	20	
Dibenzofuran	3.269	0.10	5	0	65.4	50 - 120	3.088	5.69	20	
Di-n-butyl phthalate	4.713	0.20	5	0	94.3	45 - 123	4.178	12	20	
Fluoranthene	4.508	0.10	5	0	90.2	45 - 125	3.935	13.6	20	
Fluorene	3.444	0.10	5	0	68.9	49 - 120	3.209	7.08	20	
Naphthalene	2.948	0.10	5	0	59.0	45 - 120	2.592	12.9	20	
Phenanthrene	3.853	0.10	5	0	77.1	45 - 121	3.405	12.4	20	
Phenol	2.972	0.20	5	0	59.4	20 - 124	2.666	10.8	20	
Pyrene	4.535	0.10	5	0	90.7	40 - 130	3.839	16.6	20	
<i>Surr: 2,4,6-Tribromophenol</i>	<i>4.161</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>83.2</i>	<i>34 - 129</i>	<i>3.752</i>	<i>10.3</i>	<i>20</i>	
<i>Surr: 2-Fluorobiphenyl</i>	<i>3.034</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>60.7</i>	<i>40 - 125</i>	<i>2.699</i>	<i>11.7</i>	<i>20</i>	
<i>Surr: 2-Fluorophenol</i>	<i>3.148</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>63.0</i>	<i>20 - 120</i>	<i>2.86</i>	<i>9.56</i>	<i>20</i>	
<i>Surr: 4-Terphenyl-d14</i>	<i>4.135</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>82.7</i>	<i>40 - 135</i>	<i>3.534</i>	<i>15.7</i>	<i>20</i>	
<i>Surr: Nitrobenzene-d5</i>	<i>3.936</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>78.7</i>	<i>41 - 120</i>	<i>3.417</i>	<i>14.1</i>	<i>20</i>	
<i>Surr: Phenol-d6</i>	<i>3.404</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>68.1</i>	<i>20 - 120</i>	<i>2.982</i>	<i>13.2</i>	<i>20</i>	

The following samples were analyzed in this batch:

HS19070159-01	HS19070159-02	HS19070159-03	HS19070159-04
HS19070159-05	HS19070159-06	HS19070159-07	HS19070159-08
HS19070159-09	HS19070159-10	HS19070159-11	HS19070159-12
HS19070159-13	HS19070159-14		

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

**QUALIFIERS,
ACRONYMS, UNITS**

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/L	Milligrams per Liter

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Kansas	E-10352 2018-2019	31-Jul-2019
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
Oklahoma	2018-156	31-Aug-2019
Texas	TX104704231-19-23	30-Apr-2020

Sample Receipt Checklist

Client Name: PBW
Work Order: HS19070159

Date/Time Received: 02-Jul-2019 14:35
Received by: JRM

Checklist completed by: Nilesh D. Ranchod
eSignature
Date: 3-Jul-2019

Reviewed by: Dane J. Wacasey
eSignature
Date: 8-Jul-2019

Matrices: Water

Carrier name: Client

- Shipping container/cooler in good condition? Yes [checked] No [] Not Present []
Custody seals intact on shipping container/cooler? Yes [] No [] Not Present [checked]
Custody seals intact on sample bottles? Yes [] No [] Not Present [checked]
VOA/TX1005/TX1006 Solids in hermetically sealed vials? Yes [] No [] Not Present [checked]
Chain of custody present? Yes [checked] No []
Chain of custody signed when relinquished and received? Yes [checked] No []
Samplers name present on COC? Yes [checked] No []
Chain of custody agrees with sample labels? Yes [] No [checked]
Samples in proper container/bottle? Yes [checked] No []
Sample containers intact? Yes [checked] No []
Sufficient sample volume for indicated test? Yes [checked] No []
All samples received within holding time? Yes [checked] No []
Container/Temp Blank temperature in compliance? Yes [checked] No []

2 Page(s)
COC IDs:203587/203585

Temperature(s)/Thermometer(s): 1.5C/1.5C, 1.2C/1.2C,0.8C/0.8C, 0.9C/0.9C UC/C IR # 25
Cooler(s)/Kit(s): 44381/44883/45155/43623
Date/Time sample(s) sent to storage: 07/02/2019 18:00
Water - VOA vials have zero headspace? Yes [] No [] No VOA vials submitted [checked]
Water - pH acceptable upon receipt? Yes [] No [] N/A [checked]
pH adjusted? Yes [] No [] N/A [checked]

pH adjusted by:

Login Notes: Sample Label time differ. WG-1620-FD02-20190701 COC= 16:55 Label= 16:00; logged per COC

Client Contacted: Date Contacted: Person Contacted:
Contacted By: Regarding:
Comments:
Corrective Action:



Cincinnati, OH
+1 513 733 5336

Everett, WA
+1 425 356 2600

Fort Collins, CO
+1 970 490 1511

Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 1 of 2

COC ID: 203587

HS19070159

WV

Golder Associates Inc.
Houston TX-Wood Preserving Works

ALS Project Manager:



Customer Information		Project Information		
Purchase Order	UPRR/Kevin Peterburs	Project Name	Houston TX-Wood Preserving Works	A 8270_LOW_W (5632532 ATZ SemiVolatiles)
Work Order		Project Number	1620-07-Rev0 SR 92686	B 8270_LOW_W (5632532 BTZ SemiVolatiles)
Company Name	Golder Associates	Bill To Company	Union Pacific Railroad- A/P	C 8270_LOW_W (5632532 ATZ & BTZ SemiVolatiles)
Send Report To	Eric Matzner	Invoice Attn	Accounts Payable	D ms/msp
Address	2201 Double Creek Drive	Address	1400 Douglas Street	E
	Suite 4004		Stop 0750	F
City/State/Zip	Round Rock, TX 78664	City/State/Zip	Omaha NE 681790750	G
Phone	(512) 671-3434	Phone		H
Fax	(512) 671-3446	Fax		I
e-Mail Address	eric_matzner@golder.com	e-Mail Address		J

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Mold
1	WG-1620-P12-20190701	7-1-19	1415	Groundwa	6	4		X		X							
2	WG-1620-MW08-20190701		1510	GW		2	X										
3	WG-1620-P10-20190701		1600	GW		2		X									
4	WG-1620-MW07-20190701		1655	GW		2	X										
5	WG-1620-FD02-20190701		1655	GW		2	X										
6	WG-1620-FB01-20190701		1715	GW		2	X	X									
7	WG-1620-MW11A-20190702	7-2-19	0745	GW		2	X										
8	WG-1620-MW11B-20190702		0835	GW		2		X									
9	WG-1620-MW10A-20190702		0925	GW		2	X										
10	WG-1620-MW10B-20190702		1020	GW		2		X									

Sampler(s) Please Print & Sign JOHN BRAYTON		Shipment Method HAND DELIVERED		Required Turnaround Time: (Check Box) <input checked="" type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 24 Hrs				Results Due Date:		
Relinquished by John Br		Date: 7-2-19	Time: 14:35	Received by:		Notes: UPRR Houston MWPW				
Relinquished by John Br		Date: 7/2/19	Time: 14:35	Received by (Laboratory): S. Matzner		Cooler ID	Cooler Temp.	QC Package: (Check One Box Below)		
Logged by (Laboratory):		Date:	Time:	Checked by (Laboratory):		44381	1.5	<input type="checkbox"/> Level II Std QC	<input checked="" type="checkbox"/> RFP Checklist	
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035						44863	1.2	<input type="checkbox"/> Level III Std QC/Rev Date	<input type="checkbox"/> RFP Level IV	
						45155	0.8	<input type="checkbox"/> Level IV SWB46/CLP		
						43623	0.9	<input type="checkbox"/> Other		

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.



Cincinnati, OH
+1 513 733 5336
Everett, WA
+1 425 356 2600

Fort Collins, CO
+1 970 490 1511
Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 2 of 2

COC ID: 203585

HS19070159

WV

Golder Associates Inc.
Houston TX-Wood Preserving Works



ALS Project Manager:

Customer Information		Project Information		
Purchase Order	UPRR/Kevin Paterburs	Project Name	Houston TX-Wood Preserving Works	A 8270_LOW_W (5632532 ATZ SemiVolatiles)
Work Order		Project Number	1620-07-Rev0 SR 92688 SWMU1	B 8270_LOW_W (5632532 BTZ SemiVolatiles)
Company Name	Golder Associates	Bill To Company	Union Pacific Railroad- A/P	C 8270_LOW_W (5632532 ATZ & BTZ SemiVolatiles)
Send Report To	Eric Matzner	Invoice Attn	Accounts Payable	D
Address	2201 Double Creek Drive	Address	1400 Douglas Street	E
	Suite 4004		Stop 0750	F
City/State/Zip	Round Rock, TX 78664	City/State/Zip	Omaha NE 681790750	G
Phone	(512) 671-3434	Phone		H
Fax	(512) 671-3446	Fax		I
e-Mail Address	eric_matzner@golder.com	e-Mail Address		J

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	WG-1620-MW02-20190702	7-2-19	1115	Groundwa	6	2	X										
2	WG-1620-MW01A-20190702	↓	1210			2	X										
3	WG-1620-FD01-20190702	↓	1210			2	X										
4	WG-1620-FB02-20190702	↓	1230			2	X	X									
5																	
6																	
7																	
8																	
9																	
10																	

Sampler(s) Please Print & Sign JOHN BRAYON <i>John Br</i>		Shipment Method HAND DELIVERED		Required Turnaround Time: (Check Box) <input checked="" type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 24 Hr				Results Due Date:	
Relinquished by: <i>John Br</i>	Date: 7-2-19	Time: 19:35	Received by:	Notes: UPRR Houston MWPW					
Relinquished by:	Date: 7/2/19	Time: 19:35	Received by (Laboratory):	Cooler ID	Cooler Temp.	QC Package: (Check One Box Below)			
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):			<input type="checkbox"/> Level II Std QC	<input checked="" type="checkbox"/> TRP Checklist		
						<input type="checkbox"/> Level III Std QC/Rw Date	<input type="checkbox"/> TRP Level IV		
						<input type="checkbox"/> Level IV SWB4/CLP			
						<input type="checkbox"/> Other			

Preservative Key: 1-HCl 2-HNO₃ 3-H₂SO₄ 4-NaOH 5-Na₂S₂O₃ 6-NaHSO₄ 7-Other 8-4°C 9-5035

- ote: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.



Memorandum

August 20, 2019

To: Eric Matzner Ref. No.: 11183954-1620

From: ^{CK} Chris G. Knight/eew/351-NF Tel: 512-506-8803

cc: Jesse Orth, Jon Lang; Julie Lidstone

**Subject: Data Usability Summary
Semiannual Groundwater Monitoring Resample Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
August 2019**

1. Scope of Data Usability Study

This document details a Data Usability Summary (DUS) of analytical results for a groundwater sample collected in support of the Semiannual Groundwater Monitoring Resample Event at the Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works site during August 2019. The sample was submitted to ALS Environmental (ALS), located in Houston, Texas and are reported in data package HS19080117. The intended use of the data is to support the Semiannual Groundwater Monitoring Resample Event at the site by providing current concentration of naphthalene.

Data were reviewed and validated by Chris G. Knight of GHD, in accordance with Title 30 of the Texas Administrative Code Section 350.54 (30 TAC 350.54) as described in the Texas Commission on Environmental Quality (TCEQ) Regulatory Guidance document entitled "Review and Reporting of COC Concentration Data under TRRP", (RG-366/TRRP-13), revised May 2010, herein referred to as "TRRP-13 Guidance". Evaluation of the data was based on information obtained from the chain of custody forms, the finished report forms, method blank data, recovery data from surrogate spikes/laboratory control samples (LCS)/matrix spikes (MS), field quality assurance/quality control (QA/QC) sample, the laboratory review checklists (LRC), and the laboratory exception report (ER).

A sample collection and analysis summary is presented in Table 1. This summary provides a cross-reference of field sample identification numbers and location identification. Each sample is assigned a unique field identification number.

The validated sample result is presented in Table 2. A summary of the analytical methodology is presented in Table 3.



2. Laboratory Qualifications

The Laboratory's quality assurance program is consistent with the quality standards outlined in the National Environmental Laboratory Accreditation Program (NELAP). This laboratory was accredited under Texas Certification number # TX104704231 at the time the analysis was performed and the certificate is included in Attachment A.

3. Project Objectives

3.1 Sampling/Analytical QA/QC Objectives

The QA/QC program was designed to identify contamination resulting from the sampling, sample transport and analytical process through the analysis of a field blank sample and a method blank. The QA/QC program was designed to evaluate the quality of the resulting data with respect to bias and precision through analysis of LCS and MS analyses.

4. Data Review/Validation Results

4.1 Sample Holding Time and Preservation

The sample was shipped with a chain of custody and the paper work was filled out properly. The sample was properly preserved, delivered on ice, and stored by the laboratory at the required temperature (0-6°C).

The sample chain of custody documents and the analytical report were used to determine sample holding times. The sample was prepared and analyzed within the required holding times.

4.2 Sample Containers

Sample containers used were certified pre-cleaned glass containers provided by the laboratory. These containers meet or exceed analyte specifications established in the United States Environmental Protection Agency (USEPA) *Specifications and Guidance for Contaminant-free Sample Containers*.

4.3 Calibrations

According to the LRC, initial calibration and continuing calibration data met the criteria for the selected method.

4.4 Laboratory Method Blank Analyses

Method blanks are prepared from a purified matrix and analyzed with investigative samples to determine the existence and magnitude of sample contamination introduced during the analytical procedures. As these were not discrete samples handled in the field, these blanks are not listed on the sample identification cross-reference list found in the data package.



For this study, laboratory method blanks were analyzed at a minimum frequency of one per twenty investigative samples and/or one per analytical batch and results are reported in the laboratory data package.

The method blank result was non-detect or below the method quantitation limit (MQL), indicating that laboratory contamination was not a factor for this investigation.

4.5 Internal Standard and Surrogate Spike Recoveries

Recoveries of internal standards are addressed in the LRC of the data package. All internal standard recoveries associated with the compounds of interest were acceptable per the LRC.

In accordance with the methods employed, all samples, blanks, and QC samples analyzed for naphthalene are spiked with surrogate compounds prior to sample analysis. Surrogate recoveries provide a means to evaluate the effects of laboratory performance on individual sample matrices. The recovery ranges established by the laboratory are adopted as the acceptance criteria for the project. Each individual surrogate compound is expected to meet the laboratory control limits. According to the TRRP-13 Guidelines, one outlying surrogate is acceptable for methods with multiple surrogate spike compounds as long as the recovery is at least ten percent. The sample was analyzed at an elevated sample dilution (greater than five times) and was not assessed.

4.6 Laboratory Control Sample Analysis

LCS are prepared and analyzed as samples to assess the analytical efficiencies of the methods employed, independent of sample matrix effects. The recovery range established by the laboratory was adopted as the acceptance criteria for the project.

For this study, LCS were analyzed at a minimum frequency of one per twenty investigative samples and/or one per analytical batch.

The LCS contained naphthalene. The LCS recovery was within the laboratory control limits, demonstrating acceptable analytical accuracy.

4.7 Matrix Spike Analysis

To evaluate the effects of sample matrices on the preparation process, measurement procedures, and accuracy of a particular analysis, samples are spiked with known concentrations of the analytes of interest and analyzed as MS/matrix spike duplicate (MSD) samples. The relative percent difference (RPD) between the MS and MSD is used to assess analytical precision.

The laboratory performed an MS/MSD on a non-site sample. This cannot be used to assess accuracy and precision for the site sample.

4.8 Field QA/QC Sample

The field QA/QC consisted of one field blank sample.



To assess ambient conditions at the site, one field blank sample was were submitted for analysis, as identified in Table 1.

- i) WG-1620-FB01-20190730 yielded a low level detection for naphthalene. The associated sample result was significantly greater than the field blank detection and was not affected. No further action was required.

4.9 Field Procedures

Golder Associates, Inc. collected the groundwater sample in accordance with their Standard Operating Procedures (SOP) for sample collection.

4.10 Analyte Reporting

The laboratory reported the detected result for naphthalene down to the sample detection limit (SDL), which is defined as the method detection limit (MDL) with sample-specific adjustments for dilutions, aliquot size, volumes, etc.

The detectability check standard (DCS) results supported the laboratory MDL.

5. Conclusion

Based on the assessment detailed in the foregoing, the data summarized in Table 2 are usable for the purpose of supporting the Semiannual Groundwater Monitoring Resample Event at the site by providing current concentration of naphthalene without qualification.

Table 1

Sample Collection and Analysis Summary
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
August 2019

Sample Identification	Location	Matrix	Collection Date (mm/dd/yyyy)	Collection Time (hr:min)	<u>Analysis/Parameters</u>		Comments
					Naphthalene		
WG-1620-MW11B-20190730	MW-11B	Water	07/30/2019	13:00	X		
WG-1620-FB01-20190730	-	Water	07/30/2019	13:15	X		Field Blank

Table 2

**Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
August 2019**

Location ID:	MW-11B
Sample Name:	WG-1620-MW11B-20190730
Sample Date:	07/30/2019

Parameters	Unit	
Semi-volatile Organic Compounds		
Naphthalene	mg/L	1.1

Table 3

Analytical Methods
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
August 2019

Parameter	Method	Matrix	Holding Time	Holding Time
			Collection to Extraction (Days)	Extraction to Analysis (Days)
Naphthalene	SW-846 8270D	Water	7	40

Method References:

SW-846 - "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", SW-846, Third Edition, 1986, with subsequent revisions

Attachment A

Laboratory NELAP Certificate



Texas Commission on Environmental Quality

NELAP - Recognized Laboratory Fields of Accreditation



ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Method EPA 1613

Analyte	AB	Analyte ID	Method ID
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10120408

Method EPA 200.8

Analyte	AB	Analyte ID	Method ID
Copper	TX	1055	10014605
Lead	TX	1075	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	AB	Analyte ID	Method ID
Method EPA 1010			
Analyte Ignitability	TX	1780	10116606
Method EPA 120.1			
Analyte Conductivity	TX	1610	10006403
Method EPA 1311			
Analyte TCLP	TX	849	10118806
Method EPA 1312			
Analyte SPLP	TX	850	10119003
Method EPA 160.4			
Analyte Residue-volatile	TX	1970	10010409
Method EPA 1613			
Analyte 1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10120408
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10120408
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10120408
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10120408
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10120408
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10120408
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10120408
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10120408
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,6,7,8-HxCDD)	TX	9456	10120408
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10120408
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10120408
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10120408
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10120408
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10120408



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10120408
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10120408
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10120408
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10120408
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10120408
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10120408
Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10120408
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10120408
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10120408
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10120408
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10120408
Method EPA 1664			
Analyte	AB	Analyte ID	Method ID
n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10127807
Method EPA 180.1			
Analyte	AB	Analyte ID	Method ID
Turbidity	TX	2055	10011606
Method EPA 200.8			
Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10014605
Antimony	TX	1005	10014605
Arsenic	TX	1010	10014605
Barium	TX	1015	10014605
Beryllium	TX	1020	10014605
Boron	TX	1025	10014605
Cadmium	TX	1030	10014605
Calcium	TX	1035	10014605
Chromium	TX	1040	10014605
Cobalt	TX	1050	10014605
Copper	TX	1055	10014605
Iron	TX	1070	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Lead	TX	1075	10014605
Magnesium	TX	1085	10014605
Manganese	TX	1090	10014605
Molybdenum	TX	1100	10014605
Nickel	TX	1105	10014605
Potassium	TX	1125	10014605
Selenium	TX	1140	10014605
Silver	TX	1150	10014605
Sodium	TX	1155	10014605
Strontium	TX	1160	10014605
Thallium	TX	1165	10014605
Tin	TX	1175	10014605
Titanium	TX	1180	10014605
Uranium	TX	3035	10014605
Vanadium	TX	1185	10014605
Zinc	TX	1190	10014605

Method EPA 245.1

Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10036609

Method EPA 300.0

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10053200
Chloride	TX	1575	10053200
Fluoride	TX	1730	10053200
Nitrate as N	TX	1810	10053200
Nitrate-nitrite	TX	1820	10053200
Nitrite as N	TX	1840	10053200
Orthophosphate as P	TX	1870	10053200
Sulfate	TX	2000	10053200

Method EPA 325.1

Analyte	AB	Analyte ID	Method ID
---------	----	------------	-----------



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Chloride	TX	1575	10056801
Method EPA 335.1			
Analyte Amenable cyanide	AB TX	Analyte ID 1510	Method ID 10060001
Method EPA 335.2			
Analyte Total cyanide	AB TX	Analyte ID 1645	Method ID 10278203
Method EPA 335.4			
Analyte Total cyanide	AB TX	Analyte ID 1645	Method ID 10061402
Method EPA 350.3			
Analyte Ammonia as N	AB TX	Analyte ID 1515	Method ID 10064401
Method EPA 365.3			
Analyte Orthophosphate as P Phosphorus	AB TX TX	Analyte ID 1870 1910	Method ID 10070801 10070801
Method EPA 375.4			
Analyte Sulfate	AB TX	Analyte ID 2000	Method ID 10073800
Method EPA 376.1			
Analyte Sulfide	AB TX	Analyte ID 2005	Method ID 10074201
Method EPA 410.4			
Analyte Chemical oxygen demand (COD)	AB TX	Analyte ID 1565	Method ID 10077404
Method EPA 415.1			
Analyte Total Organic Carbon (TOC)	AB TX	Analyte ID 2040	Method ID 10078407
Method EPA 420.1			
Analyte Total phenolics	AB TX	Analyte ID 1905	Method ID 10079400



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 420.4

Analyte	AB	Analyte ID	Method ID
Total phenolics	TX	1905	10080203

Method EPA 6020

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10156419
Antimony	TX	1005	10156419
Arsenic	TX	1010	10156419
Barium	TX	1015	10156419
Beryllium	TX	1020	10156419
Boron	TX	1025	10156419
Cadmium	TX	1030	10156419
Calcium	TX	1035	10156419
Chromium	TX	1040	10156419
Cobalt	TX	1050	10156419
Copper	TX	1055	10156419
Iron	TX	1070	10156419
Lead	TX	1075	10156419
Lithium	TX	1080	10156419
Magnesium	TX	1085	10156419
Manganese	TX	1090	10156419
Molybdenum	TX	1100	10156419
Nickel	TX	1105	10156419
Potassium	TX	1125	10156419
Selenium	TX	1140	10156419
Silver	TX	1150	10156419
Sodium	TX	1155	10156419
Strontium	TX	1160	10156419
Thallium	TX	1165	10156419
Tin	TX	1175	10156419
Titanium	TX	1180	10156419



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Vanadium	TX	1185	10156419
Zinc	TX	1190	10156419
Method EPA 608			
Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10103603
4,4'-DDE	TX	7360	10103603
4,4'-DDT	TX	7365	10103603
Aldrin	TX	7025	10103603
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10103603
alpha-Chlordane	TX	7240	10103603
Aroclor-1016 (PCB-1016)	TX	8880	10103603
Aroclor-1221 (PCB-1221)	TX	8885	10103603
Aroclor-1232 (PCB-1232)	TX	8890	10103603
Aroclor-1242 (PCB-1242)	TX	8895	10103603
Aroclor-1248 (PCB-1248)	TX	8900	10103603
Aroclor-1254 (PCB-1254)	TX	8905	10103603
Aroclor-1260 (PCB-1260)	TX	8910	10103603
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10103603
Chlordane (tech.)	TX	7250	10103603
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10103603
Dieldrin	TX	7470	10103603
Endosulfan I	TX	7510	10103603
Endosulfan II	TX	7515	10103603
Endosulfan sulfate	TX	7520	10103603
Endrin	TX	7540	10103603
Endrin aldehyde	TX	7530	10103603
Endrin ketone	TX	7535	10103603
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10103603
gamma-Chlordane	TX	7245	10103603
Heptachlor	TX	7685	10103603



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Heptachlor epoxide	TX	7690	10103603
Methoxychlor	TX	7810	10103603
Toxaphene (Chlorinated camphene)	TX	8250	10103603

Method EPA 624

Analyte	AB	Analyte ID	Method ID
1,1,1-Trichloroethane	TX	5160	10107207
1,1,2,2-Tetrachloroethane	TX	5110	10107207
1,1,2-Trichloroethane	TX	5165	10107207
1,1-Dichloroethane	TX	4630	10107207
1,1-Dichloroethylene	TX	4640	10107207
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10107207
1,2-Dichlorobenzene	TX	4610	10107207
1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10107207
1,2-Dichloropropane	TX	4655	10107207
1,3-Dichlorobenzene	TX	4615	10107207
1,4-Dichlorobenzene	TX	4620	10107207
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10107207
2-Chloroethyl vinyl ether	TX	4500	10107207
Acetone (2-Propanone)	TX	4315	10107207
Acrolein (Propenal)	TX	4325	10107207
Acrylonitrile	TX	4340	10107207
Benzene	TX	4375	10107207
Bromodichloromethane	TX	4395	10107207
Bromoform	TX	4400	10107207
Carbon tetrachloride	TX	4455	10107207
Chlorobenzene	TX	4475	10107207
Chlorodibromomethane	TX	4575	10107207
Chloroethane (Ethyl chloride)	TX	4485	10107207
Chloroform	TX	4505	10107207
cis-1,2-Dichloroethylene	TX	4645	10107207



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

cis-1,3-Dichloropropene	TX	4680	10107207
Ethylbenzene	TX	4765	10107207
m+p-xylene	TX	5240	10107207
Methyl bromide (Bromomethane)	TX	4950	10107207
Methyl chloride (Chloromethane)	TX	4960	10107207
Methyl tert-butyl ether (MTBE)	TX	5000	10107207
Methylene chloride (Dichloromethane)	TX	4975	10107207
Naphthalene	TX	5005	10107207
o-Xylene	TX	5250	10107207
Tetrachloroethylene (Perchloroethylene)	TX	5115	10107207
Toluene	TX	5140	10107207
trans-1,2-Dichloroethylene	TX	4700	10107207
trans-1,3-Dichloropropylene	TX	4685	10107207
Trichloroethene (Trichloroethylene)	TX	5170	10107207
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10107207
Vinyl chloride	TX	5235	10107207
Xylene (total)	TX	5260	10107207

Method EPA 625

Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10107401
1,2,4-Trichlorobenzene	TX	5155	10107401
1,2-Dichlorobenzene	TX	4610	10107401
1,2-Diphenylhydrazine	TX	6220	10107401
1,3-Dichlorobenzene	TX	4615	10107401
1,4-Dichlorobenzene	TX	4620	10107401
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10107401
2,4,5-Trichlorophenol	TX	6835	10107401
2,4,6-Trichlorophenol	TX	6840	10107401
2,4-Dichlorophenol	TX	6000	10107401
2,4-Dimethylphenol	TX	6130	10107401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2,4-Dinitrophenol	TX	6175	10107401
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10107401
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10107401
2-Chloronaphthalene	TX	5795	10107401
2-Chlorophenol	TX	5800	10107401
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10107401
2-Methylphenol (o-Cresol)	TX	6400	10107401
2-Nitrophenol	TX	6490	10107401
3,3'-Dichlorobenzidine	TX	5945	10107401
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10107401
4-Chloro-3-methylphenol	TX	5700	10107401
4-Chlorophenyl phenylether	TX	5825	10107401
4-Methylphenol (p-Cresol)	TX	6410	10107401
4-Nitrophenol	TX	6500	10107401
Acenaphthene	TX	5500	10107401
Acenaphthylene	TX	5505	10107401
Anthracene	TX	5555	10107401
Benzidine	TX	5595	10107401
Benzo(a)anthracene	TX	5575	10107401
Benzo(a)pyrene	TX	5580	10107401
Benzo(b)fluoranthene	TX	5585	10107401
Benzo(g,h,i)perylene	TX	5590	10107401
Benzo(k)fluoranthene	TX	5600	10107401
bis(2-Chloroethoxy)methane	TX	5760	10107401
bis(2-Chloroethyl) ether	TX	5765	10107401
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10107401
Butyl benzyl phthalate	TX	5670	10107401
Chrysene	TX	5855	10107401
Dibenz(a,h) anthracene	TX	5895	10107401
Diethyl phthalate	TX	6070	10107401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Dimethyl phthalate	TX	6135	10107401
Di-n-butyl phthalate	TX	5925	10107401
Di-n-octyl phthalate	TX	6200	10107401
Fluoranthene	TX	6265	10107401
Fluorene	TX	6270	10107401
Hexachlorobenzene	TX	6275	10107401
Hexachlorobutadiene	TX	4835	10107401
Hexachlorocyclopentadiene	TX	6285	10107401
Hexachloroethane	TX	4840	10107401
Indeno(1,2,3-cd) pyrene	TX	6315	10107401
Isophorone	TX	6320	10107401
Naphthalene	TX	5005	10107401
Nitrobenzene	TX	5015	10107401
n-Nitrosodiethylamine	TX	6525	10107401
n-Nitrosodimethylamine	TX	6530	10107401
n-Nitrosodi-n-butylamine	TX	5025	10107401
n-Nitrosodi-n-propylamine	TX	6545	10107401
n-Nitrosodiphenylamine	TX	6535	10107401
Pentachlorobenzene	TX	6590	10107401
Pentachlorophenol	TX	6605	10107401
Phenanthrene	TX	6615	10107401
Phenol	TX	6625	10107401
Pyrene	TX	6665	10107401
Pyridine	TX	5095	10107401
Method EPA 7196			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	10162206
Method EPA 7470			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10165603



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 8011

Analyte	AB	Analyte ID	Method ID
1,2,3-Trichloropropane	TX	5180	10173009
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10173009
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10173009

Method EPA 8015

Analyte	AB	Analyte ID	Method ID
Diesel range organics (DRO)	TX	9369	10173203
Ethanol	TX	4750	10173203
Ethylene glycol	TX	4785	10173203
Gasoline range organics (GRO)	TX	9408	10173203
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10173203
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10173203
Methanol	TX	4930	10173203
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10173203
n-Propanol (1-Propanol)	TX	5055	10173203
Propylene Glycol	TX	6657	10173203
tert-Butyl alcohol	TX	4420	10173203

Method EPA 8021

Analyte	AB	Analyte ID	Method ID
Benzene	TX	4375	10174400
Ethylbenzene	TX	4765	10174400
m+p-xylene	TX	5240	10174400
Methyl tert-butyl ether (MTBE)	TX	5000	10174400
o-Xylene	TX	5250	10174400
Toluene	TX	5140	10174400
Xylene (total)	TX	5260	10174400

Method EPA 8081

Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10178402
4,4'-DDE	TX	7360	10178402



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

4,4'-DDT	TX	7365	10178402
Aldrin	TX	7025	10178402
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10178402
alpha-Chlordane	TX	7240	10178402
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10178402
Chlordane (tech.)	TX	7250	10178402
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10178402
Dieldrin	TX	7470	10178402
Endosulfan I	TX	7510	10178402
Endosulfan II	TX	7515	10178402
Endosulfan sulfate	TX	7520	10178402
Endrin	TX	7540	10178402
Endrin aldehyde	TX	7530	10178402
Endrin ketone	TX	7535	10178402
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10178402
gamma-Chlordane	TX	7245	10178402
Heptachlor	TX	7685	10178402
Heptachlor epoxide	TX	7690	10178402
Hexachlorobenzene	TX	6275	10178402
Methoxychlor	TX	7810	10178402
Mirex	TX	7870	10178402
Toxaphene (Chlorinated camphene)	TX	8250	10178402

Method EPA 8082

Analyte	AB	Analyte ID	Method ID
Aroclor-1016 (PCB-1016)	TX	8880	10179201
Aroclor-1221 (PCB-1221)	TX	8885	10179201
Aroclor-1232 (PCB-1232)	TX	8890	10179201
Aroclor-1242 (PCB-1242)	TX	8895	10179201
Aroclor-1248 (PCB-1248)	TX	8900	10179201
Aroclor-1254 (PCB-1254)	TX	8905	10179201



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Aroclor-1260 (PCB-1260)	TX	8910	10179201
PCBs (total)	TX	8870	10179201

Method EPA 8151

Analyte	AB	Analyte ID	Method ID
2,4,5-T	TX	8655	10183003
2,4-D	TX	8545	10183003
2,4-DB	TX	8560	10183003
Dalapon	TX	8555	10183003
Dicamba	TX	8595	10183003
Dichloroprop (Dichloroprop, Weedone)	TX	8605	10183003
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10183003
MCPA	TX	7775	10183003
MCPP	TX	7780	10183003
Silvex (2,4,5-TP)	TX	8650	10183003

Method EPA 8260

Analyte	AB	Analyte ID	Method ID
1,1,1,2-Tetrachloroethane	TX	5105	10184404
1,1,1-Trichloroethane	TX	5160	10184404
1,1,2,2-Tetrachloroethane	TX	5110	10184404
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	TX	5195	10184404
1,1,2-Trichloroethane	TX	5165	10184404
1,1-Dichloroethane	TX	4630	10184404
1,1-Dichloroethylene	TX	4640	10184404
1,1-Dichloropropene	TX	4670	10184404
1,2,3-Trichlorobenzene	TX	5150	10184404
1,2,3-Trichloropropane	TX	5180	10184404
1,2,4-Trichlorobenzene	TX	5155	10184404
1,2,4-Trimethylbenzene	TX	5210	10184404
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10184404
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10184404
1,2-Dichlorobenzene	TX	4610	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10184404
1,2-Dichloropropane	TX	4655	10184404
1,3,5-Trimethylbenzene	TX	5215	10184404
1,3-Dichlorobenzene	TX	4615	10184404
1,3-Dichloropropane	TX	4660	10184404
1,4-Dichlorobenzene	TX	4620	10184404
1,4-Dioxane (1,4-Diethyleneoxide)	TX	4735	10184404
1-Chlorohexane	TX	4510	10184404
1-Propanol	TX	5060	10184404
2,2-Dichloropropane	TX	4665	10184404
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10184404
2-Chloroethyl vinyl ether	TX	4500	10184404
2-Chlorotoluene	TX	4535	10184404
2-Hexanone (MBK)	TX	4860	10184404
2-Pentanone	TX	5045	10184404
4-Chlorotoluene	TX	4540	10184404
4-Isopropyltoluene (p-Cymene)	TX	4915	10184404
4-Methyl-2-pentanone (MIBK)	TX	4995	10184404
Acetone (2-Propanone)	TX	4315	10184404
Acetonitrile	TX	4320	10184404
Acrolein (Propenal)	TX	4325	10184404
Acrylonitrile	TX	4340	10184404
Allyl alcohol	TX	4350	10184404
Allyl chloride (3-Chloropropene)	TX	4355	10184404
Benzene	TX	4375	10184404
Benzyl chloride	TX	5635	10184404
Bromobenzene	TX	4385	10184404
Bromochloromethane	TX	4390	10184404
Bromodichloromethane	TX	4395	10184404
Bromoform	TX	4400	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Carbon disulfide	TX	4450	10184404
Carbon tetrachloride	TX	4455	10184404
Chlorobenzene	TX	4475	10184404
Chlorodibromomethane	TX	4575	10184404
Chloroethane (Ethyl chloride)	TX	4485	10184404
Chloroform	TX	4505	10184404
Chloroprene (2-Chloro-1,3-butadiene)	TX	4525	10184404
cis-1,2-Dichloroethylene	TX	4645	10184404
cis-1,3-Dichloropropene	TX	4680	10184404
Dibromofluoromethane	TX	4590	10184404
Dibromomethane (Methylene bromide)	TX	4595	10184404
Dichlorodifluoromethane (Freon-12)	TX	4625	10184404
Diethyl ether	TX	4725	10184404
Di-isopropylether (DIPE)	TX	9375	10184404
Epichlorohydrin (1-Chloro-2,3-epoxypropane)	TX	4745	10184404
Ethanol	TX	4750	10184404
Ethyl acetate	TX	4755	10184404
Ethyl methacrylate	TX	4810	10184404
Ethylbenzene	TX	4765	10184404
Ethylene oxide	TX	4795	10184404
Ethyl-t-butylether (ETBE) (2-Ethoxy-2-methylpropane)	TX	4770	10184404
Hexachlorobutadiene	TX	4835	10184404
Iodomethane (Methyl iodide)	TX	4870	10184404
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10184404
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10184404
Isopropylbenzene (Cumene)	TX	4900	10184404
m+p-xylene	TX	5240	10184404
Methacrylonitrile	TX	4925	10184404
Methyl acetate	TX	4940	10184404
Methyl acrylate	TX	4945	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Methyl bromide (Bromomethane)	TX	4950	10184404
Methyl chloride (Chloromethane)	TX	4960	10184404
Methyl methacrylate	TX	4990	10184404
Methyl tert-butyl ether (MTBE)	TX	5000	10184404
Methylcyclohexane	TX	4965	10184404
Methylene chloride (Dichloromethane)	TX	4975	10184404
Naphthalene	TX	5005	10184404
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10184404
n-Butylbenzene	TX	4435	10184404
n-Propylbenzene	TX	5090	10184404
o-Xylene	TX	5250	10184404
Pentachloroethane	TX	5035	10184404
Propionitrile (Ethyl cyanide)	TX	5080	10184404
Pyridine	TX	5095	10184404
sec-Butylbenzene	TX	4440	10184404
Styrene	TX	5100	10184404
T-amylmethylether (TAME)	TX	4370	10184404
tert-Butyl alcohol	TX	4420	10184404
tert-Butylbenzene	TX	4445	10184404
Tetrachloroethylene (Perchloroethylene)	TX	5115	10184404
Toluene	TX	5140	10184404
trans-1,2-Dichloroethylene	TX	4700	10184404
trans-1,3-Dichloropropylene	TX	4685	10184404
trans-1,4-Dichloro-2-butene	TX	4605	10184404
Trichloroethene (Trichloroethylene)	TX	5170	10184404
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10184404
Vinyl acetate	TX	5225	10184404
Vinyl chloride	TX	5235	10184404
Xylene (total)	TX	5260	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 8270

Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10185203
1,2,4-Trichlorobenzene	TX	5155	10185203
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10185203
1,2-Dichlorobenzene	TX	4610	10185203
1,2-Dinitrobenzene	TX	6155	10185203
1,2-Diphenylhydrazine	TX	6220	10185203
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10185203
1,3-Dichlorobenzene	TX	4615	10185203
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10185203
1,4-Dichlorobenzene	TX	4620	10185203
1,4-Dinitrobenzene	TX	6165	10185203
1,4-Naphthoquinone	TX	6420	10185203
1,4-Phenylenediamine	TX	6630	10185203
1-Chloronaphthalene	TX	5790	10185203
1-Naphthylamine	TX	6425	10185203
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10185203
2,3,4,6-Tetrachlorophenol	TX	6735	10185203
2,4,5-Trichlorophenol	TX	6835	10185203
2,4,5-Trimethylaniline	TX	6880	10185203
2,4,6-Trichlorophenol	TX	6840	10185203
2,4-Diaminotoluene	TX	5880	10185203
2,4-Dichlorophenol	TX	6000	10185203
2,4-Dimethylphenol	TX	6130	10185203
2,4-Dinitrophenol	TX	6175	10185203
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10185203
2,6-Dichlorophenol	TX	6005	10185203
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10185203
2-Acetylaminofluorene	TX	5515	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2-Chloronaphthalene	TX	5795	10185203
2-Chlorophenol	TX	5800	10185203
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10185203
2-Methylaniline (o-Toluidine)	TX	5145	10185203
2-Methylnaphthalene	TX	6385	10185203
2-Methylphenol (o-Cresol)	TX	6400	10185203
2-Naphthylamine	TX	6430	10185203
2-Nitroaniline	TX	6460	10185203
2-Nitrophenol	TX	6490	10185203
2-Picoline (2-Methylpyridine)	TX	5050	10185203
3,3'-Dichlorobenzidine	TX	5945	10185203
3,3'-Dimethylbenzidine	TX	6120	10185203
3-Methylcholanthrene	TX	6355	10185203
3-Methylphenol (m-Cresol)	TX	6405	10185203
3-Nitroaniline	TX	6465	10185203
4-Aminobiphenyl	TX	5540	10185203
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10185203
4-Chloro-3-methylphenol	TX	5700	10185203
4-Chloroaniline	TX	5745	10185203
4-Chlorophenyl phenylether	TX	5825	10185203
4-Dimethyl aminoazobenzene	TX	6105	10185203
4-Methylphenol (p-Cresol)	TX	6410	10185203
4-Nitroaniline	TX	6470	10185203
4-Nitrobiphenyl	TX	6480	10185203
4-Nitrophenol	TX	6500	10185203
4-Nitroquinoline-1-oxide	TX	6510	10185203
5-Chloro-2-methylaniline	TX	5695	10185203
5-Nitro-o-toluidine	TX	6570	10185203
7,12-Dimethylbenz(a) anthracene	TX	6115	10185203
a-a-Dimethylphenethylamine	TX	6125	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Acenaphthene	TX	5500	10185203
Acenaphthylene	TX	5505	10185203
Acetophenone	TX	5510	10185203
Aniline	TX	5545	10185203
Anthracene	TX	5555	10185203
Aramite	TX	5560	10185203
Atrazine	TX	7065	10185203
Azinphos-methyl (Guthion)	TX	7075	10185203
Azobenzene	TX	5562	10185203
Benzenethiol (Thiophenol)	TX	6750	10185203
Benzidine	TX	5595	10185203
Benzo(a)anthracene	TX	5575	10185203
Benzo(a)pyrene	TX	5580	10185203
Benzo(b)fluoranthene	TX	5585	10185203
Benzo(e)pyrene	TX	5605	10185203
Benzo(g,h,i)perylene	TX	5590	10185203
Benzo(k)fluoranthene	TX	5600	10185203
Benzoic acid	TX	5610	10185203
Benzyl alcohol	TX	5630	10185203
Biphenyl	TX	5640	10185203
bis(2-Chloroethoxy)methane	TX	5760	10185203
bis(2-Chloroethyl) ether	TX	5765	10185203
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10185203
Butyl benzyl phthalate	TX	5670	10185203
Caprolactam	TX	7180	10185203
Captan	TX	7190	10185203
Carbaryl (Sevin)	TX	7195	10185203
Carbazole	TX	5680	10185203
Carbophenothion	TX	7220	10185203
Chlorobenzilate	TX	7260	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Chrysene	TX	5855	10185203
Coumaphos	TX	7315	10185203
Demeton	TX	7390	10185203
Demeton	TX	7390	10185203
Demeton-o	TX	7395	10185203
Demeton-s	TX	7385	10185203
Diallate	TX	7405	10185203
Dibenz(a,h) anthracene	TX	5895	10185203
Dibenz(a,j) acridine	TX	5900	10185203
Dibenzofuran	TX	5905	10185203
Dichlorovos (DDVP, Dichlorvos)	TX	8610	10185203
Diethyl phthalate	TX	6070	10185203
Dimethoate	TX	7475	10185203
Dimethoate	TX	7475	10185203
Dimethyl phthalate	TX	6135	10185203
Di-n-butyl phthalate	TX	5925	10185203
Di-n-octyl phthalate	TX	6200	10185203
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10185203
Dioxathion	TX	7495	10185203
Diphenylamine	TX	6205	10185203
Disulfoton	TX	8625	10185203
Ethion	TX	7565	10185203
Ethyl methanesulfonate	TX	6260	10185203
Famphur	TX	7580	10185203
Fluoranthene	TX	6265	10185203
Fluorene	TX	6270	10185203
Hexachlorobenzene	TX	6275	10185203
Hexachlorobutadiene	TX	4835	10185203
Hexachlorocyclopentadiene	TX	6285	10185203
Hexachloroethane	TX	4840	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Hexachlorophene	TX	6290	10185203
Hexachloropropene	TX	6295	10185203
Indeno(1,2,3-cd) pyrene	TX	6315	10185203
Isodrin	TX	7725	10185203
Isophorone	TX	6320	10185203
Isosafrole	TX	6325	10185203
Kepone	TX	7740	10185203
Maleic anhydride	TX	6335	10185203
Methapyrilene	TX	6345	10185203
Methyl methanesulfonate	TX	6375	10185203
Methyl parathion (Parathion, methyl)	TX	7825	10185203
Mevinphos	TX	7850	10185203
Naled	TX	7905	10185203
Naphthalene	TX	5005	10185203
Nitrobenzene	TX	5015	10185203
n-Nitrosodiethylamine	TX	6525	10185203
n-Nitrosodimethylamine	TX	6530	10185203
n-Nitrosodi-n-butylamine	TX	5025	10185203
n-Nitrosodi-n-propylamine	TX	6545	10185203
n-Nitrosodiphenylamine	TX	6535	10185203
n-Nitrosomethylethylamine	TX	6550	10185203
n-Nitrosomorpholine	TX	6555	10185203
n-Nitrosopiperidine	TX	6560	10185203
n-Nitrosopyrrolidine	TX	6565	10185203
o,o,o-Triethyl phosphorothioate	TX	8290	10185203
o-Anisidine	TX	5550	10185203
Parathion, ethyl	TX	7955	10185203
p-Cresidine	TX	5860	10185203
Pentachlorobenzene	TX	6590	10185203
Pentachloronitrobenzene (PCNB)	TX	6600	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Pentachlorophenol	TX	6605	10185203
Phenacetin	TX	6610	10185203
Phenanthrene	TX	6615	10185203
Phenol	TX	6625	10185203
Phorate	TX	7985	10185203
Phosmet (Imidan)	TX	8000	10185203
Phthalic anhydride	TX	6640	10185203
Pronamide (Kerb)	TX	6650	10185203
Pyrene	TX	6665	10185203
Pyridine	TX	5095	10185203
Quinoline	TX	6670	10185203
Resorcinol	TX	6680	10185203
Safrole	TX	6685	10185203
Sulfotepp	TX	8155	10185203
Terbufos	TX	8185	10185203
Tetrachlorvinphos (Stirophos, Gardona)	TX	8197	10185203
Thionazin (Zinophos)	TX	8235	10185203
Toluene diisocyanate	TX	6775	10185203
Trifluralin (Treflan)	TX	8295	10185203

Method EPA 8290

Analyte	AB	Analyte ID	Method ID
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10187209
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10187209
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10187209
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10187209
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10187209
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10187209
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10187209
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10187209
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-HxCDD)	TX	9456	10187209



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10187209
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10187209
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10187209
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10187209
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10187209
2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10187209
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10187209
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10187209
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10187209
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10187209
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10187209
Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10187209
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10187209
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10187209
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10187209
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10187209

Method EPA 8316

Analyte	AB	Analyte ID	Method ID
Acrylamide	TX	4330	10188202

Method EPA 8330

Analyte	AB	Analyte ID	Method ID
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10189807
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10189807
2,4,6-Trinitrotoluene (2,4,6-TNT)	TX	9651	10189807
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10189807
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10189807
2-Amino-4,6-dinitrotoluene (2-am-dnt)	TX	9303	10189807
2-Nitrotoluene	TX	9507	10189807
3-Nitrotoluene	TX	9510	10189807
4-Amino-2,6-dinitrotoluene (4-am-dnt)	TX	9306	10189807
4-Nitrotoluene	TX	9513	10189807



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Methyl-2,4,6-trinitrophenylamine (tetryl)	TX	6415	10189807
Nitrobenzene	TX	5015	10189807
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	TX	9522	10189807
RDX (hexahydro-1,3,5-trinitro-1,3,5-triazine)	TX	9432	10189807
Method EPA 9014			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	10193803
Total cyanide	TX	1645	10193803
Method EPA 9038			
Analyte	AB	Analyte ID	Method ID
Sulfate	TX	2000	10196608
Method EPA 9040			
Analyte	AB	Analyte ID	Method ID
pH	TX	1900	10196802
Method EPA 9050			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	10198604
Method EPA 9056			
Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10199209
Chloride	TX	1575	10199209
Fluoride	TX	1730	10199209
Nitrate as N	TX	1810	10199209
Nitrate-nitrite	TX	1820	10199209
Nitrite as N	TX	1840	10199209
Orthophosphate as P	TX	1870	10199209
Sulfate	TX	2000	10199209
Method EPA 9060			
Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	10200201



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	Analyte	AB	Analyte ID	Method ID
EPA 9065	Total phenolics	TX	1905	10200405
EPA 9066	Total phenolics	TX	1905	10200609
EPA 9250	Chloride	TX	1575	10207202
EPA RSK 175	2-methylpropane (Isobutane)	TX	4942	10212905
	Ethane	TX	4747	10212905
	Ethene	TX	4752	10212905
	Methane	TX	4926	10212905
	n-Butane	TX	5007	10212905
	n-Propane	TX	5029	10212905
HACH 8000	Chemical oxygen demand (COD)	TX	1565	60003001
SM 2120 B	Color	TX	1605	20223807
SM 2310 B (4a)	Acidity, as CaCO ₃	TX	1500	20002806
SM 2320 B	Alkalinity as CaCO ₃	TX	1505	20045005
SM 2340 B		AB	Analyte ID	Method ID



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Total hardness as CaCO ₃	TX	1755	20046008
Method SM 2510 B			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	20048004
Method SM 2540 B			
Analyte	AB	Analyte ID	Method ID
Residue-total (total solids)	TX	1950	20004608
Method SM 2540 C			
Analyte	AB	Analyte ID	Method ID
Residue-filterable (TDS)	TX	1955	20049803
Method SM 2540 D			
Analyte	AB	Analyte ID	Method ID
Residue-nonfilterable (TSS)	TX	1960	20004802
Method SM 3500-Cr B			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	20065809
Method SM 4500-Cl F			
Analyte	AB	Analyte ID	Method ID
Total residual chlorine	TX	1940	20080482
Method SM 4500-Cl ⁻ E			
Analyte	AB	Analyte ID	Method ID
Chloride	TX	1575	20019209
Method SM 4500-CN ⁻ C			
Analyte	AB	Analyte ID	Method ID
Total cyanide	TX	1645	20020808
Method SM 4500-CN ⁻ E			
Analyte	AB	Analyte ID	Method ID
Total cyanide	TX	1645	20021209
Method SM 4500-CN ⁻ G			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	20021607



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	AB	Analyte ID	Method ID
Method SM 4500-H+ B			
Analyte	AB	Analyte ID	Method ID
pH	TX	1900	20104603
Method SM 4500-NH3 D			
Analyte	AB	Analyte ID	Method ID
Ammonia as N	TX	1515	20108809
Kjeldahl Nitrogen (Total Kjeldahl Nitrogen-TKN)	TX	1790	20108809
Method SM 4500-NH3 F			
Analyte	AB	Analyte ID	Method ID
Ammonia as N	TX	1515	20023001
Method SM 4500-O G			
Analyte	AB	Analyte ID	Method ID
Oxygen, dissolved	TX	1880	20025405
Method SM 4500-P E			
Analyte	AB	Analyte ID	Method ID
Orthophosphate as P	TX	1870	20025803
Phosphorus	TX	1910	20025803
Method SM 4500-S2 ⁻ F			
Analyte	AB	Analyte ID	Method ID
Sulfide	TX	2005	20126209
Method SM 4500-SiO2 D			
Analyte	AB	Analyte ID	Method ID
Silica as SiO2	TX	1990	20127202
Method SM 4500-SO3 ⁻ B			
Analyte	AB	Analyte ID	Method ID
Sulfite	TX	2015	20026806
Method SM 5210 B			
Analyte	AB	Analyte ID	Method ID
Biochemical oxygen demand (BOD)	TX	1530	20027401
Carbonaceous BOD, CBOD	TX	1555	20027401
Method SM 5310 B			
Analyte	AB	Analyte ID	Method ID



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Total Organic Carbon (TOC)	TX	2040	20137206
Method SM 5310 C			
Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	20138209
Method SM 5540 C			
Analyte	AB	Analyte ID	Method ID
Surfactants - MBAS	TX	2025	20144405
Method TCEQ 1005			
Analyte	AB	Analyte ID	Method ID
Total Petroleum Hydrocarbons (TPH)	TX	2050	90019208



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method	Analyte	AB	Analyte ID	Method ID
ASTM D2216	Moisture	TX	10337	ASTM D2216-05
EPA 1010	Ignitability	TX	1780	10116606
EPA 1030	Ignitability	TX	1780	10117201
EPA 1311	TCLP	TX	849	10118806
EPA 1312	SPLP	TX	850	10119003
EPA 1668	Decachlorobiphenyls	TX	10332	10262007
	Dichlorobiphenyls	TX	464	10262007
	Heptachlorobiphenyls	TX	486	10262007
	Hexachlorobiphenyls	TX	487	10262007
	Monochlorobiphenyls	TX	501	10262007
	Nonachlorobiphenyls	TX	507	10262007
	Octachlorobiphenyls	TX	508	10262007
	Pentachlorobiphenyls	TX	515	10262007
	Tetrachlorobiphenyls	TX	528	10262007
	Trichlorobiphenyls	TX	541	10262007
EPA 200.8	Uranium	TX	3035	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method EPA 300.0

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10053200
Chloride	TX	1575	10053200
Fluoride	TX	1730	10053200
Nitrate as N	TX	1810	10053200
Nitrate-nitrite	TX	1820	10053200
Nitrite as N	TX	1840	10053200
Orthophosphate as P	TX	1870	10053200
Sulfate	TX	2000	10053200

Method EPA 310.1

Analyte	AB	Analyte ID	Method ID
Alkalinity as CaCO3	TX	1505	10054805

Method EPA 350.3

Analyte	AB	Analyte ID	Method ID
Ammonia as N	TX	1515	10064401

Method EPA 365.3

Analyte	AB	Analyte ID	Method ID
Orthophosphate as P	TX	1870	10070801
Phosphorus	TX	1910	10070801

Method EPA 6020

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10156204
Antimony	TX	1005	10156204
Arsenic	TX	1010	10156204
Barium	TX	1015	10156204
Beryllium	TX	1020	10156204
Boron	TX	1025	10156204
Cadmium	TX	1030	10156204
Calcium	TX	1035	10156204
Chromium	TX	1040	10156204



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Cobalt	TX	1050	10156204
Copper	TX	1055	10156204
Iron	TX	1070	10156204
Lead	TX	1075	10156204
Lithium	TX	1080	10156204
Magnesium	TX	1085	10156204
Manganese	TX	1090	10156204
Molybdenum	TX	1100	10156204
Nickel	TX	1105	10156204
Potassium	TX	1125	10156204
Selenium	TX	1140	10156204
Silver	TX	1150	10156204
Sodium	TX	1155	10156204
Strontium	TX	1160	10156204
Thallium	TX	1165	10156204
Tin	TX	1175	10156204
Titanium	TX	1180	10156204
Vanadium	TX	1185	10156204
Zinc	TX	1190	10156204
Method EPA 7196			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	10162206
Method EPA 7470			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10165603
Method EPA 7471			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10166004
Method EPA 8015			
Analyte	AB	Analyte ID	Method ID
Diesel range organics (DRO)	TX	9369	10173203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Ethanol	TX	4750	10173203
Ethylene glycol	TX	4785	10173203
Gasoline range organics (GRO)	TX	9408	10173203
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10173203
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10173203
Methanol	TX	4930	10173203
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10173203
n-Propanol (1-Propanol)	TX	5055	10173203
Propylene Glycol	TX	6657	10173203
tert-Butyl alcohol	TX	4420	10173203

Method EPA 8021

Analyte	AB	Analyte ID	Method ID
Benzene	TX	4375	10174400
Ethylbenzene	TX	4765	10174400
m+p-xylene	TX	5240	10174400
Methyl tert-butyl ether (MTBE)	TX	5000	10174400
o-Xylene	TX	5250	10174400
Toluene	TX	5140	10174400
Xylene (total)	TX	5260	10174400

Method EPA 8081

Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10178402
4,4'-DDE	TX	7360	10178402
4,4'-DDT	TX	7365	10178402
Aldrin	TX	7025	10178402
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10178402
alpha-Chlordane	TX	7240	10178402
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10178402
Chlordane (tech.)	TX	7250	10178402
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10178402
Dieldrin	TX	7470	10178402



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Endosulfan I	TX	7510	10178402
Endosulfan II	TX	7515	10178402
Endosulfan sulfate	TX	7520	10178402
Endrin	TX	7540	10178402
Endrin aldehyde	TX	7530	10178402
Endrin ketone	TX	7535	10178402
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10178402
gamma-Chlordane	TX	7245	10178402
Heptachlor	TX	7685	10178402
Heptachlor epoxide	TX	7690	10178402
Methoxychlor	TX	7810	10178402
Mirex	TX	7870	10178402
Toxaphene (Chlorinated camphene)	TX	8250	10178402

Method EPA 8082

Analyte	AB	Analyte ID	Method ID
Aroclor-1016 (PCB-1016)	TX	8880	10179201
Aroclor-1221 (PCB-1221)	TX	8885	10179201
Aroclor-1232 (PCB-1232)	TX	8890	10179201
Aroclor-1242 (PCB-1242)	TX	8895	10179201
Aroclor-1248 (PCB-1248)	TX	8900	10179201
Aroclor-1254 (PCB-1254)	TX	8905	10179201
Aroclor-1260 (PCB-1260)	TX	8910	10179201
PCBs (total)	TX	8870	10179201

Method EPA 8260

Analyte	AB	Analyte ID	Method ID
1,1,1,2-Tetrachloroethane	TX	5105	10184404
1,1,1-Trichloroethane	TX	5160	10184404
1,1,2,2-Tetrachloroethane	TX	5110	10184404
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	TX	5195	10184404
1,1,2-Trichloroethane	TX	5165	10184404
1,1-Dichloroethane	TX	4630	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

1,1-Dichloroethylene	TX	4640	10184404
1,1-Dichloropropene	TX	4670	10184404
1,2,3-Trichlorobenzene	TX	5150	10184404
1,2,3-Trichloropropane	TX	5180	10184404
1,2,4-Trichlorobenzene	TX	5155	10184404
1,2,4-Trimethylbenzene	TX	5210	10184404
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10184404
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10184404
1,2-Dichlorobenzene	TX	4610	10184404
1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10184404
1,2-Dichloropropane	TX	4655	10184404
1,3,5-Trimethylbenzene	TX	5215	10184404
1,3-Dichlorobenzene	TX	4615	10184404
1,3-Dichloropropane	TX	4660	10184404
1,4-Dichlorobenzene	TX	4620	10184404
1,4-Dioxane (1,4-Diethyleneoxide)	TX	4735	10184404
1-Chlorohexane	TX	4510	10184404
1-Propanol	TX	5060	10184404
2,2-Dichloropropane	TX	4665	10184404
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10184404
2-Chloroethyl vinyl ether	TX	4500	10184404
2-Chlorotoluene	TX	4535	10184404
2-Hexanone (MBK)	TX	4860	10184404
4-Chlorotoluene	TX	4540	10184404
4-Isopropyltoluene (p-Cymene)	TX	4915	10184404
4-Methyl-2-pentanone (MIBK)	TX	4995	10184404
Acetone (2-Propanone)	TX	4315	10184404
Acetonitrile	TX	4320	10184404
Acrolein (Propenal)	TX	4325	10184404
Acrylonitrile	TX	4340	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Allyl chloride (3-Chloropropene)	TX	4355	10184404
Benzene	TX	4375	10184404
Benzyl chloride	TX	5635	10184404
Bromobenzene	TX	4385	10184404
Bromochloromethane	TX	4390	10184404
Bromodichloromethane	TX	4395	10184404
Bromoform	TX	4400	10184404
Carbon disulfide	TX	4450	10184404
Carbon tetrachloride	TX	4455	10184404
Chlorobenzene	TX	4475	10184404
Chlorodibromomethane	TX	4575	10184404
Chloroethane (Ethyl chloride)	TX	4485	10184404
Chloroform	TX	4505	10184404
Chloroprene (2-Chloro-1,3-butadiene)	TX	4525	10184404
cis-1,2-Dichloroethylene	TX	4645	10184404
cis-1,3-Dichloropropene	TX	4680	10184404
Dibromofluoromethane	TX	4590	10184404
Dibromomethane (Methylene bromide)	TX	4595	10184404
Dichlorodifluoromethane (Freon-12)	TX	4625	10184404
Diethyl ether	TX	4725	10184404
Epichlorohydrin (1-Chloro-2,3-epoxypropane)	TX	4745	10184404
Ethanol	TX	4750	10184404
Ethyl acetate	TX	4755	10184404
Ethyl methacrylate	TX	4810	10184404
Ethylbenzene	TX	4765	10184404
Ethylene oxide	TX	4795	10184404
Hexachlorobutadiene	TX	4835	10184404
Iodomethane (Methyl iodide)	TX	4870	10184404
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10184404
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Isopropylbenzene (Cumene)	TX	4900	10184404
m+p-xylene	TX	5240	10184404
Methacrylonitrile	TX	4925	10184404
Methyl acetate	TX	4940	10184404
Methyl acrylate	TX	4945	10184404
Methyl bromide (Bromomethane)	TX	4950	10184404
Methyl chloride (Chloromethane)	TX	4960	10184404
Methyl methacrylate	TX	4990	10184404
Methyl tert-butyl ether (MTBE)	TX	5000	10184404
Methylcyclohexane	TX	4965	10184404
Methylene chloride (Dichloromethane)	TX	4975	10184404
Naphthalene	TX	5005	10184404
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10184404
n-Butylbenzene	TX	4435	10184404
n-Propylbenzene	TX	5090	10184404
o-Xylene	TX	5250	10184404
Pentachloroethane	TX	5035	10184404
Propionitrile (Ethyl cyanide)	TX	5080	10184404
Pyridine	TX	5095	10184404
sec-Butylbenzene	TX	4440	10184404
Styrene	TX	5100	10184404
tert-Butyl alcohol	TX	4420	10184404
tert-Butylbenzene	TX	4445	10184404
Tetrachloroethylene (Perchloroethylene)	TX	5115	10184404
Toluene	TX	5140	10184404
trans-1,2-Dichloroethylene	TX	4700	10184404
trans-1,3-Dichloropropylene	TX	4685	10184404
trans-1,4-Dichloro-2-butene	TX	4605	10184404
Trichloroethene (Trichloroethylene)	TX	5170	10184404
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Vinyl acetate	TX	5225	10184404
Vinyl chloride	TX	5235	10184404
Xylene (total)	TX	5260	10184404
Method EPA 8270			
Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10185203
1,2,4-Trichlorobenzene	TX	5155	10185203
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10185203
1,2-Dichlorobenzene	TX	4610	10185203
1,2-Dinitrobenzene	TX	6155	10185203
1,2-Diphenylhydrazine	TX	6220	10185203
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10185203
1,3-Dichlorobenzene	TX	4615	10185203
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10185203
1,4-Dichlorobenzene	TX	4620	10185203
1,4-Dinitrobenzene	TX	6165	10185203
1,4-Naphthoquinone	TX	6420	10185203
1,4-Phenylenediamine	TX	6630	10185203
1-Chloronaphthalene	TX	5790	10185203
1-Naphthylamine	TX	6425	10185203
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10185203
2,3,4,6-Tetrachlorophenol	TX	6735	10185203
2,4,5-Trichlorophenol	TX	6835	10185203
2,4,5-Trimethylaniline	TX	6880	10185203
2,4,6-Trichlorophenol	TX	6840	10185203
2,4-Diaminotoluene	TX	5880	10185203
2,4-Dichlorophenol	TX	6000	10185203
2,4-Dimethylphenol	TX	6130	10185203
2,4-Dinitrophenol	TX	6175	10185203
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

2,6-Dichlorophenol	TX	6005	10185203
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10185203
2-Acetylaminofluorene	TX	5515	10185203
2-Chloronaphthalene	TX	5795	10185203
2-Chlorophenol	TX	5800	10185203
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10185203
2-Methylaniline (o-Toluidine)	TX	5145	10185203
2-Methylnaphthalene	TX	6385	10185203
2-Methylphenol (o-Cresol)	TX	6400	10185203
2-Naphthylamine	TX	6430	10185203
2-Nitroaniline	TX	6460	10185203
2-Nitrophenol	TX	6490	10185203
2-Picoline (2-Methylpyridine)	TX	5050	10185203
3,3'-Dichlorobenzidine	TX	5945	10185203
3,3'-Dimethylbenzidine	TX	6120	10185203
3-Methylcholanthrene	TX	6355	10185203
3-Methylphenol (m-Cresol)	TX	6405	10185203
3-Nitroaniline	TX	6465	10185203
4-Aminobiphenyl	TX	5540	10185203
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10185203
4-Chloro-3-methylphenol	TX	5700	10185203
4-Chloroaniline	TX	5745	10185203
4-Chlorophenyl phenylether	TX	5825	10185203
4-Methylphenol (p-Cresol)	TX	6410	10185203
4-Nitroaniline	TX	6470	10185203
4-Nitrophenol	TX	6500	10185203
4-Nitroquinoline-1-oxide	TX	6510	10185203
5-Nitro-o-toluidine	TX	6570	10185203
7,12-Dimethylbenz(a) anthracene	TX	6115	10185203
a-a-Dimethylphenethylamine	TX	6125	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Acenaphthene	TX	5500	10185203
Acenaphthylene	TX	5505	10185203
Acetophenone	TX	5510	10185203
Aniline	TX	5545	10185203
Anthracene	TX	5555	10185203
Aramite	TX	5560	10185203
Atrazine	TX	7065	10185203
Azinphos-methyl (Guthion)	TX	7075	10185203
Azobenzene	TX	5562	10185203
Benzenethiol (Thiophenol)	TX	6750	10185203
Benzidine	TX	5595	10185203
Benzo(a)anthracene	TX	5575	10185203
Benzo(a)pyrene	TX	5580	10185203
Benzo(b)fluoranthene	TX	5585	10185203
Benzo(e)pyrene	TX	5605	10185203
Benzo(g,h,i)perylene	TX	5590	10185203
Benzo(k)fluoranthene	TX	5600	10185203
Benzoic acid	TX	5610	10185203
Benzyl alcohol	TX	5630	10185203
Biphenyl	TX	5640	10185203
bis(2-Chloroethoxy)methane	TX	5760	10185203
bis(2-Chloroethyl) ether	TX	5765	10185203
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10185203
Butyl benzyl phthalate	TX	5670	10185203
Caprolactam	TX	7180	10185203
Carbaryl (Sevin)	TX	7195	10185203
Carbazole	TX	5680	10185203
Carbophenothion	TX	7220	10185203
Chlorobenzilate	TX	7260	10185203
Chrysene	TX	5855	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Demeton	TX	7390	10185203
Demeton-o	TX	7395	10185203
Demeton-s	TX	7385	10185203
Diallate	TX	7405	10185203
Dibenz(a,h) anthracene	TX	5895	10185203
Dibenz(a,j) acridine	TX	5900	10185203
Dibenzo(a,e) pyrene	TX	5890	10185203
Dibenzofuran	TX	5905	10185203
Dichlorovos (DDVP, Dichlorvos)	TX	8610	10185203
Diethyl phthalate	TX	6070	10185203
Dimethoate	TX	7475	10185203
Dimethyl phthalate	TX	6135	10185203
Di-n-butyl phthalate	TX	5925	10185203
Di-n-octyl phthalate	TX	6200	10185203
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10185203
Diphenylamine	TX	6205	10185203
Disulfoton	TX	8625	10185203
Ethyl methanesulfonate	TX	6260	10185203
Fluoranthene	TX	6265	10185203
Fluorene	TX	6270	10185203
Hexachlorobenzene	TX	6275	10185203
Hexachlorobutadiene	TX	4835	10185203
Hexachlorocyclopentadiene	TX	6285	10185203
Hexachloroethane	TX	4840	10185203
Hexachlorophene	TX	6290	10185203
Hexachloropropene	TX	6295	10185203
Indeno(1,2,3-cd) pyrene	TX	6315	10185203
Isodrin	TX	7725	10185203
Isophorone	TX	6320	10185203
Isosafrole	TX	6325	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Kepone	TX	7740	10185203
Malathion	TX	7770	10185203
Methapyrilene	TX	6345	10185203
Methyl methanesulfonate	TX	6375	10185203
Methyl parathion (Parathion, methyl)	TX	7825	10185203
Mevinphos	TX	7850	10185203
Naphthalene	TX	5005	10185203
Nitrobenzene	TX	5015	10185203
n-Nitrosodiethylamine	TX	6525	10185203
n-Nitrosodimethylamine	TX	6530	10185203
n-Nitrosodi-n-butylamine	TX	5025	10185203
n-Nitrosodi-n-propylamine	TX	6545	10185203
n-Nitrosodiphenylamine	TX	6535	10185203
n-Nitrosomethylethylamine	TX	6550	10185203
n-Nitrosomorpholine	TX	6555	10185203
n-Nitrosopiperidine	TX	6560	10185203
n-Nitrosopyrrolidine	TX	6565	10185203
o,o,o-Triethyl phosphorothioate	TX	8290	10185203
o-Anisidine	TX	5550	10185203
Parathion, ethyl	TX	7955	10185203
p-Cresidine	TX	5860	10185203
Pentachlorobenzene	TX	6590	10185203
Pentachloronitrobenzene (PCNB)	TX	6600	10185203
Pentachlorophenol	TX	6605	10185203
Phenacetin	TX	6610	10185203
Phenanthrene	TX	6615	10185203
Phenol	TX	6625	10185203
Phorate	TX	7985	10185203
Pronamide (Kerb)	TX	6650	10185203
Pyrene	TX	6665	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Pyridine	TX	5095	10185203
Quinoline	TX	6670	10185203
Safrole	TX	6685	10185203
Sulfotepp	TX	8155	10185203
Terbufos	TX	8185	10185203
Tetrachlorvinphos (Stirophos, Gardona)	TX	8197	10185203
Thionazin (Zinophos)	TX	8235	10185203
Toluene diisocyanate	TX	6775	10185203

Method EPA 8290

Analyte	AB	Analyte ID	Method ID
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10187209
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10187209
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10187209
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10187209
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10187209
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10187209
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10187209
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10187209
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-HxCDD)	TX	9456	10187209
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10187209
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10187209
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10187209
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10187209
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10187209
2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10187209
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10187209
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10187209
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10187209
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10187209
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10187209



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10187209
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10187209
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10187209
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10187209
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10187209
Method EPA 8316			
Analyte	AB	Analyte ID	Method ID
Acrylamide	TX	4330	10188202
Method EPA 8330			
Analyte	AB	Analyte ID	Method ID
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10189807
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10189807
2,4,6-Trinitrotoluene (2,4,6-TNT)	TX	9651	10189807
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10189807
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10189807
2-Amino-4,6-dinitrotoluene (2-am-dnt)	TX	9303	10189807
2-Nitrotoluene	TX	9507	10189807
3-Nitrotoluene	TX	9510	10189807
4-Amino-2,6-dinitrotoluene (4-am-dnt)	TX	9306	10189807
4-Nitrotoluene	TX	9513	10189807
Methyl-2,4,6-trinitrophenylnitramine (tetryl)	TX	6415	10189807
Nitrobenzene	TX	5015	10189807
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	TX	9522	10189807
RDX (hexahydro-1,3,5-trinitro-1,3,5-triazine)	TX	9432	10189807
Method EPA 9014			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	10193803
Total cyanide	TX	1645	10193803
Method EPA 9038			
Analyte	AB	Analyte ID	Method ID
Sulfate	TX	2000	10196608



Texas Commission on Environmental Quality

NELAP - Recognized Laboratory Fields of Accreditation



ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method EPA 9040

Analyte	AB	Analyte ID	Method ID
Corrosivity	TX	1615	10197203
pH	TX	1900	10196802

Method EPA 9045

Analyte	AB	Analyte ID	Method ID
Corrosivity	TX	1615	10197805
pH	TX	1900	10197805

Method EPA 9050

Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	10198604

Method EPA 9056

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10199209
Chloride	TX	1575	10199209
Fluoride	TX	1730	10199209
Nitrate as N	TX	1810	10199209
Nitrate-nitrite	TX	1820	10199209
Nitrite as N	TX	1840	10199209
Orthophosphate as P	TX	1870	10199209
Sulfate	TX	2000	10199209

Method EPA 9060

Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	10200201

Method EPA 9065

Analyte	AB	Analyte ID	Method ID
Total phenolics	TX	1905	10200405

Method EPA 9071

Analyte	AB	Analyte ID	Method ID
n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10201204



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method	AB	Analyte ID	Method ID
EPA 9095			
Analyte Paint Filter Liquids Test	TX	10312	10204009
EPA 9250			
Analyte Chloride	TX	1575	10207202
SM 2320 B			
Analyte Alkalinity as CaCO3	TX	1505	20045005
SM 2510 B			
Analyte Conductivity	TX	1610	20048004
SM 2540 G			
Analyte Residue-total (total solids)	TX	1950	20005203
SSA/ASA Part 3:34			
Analyte Carbon, organic (Walkley-Black)	TX	10340	SSA/ASA Pt 3:34
TCEQ 1005			
Analyte Total Petroleum Hydrocarbons (TPH)	TX	2050	90019208



10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

August 08, 2019

Eric Matzner
Golder Associates Inc.
2201 Double Creek Drive
Suite 4004
Round Rock, TX 78664

Work Order: **HS19080117**

Laboratory Results for: **Houston TX-Wood Preserving Works**

Dear Eric,

ALS Environmental received 2 sample(s) on Aug 01, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
Dane J. Wacasey

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19080117

**TRRP Laboratory Data
Package Cover Page**

This data package consists of all or some of the following as applicable:

This signature page, the laboratory review checklist, and the following reportable data:

- R1 Field chain-of-custody documentation;
- R2 Sample identification cross-reference;
- R3 Test reports (analytical data sheets) for each environmental sample that includes:
 - a) Items consistent with NELAC Chapter 5,
 - b) dilution factors,
 - c) preparation methods,
 - d) cleanup methods, and
 - e) if required for the project, tentatively identified compounds (TICs).
- R4 Surrogate recovery data including:
 - a) Calculated recovery (%R), and
 - b) The laboratory's surrogate QC limits.
- R5 Test reports/summary forms for blank samples;
- R6 Test reports/summary forms for laboratory control samples (LCSs) including:
 - a) LCS spiking amounts,
 - b) Calculated %R for each analyte, and
 - c) The laboratory's LCS QC limits.
- R7 Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
 - a) Samples associated with the MS/MSD clearly identified,
 - b) MS/MSD spiking amounts,
 - c) Concentration of each MS/MSD analyte measured in the parent and spiked samples,
 - d) Calculated %Rs and relative percent differences (RPDs), and
 - e) The laboratory's MS/MSD QC limits.
- R8 Laboratory analytical duplicate (if applicable) recovery and precision:
 - a) the amount of analyte measured in the duplicate,
 - b) the calculated RPD, and
 - c) the laboratory's QC limits for analytical duplicates.
- R9 List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 Other problems or anomalies.
The Exception Report for each "No" or "Not Reviewed (NR)" item in Laboratory Review Checklist and for each analyte, matrix, and method for which the laboratory does not hold NELAC accreditation under the Texas Laboratory Accreditation Program.

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19080117

**TRRP Laboratory Data
Package Cover Page**

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the attached exception reports. By my signature below, I affirm to the best of my knowledge, all problems/anomalies, observed by the laboratory have been identified by the laboratory in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Check, if applicable: [NA] This laboratory meets an exception under 30 TAC §25.6 and was last inspected by TCEQ or _____ on (enter date of last inspection). Any findings affecting the data in this laboratory data package are noted in the Exception Reports herein. The official signing the cover page of the report in which these data are used is responsible for releasing this data package and is by signature affirming the above release statement is true.



Dane J. Wacasey

Laboratory Review Checklist: Reportable Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 08/07/2019			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS19080117			
Reviewer Name: Dane Wacasey				Prep Batch Number(s): 143727			
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?	X				
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?			X		
		Were % moisture (or solids) reported for all soil and sediment samples?			X		
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW-846 Method 5035?			X		
		If required for the project, TICs reported?			X		
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?		X			1
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?		X			2
		Were MS/MSD RPDs within laboratory QC limits?	X				
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?			X		
		Were analytical duplicates analyzed at the appropriate frequency?			X		
		Were RPDs or relative standard deviations within the laboratory QC limits?			X		
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Were all necessary corrective actions performed for the reported data?	X				
		Was applicable and available technology used to lower the SDL and minimize the matrix interference effects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Program for the analytes, matrices and methods associated with this laboratory data package?	X				

Laboratory Review Checklist: Supporting Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 08/07/2019			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS19080117			
Reviewer Name: Dane Wacasey				Prep Batch Number(s): 143727			
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
S1	OI	Initial calibration (ICAL)					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB)					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?			X		
S3	O	Mass spectral tuning:					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	Internal standards (IS):					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC section 1 appendix A glossary, and section 5.12 or ISO/IEC 17025 section					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?			X		
S7	O	Tentatively identified compounds (TICs):					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	Interference Check Sample (ICS) results:					
		Were percent recoveries within method QC limits?			X		
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	Proficiency test reports:					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5C or ISO/IEC 4?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chap 5 or ISO/IEC 17025 Section 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs):					
		Are laboratory SOPs current and on file for each method performed?	X				

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.

O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);

NA = Not Applicable;

NR = Not Reviewed;

R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Exception Reports

Laboratory Name: ALS Laboratory Group	LRC Date: 08/07/2019
Project Name: Houston TX-Wood Preserving Works	Laboratory Job Number: HS19080117
Reviewer Name: Dane Wacasey	Prep Batch Number(s): 143727

ER# ⁵	Description
1	Semivolatile Organics Method SW8270, sample WG-1620-MW11B-20190730, the surrogate recoveries could not be determined due to dilution below the calibration range.
2	Batch 143727, Semivolatile Organics Method SW8270, sample HS19080069-04, MS/MSD RPD is for an unrelated sample.

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
 O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);
 NA = Not Applicable;
 NR = Not Reviewed;
 R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
Work Order: HS19080117

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19080117-01	WG-1620-MW11B-20190730	Groundwater		30-Jul-2019 13:00	01-Aug-2019 14:40	<input type="checkbox"/>
HS19080117-02	WG-1620-FB01-20190730	Groundwater		30-Jul-2019 13:15	01-Aug-2019 14:40	<input type="checkbox"/>

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW11B-20190730
 Collection Date: 30-Jul-2019 13:00

ANALYTICAL REPORT

WorkOrder:HS19080117
 Lab ID:HS19080117-01
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D	Method:SW8270			Prep:SW3510 / 02-Aug-2019		Analyst: LG	
Naphthalene	1.1		0.0050	0.025	mg/L	250	07-Aug-2019 15:52
<i>Surr: 2-Fluorobiphenyl</i>	0	JS		40-125	%REC	250	07-Aug-2019 15:52
<i>Surr: 4-Terphenyl-d14</i>	0	JS		40-135	%REC	250	07-Aug-2019 15:52
<i>Surr: Nitrobenzene-d5</i>	0	JS		41-120	%REC	250	07-Aug-2019 15:52

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-FB01-20190730
 Collection Date: 30-Jul-2019 13:15

ANALYTICAL REPORT

WorkOrder:HS19080117
 Lab ID:HS19080117-02
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D	Method:SW8270			Prep:SW3510 / 02-Aug-2019		Analyst: LG	
Naphthalene	0.00047		0.000020	0.00010	mg/L	1	06-Aug-2019 16:46
<i>Surr: 2-Fluorobiphenyl</i>	93.7			40-125	%REC	1	06-Aug-2019 16:46
<i>Surr: 4-Terphenyl-d14</i>	86.0			40-135	%REC	1	06-Aug-2019 16:46
<i>Surr: Nitrobenzene-d5</i>	78.6			41-120	%REC	1	06-Aug-2019 16:46

Note: See Qualifiers Page for a list of qualifiers and their explanation.

WEIGHT LOG

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19080117

Batch ID: 143727 **Method:** LOW-LEVEL SEMIVOLATILES BY 8270D **Prep:** 3510_B_LOW

SamplID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS19080117-01	1	1000	1 (mL)	0.001
HS19080117-02	1	1000	1 (mL)	0.001

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19080117

DATES REPORT

Sample ID	Client Samp ID	Collection Date	TCLP Date	Prep Date	Analysis Date	DF
Batch ID: 143727 (0)		Test Name : LOW-LEVEL SEMIVOLATILES BY 8270D			Matrix: Groundwater	
HS19080117-01	WG-1620-MW11B-20190730	30 Jul 2019 13:00		02 Aug 2019 07:00	07 Aug 2019 15:52	250
HS19080117-02	WG-1620-FB01-20190730	30 Jul 2019 13:15		02 Aug 2019 07:00	06 Aug 2019 16:46	1

WorkOrder: HS19080117
 InstrumentID: SV-6
 Test Code: 8270_LOW_W
 Test Number: SW8270
 Test Name: Low-Level Semivolatiles by 8270D

**METHOD DETECTION /
 REPORTING LIMITS**

Matrix: Aqueous

Units: mg/L

Type	Analyte	CAS	DCS Spike	DCS	MDL	PQL
A	Naphthalene	91-20-3	0.00010	0.00012	0.000020	0.00010
S	2-Fluorobiphenyl	321-60-8	0	0	0	0.00020
S	4-Terphenyl-d14	1718-51-0	0	0	0	0.00020
S	Nitrobenzene-d5	4165-60-0	0	0	0	0.00020

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19080117

QC BATCH REPORT

Batch ID: 143727 (0)		Instrument: SV-6		Method: LOW-LEVEL SEMIVOLATILES BY 8270D						
MBLK	Sample ID: MBLK-143727	Units: ug/L			Analysis Date: 02-Aug-2019 13:29					
Client ID:	Run ID: SV-6_343627	SeqNo: 5196073		PrepDate: 02-Aug-2019		DF: 1				
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Naphthalene	U	0.10								
Surr: 2-Fluorobiphenyl	4.588	0.20	5	0	91.8	40 - 125				
Surr: 4-Terphenyl-d14	4.367	0.20	5	0	87.3	40 - 135				
Surr: Nitrobenzene-d5	4.55	0.20	5	0	91.0	41 - 120				
LCS	Sample ID: LCS-143727	Units: ug/L			Analysis Date: 02-Aug-2019 13:48					
Client ID:	Run ID: SV-6_343627	SeqNo: 5196074		PrepDate: 02-Aug-2019		DF: 1				
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Naphthalene	4.236	0.10	5	0	84.7	45 - 120				
Surr: 2-Fluorobiphenyl	5.065	0.20	5	0	101	40 - 125				
Surr: 4-Terphenyl-d14	4.919	0.20	5	0	98.4	40 - 135				
Surr: Nitrobenzene-d5	4.524	0.20	5	0	90.5	41 - 120				
MS	Sample ID: HS19080069-04MS	Units: ug/L			Analysis Date: 02-Aug-2019 19:37					
Client ID:	Run ID: SV-6_343627	SeqNo: 5196079		PrepDate: 02-Aug-2019		DF: 1				
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Naphthalene	3.253	0.10	5	0	65.1	45 - 120				
Surr: 2-Fluorobiphenyl	4.013	0.20	5	0	80.3	40 - 125				
Surr: 4-Terphenyl-d14	4.438	0.20	5	0	88.8	40 - 135				
Surr: Nitrobenzene-d5	3.521	0.20	5	0	70.4	41 - 120				
MSD	Sample ID: HS19080069-04MSD	Units: ug/L			Analysis Date: 02-Aug-2019 19:57					
Client ID:	Run ID: SV-6_343627	SeqNo: 5196080		PrepDate: 02-Aug-2019		DF: 1				
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Naphthalene	5.202	0.10	5	0	104	45 - 120	3.253	46.1	20	R
Surr: 2-Fluorobiphenyl	3.568	0.20	5	0	71.4	40 - 125	4.013	11.7	20	
Surr: 4-Terphenyl-d14	4.548	0.20	5	0	91.0	40 - 135	4.438	2.46	20	
Surr: Nitrobenzene-d5	3.299	0.20	5	0	66.0	41 - 120	3.521	6.51	20	

The following samples were analyzed in this batch: HS19080117-01 HS19080117-02

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19080117

**QUALIFIERS,
ACRONYMS, UNITS**

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/L	Milligrams per Liter

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
Oklahoma	2018-156	31-Aug-2019
Texas	TX104704231-19-23	30-Apr-2020

Sample Receipt Checklist

Client Name: PBW
Work Order: HS19080117

Date/Time Received: 01-Aug-2019 14:40
Received by: AC

Checklist completed by: Asad Chaudhry
eSignature
Date: 2-Aug-2019

Reviewed by: Dane J. Wacasey
eSignature
Date: 6-Aug-2019

Matrices: Groundwater

Carrier name: Client

- Shipping container/cooler in good condition? Yes [checked] No [] Not Present []
Custody seals intact on shipping container/cooler? Yes [] No [] Not Present [checked]
Custody seals intact on sample bottles? Yes [] No [] Not Present [checked]
VOA/TX1005/TX1006 Solids in hermetically sealed vials? Yes [] No [] Not Present [checked]
Chain of custody present? Yes [checked] No []
Chain of custody signed when relinquished and received? Yes [checked] No []
Samplers name present on COC? Yes [checked] No []
Chain of custody agrees with sample labels? Yes [checked] No []
Samples in proper container/bottle? Yes [checked] No []
Sample containers intact? Yes [checked] No []
Sufficient sample volume for indicated test? Yes [checked] No []
All samples received within holding time? Yes [checked] No []
Container/Temp Blank temperature in compliance? Yes [checked] No []

COC IDs:205872

Temperature(s)/Thermometer(s): 1.5c C/UC IR 25
Cooler(s)/Kit(s): 44505
Date/Time sample(s) sent to storage: 08/01/2019 19:00
Water - VOA vials have zero headspace? Yes [] No [] No VOA vials submitted [checked]
Water - pH acceptable upon receipt? Yes [] No [] N/A [checked]
pH adjusted? Yes [] No [] N/A [checked]
pH adjusted by:

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:



Cincinnati, OH
+1 513 733 5336

Fort Collins, CO
+1 970 490 1511

Everett, WA
+1 425 356 2600

Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 1 of 1

COC ID: 205872

Houston, TX
+1 281 530 5656


Spring City, PA
+1 610 948 4903

South Charleston, WV
+1 304 356 3168

Middletown, PA
+1 717 944 5541

Salt Lake City, UT
+1 801 266 7700

York, PA
+1 717 505 5280

Customer Information		Project Information		ALS Project Manager:		ALS Work Order #:	
Purchase Order	UPRR/Kevin Patarburs	Project Name	Houston TX-Wood Preserving Works	A	8270_LOW_W (5632532 ATZ SemiVolatiles)		
Work Order		Project Number	1620-07-Rev0 SR 92888 SWMU1	B	8270_LOW_W (5632532 BTZ SemiVolatiles)		
Company Name	Golder Associates	Bill To Company	Union Pacific Railroad- A/F	C	8270_LOW_W (5632532 ATZ & BTZ SemiVolatiles)		
Send Report To	Eric Matzner	Invoice Attn	Accounts Payable	D	<p style="text-align: center;">HS19080117</p> <p style="text-align: center;">Golder Associates Inc. Houston TX-Wood Preserving Works</p> 		
Address	2201 Double Creek Drive Suite 4004	Address	1400 Douglas Street Stop 0750	E			
City/State/Zip	Round Rock, TX 78664	City/State/Zip	Omaha NE 681790750	F			
Phone	(512) 671-3434	Phone		G			
Fax	(512) 671-3446	Fax		H			
e-Mail Address	eric_matzner@golder.com	e-Mail Address		I			
				J			

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	WG-1620-MW11B-20190730	7-30-19	1300	Groundwa	6	2		X									
2	WG-1620-FB01-20190730	7-30-19	1315					X									
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	

Sampler(s) Please Print & Sign JOHN BRAYTON <i>John Br</i>		Shipment Method HAND DELIVERED		Required Turnaround Time: (Check Box) <input checked="" type="checkbox"/> STD 10 Wk: Drys <input type="checkbox"/> 5 Wk: Days <input type="checkbox"/> 2 Wk: Days <input type="checkbox"/> 24 Hour				Results Due Date:		
Relinquished by: <i>John Br</i>		Date: 8-1-19	Time: 14:40	Received by: AC		Notes: UPRR Houston MWPW				
Relinquished by:		Date: 8-1-19	Time: 14:40	Received by (Laboratory):		QC Package: (Check One Box Below)				
Logged by (Laboratory):		Date:	Time:	Checked by (Laboratory):		Cooler ID: 44505	Cooler Temp. 0/C	<input type="checkbox"/> Level II Std QC <input type="checkbox"/> Level III Std QC/Raw Data <input type="checkbox"/> Level IV SW/MS/CLP <input type="checkbox"/> Other		
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035										

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.



Memorandum

November 20, 2019

To: Eric Matzner Ref. No.: 11183954-95-06-1620

From: ^{ck} Chris G. Knight/eew/448-NF Tel: 512-506-8803

cc: Jesse Orth, Jon Lang; Julie Lidstone

**Subject: Data Usability Summary
Groundwater Monitoring Resample Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
October 2019**

1. Scope of Data Usability Study

This document details a Data Usability Summary (DUS) of analytical results for a groundwater sample collected in support of the Groundwater Monitoring Resample Event at the Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works site during October 2019. The sample was submitted to ALS Environmental (ALS), located in Houston, Texas and are reported in data package HS19101052. The intended use of the data is to support the Semiannual Groundwater Monitoring Resample Event at the site by providing current concentration of naphthalene.

Data were reviewed and validated by Chris G. Knight of GHD, in accordance with Title 30 of the Texas Administrative Code Section 350.54 (30 TAC 350.54) as described in the Texas Commission on Environmental Quality (TCEQ) Regulatory Guidance document entitled "Review and Reporting of COC Concentration Data under TRRP", (RG-366/TRRP-13), revised May 2010, herein referred to as "TRRP-13 Guidance". Evaluation of the data was based on information obtained from the chain of custody forms, the finished report forms, method blank data, recovery data from surrogate spikes/laboratory control samples (LCS)/matrix spikes (MS), field quality assurance/quality control (QA/QC) sample, the laboratory review checklists (LRC), and the laboratory exception report (ER).

A sample collection and analysis summary is presented in Table 1. This summary provides a cross-reference of field sample identification numbers and location identification. Each sample is assigned a unique field identification number.

The validated sample result is presented in Table 2. A summary of the analytical methodology is presented in Table 3.



2. Laboratory Qualifications

The Laboratory's quality assurance program is consistent with the quality standards outlined in the National Environmental Laboratory Accreditation Program (NELAP). This laboratory was accredited under Texas Certification number # TX104704231 at the time the analysis was performed and the certificate is included in Attachment A.

3. Project Objectives

3.1 Sampling/Analytical QA/QC Objectives

The QA/QC program was designed to identify contamination resulting from the sampling, sample transport and analytical process through the analysis of a method blank. The QA/QC program was designed to evaluate the quality of the resulting data with respect to bias and precision through analysis of LCS and MS analyses.

4. Data Review/Validation Results

4.1 Sample Holding Time and Preservation

The sample was shipped with a chain of custody and the paper work was filled out properly. The sample was properly preserved, delivered on ice, and stored by the laboratory at the required temperature (0-6°C).

The sample chain of custody documents and the analytical report were used to determine sample holding times. The sample was prepared and analyzed within the required holding times.

4.2 Sample Containers

Sample containers used were certified pre-cleaned glass containers provided by the laboratory. These containers meet or exceed analyte specifications established in the United States Environmental Protection Agency (USEPA) *Specifications and Guidance for Contaminant-free Sample Containers*.

4.3 Calibrations

According to the LRC, initial calibration and continuing calibration data met the criteria for the selected method.

4.4 Laboratory Method Blank Analyses

Method blanks are prepared from a purified matrix and analyzed with investigative samples to determine the existence and magnitude of sample contamination introduced during the analytical procedures. As these were not discrete samples handled in the field, these blanks are not listed on the sample identification cross-reference list found in the data package.



For this study, laboratory method blanks were analyzed at a minimum frequency of one per twenty investigative samples and/or one per analytical batch and results are reported in the laboratory data package.

The method blank result was non-detect or below the method quantitation limit (MQL), indicating that laboratory contamination was not a factor for this investigation.

4.5 Internal Standard and Surrogate Spike Recoveries

Recoveries of internal standards are addressed in the LRC of the data package. All internal standard recoveries associated with the compounds of interest were acceptable per the LRC.

In accordance with the methods employed, all samples, blanks, and QC samples analyzed for naphthalene are spiked with surrogate compounds prior to sample analysis. Surrogate recoveries provide a means to evaluate the effects of laboratory performance on individual sample matrices. The recovery ranges established by the laboratory are adopted as the acceptance criteria for the project. Each individual surrogate compound is expected to meet the laboratory control limits. According to the TRRP-13 Guidelines, one outlying surrogate is acceptable for methods with multiple surrogate spike compounds as long as the recovery is at least ten percent. The sample was analyzed at an elevated sample dilution (greater than five times) and was not assessed.

4.6 Laboratory Control Sample Analysis

LCS/laboratory control sample duplicate (LCSD) are prepared and analyzed as samples to assess the analytical efficiencies of the methods employed, independent of sample matrix effects. The relative percent difference (RPD) of the LCS/LCSD recoveries is used to evaluate analytical precision. The recovery ranges established by the laboratory are adopted as the acceptance criteria for the project.

For this study, LCS/LCSD were analyzed at a minimum frequency of one per twenty investigative samples and/or one per analytical batch.

The LCS/LCSD contained naphthalene. All LCS recoveries and RPDs were within the laboratory (method) control limits, demonstrating acceptable analytical accuracy and precision.

4.7 Matrix Spike Analysis

To evaluate the effects of sample matrices on the preparation process, measurement procedures, and accuracy of a particular analysis, samples are spiked with known concentrations of the analytes of interest and analyzed as MS/matrix spike duplicate (MSD) samples. The relative percent difference (RPD) between the MS and MSD is used to assess analytical precision.

The laboratory performed an MS/MSD on a non-site sample. This cannot be used to assess accuracy and precision for the site sample.



4.8 Field Procedures

Golder Associates, Inc. collected the groundwater sample in accordance with their Standard Operating Procedures (SOP) for sample collection.

4.9 Analyte Reporting

The laboratory reported the detected result for naphthalene down to the sample detection limit (SDL), which is defined as the method detection limit (MDL) with sample-specific adjustments for dilutions, aliquot size, volumes, etc.

The detectability check standard (DCS) results supported the laboratory MDL.

5. Conclusion

Based on the assessment detailed in the foregoing, the data summarized in Table 2 are usable for the purpose of supporting the Semiannual Groundwater Monitoring Resample Event at the site by providing current concentration of naphthalene without qualification.

Table 1

Sample Collection and Analysis Summary
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
October 2019

Sample Identification	Location	Matrix	Collection Date (mm/dd/yyyy)	Collection Time (hr:min)	<u>Analysis/Parameters</u>
					Naphthalene
WG-1620-MW11B-20191017	MW-11B	Water	10/17/2019	09:00	X

Table 2

**Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
October 2019**

Location ID:	MW-11B
Sample Name:	WG-1620-MW11B-20191017
Sample Date:	10/17/2019

Parameters	Unit	
Semi-volatile Organic Compounds		
Naphthalene	mg/L	0.60

Table 3

Analytical Methods
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
October 2019

Parameter	Method	Matrix	Holding Time	Holding Time
			Collection to Extraction (Days)	Extraction to Analysis (Days)
Naphthalene	SW-846 8270D	Water	7	40

Method References:

SW-846 - "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", SW-846, Third Edition, 1986, with subsequent revisions

Attachment A

Laboratory NELAP Certificate



Texas Commission on Environmental Quality

NELAP - Recognized Laboratory Fields of Accreditation



ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Method EPA 1613

Analyte	AB	Analyte ID	Method ID
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10120408

Method EPA 200.8

Analyte	AB	Analyte ID	Method ID
Copper	TX	1055	10014605
Lead	TX	1075	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	AB	Analyte ID	Method ID
Method EPA 1010			
Analyte Ignitability	TX	1780	10116606
Method EPA 120.1			
Analyte Conductivity	TX	1610	10006403
Method EPA 1311			
Analyte TCLP	TX	849	10118806
Method EPA 1312			
Analyte SPLP	TX	850	10119003
Method EPA 160.4			
Analyte Residue-volatile	TX	1970	10010409
Method EPA 1613			
Analyte 1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10120408
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10120408
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10120408
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10120408
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10120408
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10120408
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10120408
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10120408
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,6,7,8-HxCDD)	TX	9456	10120408
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10120408
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10120408
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10120408
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10120408
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10120408



Texas Commission on Environmental Quality

NELAP - Recognized Laboratory Fields of Accreditation



ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10120408
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10120408
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10120408
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10120408
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10120408
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10120408
Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10120408
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10120408
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10120408
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10120408
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10120408
Method EPA 1664			
Analyte	AB	Analyte ID	Method ID
n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10127807
Method EPA 180.1			
Analyte	AB	Analyte ID	Method ID
Turbidity	TX	2055	10011606
Method EPA 200.8			
Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10014605
Antimony	TX	1005	10014605
Arsenic	TX	1010	10014605
Barium	TX	1015	10014605
Beryllium	TX	1020	10014605
Boron	TX	1025	10014605
Cadmium	TX	1030	10014605
Calcium	TX	1035	10014605
Chromium	TX	1040	10014605
Cobalt	TX	1050	10014605
Copper	TX	1055	10014605
Iron	TX	1070	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Lead	TX	1075	10014605
Magnesium	TX	1085	10014605
Manganese	TX	1090	10014605
Molybdenum	TX	1100	10014605
Nickel	TX	1105	10014605
Potassium	TX	1125	10014605
Selenium	TX	1140	10014605
Silver	TX	1150	10014605
Sodium	TX	1155	10014605
Strontium	TX	1160	10014605
Thallium	TX	1165	10014605
Tin	TX	1175	10014605
Titanium	TX	1180	10014605
Uranium	TX	3035	10014605
Vanadium	TX	1185	10014605
Zinc	TX	1190	10014605

Method EPA 245.1

Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10036609

Method EPA 300.0

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10053200
Chloride	TX	1575	10053200
Fluoride	TX	1730	10053200
Nitrate as N	TX	1810	10053200
Nitrate-nitrite	TX	1820	10053200
Nitrite as N	TX	1840	10053200
Orthophosphate as P	TX	1870	10053200
Sulfate	TX	2000	10053200

Method EPA 325.1

Analyte	AB	Analyte ID	Method ID
---------	----	------------	-----------



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Chloride	TX	1575	10056801
Method EPA 335.1			
Analyte Amenable cyanide	AB TX	Analyte ID 1510	Method ID 10060001
Method EPA 335.2			
Analyte Total cyanide	AB TX	Analyte ID 1645	Method ID 10278203
Method EPA 335.4			
Analyte Total cyanide	AB TX	Analyte ID 1645	Method ID 10061402
Method EPA 350.3			
Analyte Ammonia as N	AB TX	Analyte ID 1515	Method ID 10064401
Method EPA 365.3			
Analyte Orthophosphate as P Phosphorus	AB TX TX	Analyte ID 1870 1910	Method ID 10070801 10070801
Method EPA 375.4			
Analyte Sulfate	AB TX	Analyte ID 2000	Method ID 10073800
Method EPA 376.1			
Analyte Sulfide	AB TX	Analyte ID 2005	Method ID 10074201
Method EPA 410.4			
Analyte Chemical oxygen demand (COD)	AB TX	Analyte ID 1565	Method ID 10077404
Method EPA 415.1			
Analyte Total Organic Carbon (TOC)	AB TX	Analyte ID 2040	Method ID 10078407
Method EPA 420.1			
Analyte Total phenolics	AB TX	Analyte ID 1905	Method ID 10079400



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 420.4

Analyte	AB	Analyte ID	Method ID
Total phenolics	TX	1905	10080203

Method EPA 6020

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10156419
Antimony	TX	1005	10156419
Arsenic	TX	1010	10156419
Barium	TX	1015	10156419
Beryllium	TX	1020	10156419
Boron	TX	1025	10156419
Cadmium	TX	1030	10156419
Calcium	TX	1035	10156419
Chromium	TX	1040	10156419
Cobalt	TX	1050	10156419
Copper	TX	1055	10156419
Iron	TX	1070	10156419
Lead	TX	1075	10156419
Lithium	TX	1080	10156419
Magnesium	TX	1085	10156419
Manganese	TX	1090	10156419
Molybdenum	TX	1100	10156419
Nickel	TX	1105	10156419
Potassium	TX	1125	10156419
Selenium	TX	1140	10156419
Silver	TX	1150	10156419
Sodium	TX	1155	10156419
Strontium	TX	1160	10156419
Thallium	TX	1165	10156419
Tin	TX	1175	10156419
Titanium	TX	1180	10156419



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Vanadium	TX	1185	10156419
Zinc	TX	1190	10156419
Method EPA 608			
Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10103603
4,4'-DDE	TX	7360	10103603
4,4'-DDT	TX	7365	10103603
Aldrin	TX	7025	10103603
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10103603
alpha-Chlordane	TX	7240	10103603
Aroclor-1016 (PCB-1016)	TX	8880	10103603
Aroclor-1221 (PCB-1221)	TX	8885	10103603
Aroclor-1232 (PCB-1232)	TX	8890	10103603
Aroclor-1242 (PCB-1242)	TX	8895	10103603
Aroclor-1248 (PCB-1248)	TX	8900	10103603
Aroclor-1254 (PCB-1254)	TX	8905	10103603
Aroclor-1260 (PCB-1260)	TX	8910	10103603
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10103603
Chlordane (tech.)	TX	7250	10103603
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10103603
Dieldrin	TX	7470	10103603
Endosulfan I	TX	7510	10103603
Endosulfan II	TX	7515	10103603
Endosulfan sulfate	TX	7520	10103603
Endrin	TX	7540	10103603
Endrin aldehyde	TX	7530	10103603
Endrin ketone	TX	7535	10103603
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10103603
gamma-Chlordane	TX	7245	10103603
Heptachlor	TX	7685	10103603



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Heptachlor epoxide	TX	7690	10103603
Methoxychlor	TX	7810	10103603
Toxaphene (Chlorinated camphene)	TX	8250	10103603

Method EPA 624

Analyte	AB	Analyte ID	Method ID
1,1,1-Trichloroethane	TX	5160	10107207
1,1,2,2-Tetrachloroethane	TX	5110	10107207
1,1,2-Trichloroethane	TX	5165	10107207
1,1-Dichloroethane	TX	4630	10107207
1,1-Dichloroethylene	TX	4640	10107207
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10107207
1,2-Dichlorobenzene	TX	4610	10107207
1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10107207
1,2-Dichloropropane	TX	4655	10107207
1,3-Dichlorobenzene	TX	4615	10107207
1,4-Dichlorobenzene	TX	4620	10107207
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10107207
2-Chloroethyl vinyl ether	TX	4500	10107207
Acetone (2-Propanone)	TX	4315	10107207
Acrolein (Propenal)	TX	4325	10107207
Acrylonitrile	TX	4340	10107207
Benzene	TX	4375	10107207
Bromodichloromethane	TX	4395	10107207
Bromoform	TX	4400	10107207
Carbon tetrachloride	TX	4455	10107207
Chlorobenzene	TX	4475	10107207
Chlorodibromomethane	TX	4575	10107207
Chloroethane (Ethyl chloride)	TX	4485	10107207
Chloroform	TX	4505	10107207
cis-1,2-Dichloroethylene	TX	4645	10107207



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

cis-1,3-Dichloropropene	TX	4680	10107207
Ethylbenzene	TX	4765	10107207
m+p-xylene	TX	5240	10107207
Methyl bromide (Bromomethane)	TX	4950	10107207
Methyl chloride (Chloromethane)	TX	4960	10107207
Methyl tert-butyl ether (MTBE)	TX	5000	10107207
Methylene chloride (Dichloromethane)	TX	4975	10107207
Naphthalene	TX	5005	10107207
o-Xylene	TX	5250	10107207
Tetrachloroethylene (Perchloroethylene)	TX	5115	10107207
Toluene	TX	5140	10107207
trans-1,2-Dichloroethylene	TX	4700	10107207
trans-1,3-Dichloropropylene	TX	4685	10107207
Trichloroethene (Trichloroethylene)	TX	5170	10107207
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10107207
Vinyl chloride	TX	5235	10107207
Xylene (total)	TX	5260	10107207

Method EPA 625

Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10107401
1,2,4-Trichlorobenzene	TX	5155	10107401
1,2-Dichlorobenzene	TX	4610	10107401
1,2-Diphenylhydrazine	TX	6220	10107401
1,3-Dichlorobenzene	TX	4615	10107401
1,4-Dichlorobenzene	TX	4620	10107401
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10107401
2,4,5-Trichlorophenol	TX	6835	10107401
2,4,6-Trichlorophenol	TX	6840	10107401
2,4-Dichlorophenol	TX	6000	10107401
2,4-Dimethylphenol	TX	6130	10107401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2,4-Dinitrophenol	TX	6175	10107401
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10107401
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10107401
2-Chloronaphthalene	TX	5795	10107401
2-Chlorophenol	TX	5800	10107401
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10107401
2-Methylphenol (o-Cresol)	TX	6400	10107401
2-Nitrophenol	TX	6490	10107401
3,3'-Dichlorobenzidine	TX	5945	10107401
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10107401
4-Chloro-3-methylphenol	TX	5700	10107401
4-Chlorophenyl phenylether	TX	5825	10107401
4-Methylphenol (p-Cresol)	TX	6410	10107401
4-Nitrophenol	TX	6500	10107401
Acenaphthene	TX	5500	10107401
Acenaphthylene	TX	5505	10107401
Anthracene	TX	5555	10107401
Benzidine	TX	5595	10107401
Benzo(a)anthracene	TX	5575	10107401
Benzo(a)pyrene	TX	5580	10107401
Benzo(b)fluoranthene	TX	5585	10107401
Benzo(g,h,i)perylene	TX	5590	10107401
Benzo(k)fluoranthene	TX	5600	10107401
bis(2-Chloroethoxy)methane	TX	5760	10107401
bis(2-Chloroethyl) ether	TX	5765	10107401
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10107401
Butyl benzyl phthalate	TX	5670	10107401
Chrysene	TX	5855	10107401
Dibenz(a,h) anthracene	TX	5895	10107401
Diethyl phthalate	TX	6070	10107401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Dimethyl phthalate	TX	6135	10107401
Di-n-butyl phthalate	TX	5925	10107401
Di-n-octyl phthalate	TX	6200	10107401
Fluoranthene	TX	6265	10107401
Fluorene	TX	6270	10107401
Hexachlorobenzene	TX	6275	10107401
Hexachlorobutadiene	TX	4835	10107401
Hexachlorocyclopentadiene	TX	6285	10107401
Hexachloroethane	TX	4840	10107401
Indeno(1,2,3-cd) pyrene	TX	6315	10107401
Isophorone	TX	6320	10107401
Naphthalene	TX	5005	10107401
Nitrobenzene	TX	5015	10107401
n-Nitrosodiethylamine	TX	6525	10107401
n-Nitrosodimethylamine	TX	6530	10107401
n-Nitrosodi-n-butylamine	TX	5025	10107401
n-Nitrosodi-n-propylamine	TX	6545	10107401
n-Nitrosodiphenylamine	TX	6535	10107401
Pentachlorobenzene	TX	6590	10107401
Pentachlorophenol	TX	6605	10107401
Phenanthrene	TX	6615	10107401
Phenol	TX	6625	10107401
Pyrene	TX	6665	10107401
Pyridine	TX	5095	10107401
Method EPA 7196			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	10162206
Method EPA 7470			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10165603



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 8011

Analyte	AB	Analyte ID	Method ID
1,2,3-Trichloropropane	TX	5180	10173009
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10173009
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10173009

Method EPA 8015

Analyte	AB	Analyte ID	Method ID
Diesel range organics (DRO)	TX	9369	10173203
Ethanol	TX	4750	10173203
Ethylene glycol	TX	4785	10173203
Gasoline range organics (GRO)	TX	9408	10173203
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10173203
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10173203
Methanol	TX	4930	10173203
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10173203
n-Propanol (1-Propanol)	TX	5055	10173203
Propylene Glycol	TX	6657	10173203
tert-Butyl alcohol	TX	4420	10173203

Method EPA 8021

Analyte	AB	Analyte ID	Method ID
Benzene	TX	4375	10174400
Ethylbenzene	TX	4765	10174400
m+p-xylene	TX	5240	10174400
Methyl tert-butyl ether (MTBE)	TX	5000	10174400
o-Xylene	TX	5250	10174400
Toluene	TX	5140	10174400
Xylene (total)	TX	5260	10174400

Method EPA 8081

Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10178402
4,4'-DDE	TX	7360	10178402



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

4,4'-DDT	TX	7365	10178402
Aldrin	TX	7025	10178402
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10178402
alpha-Chlordane	TX	7240	10178402
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10178402
Chlordane (tech.)	TX	7250	10178402
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10178402
Dieldrin	TX	7470	10178402
Endosulfan I	TX	7510	10178402
Endosulfan II	TX	7515	10178402
Endosulfan sulfate	TX	7520	10178402
Endrin	TX	7540	10178402
Endrin aldehyde	TX	7530	10178402
Endrin ketone	TX	7535	10178402
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10178402
gamma-Chlordane	TX	7245	10178402
Heptachlor	TX	7685	10178402
Heptachlor epoxide	TX	7690	10178402
Hexachlorobenzene	TX	6275	10178402
Methoxychlor	TX	7810	10178402
Mirex	TX	7870	10178402
Toxaphene (Chlorinated camphene)	TX	8250	10178402

Method EPA 8082

Analyte	AB	Analyte ID	Method ID
Aroclor-1016 (PCB-1016)	TX	8880	10179201
Aroclor-1221 (PCB-1221)	TX	8885	10179201
Aroclor-1232 (PCB-1232)	TX	8890	10179201
Aroclor-1242 (PCB-1242)	TX	8895	10179201
Aroclor-1248 (PCB-1248)	TX	8900	10179201
Aroclor-1254 (PCB-1254)	TX	8905	10179201



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Aroclor-1260 (PCB-1260)	TX	8910	10179201
PCBs (total)	TX	8870	10179201

Method EPA 8151

Analyte	AB	Analyte ID	Method ID
2,4,5-T	TX	8655	10183003
2,4-D	TX	8545	10183003
2,4-DB	TX	8560	10183003
Dalapon	TX	8555	10183003
Dicamba	TX	8595	10183003
Dichloroprop (Dichloroprop, Weedone)	TX	8605	10183003
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10183003
MCPA	TX	7775	10183003
MCPP	TX	7780	10183003
Silvex (2,4,5-TP)	TX	8650	10183003

Method EPA 8260

Analyte	AB	Analyte ID	Method ID
1,1,1,2-Tetrachloroethane	TX	5105	10184404
1,1,1-Trichloroethane	TX	5160	10184404
1,1,2,2-Tetrachloroethane	TX	5110	10184404
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	TX	5195	10184404
1,1,2-Trichloroethane	TX	5165	10184404
1,1-Dichloroethane	TX	4630	10184404
1,1-Dichloroethylene	TX	4640	10184404
1,1-Dichloropropene	TX	4670	10184404
1,2,3-Trichlorobenzene	TX	5150	10184404
1,2,3-Trichloropropane	TX	5180	10184404
1,2,4-Trichlorobenzene	TX	5155	10184404
1,2,4-Trimethylbenzene	TX	5210	10184404
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10184404
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10184404
1,2-Dichlorobenzene	TX	4610	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10184404
1,2-Dichloropropane	TX	4655	10184404
1,3,5-Trimethylbenzene	TX	5215	10184404
1,3-Dichlorobenzene	TX	4615	10184404
1,3-Dichloropropane	TX	4660	10184404
1,4-Dichlorobenzene	TX	4620	10184404
1,4-Dioxane (1,4-Diethyleneoxide)	TX	4735	10184404
1-Chlorohexane	TX	4510	10184404
1-Propanol	TX	5060	10184404
2,2-Dichloropropane	TX	4665	10184404
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10184404
2-Chloroethyl vinyl ether	TX	4500	10184404
2-Chlorotoluene	TX	4535	10184404
2-Hexanone (MBK)	TX	4860	10184404
2-Pentanone	TX	5045	10184404
4-Chlorotoluene	TX	4540	10184404
4-Isopropyltoluene (p-Cymene)	TX	4915	10184404
4-Methyl-2-pentanone (MIBK)	TX	4995	10184404
Acetone (2-Propanone)	TX	4315	10184404
Acetonitrile	TX	4320	10184404
Acrolein (Propenal)	TX	4325	10184404
Acrylonitrile	TX	4340	10184404
Allyl alcohol	TX	4350	10184404
Allyl chloride (3-Chloropropene)	TX	4355	10184404
Benzene	TX	4375	10184404
Benzyl chloride	TX	5635	10184404
Bromobenzene	TX	4385	10184404
Bromochloromethane	TX	4390	10184404
Bromodichloromethane	TX	4395	10184404
Bromoform	TX	4400	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Carbon disulfide	TX	4450	10184404
Carbon tetrachloride	TX	4455	10184404
Chlorobenzene	TX	4475	10184404
Chlorodibromomethane	TX	4575	10184404
Chloroethane (Ethyl chloride)	TX	4485	10184404
Chloroform	TX	4505	10184404
Chloroprene (2-Chloro-1,3-butadiene)	TX	4525	10184404
cis-1,2-Dichloroethylene	TX	4645	10184404
cis-1,3-Dichloropropene	TX	4680	10184404
Dibromofluoromethane	TX	4590	10184404
Dibromomethane (Methylene bromide)	TX	4595	10184404
Dichlorodifluoromethane (Freon-12)	TX	4625	10184404
Diethyl ether	TX	4725	10184404
Di-isopropylether (DIPE)	TX	9375	10184404
Epichlorohydrin (1-Chloro-2,3-epoxypropane)	TX	4745	10184404
Ethanol	TX	4750	10184404
Ethyl acetate	TX	4755	10184404
Ethyl methacrylate	TX	4810	10184404
Ethylbenzene	TX	4765	10184404
Ethylene oxide	TX	4795	10184404
Ethyl-t-butylether (ETBE) (2-Ethoxy-2-methylpropane)	TX	4770	10184404
Hexachlorobutadiene	TX	4835	10184404
Iodomethane (Methyl iodide)	TX	4870	10184404
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10184404
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10184404
Isopropylbenzene (Cumene)	TX	4900	10184404
m+p-xylene	TX	5240	10184404
Methacrylonitrile	TX	4925	10184404
Methyl acetate	TX	4940	10184404
Methyl acrylate	TX	4945	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Methyl bromide (Bromomethane)	TX	4950	10184404
Methyl chloride (Chloromethane)	TX	4960	10184404
Methyl methacrylate	TX	4990	10184404
Methyl tert-butyl ether (MTBE)	TX	5000	10184404
Methylcyclohexane	TX	4965	10184404
Methylene chloride (Dichloromethane)	TX	4975	10184404
Naphthalene	TX	5005	10184404
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10184404
n-Butylbenzene	TX	4435	10184404
n-Propylbenzene	TX	5090	10184404
o-Xylene	TX	5250	10184404
Pentachloroethane	TX	5035	10184404
Propionitrile (Ethyl cyanide)	TX	5080	10184404
Pyridine	TX	5095	10184404
sec-Butylbenzene	TX	4440	10184404
Styrene	TX	5100	10184404
T-amylmethylether (TAME)	TX	4370	10184404
tert-Butyl alcohol	TX	4420	10184404
tert-Butylbenzene	TX	4445	10184404
Tetrachloroethylene (Perchloroethylene)	TX	5115	10184404
Toluene	TX	5140	10184404
trans-1,2-Dichloroethylene	TX	4700	10184404
trans-1,3-Dichloropropylene	TX	4685	10184404
trans-1,4-Dichloro-2-butene	TX	4605	10184404
Trichloroethene (Trichloroethylene)	TX	5170	10184404
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10184404
Vinyl acetate	TX	5225	10184404
Vinyl chloride	TX	5235	10184404
Xylene (total)	TX	5260	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 8270

Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10185203
1,2,4-Trichlorobenzene	TX	5155	10185203
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10185203
1,2-Dichlorobenzene	TX	4610	10185203
1,2-Dinitrobenzene	TX	6155	10185203
1,2-Diphenylhydrazine	TX	6220	10185203
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10185203
1,3-Dichlorobenzene	TX	4615	10185203
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10185203
1,4-Dichlorobenzene	TX	4620	10185203
1,4-Dinitrobenzene	TX	6165	10185203
1,4-Naphthoquinone	TX	6420	10185203
1,4-Phenylenediamine	TX	6630	10185203
1-Chloronaphthalene	TX	5790	10185203
1-Naphthylamine	TX	6425	10185203
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10185203
2,3,4,6-Tetrachlorophenol	TX	6735	10185203
2,4,5-Trichlorophenol	TX	6835	10185203
2,4,5-Trimethylaniline	TX	6880	10185203
2,4,6-Trichlorophenol	TX	6840	10185203
2,4-Diaminotoluene	TX	5880	10185203
2,4-Dichlorophenol	TX	6000	10185203
2,4-Dimethylphenol	TX	6130	10185203
2,4-Dinitrophenol	TX	6175	10185203
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10185203
2,6-Dichlorophenol	TX	6005	10185203
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10185203
2-Acetylaminofluorene	TX	5515	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2-Chloronaphthalene	TX	5795	10185203
2-Chlorophenol	TX	5800	10185203
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10185203
2-Methylaniline (o-Toluidine)	TX	5145	10185203
2-Methylnaphthalene	TX	6385	10185203
2-Methylphenol (o-Cresol)	TX	6400	10185203
2-Naphthylamine	TX	6430	10185203
2-Nitroaniline	TX	6460	10185203
2-Nitrophenol	TX	6490	10185203
2-Picoline (2-Methylpyridine)	TX	5050	10185203
3,3'-Dichlorobenzidine	TX	5945	10185203
3,3'-Dimethylbenzidine	TX	6120	10185203
3-Methylcholanthrene	TX	6355	10185203
3-Methylphenol (m-Cresol)	TX	6405	10185203
3-Nitroaniline	TX	6465	10185203
4-Aminobiphenyl	TX	5540	10185203
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10185203
4-Chloro-3-methylphenol	TX	5700	10185203
4-Chloroaniline	TX	5745	10185203
4-Chlorophenyl phenylether	TX	5825	10185203
4-Dimethyl aminoazobenzene	TX	6105	10185203
4-Methylphenol (p-Cresol)	TX	6410	10185203
4-Nitroaniline	TX	6470	10185203
4-Nitrobiphenyl	TX	6480	10185203
4-Nitrophenol	TX	6500	10185203
4-Nitroquinoline-1-oxide	TX	6510	10185203
5-Chloro-2-methylaniline	TX	5695	10185203
5-Nitro-o-toluidine	TX	6570	10185203
7,12-Dimethylbenz(a) anthracene	TX	6115	10185203
a-a-Dimethylphenethylamine	TX	6125	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Acenaphthene	TX	5500	10185203
Acenaphthylene	TX	5505	10185203
Acetophenone	TX	5510	10185203
Aniline	TX	5545	10185203
Anthracene	TX	5555	10185203
Aramite	TX	5560	10185203
Atrazine	TX	7065	10185203
Azinphos-methyl (Guthion)	TX	7075	10185203
Azobenzene	TX	5562	10185203
Benzenethiol (Thiophenol)	TX	6750	10185203
Benzidine	TX	5595	10185203
Benzo(a)anthracene	TX	5575	10185203
Benzo(a)pyrene	TX	5580	10185203
Benzo(b)fluoranthene	TX	5585	10185203
Benzo(e)pyrene	TX	5605	10185203
Benzo(g,h,i)perylene	TX	5590	10185203
Benzo(k)fluoranthene	TX	5600	10185203
Benzoic acid	TX	5610	10185203
Benzyl alcohol	TX	5630	10185203
Biphenyl	TX	5640	10185203
bis(2-Chloroethoxy)methane	TX	5760	10185203
bis(2-Chloroethyl) ether	TX	5765	10185203
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10185203
Butyl benzyl phthalate	TX	5670	10185203
Caprolactam	TX	7180	10185203
Captan	TX	7190	10185203
Carbaryl (Sevin)	TX	7195	10185203
Carbazole	TX	5680	10185203
Carbophenothion	TX	7220	10185203
Chlorobenzilate	TX	7260	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Chrysene	TX	5855	10185203
Coumaphos	TX	7315	10185203
Demeton	TX	7390	10185203
Demeton	TX	7390	10185203
Demeton-o	TX	7395	10185203
Demeton-s	TX	7385	10185203
Diallate	TX	7405	10185203
Dibenz(a,h) anthracene	TX	5895	10185203
Dibenz(a,j) acridine	TX	5900	10185203
Dibenzofuran	TX	5905	10185203
Dichlorovos (DDVP, Dichlorvos)	TX	8610	10185203
Diethyl phthalate	TX	6070	10185203
Dimethoate	TX	7475	10185203
Dimethoate	TX	7475	10185203
Dimethyl phthalate	TX	6135	10185203
Di-n-butyl phthalate	TX	5925	10185203
Di-n-octyl phthalate	TX	6200	10185203
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10185203
Dioxathion	TX	7495	10185203
Diphenylamine	TX	6205	10185203
Disulfoton	TX	8625	10185203
Ethion	TX	7565	10185203
Ethyl methanesulfonate	TX	6260	10185203
Famphur	TX	7580	10185203
Fluoranthene	TX	6265	10185203
Fluorene	TX	6270	10185203
Hexachlorobenzene	TX	6275	10185203
Hexachlorobutadiene	TX	4835	10185203
Hexachlorocyclopentadiene	TX	6285	10185203
Hexachloroethane	TX	4840	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Hexachlorophene	TX	6290	10185203
Hexachloropropene	TX	6295	10185203
Indeno(1,2,3-cd) pyrene	TX	6315	10185203
Isodrin	TX	7725	10185203
Isophorone	TX	6320	10185203
Isosafrole	TX	6325	10185203
Kepone	TX	7740	10185203
Maleic anhydride	TX	6335	10185203
Methapyrilene	TX	6345	10185203
Methyl methanesulfonate	TX	6375	10185203
Methyl parathion (Parathion, methyl)	TX	7825	10185203
Mevinphos	TX	7850	10185203
Naled	TX	7905	10185203
Naphthalene	TX	5005	10185203
Nitrobenzene	TX	5015	10185203
n-Nitrosodiethylamine	TX	6525	10185203
n-Nitrosodimethylamine	TX	6530	10185203
n-Nitrosodi-n-butylamine	TX	5025	10185203
n-Nitrosodi-n-propylamine	TX	6545	10185203
n-Nitrosodiphenylamine	TX	6535	10185203
n-Nitrosomethylethylamine	TX	6550	10185203
n-Nitrosomorpholine	TX	6555	10185203
n-Nitrosopiperidine	TX	6560	10185203
n-Nitrosopyrrolidine	TX	6565	10185203
o,o,o-Triethyl phosphorothioate	TX	8290	10185203
o-Anisidine	TX	5550	10185203
Parathion, ethyl	TX	7955	10185203
p-Cresidine	TX	5860	10185203
Pentachlorobenzene	TX	6590	10185203
Pentachloronitrobenzene (PCNB)	TX	6600	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Pentachlorophenol	TX	6605	10185203
Phenacetin	TX	6610	10185203
Phenanthrene	TX	6615	10185203
Phenol	TX	6625	10185203
Phorate	TX	7985	10185203
Phosmet (Imidan)	TX	8000	10185203
Phthalic anhydride	TX	6640	10185203
Pronamide (Kerb)	TX	6650	10185203
Pyrene	TX	6665	10185203
Pyridine	TX	5095	10185203
Quinoline	TX	6670	10185203
Resorcinol	TX	6680	10185203
Safrole	TX	6685	10185203
Sulfotepp	TX	8155	10185203
Terbufos	TX	8185	10185203
Tetrachlorvinphos (Stirophos, Gardona)	TX	8197	10185203
Thionazin (Zinophos)	TX	8235	10185203
Toluene diisocyanate	TX	6775	10185203
Trifluralin (Treflan)	TX	8295	10185203

Method EPA 8290

Analyte	AB	Analyte ID	Method ID
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10187209
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10187209
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10187209
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10187209
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10187209
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10187209
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10187209
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10187209
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-HxCDD)	TX	9456	10187209



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10187209
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10187209
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10187209
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10187209
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10187209
2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10187209
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10187209
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10187209
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10187209
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10187209
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10187209
Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10187209
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10187209
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10187209
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10187209
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10187209

Method EPA 8316

Analyte	AB	Analyte ID	Method ID
Acrylamide	TX	4330	10188202

Method EPA 8330

Analyte	AB	Analyte ID	Method ID
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10189807
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10189807
2,4,6-Trinitrotoluene (2,4,6-TNT)	TX	9651	10189807
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10189807
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10189807
2-Amino-4,6-dinitrotoluene (2-am-dnt)	TX	9303	10189807
2-Nitrotoluene	TX	9507	10189807
3-Nitrotoluene	TX	9510	10189807
4-Amino-2,6-dinitrotoluene (4-am-dnt)	TX	9306	10189807
4-Nitrotoluene	TX	9513	10189807



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Methyl-2,4,6-trinitrophenylamine (tetryl)	TX	6415	10189807
Nitrobenzene	TX	5015	10189807
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	TX	9522	10189807
RDX (hexahydro-1,3,5-trinitro-1,3,5-triazine)	TX	9432	10189807
Method EPA 9014			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	10193803
Total cyanide	TX	1645	10193803
Method EPA 9038			
Analyte	AB	Analyte ID	Method ID
Sulfate	TX	2000	10196608
Method EPA 9040			
Analyte	AB	Analyte ID	Method ID
pH	TX	1900	10196802
Method EPA 9050			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	10198604
Method EPA 9056			
Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10199209
Chloride	TX	1575	10199209
Fluoride	TX	1730	10199209
Nitrate as N	TX	1810	10199209
Nitrate-nitrite	TX	1820	10199209
Nitrite as N	TX	1840	10199209
Orthophosphate as P	TX	1870	10199209
Sulfate	TX	2000	10199209
Method EPA 9060			
Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	10200201



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	Analyte	AB	Analyte ID	Method ID
EPA 9065	Total phenolics	TX	1905	10200405
EPA 9066	Total phenolics	TX	1905	10200609
EPA 9250	Chloride	TX	1575	10207202
EPA RSK 175	2-methylpropane (Isobutane)	TX	4942	10212905
	Ethane	TX	4747	10212905
	Ethene	TX	4752	10212905
	Methane	TX	4926	10212905
	n-Butane	TX	5007	10212905
	n-Propane	TX	5029	10212905
HACH 8000	Chemical oxygen demand (COD)	TX	1565	60003001
SM 2120 B	Color	TX	1605	20223807
SM 2310 B (4a)	Acidity, as CaCO3	TX	1500	20002806
SM 2320 B	Alkalinity as CaCO3	TX	1505	20045005
SM 2340 B		AB		



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Total hardness as CaCO ₃	TX	1755	20046008
Method SM 2510 B			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	20048004
Method SM 2540 B			
Analyte	AB	Analyte ID	Method ID
Residue-total (total solids)	TX	1950	20004608
Method SM 2540 C			
Analyte	AB	Analyte ID	Method ID
Residue-filterable (TDS)	TX	1955	20049803
Method SM 2540 D			
Analyte	AB	Analyte ID	Method ID
Residue-nonfilterable (TSS)	TX	1960	20004802
Method SM 3500-Cr B			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	20065809
Method SM 4500-Cl F			
Analyte	AB	Analyte ID	Method ID
Total residual chlorine	TX	1940	20080482
Method SM 4500-Cl ⁻ E			
Analyte	AB	Analyte ID	Method ID
Chloride	TX	1575	20019209
Method SM 4500-CN ⁻ C			
Analyte	AB	Analyte ID	Method ID
Total cyanide	TX	1645	20020808
Method SM 4500-CN ⁻ E			
Analyte	AB	Analyte ID	Method ID
Total cyanide	TX	1645	20021209
Method SM 4500-CN ⁻ G			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	20021607



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method SM 4500-H+ B			
Analyte pH	AB TX	Analyte ID 1900	Method ID 20104603
Method SM 4500-NH3 D			
Analyte Ammonia as N	AB TX	Analyte ID 1515	Method ID 20108809
Kjeldahl Nitrogen (Total Kjeldahl Nitrogen-TKN)	TX	1790	20108809
Method SM 4500-NH3 F			
Analyte Ammonia as N	AB TX	Analyte ID 1515	Method ID 20023001
Method SM 4500-O G			
Analyte Oxygen, dissolved	AB TX	Analyte ID 1880	Method ID 20025405
Method SM 4500-P E			
Analyte Orthophosphate as P	AB TX	Analyte ID 1870	Method ID 20025803
Phosphorus	TX	1910	20025803
Method SM 4500-S2 ⁻ F			
Analyte Sulfide	AB TX	Analyte ID 2005	Method ID 20126209
Method SM 4500-SiO2 D			
Analyte Silica as SiO2	AB TX	Analyte ID 1990	Method ID 20127202
Method SM 4500-SO3 ⁻ B			
Analyte Sulfite	AB TX	Analyte ID 2015	Method ID 20026806
Method SM 5210 B			
Analyte Biochemical oxygen demand (BOD)	AB TX	Analyte ID 1530	Method ID 20027401
Carbonaceous BOD, CBOD	TX	1555	20027401
Method SM 5310 B			
Analyte	AB	Analyte ID	Method ID



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Total Organic Carbon (TOC)	TX	2040	20137206
Method SM 5310 C			
Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	20138209
Method SM 5540 C			
Analyte	AB	Analyte ID	Method ID
Surfactants - MBAS	TX	2025	20144405
Method TCEQ 1005			
Analyte	AB	Analyte ID	Method ID
Total Petroleum Hydrocarbons (TPH)	TX	2050	90019208



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method	AB	Analyte ID	Method ID
Method ASTM D2216			
Analyte Moisture	TX	10337	ASTM D2216-05
Method EPA 1010			
Analyte Ignitability	TX	1780	10116606
Method EPA 1030			
Analyte Ignitability	TX	1780	10117201
Method EPA 1311			
Analyte TCLP	TX	849	10118806
Method EPA 1312			
Analyte SPLP	TX	850	10119003
Method EPA 1668			
Analyte Decachlorobiphenyls	TX	10332	10262007
Dichlorobiphenyls	TX	464	10262007
Heptachlorobiphenyls	TX	486	10262007
Hexachlorobiphenyls	TX	487	10262007
Monochlorobiphenyls	TX	501	10262007
Nonachlorobiphenyls	TX	507	10262007
Octachlorobiphenyls	TX	508	10262007
Pentachlorobiphenyls	TX	515	10262007
Tetrachlorobiphenyls	TX	528	10262007
Trichlorobiphenyls	TX	541	10262007
Method EPA 200.8			
Analyte Uranium	TX	3035	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method EPA 300.0

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10053200
Chloride	TX	1575	10053200
Fluoride	TX	1730	10053200
Nitrate as N	TX	1810	10053200
Nitrate-nitrite	TX	1820	10053200
Nitrite as N	TX	1840	10053200
Orthophosphate as P	TX	1870	10053200
Sulfate	TX	2000	10053200

Method EPA 310.1

Analyte	AB	Analyte ID	Method ID
Alkalinity as CaCO3	TX	1505	10054805

Method EPA 350.3

Analyte	AB	Analyte ID	Method ID
Ammonia as N	TX	1515	10064401

Method EPA 365.3

Analyte	AB	Analyte ID	Method ID
Orthophosphate as P	TX	1870	10070801
Phosphorus	TX	1910	10070801

Method EPA 6020

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10156204
Antimony	TX	1005	10156204
Arsenic	TX	1010	10156204
Barium	TX	1015	10156204
Beryllium	TX	1020	10156204
Boron	TX	1025	10156204
Cadmium	TX	1030	10156204
Calcium	TX	1035	10156204
Chromium	TX	1040	10156204



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Cobalt	TX	1050	10156204
Copper	TX	1055	10156204
Iron	TX	1070	10156204
Lead	TX	1075	10156204
Lithium	TX	1080	10156204
Magnesium	TX	1085	10156204
Manganese	TX	1090	10156204
Molybdenum	TX	1100	10156204
Nickel	TX	1105	10156204
Potassium	TX	1125	10156204
Selenium	TX	1140	10156204
Silver	TX	1150	10156204
Sodium	TX	1155	10156204
Strontium	TX	1160	10156204
Thallium	TX	1165	10156204
Tin	TX	1175	10156204
Titanium	TX	1180	10156204
Vanadium	TX	1185	10156204
Zinc	TX	1190	10156204
Method EPA 7196			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	10162206
Method EPA 7470			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10165603
Method EPA 7471			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10166004
Method EPA 8015			
Analyte	AB	Analyte ID	Method ID
Diesel range organics (DRO)	TX	9369	10173203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Ethanol	TX	4750	10173203
Ethylene glycol	TX	4785	10173203
Gasoline range organics (GRO)	TX	9408	10173203
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10173203
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10173203
Methanol	TX	4930	10173203
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10173203
n-Propanol (1-Propanol)	TX	5055	10173203
Propylene Glycol	TX	6657	10173203
tert-Butyl alcohol	TX	4420	10173203

Method EPA 8021

Analyte	AB	Analyte ID	Method ID
Benzene	TX	4375	10174400
Ethylbenzene	TX	4765	10174400
m+p-xylene	TX	5240	10174400
Methyl tert-butyl ether (MTBE)	TX	5000	10174400
o-Xylene	TX	5250	10174400
Toluene	TX	5140	10174400
Xylene (total)	TX	5260	10174400

Method EPA 8081

Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10178402
4,4'-DDE	TX	7360	10178402
4,4'-DDT	TX	7365	10178402
Aldrin	TX	7025	10178402
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10178402
alpha-Chlordane	TX	7240	10178402
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10178402
Chlordane (tech.)	TX	7250	10178402
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10178402
Dieldrin	TX	7470	10178402



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Endosulfan I	TX	7510	10178402
Endosulfan II	TX	7515	10178402
Endosulfan sulfate	TX	7520	10178402
Endrin	TX	7540	10178402
Endrin aldehyde	TX	7530	10178402
Endrin ketone	TX	7535	10178402
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10178402
gamma-Chlordane	TX	7245	10178402
Heptachlor	TX	7685	10178402
Heptachlor epoxide	TX	7690	10178402
Methoxychlor	TX	7810	10178402
Mirex	TX	7870	10178402
Toxaphene (Chlorinated camphene)	TX	8250	10178402

Method EPA 8082

Analyte	AB	Analyte ID	Method ID
Aroclor-1016 (PCB-1016)	TX	8880	10179201
Aroclor-1221 (PCB-1221)	TX	8885	10179201
Aroclor-1232 (PCB-1232)	TX	8890	10179201
Aroclor-1242 (PCB-1242)	TX	8895	10179201
Aroclor-1248 (PCB-1248)	TX	8900	10179201
Aroclor-1254 (PCB-1254)	TX	8905	10179201
Aroclor-1260 (PCB-1260)	TX	8910	10179201
PCBs (total)	TX	8870	10179201

Method EPA 8260

Analyte	AB	Analyte ID	Method ID
1,1,1,2-Tetrachloroethane	TX	5105	10184404
1,1,1-Trichloroethane	TX	5160	10184404
1,1,2,2-Tetrachloroethane	TX	5110	10184404
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	TX	5195	10184404
1,1,2-Trichloroethane	TX	5165	10184404
1,1-Dichloroethane	TX	4630	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

1,1-Dichloroethylene	TX	4640	10184404
1,1-Dichloropropene	TX	4670	10184404
1,2,3-Trichlorobenzene	TX	5150	10184404
1,2,3-Trichloropropane	TX	5180	10184404
1,2,4-Trichlorobenzene	TX	5155	10184404
1,2,4-Trimethylbenzene	TX	5210	10184404
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10184404
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10184404
1,2-Dichlorobenzene	TX	4610	10184404
1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10184404
1,2-Dichloropropane	TX	4655	10184404
1,3,5-Trimethylbenzene	TX	5215	10184404
1,3-Dichlorobenzene	TX	4615	10184404
1,3-Dichloropropane	TX	4660	10184404
1,4-Dichlorobenzene	TX	4620	10184404
1,4-Dioxane (1,4-Diethyleneoxide)	TX	4735	10184404
1-Chlorohexane	TX	4510	10184404
1-Propanol	TX	5060	10184404
2,2-Dichloropropane	TX	4665	10184404
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10184404
2-Chloroethyl vinyl ether	TX	4500	10184404
2-Chlorotoluene	TX	4535	10184404
2-Hexanone (MBK)	TX	4860	10184404
4-Chlorotoluene	TX	4540	10184404
4-Isopropyltoluene (p-Cymene)	TX	4915	10184404
4-Methyl-2-pentanone (MIBK)	TX	4995	10184404
Acetone (2-Propanone)	TX	4315	10184404
Acetonitrile	TX	4320	10184404
Acrolein (Propenal)	TX	4325	10184404
Acrylonitrile	TX	4340	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Allyl chloride (3-Chloropropene)	TX	4355	10184404
Benzene	TX	4375	10184404
Benzyl chloride	TX	5635	10184404
Bromobenzene	TX	4385	10184404
Bromochloromethane	TX	4390	10184404
Bromodichloromethane	TX	4395	10184404
Bromoform	TX	4400	10184404
Carbon disulfide	TX	4450	10184404
Carbon tetrachloride	TX	4455	10184404
Chlorobenzene	TX	4475	10184404
Chlorodibromomethane	TX	4575	10184404
Chloroethane (Ethyl chloride)	TX	4485	10184404
Chloroform	TX	4505	10184404
Chloroprene (2-Chloro-1,3-butadiene)	TX	4525	10184404
cis-1,2-Dichloroethylene	TX	4645	10184404
cis-1,3-Dichloropropene	TX	4680	10184404
Dibromofluoromethane	TX	4590	10184404
Dibromomethane (Methylene bromide)	TX	4595	10184404
Dichlorodifluoromethane (Freon-12)	TX	4625	10184404
Diethyl ether	TX	4725	10184404
Epichlorohydrin (1-Chloro-2,3-epoxypropane)	TX	4745	10184404
Ethanol	TX	4750	10184404
Ethyl acetate	TX	4755	10184404
Ethyl methacrylate	TX	4810	10184404
Ethylbenzene	TX	4765	10184404
Ethylene oxide	TX	4795	10184404
Hexachlorobutadiene	TX	4835	10184404
Iodomethane (Methyl iodide)	TX	4870	10184404
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10184404
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Isopropylbenzene (Cumene)	TX	4900	10184404
m+p-xylene	TX	5240	10184404
Methacrylonitrile	TX	4925	10184404
Methyl acetate	TX	4940	10184404
Methyl acrylate	TX	4945	10184404
Methyl bromide (Bromomethane)	TX	4950	10184404
Methyl chloride (Chloromethane)	TX	4960	10184404
Methyl methacrylate	TX	4990	10184404
Methyl tert-butyl ether (MTBE)	TX	5000	10184404
Methylcyclohexane	TX	4965	10184404
Methylene chloride (Dichloromethane)	TX	4975	10184404
Naphthalene	TX	5005	10184404
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10184404
n-Butylbenzene	TX	4435	10184404
n-Propylbenzene	TX	5090	10184404
o-Xylene	TX	5250	10184404
Pentachloroethane	TX	5035	10184404
Propionitrile (Ethyl cyanide)	TX	5080	10184404
Pyridine	TX	5095	10184404
sec-Butylbenzene	TX	4440	10184404
Styrene	TX	5100	10184404
tert-Butyl alcohol	TX	4420	10184404
tert-Butylbenzene	TX	4445	10184404
Tetrachloroethylene (Perchloroethylene)	TX	5115	10184404
Toluene	TX	5140	10184404
trans-1,2-Dichloroethylene	TX	4700	10184404
trans-1,3-Dichloropropylene	TX	4685	10184404
trans-1,4-Dichloro-2-butene	TX	4605	10184404
Trichloroethene (Trichloroethylene)	TX	5170	10184404
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Vinyl acetate	TX	5225	10184404
Vinyl chloride	TX	5235	10184404
Xylene (total)	TX	5260	10184404
Method EPA 8270			
Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10185203
1,2,4-Trichlorobenzene	TX	5155	10185203
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10185203
1,2-Dichlorobenzene	TX	4610	10185203
1,2-Dinitrobenzene	TX	6155	10185203
1,2-Diphenylhydrazine	TX	6220	10185203
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10185203
1,3-Dichlorobenzene	TX	4615	10185203
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10185203
1,4-Dichlorobenzene	TX	4620	10185203
1,4-Dinitrobenzene	TX	6165	10185203
1,4-Naphthoquinone	TX	6420	10185203
1,4-Phenylenediamine	TX	6630	10185203
1-Chloronaphthalene	TX	5790	10185203
1-Naphthylamine	TX	6425	10185203
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10185203
2,3,4,6-Tetrachlorophenol	TX	6735	10185203
2,4,5-Trichlorophenol	TX	6835	10185203
2,4,5-Trimethylaniline	TX	6880	10185203
2,4,6-Trichlorophenol	TX	6840	10185203
2,4-Diaminotoluene	TX	5880	10185203
2,4-Dichlorophenol	TX	6000	10185203
2,4-Dimethylphenol	TX	6130	10185203
2,4-Dinitrophenol	TX	6175	10185203
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

2,6-Dichlorophenol	TX	6005	10185203
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10185203
2-Acetylaminofluorene	TX	5515	10185203
2-Chloronaphthalene	TX	5795	10185203
2-Chlorophenol	TX	5800	10185203
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10185203
2-Methylaniline (o-Toluidine)	TX	5145	10185203
2-Methylnaphthalene	TX	6385	10185203
2-Methylphenol (o-Cresol)	TX	6400	10185203
2-Naphthylamine	TX	6430	10185203
2-Nitroaniline	TX	6460	10185203
2-Nitrophenol	TX	6490	10185203
2-Picoline (2-Methylpyridine)	TX	5050	10185203
3,3'-Dichlorobenzidine	TX	5945	10185203
3,3'-Dimethylbenzidine	TX	6120	10185203
3-Methylcholanthrene	TX	6355	10185203
3-Methylphenol (m-Cresol)	TX	6405	10185203
3-Nitroaniline	TX	6465	10185203
4-Aminobiphenyl	TX	5540	10185203
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10185203
4-Chloro-3-methylphenol	TX	5700	10185203
4-Chloroaniline	TX	5745	10185203
4-Chlorophenyl phenylether	TX	5825	10185203
4-Methylphenol (p-Cresol)	TX	6410	10185203
4-Nitroaniline	TX	6470	10185203
4-Nitrophenol	TX	6500	10185203
4-Nitroquinoline-1-oxide	TX	6510	10185203
5-Nitro-o-toluidine	TX	6570	10185203
7,12-Dimethylbenz(a) anthracene	TX	6115	10185203
a-a-Dimethylphenethylamine	TX	6125	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Acenaphthene	TX	5500	10185203
Acenaphthylene	TX	5505	10185203
Acetophenone	TX	5510	10185203
Aniline	TX	5545	10185203
Anthracene	TX	5555	10185203
Aramite	TX	5560	10185203
Atrazine	TX	7065	10185203
Azinphos-methyl (Guthion)	TX	7075	10185203
Azobenzene	TX	5562	10185203
Benzenethiol (Thiophenol)	TX	6750	10185203
Benzidine	TX	5595	10185203
Benzo(a)anthracene	TX	5575	10185203
Benzo(a)pyrene	TX	5580	10185203
Benzo(b)fluoranthene	TX	5585	10185203
Benzo(e)pyrene	TX	5605	10185203
Benzo(g,h,i)perylene	TX	5590	10185203
Benzo(k)fluoranthene	TX	5600	10185203
Benzoic acid	TX	5610	10185203
Benzyl alcohol	TX	5630	10185203
Biphenyl	TX	5640	10185203
bis(2-Chloroethoxy)methane	TX	5760	10185203
bis(2-Chloroethyl) ether	TX	5765	10185203
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10185203
Butyl benzyl phthalate	TX	5670	10185203
Caprolactam	TX	7180	10185203
Carbaryl (Sevin)	TX	7195	10185203
Carbazole	TX	5680	10185203
Carbophenothion	TX	7220	10185203
Chlorobenzilate	TX	7260	10185203
Chrysene	TX	5855	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Demeton	TX	7390	10185203
Demeton-o	TX	7395	10185203
Demeton-s	TX	7385	10185203
Diallate	TX	7405	10185203
Dibenz(a,h) anthracene	TX	5895	10185203
Dibenz(a,j) acridine	TX	5900	10185203
Dibenzo(a,e) pyrene	TX	5890	10185203
Dibenzofuran	TX	5905	10185203
Dichlorovos (DDVP, Dichlorvos)	TX	8610	10185203
Diethyl phthalate	TX	6070	10185203
Dimethoate	TX	7475	10185203
Dimethyl phthalate	TX	6135	10185203
Di-n-butyl phthalate	TX	5925	10185203
Di-n-octyl phthalate	TX	6200	10185203
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10185203
Diphenylamine	TX	6205	10185203
Disulfoton	TX	8625	10185203
Ethyl methanesulfonate	TX	6260	10185203
Fluoranthene	TX	6265	10185203
Fluorene	TX	6270	10185203
Hexachlorobenzene	TX	6275	10185203
Hexachlorobutadiene	TX	4835	10185203
Hexachlorocyclopentadiene	TX	6285	10185203
Hexachloroethane	TX	4840	10185203
Hexachlorophene	TX	6290	10185203
Hexachloropropene	TX	6295	10185203
Indeno(1,2,3-cd) pyrene	TX	6315	10185203
Isodrin	TX	7725	10185203
Isophorone	TX	6320	10185203
Isosafrole	TX	6325	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Kepone	TX	7740	10185203
Malathion	TX	7770	10185203
Methapyrilene	TX	6345	10185203
Methyl methanesulfonate	TX	6375	10185203
Methyl parathion (Parathion, methyl)	TX	7825	10185203
Mevinphos	TX	7850	10185203
Naphthalene	TX	5005	10185203
Nitrobenzene	TX	5015	10185203
n-Nitrosodiethylamine	TX	6525	10185203
n-Nitrosodimethylamine	TX	6530	10185203
n-Nitrosodi-n-butylamine	TX	5025	10185203
n-Nitrosodi-n-propylamine	TX	6545	10185203
n-Nitrosodiphenylamine	TX	6535	10185203
n-Nitrosomethylethylamine	TX	6550	10185203
n-Nitrosomorpholine	TX	6555	10185203
n-Nitrosopiperidine	TX	6560	10185203
n-Nitrosopyrrolidine	TX	6565	10185203
o,o,o-Triethyl phosphorothioate	TX	8290	10185203
o-Anisidine	TX	5550	10185203
Parathion, ethyl	TX	7955	10185203
p-Cresidine	TX	5860	10185203
Pentachlorobenzene	TX	6590	10185203
Pentachloronitrobenzene (PCNB)	TX	6600	10185203
Pentachlorophenol	TX	6605	10185203
Phenacetin	TX	6610	10185203
Phenanthrene	TX	6615	10185203
Phenol	TX	6625	10185203
Phorate	TX	7985	10185203
Pronamide (Kerb)	TX	6650	10185203
Pyrene	TX	6665	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Pyridine	TX	5095	10185203
Quinoline	TX	6670	10185203
Safrole	TX	6685	10185203
Sulfotepp	TX	8155	10185203
Terbufos	TX	8185	10185203
Tetrachlorvinphos (Stirophos, Gardona)	TX	8197	10185203
Thionazin (Zinophos)	TX	8235	10185203
Toluene diisocyanate	TX	6775	10185203

Method EPA 8290

Analyte	AB	Analyte ID	Method ID
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10187209
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10187209
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10187209
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10187209
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10187209
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10187209
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10187209
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10187209
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-HxCDD)	TX	9456	10187209
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10187209
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10187209
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10187209
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10187209
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10187209
2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10187209
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10187209
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10187209
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10187209
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10187209
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10187209



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10187209
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10187209
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10187209
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10187209
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10187209

Method EPA 8316

Analyte	AB	Analyte ID	Method ID
Acrylamide	TX	4330	10188202

Method EPA 8330

Analyte	AB	Analyte ID	Method ID
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10189807
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10189807
2,4,6-Trinitrotoluene (2,4,6-TNT)	TX	9651	10189807
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10189807
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10189807
2-Amino-4,6-dinitrotoluene (2-am-dnt)	TX	9303	10189807
2-Nitrotoluene	TX	9507	10189807
3-Nitrotoluene	TX	9510	10189807
4-Amino-2,6-dinitrotoluene (4-am-dnt)	TX	9306	10189807
4-Nitrotoluene	TX	9513	10189807
Methyl-2,4,6-trinitrophenylnitramine (tetryl)	TX	6415	10189807
Nitrobenzene	TX	5015	10189807
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	TX	9522	10189807
RDX (hexahydro-1,3,5-trinitro-1,3,5-triazine)	TX	9432	10189807

Method EPA 9014

Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	10193803
Total cyanide	TX	1645	10193803

Method EPA 9038

Analyte	AB	Analyte ID	Method ID
Sulfate	TX	2000	10196608



Texas Commission on Environmental Quality

NELAP - Recognized Laboratory Fields of Accreditation



ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method EPA 9040

Analyte	AB	Analyte ID	Method ID
Corrosivity	TX	1615	10197203
pH	TX	1900	10196802

Method EPA 9045

Analyte	AB	Analyte ID	Method ID
Corrosivity	TX	1615	10197805
pH	TX	1900	10197805

Method EPA 9050

Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	10198604

Method EPA 9056

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10199209
Chloride	TX	1575	10199209
Fluoride	TX	1730	10199209
Nitrate as N	TX	1810	10199209
Nitrate-nitrite	TX	1820	10199209
Nitrite as N	TX	1840	10199209
Orthophosphate as P	TX	1870	10199209
Sulfate	TX	2000	10199209

Method EPA 9060

Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	10200201

Method EPA 9065

Analyte	AB	Analyte ID	Method ID
Total phenolics	TX	1905	10200405

Method EPA 9071

Analyte	AB	Analyte ID	Method ID
n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10201204



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method	AB	Analyte ID	Method ID
EPA 9095			
Analyte Paint Filter Liquids Test	TX	10312	10204009
EPA 9250			
Analyte Chloride	TX	1575	10207202
SM 2320 B			
Analyte Alkalinity as CaCO3	TX	1505	20045005
SM 2510 B			
Analyte Conductivity	TX	1610	20048004
SM 2540 G			
Analyte Residue-total (total solids)	TX	1950	20005203
SSA/ASA Part 3:34			
Analyte Carbon, organic (Walkley-Black)	TX	10340	SSA/ASA Pt 3:34
TCEQ 1005			
Analyte Total Petroleum Hydrocarbons (TPH)	TX	2050	90019208



10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

October 25, 2019

Eric Matzner
Golder Associates Inc.
2201 Double Creek Drive
Suite 4004
Round Rock, TX 78664

Work Order: **HS19101052**

Laboratory Results for: **Houston TX-Wood Preserving Works**

Dear Eric,

ALS Environmental received 1 sample(s) on Oct 17, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read 'Dane J. Wacasey'.

Generated By: DAYNA.FISHER
Dane J. Wacasey

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19101052

**TRRP Laboratory Data
Package Cover Page**

This data package consists of all or some of the following as applicable:

This signature page, the laboratory review checklist, and the following reportable data:

- R1 Field chain-of-custody documentation;
- R2 Sample identification cross-reference;
- R3 Test reports (analytical data sheets) for each environmental sample that includes:
 - a) Items consistent with NELAC Chapter 5,
 - b) dilution factors,
 - c) preparation methods,
 - d) cleanup methods, and
 - e) if required for the project, tentatively identified compounds (TICs).
- R4 Surrogate recovery data including:
 - a) Calculated recovery (%R), and
 - b) The laboratory's surrogate QC limits.
- R5 Test reports/summary forms for blank samples;
- R6 Test reports/summary forms for laboratory control samples (LCSs) including:
 - a) LCS spiking amounts,
 - b) Calculated %R for each analyte, and
 - c) The laboratory's LCS QC limits.
- R7 Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
 - a) Samples associated with the MS/MSD clearly identified,
 - b) MS/MSD spiking amounts,
 - c) Concentration of each MS/MSD analyte measured in the parent and spiked samples,
 - d) Calculated %Rs and relative percent differences (RPDs), and
 - e) The laboratory's MS/MSD QC limits.
- R8 Laboratory analytical duplicate (if applicable) recovery and precision:
 - a) the amount of analyte measured in the duplicate,
 - b) the calculated RPD, and
 - c) the laboratory's QC limits for analytical duplicates.
- R9 List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 Other problems or anomalies.
The Exception Report for each "No" or "Not Reviewed (NR)" item in Laboratory Review Checklist and for each analyte, matrix, and method for which the laboratory does not hold NELAC accreditation under the Texas Laboratory Accreditation Program.

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19101052

**TRRP Laboratory Data
Package Cover Page**

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the attached exception reports. By my signature below, I affirm to the best of my knowledge, all problems/anomalies, observed by the laboratory have been identified by the laboratory in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Check, if applicable: [NA] This laboratory meets an exception under 30 TAC §25.6 and was last inspected by TCEQ or _____ on (enter date of last inspection). Any findings affecting the data in this laboratory data package are noted in the Exception Reports herein. The official signing the cover page of the report in which these data are used is responsible for releasing this data package and is by signature affirming the above release statement is true.



Dane J. Wacasey

Laboratory Review Checklist: Reportable Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 10/25/2019			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS19101052			
Reviewer Name: Dane Wacasey				Prep Batch Number(s): 146637			
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?	X				
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?			X		
		Were % moisture (or solids) reported for all soil and sediment samples?			X		
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW-846 Method 5035?			X		
		If required for the project, TICs reported?			X		
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?		X			1
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?	X				
		Were MS/MSD RPDs within laboratory QC limits?	X				
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?	X				
		Were analytical duplicates analyzed at the appropriate frequency?	X				
		Were RPDs or relative standard deviations within the laboratory QC limits?	X				
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Were all necessary corrective actions performed for the reported data?	X				
		Was applicable and available technology used to lower the SDL and minimize the matrix interference effects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Program for the analytes, matrices and methods associated with this laboratory data package?	X				

Laboratory Review Checklist: Supporting Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 10/25/2019			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS19101052			
Reviewer Name: Dane Wacasey				Prep Batch Number(s): 146637			
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
S1	OI	Initial calibration (ICAL)					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB)					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?			X		
S3	O	Mass spectral tuning:					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	Internal standards (IS):					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC section 1 appendix A glossary, and section 5.12 or ISO/IEC 17025 section					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?			X		
S7	O	Tentatively identified compounds (TICs):					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	Interference Check Sample (ICS) results:					
		Were percent recoveries within method QC limits?			X		
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	Proficiency test reports:					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5C or ISO/IEC 4?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chap 5 or ISO/IEC 17025 Section 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs):					
		Are laboratory SOPs current and on file for each method performed?	X				

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.

O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);

NA = Not Applicable;

NR = Not Reviewed;

R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Exception Reports

Laboratory Name: ALS Laboratory Group	LRC Date: 10/25/2019
Project Name: Houston TX-Wood Preserving Works	Laboratory Job Number: HS19101052
Reviewer Name: Dane Wacasey	Prep Batch Number(s): 146637

ER#⁵	Description
1	Batch 146637, Semivolatiles by Method SW8270, Sample WG-1620-MW11B-20191017, surrogate recoveries could not be determined due to dilution below the calibration range.

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);
NA = Not Applicable;
NR = Not Reviewed;
R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
Work Order: HS19101052

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19101052-01	WG-1620-MW11B-20191017	Groundwater		17-Oct-2019 09:00	17-Oct-2019 12:25	<input type="checkbox"/>

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW11B-20191017
 Collection Date: 17-Oct-2019 09:00

ANALYTICAL REPORT

WorkOrder:HS19101052
 Lab ID:HS19101052-01
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D	Method:SW8270					Prep:SW3510 / 22-Oct-2019	Analyst: GEY
Naphthalene	0.60		0.0020	0.010	mg/L	100	24-Oct-2019 17:17
<i>Surr: 2-Fluorobiphenyl</i>	0	JS		40-125	%REC	100	24-Oct-2019 17:17
<i>Surr: 2-Fluorobiphenyl</i>	71.3			40-125	%REC	1	23-Oct-2019 16:25
<i>Surr: 4-Terphenyl-d14</i>	95.0			40-135	%REC	1	23-Oct-2019 16:25
<i>Surr: 4-Terphenyl-d14</i>	0	JS		40-135	%REC	100	24-Oct-2019 17:17
<i>Surr: Nitrobenzene-d5</i>	66.1			41-120	%REC	1	23-Oct-2019 16:25
<i>Surr: Nitrobenzene-d5</i>	0	JS		41-120	%REC	100	24-Oct-2019 17:17

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Weight / Prep Log

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19101052

Batch ID: 146637 **Start Date:** 22 Oct 2019 10:51 **End Date:** 22 Oct 2019 15:00
Method: SV AQ SEP FUN EXTRACT-LOWLEV - 3510C **Prep Code:** 3510_B_LOW

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS19101052-01	1	1000 (mL)	1 (mL)	0.00102

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19101052

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: 146637 (0)		Test Name : LOW-LEVEL SEMIVOLATILES BY 8270D			Matrix: Groundwater	
HS19101052-01	WG-1620-MW11B-20191017	17 Oct 2019 09:00		22 Oct 2019 10:51	24 Oct 2019 17:17	100

WorkOrder: HS19101052
 InstrumentID: SV-7
 Test Code: 8270_LOW_W
 Test Number: SW8270
 Test Name: Low-Level Semivolatiles by 8270D

**METHOD DETECTION /
 REPORTING LIMITS**

Matrix: Aqueous

Units: mg/L

Type	Analyte	CAS	DCS Spike	DCS	MDL	PQL
A	Naphthalene	91-20-3	0.000050	0.000065	0.000020	0.00010
S	2-Fluorobiphenyl	321-60-8	0	0	0	0.00020
S	4-Terphenyl-d14	1718-51-0	0	0	0	0.00020
S	Nitrobenzene-d5	4165-60-0	0	0	0	0.00020

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19101052

QC BATCH REPORT

Batch ID: 146637 (0) **Instrument:** SV-7 **Method:** LOW-LEVEL SEMIVOLATILES BY 8270D

MBLK		Sample ID: MBLK-146637		Units: ug/L		Analysis Date: 22-Oct-2019 14:49			
Client ID:		Run ID: SV-7_348852		SeqNo: 5307745		PrepDate: 22-Oct-2019		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Naphthalene	U	0.10							
Surr: 2-Fluorobiphenyl	4.612	0.20	5	0	92.2	40 - 125			
Surr: 4-Terphenyl-d14	5.134	0.20	5	0	103	40 - 135			
Surr: Nitrobenzene-d5	4.59	0.20	5	0	91.8	41 - 120			

LCS		Sample ID: LCS-146637		Units: ug/L		Analysis Date: 22-Oct-2019 15:08			
Client ID:		Run ID: SV-7_348852		SeqNo: 5307746		PrepDate: 22-Oct-2019		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Naphthalene	4.389	0.10	5	0	87.8	45 - 120			
Surr: 2-Fluorobiphenyl	4.524	0.20	5	0	90.5	40 - 125			
Surr: 4-Terphenyl-d14	5.061	0.20	5	0	101	40 - 135			
Surr: Nitrobenzene-d5	4.659	0.20	5	0	93.2	41 - 120			

LCSD		Sample ID: LCSD-146637		Units: ug/L		Analysis Date: 22-Oct-2019 15:28			
Client ID:		Run ID: SV-7_348852		SeqNo: 5307747		PrepDate: 22-Oct-2019		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Naphthalene	4.413	0.10	5	0	88.3	45 - 120	4.389	0.54	20
Surr: 2-Fluorobiphenyl	4.599	0.20	5	0	92.0	40 - 125	4.524	1.64	20
Surr: 4-Terphenyl-d14	5.366	0.20	5	0	107	40 - 135	5.061	5.85	20
Surr: Nitrobenzene-d5	4.707	0.20	5	0	94.1	41 - 120	4.659	1.02	20

The following samples were analyzed in this batch: HS19101052-01

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19101052

**QUALIFIERS,
ACRONYMS, UNITS**

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/L	Milligrams per Liter

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-141	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

Sample Receipt Checklist

Client Name: PBW
Work Order: HS19101052

Date/Time Received: 17-Oct-2019 12:25
Received by: AC

Checklist completed by: Nilesh D. Ranchod
eSignature
Date: 17-Oct-2019

Reviewed by: Dane J. Wacasey
eSignature
Date: 20-Oct-2019

Matrices: Water

Carrier name: Client

- Shipping container/cooler in good condition? Yes [checked] No [] Not Present []
Custody seals intact on shipping container/cooler? Yes [] No [] Not Present [checked]
Custody seals intact on sample bottles? Yes [] No [] Not Present [checked]
VOA/TX1005/TX1006 Solids in hermetically sealed vials? Yes [] No [] Not Present [checked]
Chain of custody present? Yes [checked] No []
Chain of custody signed when relinquished and received? Yes [checked] No []
Samplers name present on COC? Yes [checked] No []
Chain of custody agrees with sample labels? Yes [checked] No []
Samples in proper container/bottle? Yes [checked] No []
Sample containers intact? Yes [checked] No []
Sufficient sample volume for indicated test? Yes [checked] No []
All samples received within holding time? Yes [checked] No []
Container/Temp Blank temperature in compliance? Yes [checked] No []

1 Page(s)
COC IDs:207976

Temperature(s)/Thermometer(s): 0.6c UC/C IR # 25
Cooler(s)/Kit(s): 42581
Date/Time sample(s) sent to storage: 10/17/2019 19:00
Water - VOA vials have zero headspace? Yes [] No [] No VOA vials submitted [checked]
Water - pH acceptable upon receipt? Yes [] No [] N/A [checked]
pH adjusted? Yes [] No [] N/A [checked]
pH adjusted by:

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:



Cincinnati, OH
+1 513 733 5336

Everett, WA
+1 425 356 2600

Fort Collins, CO
+1 970 490 1511

Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 1 of 1

COC ID: 207976

HS19101052

wv

Golder Associates Inc.

Houston TX-Wood Preserving Works



Customer Information		Project Information		ALS Project Manager:											
Purchase Order	UPRR/Kevin Peterburs	Project Name	Houston TX-Wood Preserving Works	A	3270_LOW_W(5635942_SVOC - Naphthalene only)										
Work Order		Project Number	1620-07-Rev0 SR 92688	B											
Company Name	Golder Associates Inc.	Bill To Company	Union Pacific Railroad- A/P	C											
Send Report To	Eric Matzner	Invoice Attn	Accounts Payable	D											
Address	2201 Double Creek Drive Suite 4004	Address	1400 Douglas Street Stop 0750	E											
City/State/Zip	Round Rock, TX 78664	City/State/Zip	Omaha NE 681790750	F											
Phone	(512) 671-3434	Phone		G											
Fax	(512) 671-3446	Fax		H											
e-Mail Address	Eric_Matzner@golder.com	e-Mail Address		I											
				J											

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	WG-1620- MW11B - 201901017	10-17-19	0900	Groundwa	8	2	X										
2																	
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	

Sampler(s) Please Print & Sign JOHN BEAUPRE		Shipment Method HAND DELIVERED		Required Turnaround Time: (Check Box) <input checked="" type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 3Wk Days <input type="checkbox"/> 24 Hour				Results Due Date:	
Relinquished by: <i>[Signature]</i>		Date: 10-17-19	Time: 12:25	Received by:		Notes: UPRR Houston MWPW			
Relinquished by: <i>[Signature]</i>		Date: 10/17/19	Time: 12:25	Received by (Laboratory): AC		QC Package: (Check One Box Below)			
Logged by (Laboratory):		Date:	Time:	Checked by (Laboratory):		Cooler ID: 42881	Cooler Temp: 0.6	<input type="checkbox"/> Level II Std OC <input type="checkbox"/> Level III Std OC/Raw Data <input type="checkbox"/> Level IV SW843/CLP	
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035						CEC		<input checked="" type="checkbox"/> RFP Checklist <input type="checkbox"/> RFP Level IV	

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.

APPENDIX D

Waste Manifest



Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number TXD000820266 / 31547		2. Page 1 of		3. Emergency Response Phone 877-577-2669		4. Manifest Tracking Number 012436486 FLE			
5. Generator's Name and Mailing Address Union Pacific Railroad 504 NE 2nd Ave., ATTN: Traci Rhode Portland, OR 97232						Generator's Site Address (if different than mailing address) UP Railroad Houston Wood Preserving Works 4910 Liberty Rd Houston, TX 77026					
Generator's Phone: 414-267-4164 ATTN: Kevin Peterburs						omaha, NE 68134					
6. Transporter 1 Company Name Stencycle Specialty Waste						Ph#: State ID#:		U.S. EPA ID Number MN50000110924			
7. Transporter 2 Company Name Clean Harbors Env Svcs						Ph#: State ID#:		U.S. EPA ID Number MAD 039322250			
8. Designated Facility Name and Site Address 2027 Independence Pkwy South LaPorte, TX 77571						State ID#: 50089		U.S. EPA ID Number TXD055141378			
Facility's Phone: 781-930-2300											
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))				10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
	<input checked="" type="checkbox"/>	RQ, NA3082, Hazardous waste, liquid, n.o.s. (creosote), 9, PG III, ERG 171				001	DM	55	G	0918219H F034	
	<input checked="" type="checkbox"/>	RQ, NA3082, Hazardous waste, liquid, n.o.s. (purge water contains creosote), 9, PG III, ERG 171				002	DM	110	G	0914101H F034	
		3.									
		4.									
14. Special Handling Instructions and Additional Information 01: Recovered creosote WR # 21035 (PF:CH1269245) 55G 02: Purge water WR # 21035 (PF:CH1269232) 55G											
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.											
Generator's/Offeror's Printed/Typed Name Kevin Peterburs						Signature Kevin Peterburs			Month 9	Day 25	Year 19
INT'L	16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: Date leaving U.S.:										
	17. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name: Signature: Edwards Gullies Month: 9 Day: 25 Year: 19 Transporter 2 Printed/Typed Name: Signature: JH Month: 10 Day: 4 Year: 19										
DESIGNATED FACILITY	18. Discrepancy 18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection Manifest Reference Number: U.S. EPA ID Number:										
	18b. Alternate Facility (or Generator) Facility's Phone: U.S. EPA ID Number:										
	18c. Signature of Alternate Facility (or Generator) Month: Day: Year:										
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems) 1: H040 2: H040 3: 4:											
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a Printed/Typed Name: Signature: Terrysha Woods J Woods Month: 10 Day: 14 Year: 19											

POC Concentration vs. Time Graphs

Figure E-1
2-Methylnaphthalene Concentrations vs Time - A-TZ Unit
UPRR HWPW Facility - RCRA SWMU No. 1




Figure E-2
Dibenzofuran Concentrations vs Time - A-TZ Unit
UPRR HWPW Facility - RCRA SWMU No. 1




Figure E-3
Naphthalene Concentrations vs Time - A-TZ Unit
UPRR HWPW Facility - RCRA SWMU No. 1




Figure E-4
 Dibenzofuran Concentrations vs Time - B-TZ Unit
 UPRR HWPW Facility - RCRA SWMU No. 1






Figure E-5
 Naphthalene Concentrations vs Time - B-TZ Unit
 UPRR HWPW Facility - RCRA SWMU No. 1



Updated Compliance Schedule



Compliance Schedule UPRR Houston Wood Preserving Works Site Houston, Texas	Task		Split		Inactive Milestone		Start-only	
	Milestone		External Tasks		Inactive Summary		Finish-only	
	Summary		Project Summary		Manual Task		Progress	
	Rolled Up Task		External Milestone		Duration-only		Deadline	
	Rolled Up Milestone		Inactive Task		Manual Summary Rollup			
	Rolled Up Progress		Inactive Task		Manual Summary			

Laboratory Data QA/QC Report Checklist

**FORMER HOUSTON WOOD PRESERVING WORKS
LABORATORY DATA QA/QC REPORT CHECKLIST
ANALYTICAL REPORT HS19010337
July 16, 2019**

Facility Name: Former Houston Wood Preserving Works SWMU 1	Permit/ISW Reg No.: 50343	For TCEQ Use Only	
Laboratory Name: ALS Environmental	EPA I.D. No.:	Project Mgr:	
Reviewer Name: Michelle Hermiston			
Date: 12/12/19	Date:		
Description	Status	More in Case Narrative (Check Box)	Technically Complete
1. Were laboratory analyses performed by a laboratory accredited by TCEQ, whose accreditation included the matrix (ces), methods, and parameters associated with the data? If not was an explanation given in the Case-Narrative (e.g., laboratory exemption, accreditation for method /parameter not available from TCEQ)?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
2. Was a Case Narrative from laboratory (QC data description summary) submitted with the data set?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
3. Are the sample collection, preparation and analyses methods listed in the permit, preparation and analysis methods listed in the permit or other documents specifying criteria the ones used on the final report?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
4. Were there any modifications to the sample collection, preparation and/or analytical methodology (ies)? If so was the description included on the Case-Narrative?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
5. Were all samples prepared and analyzed within required holding times?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
6. Were samples properly preserved according to method and QAPP requirements?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>

Description	Status	More in Case Narrative (Check Box)	Technically Complete
7. Have the method detection limits (MDL) and/or practical quantitation limit (PQL) been defined in the final report? Note: NELAC uses terms limit of detection (LOD) and Limit of Quantitation respectively.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
8. Do parameters listed on final report match regulatory parameters of concern (POC) specified in permit and/or Waste Analysis Plan or other required document? Note: POC may also be referred to chemicals of concern (COCs)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
9. Are the POCs included within the analytical methods target analyte list?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
10. Were the appropriate type(s) of blanks analyzed?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	
11. Did any blank samples contain POC concentrations >5x or 10x of MDL? If so, please explain potential bias?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
12. Were method blanks taken through the entire preparation and analytical process?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
13. Did the calibration curve and continuing calibration verification meet regulatory (e.g. NELAC Standards) method specifications (No. of standards, acceptance criteria, etc.)?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
14. Do the initial calibration standards include a concentration below the regulatory limit/decision level? If not please explain? If an MDL and PQL are each used on a report then the relationship between the two must be defined for each method.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
15. Were manual peak integrations performed? If so pre and post chromatograms and method change histories may be requested?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
16. Were all results bracketed by a lower and upper range calibration standard?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
17. Was any result reported outside of the range of the calibration standards?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
18. Were all matrix spike (MS) and MS duplicate (MSD) recoveries within the data decision making goals of QC data in the RCRA/UIC QAPP and/or within the laboratories control charts? If not were data flagged with explanation in case narrative?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
19. Were all of the MS and MSD relative percent differences (RPDs) within the data decision making goals of QC data in the RCRA/UIC QAPP? If not were data flagged with explanation in case narrative?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
20. Were all laboratory control sample (LCS) recoveries at least within the MS and MSD ranges of recoveries and within laboratories control charts? If not were data flagged with explanation in Case Narrative?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>

Description	Status	More in Case Narrative (Check Box)	Technically Complete
21. Were all POCs (COCs) in the LCS?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
22. Were the MS and MSD from samples collected for this work order or other samples in the analytical batch as defined by the NELAC Standards? <i>This information is used to identify factors contributing to matrix interferences. It should not be assumed, unless it is understood by the laboratory, that samples relating to this report were the ones selected to be fortified with the POCs.</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
23. Were any of the samples diluted? If so were appropriate calculations made to the MDL and/or PQL of the final report?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>

**LABORATORY DATA REPORT QA/QC CHECKLIST
LABORATORY CASE-NARRATIVE
(To accompany laboratory checklist)**

	Facility Name: Former Houston Wood Preserving Works SWMU 1	Permit/ISW Reg No.: 50343
	Laboratory Name: ALS Environmental	EPA I.D. No.:
Method No.	Non-conformance Description	Method Modification Description
SW8270	Field Blank Sample Analysis: WG-1620-FB01-20190701 and WG-1620-FB02-20190702 yielded low level detections for bis(2-ethylhexyl)phthalate (DEHP).	Associated sample results that were either significantly greater than the equipment blank detections or were non-detect were not affected. No further action was required. The remaining associated sample results were reported with comparable concentrations to the field blank and were qualified as non-detect.
SW8270	Sample WG-1620-MW11B-20190702: surrogate recoveries could not be determined due to dilution below the calibration range.	NA

APPENDIX H

**TCEQ Notification Letter - Verified
GWPS Exceedance - POC Well
MW-11B dated September 5, 2019**



September 5, 2019

Project No. 19119232

Ms. Karen Scott

Industrial & Hazardous Waste Permits Section
Texas Commission on Environmental Quality
P.O. Box 13087, MC-130
Austin, TX 78711-3087

**SUBJECT: CORRECTIVE ACTION MONITORING: 2019 SECOND SEMI-ANNUAL EVENT – VERIFIED
GROUNDWATER PROTECTION STANDARD EXCEEDANCE – POINT OF COMPLIANCE
WELL MW-11B
HOUSTON WOOD PRESERVING WORKS, HOUSTON, TEXAS
TCEQ SWR NO. 31547; HAZARDOUS SOLID WASTE PERMIT NO. 50343**

Dear Ms. Scott:

Golder Associates Inc (Golder), on behalf of Union Pacific Railroad Company (UPRR), is providing the following notification regarding a verified exceedance of the Groundwater Protection Standard (GWPS) listed in the Compliance Plan (Table III) at the Solid Waste Management Unit (SWMU) No. 1 Point of Compliance (POC) well MW-11B at the UPRR Houston Wood Preserving Works, Houston, Texas (Texas Commission on Environmental Quality (TCEQ) Solid Waste Registration (SWR) No. 31547; Hazardous Solid Waste Permit No. 50343). The POC wells are shown on Figure 1.

The SWMU No. 1 POC wells were sampled on July 1 and 2, 2019 as part of the second semi-annual 2019 corrective action monitoring event for the unit. Naphthalene concentrations were detected at 0.70 mg/L, above the GWPS of 0.49 mg/L at POC well MW-11B completed in the B Transmissive Zone (B-TZ). As allowed under the Compliance Plan Section VI.D3, monitoring well MW-11B was resampled on July 30, 2019 for naphthalene to confirm the initial GWPS exceedance. The resampled results indicated that naphthalene concentrations were detected at 1.1 mg/L. Therefore, the initial GWPS exceedance at MW-11B for naphthalene was verified with the resampling event and the POC well is considered to be non-compliant. The laboratory reports and data usability summaries (DUSs) for the initial and resampling events are provided in Attachment 1.

Naphthalene concentrations from the semi-annual groundwater monitoring events since 1994 for monitoring well MW-11B are summarized in Table 1 and shown on Figure 2. Elevated naphthalene concentrations were routinely detected in MW-11B in the 1990s and early 2000s. Prior to July 2019, the last exceeded the GWPS for naphthalene in MW-11B was detected during the September 2002 sampling event. Since September 2002, naphthalene concentrations have ranged from less than detection limits to 0.34 mg/L. The January 2019 sampling event indicated that naphthalene concentrations in MW-11B were less than the detection limit 0.00002

mg/L (Table 1). There has not been an identifiable trend in the concentrations in this well. However, over the past 20 years, the detected concentrations tend to be higher during the summer months (i.e., July or September).

The groundwater gradient in July 2019 near MW-11B was approximately 0.017 ft/ft to the west. Using the average hydraulic conductivity value of 3.7 ft/day (1.3×10^{-3} cm/sec) for the B-TZ presented in the Revised Affected Property Assessment Report (APAR) for the Houston Wood Preserving Works (HWPW) site¹, the estimated groundwater velocity in this area is about 80 feet per year. Monitoring wells MW-10B and P-10 are located less than 100 feet north and south of MW-11B, respectively. Naphthalene concentrations in both MW-10B or P-10 were less than the GWPS in July 2019. In addition, the UPRR property boundary is approximately 150 feet west of SWMU No. 1. Monitoring well MW-22BR that is associated with the site-wide monitoring wells for the HWPW site is located approximately 180 feet west-northwest of MW-11B. The naphthalene concentration detected in MW-22BR was below the detection limit of 0.00002 ug/L during the recent sampling event in July 2019.


UPRR will continue to monitor the naphthalene concentrations in monitoring well MW-11B. The next sampling event is scheduled to be conducted in January 2020. However, UPRR proposes to collect a groundwater sample from this well in October 2019 to evaluate the naphthalene concentrations.

If you have any questions or need additional information, please feel free to call me at (512) 671-3434 or Mr. Kevin Peterburs of UPRR at (414) 267-4164.

Sincerely,

Golder Associates Inc.

Eric C. Matzner, P.G.
Principal / Practice Leader



CC: Ms. Maureen Hatfield, TCEQ Remediation Division
Waste Program Manager, TCEQ Region 12, Houston
Mr. Kevin Peterburs, UPRR – Milwaukee, WI

Attachments: Attachment 1 – Data Usability Summaries and Laboratory Reports

j:\1358 - uprr houston preserving works\6 deliverables\swmu 1 reports\semi-annual monitoring reports\2019 second semi-annual monitoring report\exceedance\houston, tx - wood preserving works - 2019 swmu 1 exceedance tceq notification.docx

¹ ERM, 2004. Revised Affected Property Assessment Report (APAR), Union Pacific Railroad Company, Houston Wood Preserving Works, Houston, Texas, June 10, 2000, revised June 10, 2004.

TABLES


Table 1
 Historical Naphthalene Concentrations at MW-11B
 Houston Wood Preserving Works

Monitoring Well ID	Collection Date	Naphthalene (mg/L)	Qualifier
GWPS		0.49	
MW-11B	9/28/1994	1.1	
MW-11B	10/13/1994	0.5	
MW-11B	1/25/1995	1.6	
MW-11B	4/13/1995	1.5	
MW-11B	7/12/1995	1	
MW-11B	7/12/1995	1.7	
MW-11B	1/23/1996	0.75	
MW-11B	9/17/1996	2.44	
MW-11B	3/26/1997	0.1	U
MW-11B	9/25/1997	0.32	
MW-11B	3/3/1998	0.01	U
MW-11B	3/17/1999	0.608	
MW-11B	9/28/1999	0.409D	
MW-11B	3/29/2000	0.079	
MW-11B	9/22/2000	1.5	
MW-11B	4/25/2001	0.47	
MW-11B	9/27/2001	0.5	
MW-11B	3/14/2002	0.22	
MW-11B	9/24/2002	0.7	
MW-11B	3/16/2004	0.01168	
MW-11B	3/1/2005	0.00006	U
MW-11B	7/19/2005	0.186	
MW-11B	1/5/2006	0.0025	
MW-11B	7/31/2006	0.1	
MW-11B	1/23/2007	0.00013	
MW-11B	7/17/2007	0.0901	
MW-11B	1/28/2008	0.0354	
MW-11B	7/16/2008	0.0772	
MW-11B	1/22/2009	0.0008	U
MW-11B	7/22/2009	0.048	
MW-11B	1/21/2010	0.0006	U
MW-11B	7/13/2010	0.0068	
MW-11B	1/11/2011	0.0006	U
MW-11B	7/12/2011	0.06	
MW-11B	1/30/2012	0.0005	U
MW-11B	7/10/2012	0.004	J
MW-11B	1/13/2013	0.00008	U
MW-11B	7/11/2013	0.00535	
MW-11B	1/8/2014	0.000382	J
MW-11B	7/2/2014	0.0135	
MW-11B	1/15/2015	0.00008	U
MW-11B	7/8/2015	0.0021	
MW-11B	1/12/2016	0.00002	U
MW-11B	7/7/2016	0.0082	
MW-11B	1/11/2017	0.00002	U
MW-11B	7/12/2017	0.0019	
MW-11B	1/3/2018	0.00002	U
MW-11B	7/18/2018	0.34	
MW-11B	1/7/2019	0.00002	U
MW-11B	7/1/2019	0.7	
MW-11B	7/30/2019	1.1	







Notes:

1. Highlighted and bolded values exceed TCEQ Tier 1 Residential PCLs (April 2018)
- U - concentration below the method detection limit
 J - estimate; concentration above the method detection limit & below the method quantitation limit

FIGURES



LEGEND

-  PROPERTY BOUNDARY
-  ROAD, PARKING LOT, SIDEWALK
-  FENCE
-  RAILROAD
-  A-TZ MONITORING WELL LOCATION
(* - COMPLIANCE WELL)
-  B-TZ MONITORING WELL LOCATION
(* - COMPLIANCE WELL)

REFERENCE(S)

BASE MAP TAKEN FROM ERM-SOUTHWEST, INC 0014419a310.DWG, 6/19/2006.

CLIENT

UNION PACIFIC RAILROAD CO.

PROJECT

HOUSTON WOOD PRESERVING WORKS

TITLE

MONITORING WELL LOCATION MAP

CONSULTANT



YYYY-MM-DD 2019-08-28

DESIGNED AJD

PREPARED AJD

REVIEWED MH

APPROVED ECM

PROJECT NO.
19119232


REV.
0

FIGURE
1

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM ANS/A

1 in

Figure 2
Naphthalene Concentrations vs Time - B-TZ Unit
UPRR HWPW Facility - RCRA SWMU No. 1



ATTACHMENT 1

**Data Usability Summaries
and Laboratory Reports**



Memorandum

July 16, 2019

To: Eric Matzner Ref. No.: 11183954-1620

From: ^{ck} Chris G. Knight/eew/313-NF Tel: 512-506-8803

cc: Jesse Orth, Jon Lang; Julie Lidstone

**Subject: Data Usability Summary
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
July 2019**

1. Scope of Data Usability Study

This document details a Data Usability Summary (DUS) of analytical results for groundwater samples collected in support of the Semiannual Groundwater Monitoring Event at the Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works site during July 2019. Samples were submitted to ALS Environmental (ALS), located in Houston, Texas and are reported in data package HS19070159. The intended use of the data is to support the Semiannual Groundwater Monitoring Event at the site by providing current concentration of chemicals of concern.

Data were reviewed and validated by Chris G. Knight of GHD, in accordance with Title 30 of the Texas Administrative Code Section 350.54 (30 TAC 350.54) as described in the Texas Commission on Environmental Quality (TCEQ) Regulatory Guidance document entitled "Review and Reporting of COC Concentration Data under TRRP", (RG-366/TRRP-13), revised May 2010, herein referred to as "TRRP-13 Guidance". Evaluation of the data was based on information obtained from the chain of custody forms, the finished report forms, method blank data, recovery data from surrogate spikes/laboratory control samples (LCS)/matrix spikes (MS), field quality assurance/quality control (QA/QC) samples, the laboratory review checklists (LRC), and the laboratory exception report (ER).

A sample collection and analysis summary is presented in Table 1. This summary provides a cross-reference of field sample identification numbers and location identification. Each sample is assigned a unique field identification number.

The validated sample results are presented in Table 2. A summary of the analytical methodology is presented in Table 3.



2. Laboratory Qualifications

The Laboratory's quality assurance program is consistent with the quality standards outlined in the National Environmental Laboratory Accreditation Program (NELAP). This laboratory was accredited under Texas Certification number # TX104704231 at the time the analysis was performed and the certificate is included in Attachment A.

3. Project Objectives

3.1 Sampling/Analytical QA/QC Objectives

The QA/QC program was designed to identify contamination resulting from the sampling, sample transport and analytical process through the analysis of field blank samples, field duplicate sample sets, and method blanks. The QA/QC program was designed to evaluate the quality of the resulting data with respect to bias and precision through analysis of LCS and MS analyses.

4. Data Review/Validation Results

4.1 Sample Holding Time and Preservation

Samples were shipped with a chain of custody and the paper work was filled out properly with the following exception:

- i) The sample time for WG-1620-FD02-20190701 listed on the sample label did not match the sample time listed on the chain of custody. The sample time listed on the chain of custody was used for log in. No further action was required.

All samples were properly preserved, delivered on ice, and stored by the laboratory at the required temperature (0-6°C).

The sample chain of custody documents and the analytical report were used to determine sample holding times. All samples were prepared and analyzed within the required holding times.

4.2 Sample Containers

Sample containers used were certified pre-cleaned glass containers provided by the laboratory. These containers meet or exceed analyte specifications established in the United States Environmental Protection Agency (USEPA) *Specifications and Guidance for Contaminant-free Sample Containers*.

4.3 Calibrations

According to the LRC, initial calibration and continuing calibration data met the criteria for the selected method.



4.4 Laboratory Method Blank Analyses

Method blanks are prepared from a purified matrix and analyzed with investigative samples to determine the existence and magnitude of sample contamination introduced during the analytical procedures. As these were not discrete samples handled in the field, these blanks are not listed on the sample identification cross-reference list found in the data package.

For this study, laboratory method blanks were analyzed at a minimum frequency of one per twenty investigative samples and/or one per analytical batch and results are reported in the laboratory data package.

The method blank result was non-detect or below the method quantitation limit (MQL), indicating that laboratory contamination was not a factor for this investigation.

4.5 Internal Standard and Surrogate Spike Recoveries

Recoveries of internal standards are addressed in the LRC of the data package. All internal standard recoveries associated with the compounds of interest were acceptable per the LRC.

In accordance with the methods employed, all samples, blanks, and QC samples analyzed for semi-volatile organic compounds (SVOCs) are spiked with surrogate compounds prior to sample analysis. Surrogate recoveries provide a means to evaluate the effects of laboratory performance on individual sample matrices. The recovery ranges established by the laboratory are adopted as the acceptance criteria for the project. Each individual surrogate compound is expected to meet the laboratory control limits. According to the TRRP-13 Guidelines, one outlying surrogate is acceptable for methods with multiple surrogate spike compounds as long as the recovery is at least ten percent. Sample analyzed at elevated sample dilutions (greater than five times) were not assessed.

Surrogate recoveries were assessed against laboratory control limits and/or the guidance in TRRP-13. All surrogate recoveries met the above criteria.

4.6 Laboratory Control Sample Analysis

LCS/LCSD are prepared and analyzed as samples to assess the analytical efficiencies of the methods employed, independent of sample matrix effects. The relative percent difference (RPD) of the LCS/LCSD recoveries is used to evaluate analytical precision. The recovery ranges established by the laboratory are adopted as the acceptance criteria for the project.

For this study, LCS/LCSD were analyzed at a minimum frequency of one per twenty investigative samples and/or one per analytical batch.

The LCS/LCSD contained all compounds specified in the method. All LCS recoveries and RPDs were within the laboratory control limits, demonstrating acceptable analytical accuracy and precision.

4.7 Matrix Spike/Matrix Spike Duplicate Analysis

To evaluate the effects of sample matrices on the preparation process, measurement procedures, and accuracy of a particular analysis, samples are spiked with known concentrations of the analytes of interest



and analyzed as MS/MSD samples. The RPD between the MS and MSD is used to assess analytical precision.

The MS/MSD analysis was performed as specified in Table 1. The recovery ranges established by the laboratory is adopted as the acceptance criteria for the project.

The MS/MSD samples were spiked with all compounds specified in the method. All percent recoveries and the RPD value were within the laboratory control limits, demonstrating acceptable analytical accuracy and precision.

4.8 Field QA/QC Samples

The field QA/QC consisted of two field blank samples and two field duplicate sample sets.

Field Blank Sample Analysis

To assess ambient conditions at the site, two field blank samples were submitted for analysis, as identified in Table 1. All results were non-detect for the compounds of interest with the following exceptions (see Table 4):

- i) WQ-1620-FB01-20190701 and WQ-1620-FB02-20190702 both yielded low level detected results for bis(2-ethylhexyl)phthalate (DEHP). Associated sample results that were significantly greater than the concentrations found in the field blanks or were non-detect were not impacted. No further action was required. Associated sample results with comparable concentrations were qualified as non-detect.

Field Duplicate Sample Analysis

To assess the analytical and sampling protocol precision, two field duplicate sample sets were collected and submitted "blind" to the laboratory, as specified in Table 1. The RPDs associated with these duplicate samples must be less than thirty percent for water samples. The RPDs are only used when sample concentrations are above the estimated regions of detection.

Field duplicate summary data are presented in Table 2. All field duplicate results were within acceptable agreement, demonstrating acceptable sampling and analytical precision.

4.9 Field Procedures

Golder Associates, Inc. collected groundwater samples in accordance with their Standard Operating Procedures (SOP) for sample collection.

4.10 Analyte Reporting

The laboratory reported detected results for each analyte down to the sample detection limit (SDL), which is defined as the method detection limit (MDL) with sample-specific adjustments for dilutions, aliquot size, volumes, etc. Positive analyte detections less than the MQL but greater than the SDL were qualified as estimated (J) in Table 2 unless qualified otherwise in this memorandum.

The detectability check standard (DCS) results supported the laboratory MDL.



5. Conclusion

Based on the assessment detailed in the foregoing, the data summarized in Table 2 are usable for the purpose of supporting the Semiannual Groundwater Monitoring Event at the site by providing current concentration of chemicals of concern with the specific qualifications noted herein.

Table 1

Sample Collection and Analysis Summary
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
July 2019

Sample Identification	Location	Matrix	Collection Date (mm/dd/yyyy)	Collection Time (hr:min)	<u>Analysis/Parameters</u>	
					SVOCs	Comments
WG-1620-P12-20190701	P-12	Water	07/01/2019	14:15	X	MS/MSD
WG-1620-MW08-20190701	MW-08	Water	07/01/2019	15:10	X	
WG-1620-P10-20190701	P-10	Water	07/01/2019	16:00	X	
WG-1620-MW07-20190701	MW-07	Water	07/01/2019	16:55	X	
WG-1620-FD02-20190701	MW-07	Water	07/01/2019	16:55	X	Field duplicate of MW-07
WG-1620-FB01-20190701	-	Water	07/01/2019	17:15	X	Field Blank
WG-1620-MW11A-20190702	MW-11A	Water	07/02/2019	07:45	X	
WG-1620-MW11B-20190702	MW-11B	Water	07/02/2019	08:35	X	
WG-1620-MW10A-20190702	MW-10A	Water	07/02/2019	09:25	X	
WG-1620-MW10B-20190702	MW-10B	Water	07/02/2019	10:20	X	
WG-1620-MW02-20190702	MW-02	Water	07/02/2019	11:15	X	
WG-1620-MW01A-20190702	MW-01A	Water	07/02/2019	12:10	X	
WG-1620-FD01-20190702	MW-01A	Water	07/02/2019	12:10	X	Field duplicate of MW-01A
WG-1620-FB02-20190702	-	Water	07/02/2019	12:30	X	Field Blank

Notes:

- SVOCs - Semi-volatile Organic Compounds
MS/MSD - Matrix Spike/Matrix Spike Duplicate

Table 2
Analytical Results Summary
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
July 2019

Location ID:	MW-01A	MW-01A	MW-02	MW-07	
Sample Name:	WG-1620-MW01A-20190702	WG-1620-FD01-20190702	WG-1620-MW02-20190702	WG-1620-MW07-20190701	
Sample Date:	07/02/2019	07/02/2019 Duplicate	07/02/2019	07/01/2019	
Parameters	Unit				
Semi-volatile Organic Compounds					
2-Methylnaphthalene	mg/L	0.00074	0.00069	0.00011	<0.000019
Acenaphthene	mg/L	0.063	0.053	0.0019	<0.000027
Acenaphthylene	mg/L	0.00071	0.00071	<0.000015	<0.000015
Anthracene	mg/L	0.00097	0.00096	0.000064 J	0.00014
bis(2-Ethylhexyl)phthalate (DEHP)	mg/L	<0.000037	<0.000079	<0.00015	<0.000037
Di-n-butylphthalate (DBP)	mg/L	--	--	--	--
Dibenzofuran	mg/L	0.0058	0.0054	0.00041	<0.000020
Fluoranthene	mg/L	0.0013	0.0012	0.000071 J	<0.000010
Fluorene	mg/L	0.019	0.016	0.00097	<0.000030
Naphthalene	mg/L	0.00034	0.00034	0.00011	<0.000020
Phenanthrene	mg/L	0.00076	0.00067	0.000054 J	<0.000021
Phenol	mg/L	--	--	--	--
Pyrene	mg/L	0.00059	0.00055	0.000037 J	<0.000019

Table 2
Analytical Results Summary
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
July 2019

Location ID:	MW-07	MW-08	MW-10A	MW-10B	
Sample Name:	WG-1620-FD02-20190701	WG-1620-MW08-20190701	WG-1620-MW10A-20190702	WG-1620-MW10B-20190702	
Sample Date:	07/01/2019 Duplicate	07/01/2019	07/02/2019	07/02/2019	
Parameters	Unit				
Semi-volatile Organic Compounds					
2-Methylnaphthalene	mg/L	0.000023 J	<0.000019	<0.000019	--
Acenaphthene	mg/L	<0.000027	<0.000027	<0.000027	0.042
Acenaphthylene	mg/L	<0.000015	<0.000015	<0.000015	0.00031
Anthracene	mg/L	0.00029	<0.000014	<0.000014	0.0012
bis(2-Ethylhexyl)phthalate (DEHP)	mg/L	<0.000037	<0.000037	<0.000037	<0.000037
Di-n-butylphthalate (DBP)	mg/L	--	--	--	<0.000020
Dibenzofuran	mg/L	<0.000020	<0.000020	<0.000020	0.013
Fluoranthene	mg/L	<0.000010	<0.000010	<0.000010	0.0012
Fluorene	mg/L	<0.000030	<0.000030	<0.000030	0.018
Naphthalene	mg/L	0.00025	<0.000020	0.000043 J	0.00023
Phenanthrene	mg/L	<0.000021	<0.000021	<0.000021	--
Phenol	mg/L	--	--	--	<0.000035
Pyrene	mg/L	<0.000019	<0.000019	<0.000019	0.00049

Table 2
Analytical Results Summary
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
July 2019

Location ID:	MW-11A	MW-11B	P-10	P-12
Sample Name:	WG-1620-MW11A-20190702	WG-1620-MW11B-20190702	WG-1620-P10-20190701	WG-1620-P12-20190701
Sample Date:	07/02/2019	07/02/2019	07/01/2019	07/01/2019
Parameters	Unit			
Semi-volatile Organic Compounds				
2-Methylnaphthalene	mg/L	<0.000019	--	--
Acenaphthene	mg/L	0.00025	0.13	0.0028
Acenaphthylene	mg/L	<0.000015	0.0013	<0.000015
Anthracene	mg/L	0.000097 J	0.0045	0.000065 J
bis(2-Ethylhexyl)phthalate (DEHP)	mg/L	<0.000070	<0.00026	0.00029
Di-n-butylphthalate (DBP)	mg/L	--	<0.000020	<0.000020
Dibenzofuran	mg/L	<0.000020	0.051	<0.000020
Fluoranthene	mg/L	0.000018 J	0.0050	<0.000010
Fluorene	mg/L	<0.000030	0.061	<0.000030
Naphthalene	mg/L	0.000041 J	0.70	0.000063 J
Phenanthrene	mg/L	<0.000021	--	--
Phenol	mg/L	--	<0.000035	<0.000035
Pyrene	mg/L	0.000031 J	0.0027	<0.000019

Notes:
 < - Not detected at the associated reporting limit
 J - Estimated concentration
 "--" Not Applicable

Table 3

Analytical Methods
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
July 2019

Parameter	Method	Matrix	Holding Time	Holding Time
			Collection to Extraction (Days)	Extraction to Analysis (Days)
SVOCs	SW-846 8270D	Water	7	40

Notes:

SVOCs - Semi-volatile Organic Compounds

Method References:

SW-846 - "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", SW-846, Third Edition, 1986, with subsequent revisions

Table 4

**Qualified Sample Data Due to Analyte Concentrations in the Field Blanks
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
July 2019**

Parameter	Field Blank ID	Blank Date (dd/mm/yyyy)	Analyte	Blank Result	Associated Sample ID	Original Result	Qualified Result	Units
SVOCs	WG-1620-FB02-20190702	07/02/2019	bis(2- Ethylhexyl)phthalate (DEHP)	0.000068 J	WG-1620-FD01-20190702	0.000079 J	<0.000079	mg/L
					WG-1620-MW02-20190702	0.00015 J	<0.00015	mg/L
					WG-1620-MW11A-20190702	0.000070 J	<0.000070	mg/L
					WG-1620-MW11B-20190702	0.00026 J	<0.00026	mg/L

Notes:

SVOCs - Semi-volatile Organic Compounds

< - Not detected at the associated reporting limit

J - Estimated concentration

Attachment A

Laboratory NELAP Certificate



Texas Commission on Environmental Quality

NELAP - Recognized Laboratory Fields of Accreditation



ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Method EPA 1613

Analyte	AB	Analyte ID	Method ID
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10120408

Method EPA 200.8

Analyte	AB	Analyte ID	Method ID
Copper	TX	1055	10014605
Lead	TX	1075	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	AB	Analyte ID	Method ID
Method EPA 1010			
Analyte Ignitability	TX	1780	10116606
Method EPA 120.1			
Analyte Conductivity	TX	1610	10006403
Method EPA 1311			
Analyte TCLP	TX	849	10118806
Method EPA 1312			
Analyte SPLP	TX	850	10119003
Method EPA 160.4			
Analyte Residue-volatile	TX	1970	10010409
Method EPA 1613			
Analyte 1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10120408
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10120408
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10120408
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10120408
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10120408
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10120408
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10120408
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10120408
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,6,7,8-HxCDD)	TX	9456	10120408
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10120408
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10120408
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10120408
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10120408
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10120408



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10120408
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10120408
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10120408
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10120408
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10120408
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10120408
Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10120408
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10120408
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10120408
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10120408
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10120408
Method EPA 1664			
Analyte	AB	Analyte ID	Method ID
n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10127807
Method EPA 180.1			
Analyte	AB	Analyte ID	Method ID
Turbidity	TX	2055	10011606
Method EPA 200.8			
Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10014605
Antimony	TX	1005	10014605
Arsenic	TX	1010	10014605
Barium	TX	1015	10014605
Beryllium	TX	1020	10014605
Boron	TX	1025	10014605
Cadmium	TX	1030	10014605
Calcium	TX	1035	10014605
Chromium	TX	1040	10014605
Cobalt	TX	1050	10014605
Copper	TX	1055	10014605
Iron	TX	1070	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Lead	TX	1075	10014605
Magnesium	TX	1085	10014605
Manganese	TX	1090	10014605
Molybdenum	TX	1100	10014605
Nickel	TX	1105	10014605
Potassium	TX	1125	10014605
Selenium	TX	1140	10014605
Silver	TX	1150	10014605
Sodium	TX	1155	10014605
Strontium	TX	1160	10014605
Thallium	TX	1165	10014605
Tin	TX	1175	10014605
Titanium	TX	1180	10014605
Uranium	TX	3035	10014605
Vanadium	TX	1185	10014605
Zinc	TX	1190	10014605

Method EPA 245.1

Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10036609

Method EPA 300.0

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10053200
Chloride	TX	1575	10053200
Fluoride	TX	1730	10053200
Nitrate as N	TX	1810	10053200
Nitrate-nitrite	TX	1820	10053200
Nitrite as N	TX	1840	10053200
Orthophosphate as P	TX	1870	10053200
Sulfate	TX	2000	10053200

Method EPA 325.1

Analyte	AB	Analyte ID	Method ID
---------	----	------------	-----------



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Chloride	TX	1575	10056801
Method EPA 335.1			
Analyte Amenable cyanide	AB TX	Analyte ID 1510	Method ID 10060001
Method EPA 335.2			
Analyte Total cyanide	AB TX	Analyte ID 1645	Method ID 10278203
Method EPA 335.4			
Analyte Total cyanide	AB TX	Analyte ID 1645	Method ID 10061402
Method EPA 350.3			
Analyte Ammonia as N	AB TX	Analyte ID 1515	Method ID 10064401
Method EPA 365.3			
Analyte Orthophosphate as P Phosphorus	AB TX TX	Analyte ID 1870 1910	Method ID 10070801 10070801
Method EPA 375.4			
Analyte Sulfate	AB TX	Analyte ID 2000	Method ID 10073800
Method EPA 376.1			
Analyte Sulfide	AB TX	Analyte ID 2005	Method ID 10074201
Method EPA 410.4			
Analyte Chemical oxygen demand (COD)	AB TX	Analyte ID 1565	Method ID 10077404
Method EPA 415.1			
Analyte Total Organic Carbon (TOC)	AB TX	Analyte ID 2040	Method ID 10078407
Method EPA 420.1			
Analyte Total phenolics	AB TX	Analyte ID 1905	Method ID 10079400



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 420.4

Analyte	AB	Analyte ID	Method ID
Total phenolics	TX	1905	10080203

Method EPA 6020

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10156419
Antimony	TX	1005	10156419
Arsenic	TX	1010	10156419
Barium	TX	1015	10156419
Beryllium	TX	1020	10156419
Boron	TX	1025	10156419
Cadmium	TX	1030	10156419
Calcium	TX	1035	10156419
Chromium	TX	1040	10156419
Cobalt	TX	1050	10156419
Copper	TX	1055	10156419
Iron	TX	1070	10156419
Lead	TX	1075	10156419
Lithium	TX	1080	10156419
Magnesium	TX	1085	10156419
Manganese	TX	1090	10156419
Molybdenum	TX	1100	10156419
Nickel	TX	1105	10156419
Potassium	TX	1125	10156419
Selenium	TX	1140	10156419
Silver	TX	1150	10156419
Sodium	TX	1155	10156419
Strontium	TX	1160	10156419
Thallium	TX	1165	10156419
Tin	TX	1175	10156419
Titanium	TX	1180	10156419



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Vanadium	TX	1185	10156419
Zinc	TX	1190	10156419
Method EPA 608			
Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10103603
4,4'-DDE	TX	7360	10103603
4,4'-DDT	TX	7365	10103603
Aldrin	TX	7025	10103603
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10103603
alpha-Chlordane	TX	7240	10103603
Aroclor-1016 (PCB-1016)	TX	8880	10103603
Aroclor-1221 (PCB-1221)	TX	8885	10103603
Aroclor-1232 (PCB-1232)	TX	8890	10103603
Aroclor-1242 (PCB-1242)	TX	8895	10103603
Aroclor-1248 (PCB-1248)	TX	8900	10103603
Aroclor-1254 (PCB-1254)	TX	8905	10103603
Aroclor-1260 (PCB-1260)	TX	8910	10103603
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10103603
Chlordane (tech.)	TX	7250	10103603
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10103603
Dieldrin	TX	7470	10103603
Endosulfan I	TX	7510	10103603
Endosulfan II	TX	7515	10103603
Endosulfan sulfate	TX	7520	10103603
Endrin	TX	7540	10103603
Endrin aldehyde	TX	7530	10103603
Endrin ketone	TX	7535	10103603
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10103603
gamma-Chlordane	TX	7245	10103603
Heptachlor	TX	7685	10103603



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Heptachlor epoxide	TX	7690	10103603
Methoxychlor	TX	7810	10103603
Toxaphene (Chlorinated camphene)	TX	8250	10103603

Method EPA 624

Analyte	AB	Analyte ID	Method ID
1,1,1-Trichloroethane	TX	5160	10107207
1,1,2,2-Tetrachloroethane	TX	5110	10107207
1,1,2-Trichloroethane	TX	5165	10107207
1,1-Dichloroethane	TX	4630	10107207
1,1-Dichloroethylene	TX	4640	10107207
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10107207
1,2-Dichlorobenzene	TX	4610	10107207
1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10107207
1,2-Dichloropropane	TX	4655	10107207
1,3-Dichlorobenzene	TX	4615	10107207
1,4-Dichlorobenzene	TX	4620	10107207
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10107207
2-Chloroethyl vinyl ether	TX	4500	10107207
Acetone (2-Propanone)	TX	4315	10107207
Acrolein (Propenal)	TX	4325	10107207
Acrylonitrile	TX	4340	10107207
Benzene	TX	4375	10107207
Bromodichloromethane	TX	4395	10107207
Bromoform	TX	4400	10107207
Carbon tetrachloride	TX	4455	10107207
Chlorobenzene	TX	4475	10107207
Chlorodibromomethane	TX	4575	10107207
Chloroethane (Ethyl chloride)	TX	4485	10107207
Chloroform	TX	4505	10107207
cis-1,2-Dichloroethylene	TX	4645	10107207



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

cis-1,3-Dichloropropene	TX	4680	10107207
Ethylbenzene	TX	4765	10107207
m+p-xylene	TX	5240	10107207
Methyl bromide (Bromomethane)	TX	4950	10107207
Methyl chloride (Chloromethane)	TX	4960	10107207
Methyl tert-butyl ether (MTBE)	TX	5000	10107207
Methylene chloride (Dichloromethane)	TX	4975	10107207
Naphthalene	TX	5005	10107207
o-Xylene	TX	5250	10107207
Tetrachloroethylene (Perchloroethylene)	TX	5115	10107207
Toluene	TX	5140	10107207
trans-1,2-Dichloroethylene	TX	4700	10107207
trans-1,3-Dichloropropylene	TX	4685	10107207
Trichloroethene (Trichloroethylene)	TX	5170	10107207
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10107207
Vinyl chloride	TX	5235	10107207
Xylene (total)	TX	5260	10107207

Method EPA 625

Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10107401
1,2,4-Trichlorobenzene	TX	5155	10107401
1,2-Dichlorobenzene	TX	4610	10107401
1,2-Diphenylhydrazine	TX	6220	10107401
1,3-Dichlorobenzene	TX	4615	10107401
1,4-Dichlorobenzene	TX	4620	10107401
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10107401
2,4,5-Trichlorophenol	TX	6835	10107401
2,4,6-Trichlorophenol	TX	6840	10107401
2,4-Dichlorophenol	TX	6000	10107401
2,4-Dimethylphenol	TX	6130	10107401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2,4-Dinitrophenol	TX	6175	10107401
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10107401
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10107401
2-Chloronaphthalene	TX	5795	10107401
2-Chlorophenol	TX	5800	10107401
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10107401
2-Methylphenol (o-Cresol)	TX	6400	10107401
2-Nitrophenol	TX	6490	10107401
3,3'-Dichlorobenzidine	TX	5945	10107401
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10107401
4-Chloro-3-methylphenol	TX	5700	10107401
4-Chlorophenyl phenylether	TX	5825	10107401
4-Methylphenol (p-Cresol)	TX	6410	10107401
4-Nitrophenol	TX	6500	10107401
Acenaphthene	TX	5500	10107401
Acenaphthylene	TX	5505	10107401
Anthracene	TX	5555	10107401
Benzidine	TX	5595	10107401
Benzo(a)anthracene	TX	5575	10107401
Benzo(a)pyrene	TX	5580	10107401
Benzo(b)fluoranthene	TX	5585	10107401
Benzo(g,h,i)perylene	TX	5590	10107401
Benzo(k)fluoranthene	TX	5600	10107401
bis(2-Chloroethoxy)methane	TX	5760	10107401
bis(2-Chloroethyl) ether	TX	5765	10107401
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10107401
Butyl benzyl phthalate	TX	5670	10107401
Chrysene	TX	5855	10107401
Dibenz(a,h) anthracene	TX	5895	10107401
Diethyl phthalate	TX	6070	10107401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Dimethyl phthalate	TX	6135	10107401
Di-n-butyl phthalate	TX	5925	10107401
Di-n-octyl phthalate	TX	6200	10107401
Fluoranthene	TX	6265	10107401
Fluorene	TX	6270	10107401
Hexachlorobenzene	TX	6275	10107401
Hexachlorobutadiene	TX	4835	10107401
Hexachlorocyclopentadiene	TX	6285	10107401
Hexachloroethane	TX	4840	10107401
Indeno(1,2,3-cd) pyrene	TX	6315	10107401
Isophorone	TX	6320	10107401
Naphthalene	TX	5005	10107401
Nitrobenzene	TX	5015	10107401
n-Nitrosodiethylamine	TX	6525	10107401
n-Nitrosodimethylamine	TX	6530	10107401
n-Nitrosodi-n-butylamine	TX	5025	10107401
n-Nitrosodi-n-propylamine	TX	6545	10107401
n-Nitrosodiphenylamine	TX	6535	10107401
Pentachlorobenzene	TX	6590	10107401
Pentachlorophenol	TX	6605	10107401
Phenanthrene	TX	6615	10107401
Phenol	TX	6625	10107401
Pyrene	TX	6665	10107401
Pyridine	TX	5095	10107401
Method EPA 7196			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	10162206
Method EPA 7470			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10165603



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 8011

Analyte	AB	Analyte ID	Method ID
1,2,3-Trichloropropane	TX	5180	10173009
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10173009
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10173009

Method EPA 8015

Analyte	AB	Analyte ID	Method ID
Diesel range organics (DRO)	TX	9369	10173203
Ethanol	TX	4750	10173203
Ethylene glycol	TX	4785	10173203
Gasoline range organics (GRO)	TX	9408	10173203
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10173203
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10173203
Methanol	TX	4930	10173203
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10173203
n-Propanol (1-Propanol)	TX	5055	10173203
Propylene Glycol	TX	6657	10173203
tert-Butyl alcohol	TX	4420	10173203

Method EPA 8021

Analyte	AB	Analyte ID	Method ID
Benzene	TX	4375	10174400
Ethylbenzene	TX	4765	10174400
m+p-xylene	TX	5240	10174400
Methyl tert-butyl ether (MTBE)	TX	5000	10174400
o-Xylene	TX	5250	10174400
Toluene	TX	5140	10174400
Xylene (total)	TX	5260	10174400

Method EPA 8081

Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10178402
4,4'-DDE	TX	7360	10178402



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

4,4'-DDT	TX	7365	10178402
Aldrin	TX	7025	10178402
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10178402
alpha-Chlordane	TX	7240	10178402
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10178402
Chlordane (tech.)	TX	7250	10178402
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10178402
Dieldrin	TX	7470	10178402
Endosulfan I	TX	7510	10178402
Endosulfan II	TX	7515	10178402
Endosulfan sulfate	TX	7520	10178402
Endrin	TX	7540	10178402
Endrin aldehyde	TX	7530	10178402
Endrin ketone	TX	7535	10178402
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10178402
gamma-Chlordane	TX	7245	10178402
Heptachlor	TX	7685	10178402
Heptachlor epoxide	TX	7690	10178402
Hexachlorobenzene	TX	6275	10178402
Methoxychlor	TX	7810	10178402
Mirex	TX	7870	10178402
Toxaphene (Chlorinated camphene)	TX	8250	10178402

Method EPA 8082

Analyte	AB	Analyte ID	Method ID
Aroclor-1016 (PCB-1016)	TX	8880	10179201
Aroclor-1221 (PCB-1221)	TX	8885	10179201
Aroclor-1232 (PCB-1232)	TX	8890	10179201
Aroclor-1242 (PCB-1242)	TX	8895	10179201
Aroclor-1248 (PCB-1248)	TX	8900	10179201
Aroclor-1254 (PCB-1254)	TX	8905	10179201



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Aroclor-1260 (PCB-1260)	TX	8910	10179201
PCBs (total)	TX	8870	10179201

Method EPA 8151

Analyte	AB	Analyte ID	Method ID
2,4,5-T	TX	8655	10183003
2,4-D	TX	8545	10183003
2,4-DB	TX	8560	10183003
Dalapon	TX	8555	10183003
Dicamba	TX	8595	10183003
Dichloroprop (Dichloroprop, Weedone)	TX	8605	10183003
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10183003
MCPA	TX	7775	10183003
MCPP	TX	7780	10183003
Silvex (2,4,5-TP)	TX	8650	10183003

Method EPA 8260

Analyte	AB	Analyte ID	Method ID
1,1,1,2-Tetrachloroethane	TX	5105	10184404
1,1,1-Trichloroethane	TX	5160	10184404
1,1,2,2-Tetrachloroethane	TX	5110	10184404
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	TX	5195	10184404
1,1,2-Trichloroethane	TX	5165	10184404
1,1-Dichloroethane	TX	4630	10184404
1,1-Dichloroethylene	TX	4640	10184404
1,1-Dichloropropene	TX	4670	10184404
1,2,3-Trichlorobenzene	TX	5150	10184404
1,2,3-Trichloropropane	TX	5180	10184404
1,2,4-Trichlorobenzene	TX	5155	10184404
1,2,4-Trimethylbenzene	TX	5210	10184404
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10184404
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10184404
1,2-Dichlorobenzene	TX	4610	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10184404
1,2-Dichloropropane	TX	4655	10184404
1,3,5-Trimethylbenzene	TX	5215	10184404
1,3-Dichlorobenzene	TX	4615	10184404
1,3-Dichloropropane	TX	4660	10184404
1,4-Dichlorobenzene	TX	4620	10184404
1,4-Dioxane (1,4-Diethyleneoxide)	TX	4735	10184404
1-Chlorohexane	TX	4510	10184404
1-Propanol	TX	5060	10184404
2,2-Dichloropropane	TX	4665	10184404
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10184404
2-Chloroethyl vinyl ether	TX	4500	10184404
2-Chlorotoluene	TX	4535	10184404
2-Hexanone (MBK)	TX	4860	10184404
2-Pentanone	TX	5045	10184404
4-Chlorotoluene	TX	4540	10184404
4-Isopropyltoluene (p-Cymene)	TX	4915	10184404
4-Methyl-2-pentanone (MIBK)	TX	4995	10184404
Acetone (2-Propanone)	TX	4315	10184404
Acetonitrile	TX	4320	10184404
Acrolein (Propenal)	TX	4325	10184404
Acrylonitrile	TX	4340	10184404
Allyl alcohol	TX	4350	10184404
Allyl chloride (3-Chloropropene)	TX	4355	10184404
Benzene	TX	4375	10184404
Benzyl chloride	TX	5635	10184404
Bromobenzene	TX	4385	10184404
Bromochloromethane	TX	4390	10184404
Bromodichloromethane	TX	4395	10184404
Bromoform	TX	4400	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Carbon disulfide	TX	4450	10184404
Carbon tetrachloride	TX	4455	10184404
Chlorobenzene	TX	4475	10184404
Chlorodibromomethane	TX	4575	10184404
Chloroethane (Ethyl chloride)	TX	4485	10184404
Chloroform	TX	4505	10184404
Chloroprene (2-Chloro-1,3-butadiene)	TX	4525	10184404
cis-1,2-Dichloroethylene	TX	4645	10184404
cis-1,3-Dichloropropene	TX	4680	10184404
Dibromofluoromethane	TX	4590	10184404
Dibromomethane (Methylene bromide)	TX	4595	10184404
Dichlorodifluoromethane (Freon-12)	TX	4625	10184404
Diethyl ether	TX	4725	10184404
Di-isopropylether (DIPE)	TX	9375	10184404
Epichlorohydrin (1-Chloro-2,3-epoxypropane)	TX	4745	10184404
Ethanol	TX	4750	10184404
Ethyl acetate	TX	4755	10184404
Ethyl methacrylate	TX	4810	10184404
Ethylbenzene	TX	4765	10184404
Ethylene oxide	TX	4795	10184404
Ethyl-t-butylether (ETBE) (2-Ethoxy-2-methylpropane)	TX	4770	10184404
Hexachlorobutadiene	TX	4835	10184404
Iodomethane (Methyl iodide)	TX	4870	10184404
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10184404
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10184404
Isopropylbenzene (Cumene)	TX	4900	10184404
m+p-xylene	TX	5240	10184404
Methacrylonitrile	TX	4925	10184404
Methyl acetate	TX	4940	10184404
Methyl acrylate	TX	4945	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Methyl bromide (Bromomethane)	TX	4950	10184404
Methyl chloride (Chloromethane)	TX	4960	10184404
Methyl methacrylate	TX	4990	10184404
Methyl tert-butyl ether (MTBE)	TX	5000	10184404
Methylcyclohexane	TX	4965	10184404
Methylene chloride (Dichloromethane)	TX	4975	10184404
Naphthalene	TX	5005	10184404
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10184404
n-Butylbenzene	TX	4435	10184404
n-Propylbenzene	TX	5090	10184404
o-Xylene	TX	5250	10184404
Pentachloroethane	TX	5035	10184404
Propionitrile (Ethyl cyanide)	TX	5080	10184404
Pyridine	TX	5095	10184404
sec-Butylbenzene	TX	4440	10184404
Styrene	TX	5100	10184404
T-amylmethylether (TAME)	TX	4370	10184404
tert-Butyl alcohol	TX	4420	10184404
tert-Butylbenzene	TX	4445	10184404
Tetrachloroethylene (Perchloroethylene)	TX	5115	10184404
Toluene	TX	5140	10184404
trans-1,2-Dichloroethylene	TX	4700	10184404
trans-1,3-Dichloropropylene	TX	4685	10184404
trans-1,4-Dichloro-2-butene	TX	4605	10184404
Trichloroethene (Trichloroethylene)	TX	5170	10184404
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10184404
Vinyl acetate	TX	5225	10184404
Vinyl chloride	TX	5235	10184404
Xylene (total)	TX	5260	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 8270

Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10185203
1,2,4-Trichlorobenzene	TX	5155	10185203
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10185203
1,2-Dichlorobenzene	TX	4610	10185203
1,2-Dinitrobenzene	TX	6155	10185203
1,2-Diphenylhydrazine	TX	6220	10185203
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10185203
1,3-Dichlorobenzene	TX	4615	10185203
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10185203
1,4-Dichlorobenzene	TX	4620	10185203
1,4-Dinitrobenzene	TX	6165	10185203
1,4-Naphthoquinone	TX	6420	10185203
1,4-Phenylenediamine	TX	6630	10185203
1-Chloronaphthalene	TX	5790	10185203
1-Naphthylamine	TX	6425	10185203
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10185203
2,3,4,6-Tetrachlorophenol	TX	6735	10185203
2,4,5-Trichlorophenol	TX	6835	10185203
2,4,5-Trimethylaniline	TX	6880	10185203
2,4,6-Trichlorophenol	TX	6840	10185203
2,4-Diaminotoluene	TX	5880	10185203
2,4-Dichlorophenol	TX	6000	10185203
2,4-Dimethylphenol	TX	6130	10185203
2,4-Dinitrophenol	TX	6175	10185203
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10185203
2,6-Dichlorophenol	TX	6005	10185203
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10185203
2-Acetylaminofluorene	TX	5515	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2-Chloronaphthalene	TX	5795	10185203
2-Chlorophenol	TX	5800	10185203
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10185203
2-Methylaniline (o-Toluidine)	TX	5145	10185203
2-Methylnaphthalene	TX	6385	10185203
2-Methylphenol (o-Cresol)	TX	6400	10185203
2-Naphthylamine	TX	6430	10185203
2-Nitroaniline	TX	6460	10185203
2-Nitrophenol	TX	6490	10185203
2-Picoline (2-Methylpyridine)	TX	5050	10185203
3,3'-Dichlorobenzidine	TX	5945	10185203
3,3'-Dimethylbenzidine	TX	6120	10185203
3-Methylcholanthrene	TX	6355	10185203
3-Methylphenol (m-Cresol)	TX	6405	10185203
3-Nitroaniline	TX	6465	10185203
4-Aminobiphenyl	TX	5540	10185203
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10185203
4-Chloro-3-methylphenol	TX	5700	10185203
4-Chloroaniline	TX	5745	10185203
4-Chlorophenyl phenylether	TX	5825	10185203
4-Dimethyl aminoazobenzene	TX	6105	10185203
4-Methylphenol (p-Cresol)	TX	6410	10185203
4-Nitroaniline	TX	6470	10185203
4-Nitrobiphenyl	TX	6480	10185203
4-Nitrophenol	TX	6500	10185203
4-Nitroquinoline-1-oxide	TX	6510	10185203
5-Chloro-2-methylaniline	TX	5695	10185203
5-Nitro-o-toluidine	TX	6570	10185203
7,12-Dimethylbenz(a) anthracene	TX	6115	10185203
a-a-Dimethylphenethylamine	TX	6125	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Acenaphthene	TX	5500	10185203
Acenaphthylene	TX	5505	10185203
Acetophenone	TX	5510	10185203
Aniline	TX	5545	10185203
Anthracene	TX	5555	10185203
Aramite	TX	5560	10185203
Atrazine	TX	7065	10185203
Azinphos-methyl (Guthion)	TX	7075	10185203
Azobenzene	TX	5562	10185203
Benzenethiol (Thiophenol)	TX	6750	10185203
Benzidine	TX	5595	10185203
Benzo(a)anthracene	TX	5575	10185203
Benzo(a)pyrene	TX	5580	10185203
Benzo(b)fluoranthene	TX	5585	10185203
Benzo(e)pyrene	TX	5605	10185203
Benzo(g,h,i)perylene	TX	5590	10185203
Benzo(k)fluoranthene	TX	5600	10185203
Benzoic acid	TX	5610	10185203
Benzyl alcohol	TX	5630	10185203
Biphenyl	TX	5640	10185203
bis(2-Chloroethoxy)methane	TX	5760	10185203
bis(2-Chloroethyl) ether	TX	5765	10185203
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10185203
Butyl benzyl phthalate	TX	5670	10185203
Caprolactam	TX	7180	10185203
Captan	TX	7190	10185203
Carbaryl (Sevin)	TX	7195	10185203
Carbazole	TX	5680	10185203
Carbophenothion	TX	7220	10185203
Chlorobenzilate	TX	7260	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Chrysene	TX	5855	10185203
Coumaphos	TX	7315	10185203
Demeton	TX	7390	10185203
Demeton	TX	7390	10185203
Demeton-o	TX	7395	10185203
Demeton-s	TX	7385	10185203
Diallate	TX	7405	10185203
Dibenz(a,h) anthracene	TX	5895	10185203
Dibenz(a,j) acridine	TX	5900	10185203
Dibenzofuran	TX	5905	10185203
Dichlorovos (DDVP, Dichlorvos)	TX	8610	10185203
Diethyl phthalate	TX	6070	10185203
Dimethoate	TX	7475	10185203
Dimethoate	TX	7475	10185203
Dimethyl phthalate	TX	6135	10185203
Di-n-butyl phthalate	TX	5925	10185203
Di-n-octyl phthalate	TX	6200	10185203
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10185203
Dioxathion	TX	7495	10185203
Diphenylamine	TX	6205	10185203
Disulfoton	TX	8625	10185203
Ethion	TX	7565	10185203
Ethyl methanesulfonate	TX	6260	10185203
Famphur	TX	7580	10185203
Fluoranthene	TX	6265	10185203
Fluorene	TX	6270	10185203
Hexachlorobenzene	TX	6275	10185203
Hexachlorobutadiene	TX	4835	10185203
Hexachlorocyclopentadiene	TX	6285	10185203
Hexachloroethane	TX	4840	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Hexachlorophene	TX	6290	10185203
Hexachloropropene	TX	6295	10185203
Indeno(1,2,3-cd) pyrene	TX	6315	10185203
Isodrin	TX	7725	10185203
Isophorone	TX	6320	10185203
Isosafrole	TX	6325	10185203
Kepone	TX	7740	10185203
Maleic anhydride	TX	6335	10185203
Methapyrilene	TX	6345	10185203
Methyl methanesulfonate	TX	6375	10185203
Methyl parathion (Parathion, methyl)	TX	7825	10185203
Mevinphos	TX	7850	10185203
Naled	TX	7905	10185203
Naphthalene	TX	5005	10185203
Nitrobenzene	TX	5015	10185203
n-Nitrosodiethylamine	TX	6525	10185203
n-Nitrosodimethylamine	TX	6530	10185203
n-Nitrosodi-n-butylamine	TX	5025	10185203
n-Nitrosodi-n-propylamine	TX	6545	10185203
n-Nitrosodiphenylamine	TX	6535	10185203
n-Nitrosomethylethylamine	TX	6550	10185203
n-Nitrosomorpholine	TX	6555	10185203
n-Nitrosopiperidine	TX	6560	10185203
n-Nitrosopyrrolidine	TX	6565	10185203
o,o,o-Triethyl phosphorothioate	TX	8290	10185203
o-Anisidine	TX	5550	10185203
Parathion, ethyl	TX	7955	10185203
p-Cresidine	TX	5860	10185203
Pentachlorobenzene	TX	6590	10185203
Pentachloronitrobenzene (PCNB)	TX	6600	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Pentachlorophenol	TX	6605	10185203
Phenacetin	TX	6610	10185203
Phenanthrene	TX	6615	10185203
Phenol	TX	6625	10185203
Phorate	TX	7985	10185203
Phosmet (Imidan)	TX	8000	10185203
Phthalic anhydride	TX	6640	10185203
Pronamide (Kerb)	TX	6650	10185203
Pyrene	TX	6665	10185203
Pyridine	TX	5095	10185203
Quinoline	TX	6670	10185203
Resorcinol	TX	6680	10185203
Safrole	TX	6685	10185203
Sulfotepp	TX	8155	10185203
Terbufos	TX	8185	10185203
Tetrachlorvinphos (Stirophos, Gardona)	TX	8197	10185203
Thionazin (Zinophos)	TX	8235	10185203
Toluene diisocyanate	TX	6775	10185203
Trifluralin (Treflan)	TX	8295	10185203

Method EPA 8290

Analyte	AB	Analyte ID	Method ID
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10187209
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10187209
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10187209
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10187209
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10187209
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10187209
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10187209
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10187209
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-HxCDD)	TX	9456	10187209



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10187209
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10187209
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10187209
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10187209
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10187209
2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10187209
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10187209
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10187209
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10187209
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10187209
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10187209
Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10187209
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10187209
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10187209
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10187209
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10187209

Method EPA 8316

Analyte	AB	Analyte ID	Method ID
Acrylamide	TX	4330	10188202

Method EPA 8330

Analyte	AB	Analyte ID	Method ID
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10189807
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10189807
2,4,6-Trinitrotoluene (2,4,6-TNT)	TX	9651	10189807
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10189807
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10189807
2-Amino-4,6-dinitrotoluene (2-am-dnt)	TX	9303	10189807
2-Nitrotoluene	TX	9507	10189807
3-Nitrotoluene	TX	9510	10189807
4-Amino-2,6-dinitrotoluene (4-am-dnt)	TX	9306	10189807
4-Nitrotoluene	TX	9513	10189807



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Methyl-2,4,6-trinitrophenylamine (tetryl)	TX	6415	10189807
Nitrobenzene	TX	5015	10189807
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	TX	9522	10189807
RDX (hexahydro-1,3,5-trinitro-1,3,5-triazine)	TX	9432	10189807
Method EPA 9014			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	10193803
Total cyanide	TX	1645	10193803
Method EPA 9038			
Analyte	AB	Analyte ID	Method ID
Sulfate	TX	2000	10196608
Method EPA 9040			
Analyte	AB	Analyte ID	Method ID
pH	TX	1900	10196802
Method EPA 9050			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	10198604
Method EPA 9056			
Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10199209
Chloride	TX	1575	10199209
Fluoride	TX	1730	10199209
Nitrate as N	TX	1810	10199209
Nitrate-nitrite	TX	1820	10199209
Nitrite as N	TX	1840	10199209
Orthophosphate as P	TX	1870	10199209
Sulfate	TX	2000	10199209
Method EPA 9060			
Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	10200201



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	Analyte	AB	Analyte ID	Method ID
EPA 9065	Total phenolics	TX	1905	10200405
EPA 9066	Total phenolics	TX	1905	10200609
EPA 9250	Chloride	TX	1575	10207202
EPA RSK 175	2-methylpropane (Isobutane)	TX	4942	10212905
	Ethane	TX	4747	10212905
	Ethene	TX	4752	10212905
	Methane	TX	4926	10212905
	n-Butane	TX	5007	10212905
	n-Propane	TX	5029	10212905
HACH 8000	Chemical oxygen demand (COD)	TX	1565	60003001
SM 2120 B	Color	TX	1605	20223807
SM 2310 B (4a)	Acidity, as CaCO ₃	TX	1500	20002806
SM 2320 B	Alkalinity as CaCO ₃	TX	1505	20045005
SM 2340 B		AB	Analyte ID	Method ID



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Total hardness as CaCO ₃	TX	1755	20046008
Method SM 2510 B			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	20048004
Method SM 2540 B			
Analyte	AB	Analyte ID	Method ID
Residue-total (total solids)	TX	1950	20004608
Method SM 2540 C			
Analyte	AB	Analyte ID	Method ID
Residue-filterable (TDS)	TX	1955	20049803
Method SM 2540 D			
Analyte	AB	Analyte ID	Method ID
Residue-nonfilterable (TSS)	TX	1960	20004802
Method SM 3500-Cr B			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	20065809
Method SM 4500-Cl F			
Analyte	AB	Analyte ID	Method ID
Total residual chlorine	TX	1940	20080482
Method SM 4500-Cl ⁻ E			
Analyte	AB	Analyte ID	Method ID
Chloride	TX	1575	20019209
Method SM 4500-CN ⁻ C			
Analyte	AB	Analyte ID	Method ID
Total cyanide	TX	1645	20020808
Method SM 4500-CN ⁻ E			
Analyte	AB	Analyte ID	Method ID
Total cyanide	TX	1645	20021209
Method SM 4500-CN ⁻ G			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	20021607



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	Analyte	AB	Analyte ID	Method ID
SM 4500-H+ B				
	pH	TX	1900	20104603
SM 4500-NH3 D				
	Ammonia as N	TX	1515	20108809
	Kjeldahl Nitrogen (Total Kjeldahl Nitrogen-TKN)	TX	1790	20108809
SM 4500-NH3 F				
	Ammonia as N	TX	1515	20023001
SM 4500-O G				
	Oxygen, dissolved	TX	1880	20025405
SM 4500-P E				
	Orthophosphate as P	TX	1870	20025803
	Phosphorus	TX	1910	20025803
SM 4500-S2 ⁻ F				
	Sulfide	TX	2005	20126209
SM 4500-SiO2 D				
	Silica as SiO2	TX	1990	20127202
SM 4500-SO3 ⁻ B				
	Sulfite	TX	2015	20026806
SM 5210 B				
	Biochemical oxygen demand (BOD)	TX	1530	20027401
	Carbonaceous BOD, CBOD	TX	1555	20027401
SM 5310 B				
	Analyte	AB	Analyte ID	Method ID



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Total Organic Carbon (TOC)	TX	2040	20137206
Method SM 5310 C			
Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	20138209
Method SM 5540 C			
Analyte	AB	Analyte ID	Method ID
Surfactants - MBAS	TX	2025	20144405
Method TCEQ 1005			
Analyte	AB	Analyte ID	Method ID
Total Petroleum Hydrocarbons (TPH)	TX	2050	90019208



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method	Analyte	AB	Analyte ID	Method ID
ASTM D2216	Moisture	TX	10337	ASTM D2216-05
EPA 1010	Ignitability	TX	1780	10116606
EPA 1030	Ignitability	TX	1780	10117201
EPA 1311	TCLP	TX	849	10118806
EPA 1312	SPLP	TX	850	10119003
EPA 1668	Decachlorobiphenyls	TX	10332	10262007
	Dichlorobiphenyls	TX	464	10262007
	Heptachlorobiphenyls	TX	486	10262007
	Hexachlorobiphenyls	TX	487	10262007
	Monochlorobiphenyls	TX	501	10262007
	Nonachlorobiphenyls	TX	507	10262007
	Octachlorobiphenyls	TX	508	10262007
	Pentachlorobiphenyls	TX	515	10262007
	Tetrachlorobiphenyls	TX	528	10262007
	Trichlorobiphenyls	TX	541	10262007
EPA 200.8	Uranium	TX	3035	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method EPA 300.0

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10053200
Chloride	TX	1575	10053200
Fluoride	TX	1730	10053200
Nitrate as N	TX	1810	10053200
Nitrate-nitrite	TX	1820	10053200
Nitrite as N	TX	1840	10053200
Orthophosphate as P	TX	1870	10053200
Sulfate	TX	2000	10053200

Method EPA 310.1

Analyte	AB	Analyte ID	Method ID
Alkalinity as CaCO3	TX	1505	10054805

Method EPA 350.3

Analyte	AB	Analyte ID	Method ID
Ammonia as N	TX	1515	10064401

Method EPA 365.3

Analyte	AB	Analyte ID	Method ID
Orthophosphate as P	TX	1870	10070801
Phosphorus	TX	1910	10070801

Method EPA 6020

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10156204
Antimony	TX	1005	10156204
Arsenic	TX	1010	10156204
Barium	TX	1015	10156204
Beryllium	TX	1020	10156204
Boron	TX	1025	10156204
Cadmium	TX	1030	10156204
Calcium	TX	1035	10156204
Chromium	TX	1040	10156204



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Cobalt	TX	1050	10156204
Copper	TX	1055	10156204
Iron	TX	1070	10156204
Lead	TX	1075	10156204
Lithium	TX	1080	10156204
Magnesium	TX	1085	10156204
Manganese	TX	1090	10156204
Molybdenum	TX	1100	10156204
Nickel	TX	1105	10156204
Potassium	TX	1125	10156204
Selenium	TX	1140	10156204
Silver	TX	1150	10156204
Sodium	TX	1155	10156204
Strontium	TX	1160	10156204
Thallium	TX	1165	10156204
Tin	TX	1175	10156204
Titanium	TX	1180	10156204
Vanadium	TX	1185	10156204
Zinc	TX	1190	10156204
Method EPA 7196			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	10162206
Method EPA 7470			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10165603
Method EPA 7471			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10166004
Method EPA 8015			
Analyte	AB	Analyte ID	Method ID
Diesel range organics (DRO)	TX	9369	10173203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Ethanol	TX	4750	10173203
Ethylene glycol	TX	4785	10173203
Gasoline range organics (GRO)	TX	9408	10173203
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10173203
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10173203
Methanol	TX	4930	10173203
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10173203
n-Propanol (1-Propanol)	TX	5055	10173203
Propylene Glycol	TX	6657	10173203
tert-Butyl alcohol	TX	4420	10173203

Method EPA 8021

Analyte	AB	Analyte ID	Method ID
Benzene	TX	4375	10174400
Ethylbenzene	TX	4765	10174400
m+p-xylene	TX	5240	10174400
Methyl tert-butyl ether (MTBE)	TX	5000	10174400
o-Xylene	TX	5250	10174400
Toluene	TX	5140	10174400
Xylene (total)	TX	5260	10174400

Method EPA 8081

Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10178402
4,4'-DDE	TX	7360	10178402
4,4'-DDT	TX	7365	10178402
Aldrin	TX	7025	10178402
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10178402
alpha-Chlordane	TX	7240	10178402
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10178402
Chlordane (tech.)	TX	7250	10178402
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10178402
Dieldrin	TX	7470	10178402



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Endosulfan I	TX	7510	10178402
Endosulfan II	TX	7515	10178402
Endosulfan sulfate	TX	7520	10178402
Endrin	TX	7540	10178402
Endrin aldehyde	TX	7530	10178402
Endrin ketone	TX	7535	10178402
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10178402
gamma-Chlordane	TX	7245	10178402
Heptachlor	TX	7685	10178402
Heptachlor epoxide	TX	7690	10178402
Methoxychlor	TX	7810	10178402
Mirex	TX	7870	10178402
Toxaphene (Chlorinated camphene)	TX	8250	10178402

Method EPA 8082

Analyte	AB	Analyte ID	Method ID
Aroclor-1016 (PCB-1016)	TX	8880	10179201
Aroclor-1221 (PCB-1221)	TX	8885	10179201
Aroclor-1232 (PCB-1232)	TX	8890	10179201
Aroclor-1242 (PCB-1242)	TX	8895	10179201
Aroclor-1248 (PCB-1248)	TX	8900	10179201
Aroclor-1254 (PCB-1254)	TX	8905	10179201
Aroclor-1260 (PCB-1260)	TX	8910	10179201
PCBs (total)	TX	8870	10179201

Method EPA 8260

Analyte	AB	Analyte ID	Method ID
1,1,1,2-Tetrachloroethane	TX	5105	10184404
1,1,1-Trichloroethane	TX	5160	10184404
1,1,2,2-Tetrachloroethane	TX	5110	10184404
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	TX	5195	10184404
1,1,2-Trichloroethane	TX	5165	10184404
1,1-Dichloroethane	TX	4630	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

1,1-Dichloroethylene	TX	4640	10184404
1,1-Dichloropropene	TX	4670	10184404
1,2,3-Trichlorobenzene	TX	5150	10184404
1,2,3-Trichloropropane	TX	5180	10184404
1,2,4-Trichlorobenzene	TX	5155	10184404
1,2,4-Trimethylbenzene	TX	5210	10184404
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10184404
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10184404
1,2-Dichlorobenzene	TX	4610	10184404
1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10184404
1,2-Dichloropropane	TX	4655	10184404
1,3,5-Trimethylbenzene	TX	5215	10184404
1,3-Dichlorobenzene	TX	4615	10184404
1,3-Dichloropropane	TX	4660	10184404
1,4-Dichlorobenzene	TX	4620	10184404
1,4-Dioxane (1,4-Diethyleneoxide)	TX	4735	10184404
1-Chlorohexane	TX	4510	10184404
1-Propanol	TX	5060	10184404
2,2-Dichloropropane	TX	4665	10184404
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10184404
2-Chloroethyl vinyl ether	TX	4500	10184404
2-Chlorotoluene	TX	4535	10184404
2-Hexanone (MBK)	TX	4860	10184404
4-Chlorotoluene	TX	4540	10184404
4-Isopropyltoluene (p-Cymene)	TX	4915	10184404
4-Methyl-2-pentanone (MIBK)	TX	4995	10184404
Acetone (2-Propanone)	TX	4315	10184404
Acetonitrile	TX	4320	10184404
Acrolein (Propenal)	TX	4325	10184404
Acrylonitrile	TX	4340	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Allyl chloride (3-Chloropropene)	TX	4355	10184404
Benzene	TX	4375	10184404
Benzyl chloride	TX	5635	10184404
Bromobenzene	TX	4385	10184404
Bromochloromethane	TX	4390	10184404
Bromodichloromethane	TX	4395	10184404
Bromoform	TX	4400	10184404
Carbon disulfide	TX	4450	10184404
Carbon tetrachloride	TX	4455	10184404
Chlorobenzene	TX	4475	10184404
Chlorodibromomethane	TX	4575	10184404
Chloroethane (Ethyl chloride)	TX	4485	10184404
Chloroform	TX	4505	10184404
Chloroprene (2-Chloro-1,3-butadiene)	TX	4525	10184404
cis-1,2-Dichloroethylene	TX	4645	10184404
cis-1,3-Dichloropropene	TX	4680	10184404
Dibromofluoromethane	TX	4590	10184404
Dibromomethane (Methylene bromide)	TX	4595	10184404
Dichlorodifluoromethane (Freon-12)	TX	4625	10184404
Diethyl ether	TX	4725	10184404
Epichlorohydrin (1-Chloro-2,3-epoxypropane)	TX	4745	10184404
Ethanol	TX	4750	10184404
Ethyl acetate	TX	4755	10184404
Ethyl methacrylate	TX	4810	10184404
Ethylbenzene	TX	4765	10184404
Ethylene oxide	TX	4795	10184404
Hexachlorobutadiene	TX	4835	10184404
Iodomethane (Methyl iodide)	TX	4870	10184404
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10184404
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Isopropylbenzene (Cumene)	TX	4900	10184404
m+p-xylene	TX	5240	10184404
Methacrylonitrile	TX	4925	10184404
Methyl acetate	TX	4940	10184404
Methyl acrylate	TX	4945	10184404
Methyl bromide (Bromomethane)	TX	4950	10184404
Methyl chloride (Chloromethane)	TX	4960	10184404
Methyl methacrylate	TX	4990	10184404
Methyl tert-butyl ether (MTBE)	TX	5000	10184404
Methylcyclohexane	TX	4965	10184404
Methylene chloride (Dichloromethane)	TX	4975	10184404
Naphthalene	TX	5005	10184404
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10184404
n-Butylbenzene	TX	4435	10184404
n-Propylbenzene	TX	5090	10184404
o-Xylene	TX	5250	10184404
Pentachloroethane	TX	5035	10184404
Propionitrile (Ethyl cyanide)	TX	5080	10184404
Pyridine	TX	5095	10184404
sec-Butylbenzene	TX	4440	10184404
Styrene	TX	5100	10184404
tert-Butyl alcohol	TX	4420	10184404
tert-Butylbenzene	TX	4445	10184404
Tetrachloroethylene (Perchloroethylene)	TX	5115	10184404
Toluene	TX	5140	10184404
trans-1,2-Dichloroethylene	TX	4700	10184404
trans-1,3-Dichloropropylene	TX	4685	10184404
trans-1,4-Dichloro-2-butene	TX	4605	10184404
Trichloroethene (Trichloroethylene)	TX	5170	10184404
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Vinyl acetate	TX	5225	10184404
Vinyl chloride	TX	5235	10184404
Xylene (total)	TX	5260	10184404
Method EPA 8270			
Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10185203
1,2,4-Trichlorobenzene	TX	5155	10185203
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10185203
1,2-Dichlorobenzene	TX	4610	10185203
1,2-Dinitrobenzene	TX	6155	10185203
1,2-Diphenylhydrazine	TX	6220	10185203
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10185203
1,3-Dichlorobenzene	TX	4615	10185203
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10185203
1,4-Dichlorobenzene	TX	4620	10185203
1,4-Dinitrobenzene	TX	6165	10185203
1,4-Naphthoquinone	TX	6420	10185203
1,4-Phenylenediamine	TX	6630	10185203
1-Chloronaphthalene	TX	5790	10185203
1-Naphthylamine	TX	6425	10185203
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10185203
2,3,4,6-Tetrachlorophenol	TX	6735	10185203
2,4,5-Trichlorophenol	TX	6835	10185203
2,4,5-Trimethylaniline	TX	6880	10185203
2,4,6-Trichlorophenol	TX	6840	10185203
2,4-Diaminotoluene	TX	5880	10185203
2,4-Dichlorophenol	TX	6000	10185203
2,4-Dimethylphenol	TX	6130	10185203
2,4-Dinitrophenol	TX	6175	10185203
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

2,6-Dichlorophenol	TX	6005	10185203
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10185203
2-Acetylaminofluorene	TX	5515	10185203
2-Chloronaphthalene	TX	5795	10185203
2-Chlorophenol	TX	5800	10185203
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10185203
2-Methylaniline (o-Toluidine)	TX	5145	10185203
2-Methylnaphthalene	TX	6385	10185203
2-Methylphenol (o-Cresol)	TX	6400	10185203
2-Naphthylamine	TX	6430	10185203
2-Nitroaniline	TX	6460	10185203
2-Nitrophenol	TX	6490	10185203
2-Picoline (2-Methylpyridine)	TX	5050	10185203
3,3'-Dichlorobenzidine	TX	5945	10185203
3,3'-Dimethylbenzidine	TX	6120	10185203
3-Methylcholanthrene	TX	6355	10185203
3-Methylphenol (m-Cresol)	TX	6405	10185203
3-Nitroaniline	TX	6465	10185203
4-Aminobiphenyl	TX	5540	10185203
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10185203
4-Chloro-3-methylphenol	TX	5700	10185203
4-Chloroaniline	TX	5745	10185203
4-Chlorophenyl phenylether	TX	5825	10185203
4-Methylphenol (p-Cresol)	TX	6410	10185203
4-Nitroaniline	TX	6470	10185203
4-Nitrophenol	TX	6500	10185203
4-Nitroquinoline-1-oxide	TX	6510	10185203
5-Nitro-o-toluidine	TX	6570	10185203
7,12-Dimethylbenz(a) anthracene	TX	6115	10185203
a-a-Dimethylphenethylamine	TX	6125	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Acenaphthene	TX	5500	10185203
Acenaphthylene	TX	5505	10185203
Acetophenone	TX	5510	10185203
Aniline	TX	5545	10185203
Anthracene	TX	5555	10185203
Aramite	TX	5560	10185203
Atrazine	TX	7065	10185203
Azinphos-methyl (Guthion)	TX	7075	10185203
Azobenzene	TX	5562	10185203
Benzenethiol (Thiophenol)	TX	6750	10185203
Benzidine	TX	5595	10185203
Benzo(a)anthracene	TX	5575	10185203
Benzo(a)pyrene	TX	5580	10185203
Benzo(b)fluoranthene	TX	5585	10185203
Benzo(e)pyrene	TX	5605	10185203
Benzo(g,h,i)perylene	TX	5590	10185203
Benzo(k)fluoranthene	TX	5600	10185203
Benzoic acid	TX	5610	10185203
Benzyl alcohol	TX	5630	10185203
Biphenyl	TX	5640	10185203
bis(2-Chloroethoxy)methane	TX	5760	10185203
bis(2-Chloroethyl) ether	TX	5765	10185203
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10185203
Butyl benzyl phthalate	TX	5670	10185203
Caprolactam	TX	7180	10185203
Carbaryl (Sevin)	TX	7195	10185203
Carbazole	TX	5680	10185203
Carbophenothion	TX	7220	10185203
Chlorobenzilate	TX	7260	10185203
Chrysene	TX	5855	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Demeton	TX	7390	10185203
Demeton-o	TX	7395	10185203
Demeton-s	TX	7385	10185203
Diallate	TX	7405	10185203
Dibenz(a,h) anthracene	TX	5895	10185203
Dibenz(a,j) acridine	TX	5900	10185203
Dibenzo(a,e) pyrene	TX	5890	10185203
Dibenzofuran	TX	5905	10185203
Dichlorovos (DDVP, Dichlorvos)	TX	8610	10185203
Diethyl phthalate	TX	6070	10185203
Dimethoate	TX	7475	10185203
Dimethyl phthalate	TX	6135	10185203
Di-n-butyl phthalate	TX	5925	10185203
Di-n-octyl phthalate	TX	6200	10185203
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10185203
Diphenylamine	TX	6205	10185203
Disulfoton	TX	8625	10185203
Ethyl methanesulfonate	TX	6260	10185203
Fluoranthene	TX	6265	10185203
Fluorene	TX	6270	10185203
Hexachlorobenzene	TX	6275	10185203
Hexachlorobutadiene	TX	4835	10185203
Hexachlorocyclopentadiene	TX	6285	10185203
Hexachloroethane	TX	4840	10185203
Hexachlorophene	TX	6290	10185203
Hexachloropropene	TX	6295	10185203
Indeno(1,2,3-cd) pyrene	TX	6315	10185203
Isodrin	TX	7725	10185203
Isophorone	TX	6320	10185203
Isosafrole	TX	6325	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Kepone	TX	7740	10185203
Malathion	TX	7770	10185203
Methapyrilene	TX	6345	10185203
Methyl methanesulfonate	TX	6375	10185203
Methyl parathion (Parathion, methyl)	TX	7825	10185203
Mevinphos	TX	7850	10185203
Naphthalene	TX	5005	10185203
Nitrobenzene	TX	5015	10185203
n-Nitrosodiethylamine	TX	6525	10185203
n-Nitrosodimethylamine	TX	6530	10185203
n-Nitrosodi-n-butylamine	TX	5025	10185203
n-Nitrosodi-n-propylamine	TX	6545	10185203
n-Nitrosodiphenylamine	TX	6535	10185203
n-Nitrosomethylethylamine	TX	6550	10185203
n-Nitrosomorpholine	TX	6555	10185203
n-Nitrosopiperidine	TX	6560	10185203
n-Nitrosopyrrolidine	TX	6565	10185203
o,o,o-Triethyl phosphorothioate	TX	8290	10185203
o-Anisidine	TX	5550	10185203
Parathion, ethyl	TX	7955	10185203
p-Cresidine	TX	5860	10185203
Pentachlorobenzene	TX	6590	10185203
Pentachloronitrobenzene (PCNB)	TX	6600	10185203
Pentachlorophenol	TX	6605	10185203
Phenacetin	TX	6610	10185203
Phenanthrene	TX	6615	10185203
Phenol	TX	6625	10185203
Phorate	TX	7985	10185203
Pronamide (Kerb)	TX	6650	10185203
Pyrene	TX	6665	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Pyridine	TX	5095	10185203
Quinoline	TX	6670	10185203
Safrole	TX	6685	10185203
Sulfotepp	TX	8155	10185203
Terbufos	TX	8185	10185203
Tetrachlorvinphos (Stirophos, Gardona)	TX	8197	10185203
Thionazin (Zinophos)	TX	8235	10185203
Toluene diisocyanate	TX	6775	10185203

Method EPA 8290

Analyte	AB	Analyte ID	Method ID
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10187209
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10187209
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10187209
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10187209
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10187209
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10187209
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10187209
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10187209
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-HxCDD)	TX	9456	10187209
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10187209
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10187209
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10187209
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10187209
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10187209
2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10187209
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10187209
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10187209
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10187209
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10187209
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10187209



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10187209
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10187209
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10187209
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10187209
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10187209
Method EPA 8316			
Analyte	AB	Analyte ID	Method ID
Acrylamide	TX	4330	10188202
Method EPA 8330			
Analyte	AB	Analyte ID	Method ID
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10189807
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10189807
2,4,6-Trinitrotoluene (2,4,6-TNT)	TX	9651	10189807
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10189807
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10189807
2-Amino-4,6-dinitrotoluene (2-am-dnt)	TX	9303	10189807
2-Nitrotoluene	TX	9507	10189807
3-Nitrotoluene	TX	9510	10189807
4-Amino-2,6-dinitrotoluene (4-am-dnt)	TX	9306	10189807
4-Nitrotoluene	TX	9513	10189807
Methyl-2,4,6-trinitrophenylnitramine (tetryl)	TX	6415	10189807
Nitrobenzene	TX	5015	10189807
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	TX	9522	10189807
RDX (hexahydro-1,3,5-trinitro-1,3,5-triazine)	TX	9432	10189807
Method EPA 9014			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	10193803
Total cyanide	TX	1645	10193803
Method EPA 9038			
Analyte	AB	Analyte ID	Method ID
Sulfate	TX	2000	10196608



Texas Commission on Environmental Quality

NELAP - Recognized Laboratory Fields of Accreditation



ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method EPA 9040

Analyte	AB	Analyte ID	Method ID
Corrosivity	TX	1615	10197203
pH	TX	1900	10196802

Method EPA 9045

Analyte	AB	Analyte ID	Method ID
Corrosivity	TX	1615	10197805
pH	TX	1900	10197805

Method EPA 9050

Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	10198604

Method EPA 9056

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10199209
Chloride	TX	1575	10199209
Fluoride	TX	1730	10199209
Nitrate as N	TX	1810	10199209
Nitrate-nitrite	TX	1820	10199209
Nitrite as N	TX	1840	10199209
Orthophosphate as P	TX	1870	10199209
Sulfate	TX	2000	10199209

Method EPA 9060

Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	10200201

Method EPA 9065

Analyte	AB	Analyte ID	Method ID
Total phenolics	TX	1905	10200405

Method EPA 9071

Analyte	AB	Analyte ID	Method ID
n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10201204



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method	AB	Analyte ID	Method ID
EPA 9095			
Analyte Paint Filter Liquids Test	TX	10312	10204009
EPA 9250			
Analyte Chloride	TX	1575	10207202
SM 2320 B			
Analyte Alkalinity as CaCO3	TX	1505	20045005
SM 2510 B			
Analyte Conductivity	TX	1610	20048004
SM 2540 G			
Analyte Residue-total (total solids)	TX	1950	20005203
SSA/ASA Part 3:34			
Analyte Carbon, organic (Walkley-Black)	TX	10340	SSA/ASA Pt 3:34
TCEQ 1005			
Analyte Total Petroleum Hydrocarbons (TPH)	TX	2050	90019208



10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

July 11, 2019

Eric Matzner
Golder Associates Inc.
2201 Double Creek Drive
Suite 4004
Round Rock, TX 78664

Work Order: **HS19070159**

Laboratory Results for: **Houston TX-Wood Preserving Works**

Dear Eric,

ALS Environmental received 14 sample(s) on Jul 02, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
Dane J. Wacasey

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

**TRRP Laboratory Data
Package Cover Page**

This data package consists of all or some of the following as applicable:

This signature page, the laboratory review checklist, and the following reportable data:

- R1 Field chain-of-custody documentation;
- R2 Sample identification cross-reference;
- R3 Test reports (analytical data sheets) for each environmental sample that includes:
 - a) Items consistent with NELAC Chapter 5,
 - b) dilution factors,
 - c) preparation methods,
 - d) cleanup methods, and
 - e) if required for the project, tentatively identified compounds (TICs).
- R4 Surrogate recovery data including:
 - a) Calculated recovery (%R), and
 - b) The laboratory's surrogate QC limits.
- R5 Test reports/summary forms for blank samples;
- R6 Test reports/summary forms for laboratory control samples (LCSs) including:
 - a) LCS spiking amounts,
 - b) Calculated %R for each analyte, and
 - c) The laboratory's LCS QC limits.
- R7 Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
 - a) Samples associated with the MS/MSD clearly identified,
 - b) MS/MSD spiking amounts,
 - c) Concentration of each MS/MSD analyte measured in the parent and spiked samples,
 - d) Calculated %Rs and relative percent differences (RPDs), and
 - e) The laboratory's MS/MSD QC limits.
- R8 Laboratory analytical duplicate (if applicable) recovery and precision:
 - a) the amount of analyte measured in the duplicate,
 - b) the calculated RPD, and
 - c) the laboratory's QC limits for analytical duplicates.
- R9 List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 Other problems or anomalies.
The Exception Report for each "No" or "Not Reviewed (NR)" item in Laboratory Review Checklist and for each analyte, matrix, and method for which the laboratory does not hold NELAC accreditation under the Texas Laboratory Accreditation Program.

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

**TRRP Laboratory Data
Package Cover Page**

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the attached exception reports. By my signature below, I affirm to the best of my knowledge, all problems/anomalies, observed by the laboratory have been identified by the laboratory in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Check, if applicable: [NA] This laboratory meets an exception under 30 TAC §25.6 and was last inspected by TCEQ or _____ on (enter date of last inspection). Any findings affecting the data in this laboratory data package are noted in the Exception Reports herein. The official signing the cover page of the report in which these data are used is responsible for releasing this data package and is by signature affirming the above release statement is true.



Dane J. Wacasey

Laboratory Review Checklist: Reportable Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 07/11/2019			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS19070159			
Reviewer Name: Dane Wacasey				Prep Batch Number(s): 142762			
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?	X				
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?			X		
		Were % moisture (or solids) reported for all soil and sediment samples?			X		
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW-846 Method 5035?			X		
		If required for the project, TICs reported?			X		
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?		X			1
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?	X				
		Were MS/MSD RPDs within laboratory QC limits?	X				
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?			X		
		Were analytical duplicates analyzed at the appropriate frequency?			X		
		Were RPDs or relative standard deviations within the laboratory QC limits?			X		
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Were all necessary corrective actions performed for the reported data?	X				
		Was applicable and available technology used to lower the SDL and minimize the matrix interference effects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Program for the analytes, matrices and methods associated with this laboratory data package?	X				

Laboratory Review Checklist: Supporting Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 07/11/2019			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS19070159			
Reviewer Name: Dane Wacasey				Prep Batch Number(s): 142762			
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
S1	OI	Initial calibration (ICAL)					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB)					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?			X		
S3	O	Mass spectral tuning:					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	Internal standards (IS):					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC section 1 appendix A glossary, and section 5.12 or ISO/IEC 17025 section					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?			X		
S7	O	Tentatively identified compounds (TICs):					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	Interference Check Sample (ICS) results:					
		Were percent recoveries within method QC limits?			X		
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	Proficiency test reports:					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5C or ISO/IEC 4?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chap 5 or ISO/IEC 17025 Section 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs):					
		Are laboratory SOPs current and on file for each method performed?	X				

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.

O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);

NA = Not Applicable;

NR = Not Reviewed;

R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Exception Reports

Laboratory Name: ALS Laboratory Group	LRC Date: 07/11/2019
Project Name: Houston TX-Wood Preserving Works	Laboratory Job Number: HS19070159
Reviewer Name: Dane Wacasey	Prep Batch Number(s): 142762

ER# ⁵	Description
1	Semivolatile Organics Method Sw8270, sample WG-1620-MW11B-20190702, the surrogate recoveries could not be determined due to dilution below the calibration range.

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);
NA = Not Applicable;
NR = Not Reviewed;
R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
Work Order: HS19070159

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19070159-01	WG-1620-P12-20190701	Groundwater		01-Jul-2019 14:15	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-02	WG-1620-MW08-20190701	Groundwater		01-Jul-2019 15:10	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-03	WG-1620-P10-20190701	Groundwater		01-Jul-2019 16:00	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-04	WG-1620-MW07-20190701	Groundwater		01-Jul-2019 16:55	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-05	WG-1620-FD02-20190701	Groundwater		01-Jul-2019 16:55	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-06	WG-1620-FB01-20190701	Water		01-Jul-2019 17:15	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-07	WG-1620-MW11A-20190702	Groundwater		02-Jul-2019 07:45	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-08	WG-1620-MW11B-20190702	Groundwater		02-Jul-2019 08:35	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-09	WG-1620-MW10A-20190702	Groundwater		02-Jul-2019 09:25	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-10	WG-1620-MW10B-20190702	Groundwater		02-Jul-2019 10:20	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-11	WG-1620-MW02-20190702	Groundwater		02-Jul-2019 11:15	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-12	WG-1620-MW01A-20190702	Groundwater		02-Jul-2019 12:10	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-13	WG-1620-FD01-20190702	Groundwater		02-Jul-2019 12:10	02-Jul-2019 14:35	<input type="checkbox"/>
HS19070159-14	WG-1620-FB02-20190702	Water		02-Jul-2019 12:30	02-Jul-2019 14:35	<input type="checkbox"/>

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-P12-20190701
 Collection Date: 01-Jul-2019 14:15

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-01
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
Acenaphthene	U		0.000027	0.00010	mg/L	1	09-Jul-2019 21:24
Acenaphthylene	U		0.000015	0.00010	mg/L	1	09-Jul-2019 21:24
Anthracene	0.000052	J	0.000014	0.00010	mg/L	1	09-Jul-2019 21:24
Bis(2-ethylhexyl)phthalate	U		0.000037	0.00020	mg/L	1	09-Jul-2019 21:24
Dibenzofuran	U		0.000020	0.00010	mg/L	1	09-Jul-2019 21:24
Di-n-butyl phthalate	U		0.000020	0.00020	mg/L	1	09-Jul-2019 21:24
Fluoranthene	U		0.000010	0.00010	mg/L	1	09-Jul-2019 21:24
Fluorene	U		0.000030	0.00010	mg/L	1	09-Jul-2019 21:24
Naphthalene	U		0.000020	0.00010	mg/L	1	09-Jul-2019 21:24
Phenol	U		0.000035	0.00020	mg/L	1	09-Jul-2019 21:24
Pyrene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 21:24
<i>Surr: 2,4,6-Tribromophenol</i>	<i>98.1</i>			<i>34-129</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 21:24</i>
<i>Surr: 2-Fluorobiphenyl</i>	<i>76.9</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 21:24</i>
<i>Surr: 2-Fluorophenol</i>	<i>69.7</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 21:24</i>
<i>Surr: 4-Terphenyl-d14</i>	<i>76.8</i>			<i>40-135</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 21:24</i>
<i>Surr: Nitrobenzene-d5</i>	<i>84.4</i>			<i>41-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 21:24</i>
<i>Surr: Phenol-d6</i>	<i>72.9</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 21:24</i>

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW08-20190701
 Collection Date: 01-Jul-2019 15:10

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-02
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
2-Methylnaphthalene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 21:44
Acenaphthene	U		0.000027	0.00010	mg/L	1	09-Jul-2019 21:44
Acenaphthylene	U		0.000015	0.00010	mg/L	1	09-Jul-2019 21:44
Anthracene	U		0.000014	0.00010	mg/L	1	09-Jul-2019 21:44
Bis(2-ethylhexyl)phthalate	U		0.000037	0.00020	mg/L	1	09-Jul-2019 21:44
Dibenzofuran	U		0.000020	0.00010	mg/L	1	09-Jul-2019 21:44
Fluoranthene	U		0.000010	0.00010	mg/L	1	09-Jul-2019 21:44
Fluorene	U		0.000030	0.00010	mg/L	1	09-Jul-2019 21:44
Naphthalene	U		0.000020	0.00010	mg/L	1	09-Jul-2019 21:44
Phenanthrene	U		0.000021	0.00010	mg/L	1	09-Jul-2019 21:44
Pyrene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 21:44
Surr: 2,4,6-Tribromophenol	70.7			34-129	%REC	1	09-Jul-2019 21:44
Surr: 2-Fluorobiphenyl	53.2			40-125	%REC	1	09-Jul-2019 21:44
Surr: 2-Fluorophenol	51.9			20-120	%REC	1	09-Jul-2019 21:44
Surr: 4-Terphenyl-d14	65.6			40-135	%REC	1	09-Jul-2019 21:44
Surr: Nitrobenzene-d5	66.8			41-120	%REC	1	09-Jul-2019 21:44
Surr: Phenol-d6	53.6			20-120	%REC	1	09-Jul-2019 21:44

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-P10-20190701
 Collection Date: 01-Jul-2019 16:00

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-03
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
Acenaphthene	0.0028		0.000027	0.00010	mg/L	1	09-Jul-2019 22:04
Acenaphthylene	U		0.000015	0.00010	mg/L	1	09-Jul-2019 22:04
Anthracene	0.000065	J	0.000014	0.00010	mg/L	1	09-Jul-2019 22:04
Bis(2-ethylhexyl)phthalate	0.00029		0.000037	0.00020	mg/L	1	09-Jul-2019 22:04
Dibenzofuran	U		0.000020	0.00010	mg/L	1	09-Jul-2019 22:04
Di-n-butyl phthalate	U		0.000020	0.00020	mg/L	1	09-Jul-2019 22:04
Fluoranthene	U		0.000010	0.00010	mg/L	1	09-Jul-2019 22:04
Fluorene	U		0.000030	0.00010	mg/L	1	09-Jul-2019 22:04
Naphthalene	0.000063	J	0.000020	0.00010	mg/L	1	09-Jul-2019 22:04
Phenol	U		0.000035	0.00020	mg/L	1	09-Jul-2019 22:04
Pyrene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 22:04
<i>Surr: 2,4,6-Tribromophenol</i>	<i>73.1</i>			<i>34-129</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:04</i>
<i>Surr: 2-Fluorobiphenyl</i>	<i>67.5</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:04</i>
<i>Surr: 2-Fluorophenol</i>	<i>70.4</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:04</i>
<i>Surr: 4-Terphenyl-d14</i>	<i>67.3</i>			<i>40-135</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:04</i>
<i>Surr: Nitrobenzene-d5</i>	<i>89.9</i>			<i>41-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:04</i>
<i>Surr: Phenol-d6</i>	<i>70.3</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:04</i>

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW07-20190701
 Collection Date: 01-Jul-2019 16:55

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-04
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D	Method:SW8270					Prep:SW3510 / 05-Jul-2019	Analyst: GEY
2-Methylnaphthalene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 17:03
Acenaphthene	U		0.000027	0.00010	mg/L	1	09-Jul-2019 17:03
Acenaphthylene	U		0.000015	0.00010	mg/L	1	09-Jul-2019 17:03
Anthracene	0.00014		0.000014	0.00010	mg/L	1	09-Jul-2019 17:03
Bis(2-ethylhexyl)phthalate	U		0.000037	0.00020	mg/L	1	09-Jul-2019 17:03
Dibenzofuran	U		0.000020	0.00010	mg/L	1	09-Jul-2019 17:03
Fluoranthene	U		0.000010	0.00010	mg/L	1	09-Jul-2019 17:03
Fluorene	U		0.000030	0.00010	mg/L	1	09-Jul-2019 17:03
Naphthalene	U		0.000020	0.00010	mg/L	1	09-Jul-2019 17:03
Phenanthrene	U		0.000021	0.00010	mg/L	1	09-Jul-2019 17:03
Pyrene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 17:03
<i>Surr: 2,4,6-Tribromophenol</i>	<i>70.0</i>			<i>34-129</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:03</i>
<i>Surr: 2-Fluorobiphenyl</i>	<i>56.1</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:03</i>
<i>Surr: 2-Fluorophenol</i>	<i>58.6</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:03</i>
<i>Surr: 4-Terphenyl-d14</i>	<i>68.4</i>			<i>40-135</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:03</i>
<i>Surr: Nitrobenzene-d5</i>	<i>72.6</i>			<i>41-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:03</i>
<i>Surr: Phenol-d6</i>	<i>63.3</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:03</i>

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-FD02-20190701
 Collection Date: 01-Jul-2019 16:55

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-05
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
2-Methylnaphthalene	0.000023	J	0.000019	0.00010	mg/L	1	09-Jul-2019 22:24
Acenaphthene		U	0.000027	0.00010	mg/L	1	09-Jul-2019 22:24
Acenaphthylene		U	0.000015	0.00010	mg/L	1	09-Jul-2019 22:24
Anthracene	0.00029		0.000014	0.00010	mg/L	1	09-Jul-2019 22:24
Bis(2-ethylhexyl)phthalate		U	0.000037	0.00020	mg/L	1	09-Jul-2019 22:24
Dibenzofuran		U	0.000020	0.00010	mg/L	1	09-Jul-2019 22:24
Fluoranthene		U	0.000010	0.00010	mg/L	1	09-Jul-2019 22:24
Fluorene		U	0.000030	0.00010	mg/L	1	09-Jul-2019 22:24
Naphthalene	0.00025		0.000020	0.00010	mg/L	1	09-Jul-2019 22:24
Phenanthrene		U	0.000021	0.00010	mg/L	1	09-Jul-2019 22:24
Pyrene		U	0.000019	0.00010	mg/L	1	09-Jul-2019 22:24
<i>Surr: 2,4,6-Tribromophenol</i>	<i>81.2</i>			<i>34-129</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:24</i>
<i>Surr: 2-Fluorobiphenyl</i>	<i>64.4</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:24</i>
<i>Surr: 2-Fluorophenol</i>	<i>57.2</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:24</i>
<i>Surr: 4-Terphenyl-d14</i>	<i>71.7</i>			<i>40-135</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:24</i>
<i>Surr: Nitrobenzene-d5</i>	<i>72.0</i>			<i>41-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:24</i>
<i>Surr: Phenol-d6</i>	<i>64.4</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 22:24</i>

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-FB01-20190701
 Collection Date: 01-Jul-2019 17:15

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-06
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
2-Methylnaphthalene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 17:43
Acenaphthene	U		0.000027	0.00010	mg/L	1	09-Jul-2019 17:43
Acenaphthylene	U		0.000015	0.00010	mg/L	1	09-Jul-2019 17:43
Anthracene	U		0.000014	0.00010	mg/L	1	09-Jul-2019 17:43
Bis(2-ethylhexyl)phthalate	0.000053	J	0.000037	0.00020	mg/L	1	09-Jul-2019 17:43
Dibenzofuran	U		0.000020	0.00010	mg/L	1	09-Jul-2019 17:43
Di-n-butyl phthalate	U		0.000020	0.00020	mg/L	1	09-Jul-2019 17:43
Fluoranthene	U		0.000010	0.00010	mg/L	1	09-Jul-2019 17:43
Fluorene	U		0.000030	0.00010	mg/L	1	09-Jul-2019 17:43
Naphthalene	U		0.000020	0.00010	mg/L	1	09-Jul-2019 17:43
Phenanthrene	U		0.000021	0.00010	mg/L	1	09-Jul-2019 17:43
Phenol	U		0.000035	0.00020	mg/L	1	09-Jul-2019 17:43
Pyrene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 17:43
<i>Surr: 2,4,6-Tribromophenol</i>	<i>64.2</i>			<i>34-129</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:43</i>
<i>Surr: 2-Fluorobiphenyl</i>	<i>64.2</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:43</i>
<i>Surr: 2-Fluorophenol</i>	<i>78.7</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:43</i>
<i>Surr: 4-Terphenyl-d14</i>	<i>67.7</i>			<i>40-135</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:43</i>
<i>Surr: Nitrobenzene-d5</i>	<i>96.0</i>			<i>41-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:43</i>
<i>Surr: Phenol-d6</i>	<i>80.0</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 17:43</i>

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW11A-20190702
 Collection Date: 02-Jul-2019 07:45

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-07
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
2-Methylnaphthalene		U	0.000019	0.00010	mg/L	1	09-Jul-2019 18:04
Acenaphthene	0.00025		0.000027	0.00010	mg/L	1	09-Jul-2019 18:04
Acenaphthylene		U	0.000015	0.00010	mg/L	1	09-Jul-2019 18:04
Anthracene	0.000097	J	0.000014	0.00010	mg/L	1	09-Jul-2019 18:04
Bis(2-ethylhexyl)phthalate	0.000070	J	0.000037	0.00020	mg/L	1	09-Jul-2019 18:04
Dibenzofuran		U	0.000020	0.00010	mg/L	1	09-Jul-2019 18:04
Fluoranthene	0.000018	J	0.000010	0.00010	mg/L	1	09-Jul-2019 18:04
Fluorene		U	0.000030	0.00010	mg/L	1	09-Jul-2019 18:04
Naphthalene	0.000041	J	0.000020	0.00010	mg/L	1	09-Jul-2019 18:04
Phenanthrene		U	0.000021	0.00010	mg/L	1	09-Jul-2019 18:04
Pyrene	0.000031	J	0.000019	0.00010	mg/L	1	09-Jul-2019 18:04
Surr: 2,4,6-Tribromophenol	79.1			34-129	%REC	1	09-Jul-2019 18:04
Surr: 2-Fluorobiphenyl	64.4			40-125	%REC	1	09-Jul-2019 18:04
Surr: 2-Fluorophenol	64.3			20-120	%REC	1	09-Jul-2019 18:04
Surr: 4-Terphenyl-d14	67.7			40-135	%REC	1	09-Jul-2019 18:04
Surr: Nitrobenzene-d5	77.4			41-120	%REC	1	09-Jul-2019 18:04
Surr: Phenol-d6	66.4			20-120	%REC	1	09-Jul-2019 18:04

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW11B-20190702
 Collection Date: 02-Jul-2019 08:35

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-08
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D	Method:SW8270					Prep:SW3510 / 05-Jul-2019	Analyst: GEY
Acenaphthene	0.13		0.0027	0.010	mg/L	100	10-Jul-2019 14:34
Acenaphthylene	0.0013		0.000015	0.00010	mg/L	1	09-Jul-2019 18:25
Anthracene	0.0045		0.000014	0.00010	mg/L	1	09-Jul-2019 18:25
Bis(2-ethylhexyl)phthalate	0.00026		0.000037	0.00020	mg/L	1	09-Jul-2019 18:25
Dibenzofuran	0.051		0.00020	0.0010	mg/L	10	10-Jul-2019 14:14
Di-n-butyl phthalate	U		0.000020	0.00020	mg/L	1	09-Jul-2019 18:25
Fluoranthene	0.0050		0.000010	0.00010	mg/L	1	09-Jul-2019 18:25
Fluorene	0.061		0.00030	0.0010	mg/L	10	10-Jul-2019 14:14
Naphthalene	0.70		0.0020	0.010	mg/L	100	10-Jul-2019 14:34
Phenol	U		0.000035	0.00020	mg/L	1	09-Jul-2019 18:25
Pyrene	0.0027		0.000019	0.00010	mg/L	1	09-Jul-2019 18:25
Surr: 2,4,6-Tribromophenol	97.9			34-129	%REC	10	10-Jul-2019 14:14
Surr: 2,4,6-Tribromophenol	0	JS		34-129	%REC	100	10-Jul-2019 14:34
Surr: 2,4,6-Tribromophenol	72.4			34-129	%REC	1	09-Jul-2019 18:25
Surr: 2-Fluorobiphenyl	62.6			40-125	%REC	1	09-Jul-2019 18:25
Surr: 2-Fluorobiphenyl	84.9			40-125	%REC	10	10-Jul-2019 14:14
Surr: 2-Fluorobiphenyl	0	JS		40-125	%REC	100	10-Jul-2019 14:34
Surr: 2-Fluorophenol	100			20-120	%REC	10	10-Jul-2019 14:14
Surr: 2-Fluorophenol	0	JS		20-120	%REC	100	10-Jul-2019 14:34
Surr: 2-Fluorophenol	74.5			20-120	%REC	1	09-Jul-2019 18:25
Surr: 4-Terphenyl-d14	70.0			40-135	%REC	1	09-Jul-2019 18:25
Surr: 4-Terphenyl-d14	100			40-135	%REC	10	10-Jul-2019 14:14
Surr: 4-Terphenyl-d14	0	JS		40-135	%REC	100	10-Jul-2019 14:34
Surr: Nitrobenzene-d5	109			41-120	%REC	10	10-Jul-2019 14:14
Surr: Nitrobenzene-d5	0	JS		41-120	%REC	100	10-Jul-2019 14:34
Surr: Nitrobenzene-d5	80.2			41-120	%REC	1	09-Jul-2019 18:25
Surr: Phenol-d6	69.8			20-120	%REC	1	09-Jul-2019 18:25
Surr: Phenol-d6	101			20-120	%REC	10	10-Jul-2019 14:14
Surr: Phenol-d6	0	JS		20-120	%REC	100	10-Jul-2019 14:34

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW10A-20190702
 Collection Date: 02-Jul-2019 09:25

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-09
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
2-Methylnaphthalene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 18:44
Acenaphthene	U		0.000027	0.00010	mg/L	1	09-Jul-2019 18:44
Acenaphthylene	U		0.000015	0.00010	mg/L	1	09-Jul-2019 18:44
Anthracene	U		0.000014	0.00010	mg/L	1	09-Jul-2019 18:44
Bis(2-ethylhexyl)phthalate	U		0.000037	0.00020	mg/L	1	09-Jul-2019 18:44
Dibenzofuran	U		0.000020	0.00010	mg/L	1	09-Jul-2019 18:44
Fluoranthene	U		0.000010	0.00010	mg/L	1	09-Jul-2019 18:44
Fluorene	U		0.000030	0.00010	mg/L	1	09-Jul-2019 18:44
Naphthalene	0.000043	J	0.000020	0.00010	mg/L	1	09-Jul-2019 18:44
Phenanthrene	U		0.000021	0.00010	mg/L	1	09-Jul-2019 18:44
Pyrene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 18:44
<i>Surr: 2,4,6-Tribromophenol</i>	<i>64.1</i>			<i>34-129</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 18:44</i>
<i>Surr: 2-Fluorobiphenyl</i>	<i>60.8</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 18:44</i>
<i>Surr: 2-Fluorophenol</i>	<i>52.6</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 18:44</i>
<i>Surr: 4-Terphenyl-d14</i>	<i>72.5</i>			<i>40-135</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 18:44</i>
<i>Surr: Nitrobenzene-d5</i>	<i>72.8</i>			<i>41-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 18:44</i>
<i>Surr: Phenol-d6</i>	<i>56.7</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 18:44</i>

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW10B-20190702
 Collection Date: 02-Jul-2019 10:20

ANALYTICAL REPORT

WorkOrder:HS19070159
 Lab ID:HS19070159-10
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
Acenaphthene	0.042		0.00027	0.0010	mg/L	10	10-Jul-2019 14:54
Acenaphthylene	0.00031		0.000015	0.00010	mg/L	1	09-Jul-2019 19:04
Anthracene	0.0012		0.000014	0.00010	mg/L	1	09-Jul-2019 19:04
Bis(2-ethylhexyl)phthalate	U		0.000037	0.00020	mg/L	1	09-Jul-2019 19:04
Dibenzofuran	0.013		0.00020	0.0010	mg/L	10	10-Jul-2019 14:54
Di-n-butyl phthalate	U		0.000020	0.00020	mg/L	1	09-Jul-2019 19:04
Fluoranthene	0.0012		0.000010	0.00010	mg/L	1	09-Jul-2019 19:04
Fluorene	0.018		0.00030	0.0010	mg/L	10	10-Jul-2019 14:54
Naphthalene	0.00023		0.000020	0.00010	mg/L	1	09-Jul-2019 19:04
Phenol	U		0.000035	0.00020	mg/L	1	09-Jul-2019 19:04
Pyrene	0.00049		0.000019	0.00010	mg/L	1	09-Jul-2019 19:04
Surr: 2,4,6-Tribromophenol	87.2			34-129	%REC	10	10-Jul-2019 14:54
Surr: 2,4,6-Tribromophenol	75.6			34-129	%REC	1	09-Jul-2019 19:04
Surr: 2-Fluorobiphenyl	67.1			40-125	%REC	1	09-Jul-2019 19:04
Surr: 2-Fluorobiphenyl	90.6			40-125	%REC	10	10-Jul-2019 14:54
Surr: 2-Fluorophenol	91.1			20-120	%REC	10	10-Jul-2019 14:54
Surr: 2-Fluorophenol	77.1			20-120	%REC	1	09-Jul-2019 19:04
Surr: 4-Terphenyl-d14	70.5			40-135	%REC	1	09-Jul-2019 19:04
Surr: 4-Terphenyl-d14	86.1			40-135	%REC	10	10-Jul-2019 14:54
Surr: Nitrobenzene-d5	106			41-120	%REC	10	10-Jul-2019 14:54
Surr: Nitrobenzene-d5	98.2			41-120	%REC	1	09-Jul-2019 19:04
Surr: Phenol-d6	77.1			20-120	%REC	1	09-Jul-2019 19:04
Surr: Phenol-d6	96.0			20-120	%REC	10	10-Jul-2019 14:54

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW02-20190702
 Collection Date: 02-Jul-2019 11:15

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-11
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
2-Methylnaphthalene	0.00011		0.000019	0.00010	mg/L	1	09-Jul-2019 19:24
Acenaphthene	0.0019		0.000027	0.00010	mg/L	1	09-Jul-2019 19:24
Acenaphthylene		U	0.000015	0.00010	mg/L	1	09-Jul-2019 19:24
Anthracene	0.000064	J	0.000014	0.00010	mg/L	1	09-Jul-2019 19:24
Bis(2-ethylhexyl)phthalate	0.00015	J	0.000037	0.00020	mg/L	1	09-Jul-2019 19:24
Dibenzofuran	0.00041		0.000020	0.00010	mg/L	1	09-Jul-2019 19:24
Fluoranthene	0.000071	J	0.000010	0.00010	mg/L	1	09-Jul-2019 19:24
Fluorene	0.00097		0.000030	0.00010	mg/L	1	09-Jul-2019 19:24
Naphthalene	0.00011		0.000020	0.00010	mg/L	1	09-Jul-2019 19:24
Phenanthrene	0.000054	J	0.000021	0.00010	mg/L	1	09-Jul-2019 19:24
Pyrene	0.000037	J	0.000019	0.00010	mg/L	1	09-Jul-2019 19:24
Surr: 2,4,6-Tribromophenol	77.0			34-129	%REC	1	09-Jul-2019 19:24
Surr: 2-Fluorobiphenyl	66.1			40-125	%REC	1	09-Jul-2019 19:24
Surr: 2-Fluorophenol	67.0			20-120	%REC	1	09-Jul-2019 19:24
Surr: 4-Terphenyl-d14	81.4			40-135	%REC	1	09-Jul-2019 19:24
Surr: Nitrobenzene-d5	89.6			41-120	%REC	1	09-Jul-2019 19:24
Surr: Phenol-d6	71.6			20-120	%REC	1	09-Jul-2019 19:24

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW01A-20190702
 Collection Date: 02-Jul-2019 12:10

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-12
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
2-Methylnaphthalene	0.00074		0.000019	0.00010	mg/L	1	09-Jul-2019 19:44
Acenaphthene	0.063		0.00027	0.0010	mg/L	10	10-Jul-2019 15:14
Acenaphthylene	0.00071		0.000015	0.00010	mg/L	1	09-Jul-2019 19:44
Anthracene	0.00097		0.000014	0.00010	mg/L	1	09-Jul-2019 19:44
Bis(2-ethylhexyl)phthalate	U		0.000037	0.00020	mg/L	1	09-Jul-2019 19:44
Dibenzofuran	0.0058		0.000020	0.00010	mg/L	1	09-Jul-2019 19:44
Fluoranthene	0.0013		0.000010	0.00010	mg/L	1	09-Jul-2019 19:44
Fluorene	0.019		0.00030	0.0010	mg/L	10	10-Jul-2019 15:14
Naphthalene	0.00034		0.000020	0.00010	mg/L	1	09-Jul-2019 19:44
Phenanthrene	0.00076		0.000021	0.00010	mg/L	1	09-Jul-2019 19:44
Pyrene	0.00059		0.000019	0.00010	mg/L	1	09-Jul-2019 19:44
Surr: 2,4,6-Tribromophenol	89.0			34-129	%REC	1	09-Jul-2019 19:44
Surr: 2,4,6-Tribromophenol	97.5			34-129	%REC	10	10-Jul-2019 15:14
Surr: 2-Fluorobiphenyl	106			40-125	%REC	10	10-Jul-2019 15:14
Surr: 2-Fluorobiphenyl	79.2			40-125	%REC	1	09-Jul-2019 19:44
Surr: 2-Fluorophenol	92.7			20-120	%REC	1	09-Jul-2019 19:44
Surr: 2-Fluorophenol	111			20-120	%REC	10	10-Jul-2019 15:14
Surr: 4-Terphenyl-d14	99.2			40-135	%REC	10	10-Jul-2019 15:14
Surr: 4-Terphenyl-d14	80.2			40-135	%REC	1	09-Jul-2019 19:44
Surr: Nitrobenzene-d5	105			41-120	%REC	1	09-Jul-2019 19:44
Surr: Nitrobenzene-d5	116			41-120	%REC	10	10-Jul-2019 15:14
Surr: Phenol-d6	109			20-120	%REC	10	10-Jul-2019 15:14
Surr: Phenol-d6	92.3			20-120	%REC	1	09-Jul-2019 19:44

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-FD01-20190702
 Collection Date: 02-Jul-2019 12:10

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-13
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MLL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 05-Jul-2019		Analyst: GEY	
2-Methylnaphthalene	0.00069		0.000019	0.00010	mg/L	1	09-Jul-2019 20:04
Acenaphthene	0.053		0.00027	0.0010	mg/L	10	10-Jul-2019 16:35
Acenaphthylene	0.00071		0.000015	0.00010	mg/L	1	09-Jul-2019 20:04
Anthracene	0.00096		0.000014	0.00010	mg/L	1	09-Jul-2019 20:04
Bis(2-ethylhexyl)phthalate	0.000079	J	0.000037	0.00020	mg/L	1	09-Jul-2019 20:04
Dibenzofuran	0.0054		0.000020	0.00010	mg/L	1	09-Jul-2019 20:04
Fluoranthene	0.0012		0.000010	0.00010	mg/L	1	09-Jul-2019 20:04
Fluorene	0.016		0.00030	0.0010	mg/L	10	10-Jul-2019 16:35
Naphthalene	0.00034		0.000020	0.00010	mg/L	1	09-Jul-2019 20:04
Phenanthrene	0.00067		0.000021	0.00010	mg/L	1	09-Jul-2019 20:04
Pyrene	0.00055		0.000019	0.00010	mg/L	1	09-Jul-2019 20:04
Surr: 2,4,6-Tribromophenol	88.8			34-129	%REC	1	09-Jul-2019 20:04
Surr: 2,4,6-Tribromophenol	108			34-129	%REC	10	10-Jul-2019 16:35
Surr: 2-Fluorobiphenyl	96.4			40-125	%REC	10	10-Jul-2019 16:35
Surr: 2-Fluorobiphenyl	77.8			40-125	%REC	1	09-Jul-2019 20:04
Surr: 2-Fluorophenol	84.3			20-120	%REC	1	09-Jul-2019 20:04
Surr: 2-Fluorophenol	102			20-120	%REC	10	10-Jul-2019 16:35
Surr: 4-Terphenyl-d14	93.4			40-135	%REC	10	10-Jul-2019 16:35
Surr: 4-Terphenyl-d14	77.8			40-135	%REC	1	09-Jul-2019 20:04
Surr: Nitrobenzene-d5	107			41-120	%REC	1	09-Jul-2019 20:04
Surr: Nitrobenzene-d5	115			41-120	%REC	10	10-Jul-2019 16:35
Surr: Phenol-d6	107			20-120	%REC	10	10-Jul-2019 16:35
Surr: Phenol-d6	84.7			20-120	%REC	1	09-Jul-2019 20:04

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-FB02-20190702
 Collection Date: 02-Jul-2019 12:30

ANALYTICAL REPORT
 WorkOrder:HS19070159
 Lab ID:HS19070159-14
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D	Method:SW8270					Prep:SW3510 / 05-Jul-2019	Analyst: GEY
2-Methylnaphthalene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 20:24
Acenaphthene	U		0.000027	0.00010	mg/L	1	09-Jul-2019 20:24
Acenaphthylene	U		0.000015	0.00010	mg/L	1	09-Jul-2019 20:24
Anthracene	U		0.000014	0.00010	mg/L	1	09-Jul-2019 20:24
Bis(2-ethylhexyl)phthalate	0.000068	J	0.000037	0.00020	mg/L	1	09-Jul-2019 20:24
Dibenzofuran	U		0.000020	0.00010	mg/L	1	09-Jul-2019 20:24
Di-n-butyl phthalate	U		0.000020	0.00020	mg/L	1	09-Jul-2019 20:24
Fluoranthene	U		0.000010	0.00010	mg/L	1	09-Jul-2019 20:24
Fluorene	U		0.000030	0.00010	mg/L	1	09-Jul-2019 20:24
Naphthalene	U		0.000020	0.00010	mg/L	1	09-Jul-2019 20:24
Phenanthrene	U		0.000021	0.00010	mg/L	1	09-Jul-2019 20:24
Phenol	U		0.000035	0.00020	mg/L	1	09-Jul-2019 20:24
Pyrene	U		0.000019	0.00010	mg/L	1	09-Jul-2019 20:24
<i>Surr: 2,4,6-Tribromophenol</i>	<i>91.3</i>			<i>34-129</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 20:24</i>
<i>Surr: 2-Fluorobiphenyl</i>	<i>89.2</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 20:24</i>
<i>Surr: 2-Fluorophenol</i>	<i>89.2</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 20:24</i>
<i>Surr: 4-Terphenyl-d14</i>	<i>80.2</i>			<i>40-135</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 20:24</i>
<i>Surr: Nitrobenzene-d5</i>	<i>108</i>			<i>41-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 20:24</i>
<i>Surr: Phenol-d6</i>	<i>91.5</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>09-Jul-2019 20:24</i>

Note: See Qualifiers Page for a list of qualifiers and their explanation.

WEIGHT LOG

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

Batch ID: 142762 **Method:** LOW-LEVEL SEMIVOLATILES BY 8270D **Prep:** 3510_B_LOW

SampID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS19070159-01	1	1000	1 (mL)	0.001
HS19070159-02	1	1000	1 (mL)	0.001
HS19070159-03	1	1000	1 (mL)	0.001
HS19070159-04	1	1000	1 (mL)	0.001
HS19070159-05	1	1000	1 (mL)	0.001
HS19070159-06	1	1000	1 (mL)	0.001
HS19070159-07	1	1000	1 (mL)	0.001
HS19070159-08	1	1000	1 (mL)	0.001
HS19070159-09	1	1000	1 (mL)	0.001
HS19070159-10	1	1000	1 (mL)	0.001
HS19070159-11	1	1000	1 (mL)	0.001
HS19070159-12	1	1000	1 (mL)	0.001
HS19070159-13	1	1000	1 (mL)	0.001
HS19070159-14	1	1000	1 (mL)	0.001

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

DATES REPORT

Sample ID	Client Samp ID	Collection Date	TCLP Date	Prep Date	Analysis Date	DF
Batch ID: 142762 (0)		Test Name : LOW-LEVEL SEMIVOLATILES BY 8270D			Matrix: Water	
HS19070159-06	WG-1620-FB01-20190701	01 Jul 2019 17:15		05 Jul 2019 13:11	09 Jul 2019 17:43	1
HS19070159-14	WG-1620-FB02-20190702	02 Jul 2019 12:30		05 Jul 2019 13:11	09 Jul 2019 20:24	1
Batch ID: 142762 (0)		Test Name : LOW-LEVEL SEMIVOLATILES BY 8270D			Matrix: Groundwater	
HS19070159-01	WG-1620-P12-20190701	01 Jul 2019 14:15		05 Jul 2019 13:11	09 Jul 2019 21:24	1
HS19070159-02	WG-1620-MW08-20190701	01 Jul 2019 15:10		05 Jul 2019 13:11	09 Jul 2019 21:44	1
HS19070159-03	WG-1620-P10-20190701	01 Jul 2019 16:00		05 Jul 2019 13:11	09 Jul 2019 22:04	1
HS19070159-04	WG-1620-MW07-20190701	01 Jul 2019 16:55		05 Jul 2019 13:11	09 Jul 2019 17:03	1
HS19070159-05	WG-1620-FD02-20190701	01 Jul 2019 16:55		05 Jul 2019 13:11	09 Jul 2019 22:24	1
HS19070159-07	WG-1620-MW11A-20190702	02 Jul 2019 07:45		05 Jul 2019 13:11	09 Jul 2019 18:04	1
HS19070159-08	WG-1620-MW11B-20190702	02 Jul 2019 08:35		05 Jul 2019 13:11	10 Jul 2019 14:34	100
HS19070159-08	WG-1620-MW11B-20190702	02 Jul 2019 08:35		05 Jul 2019 13:11	10 Jul 2019 14:14	10
HS19070159-08	WG-1620-MW11B-20190702	02 Jul 2019 08:35		05 Jul 2019 13:11	09 Jul 2019 18:25	1
HS19070159-09	WG-1620-MW10A-20190702	02 Jul 2019 09:25		05 Jul 2019 13:11	09 Jul 2019 18:44	1
HS19070159-10	WG-1620-MW10B-20190702	02 Jul 2019 10:20		05 Jul 2019 13:11	10 Jul 2019 14:54	10
HS19070159-10	WG-1620-MW10B-20190702	02 Jul 2019 10:20		05 Jul 2019 13:11	09 Jul 2019 19:04	1
HS19070159-11	WG-1620-MW02-20190702	02 Jul 2019 11:15		05 Jul 2019 13:11	09 Jul 2019 19:24	1
HS19070159-12	WG-1620-MW01A-20190702	02 Jul 2019 12:10		05 Jul 2019 13:11	10 Jul 2019 15:14	10
HS19070159-12	WG-1620-MW01A-20190702	02 Jul 2019 12:10		05 Jul 2019 13:11	09 Jul 2019 19:44	1
HS19070159-13	WG-1620-FD01-20190702	02 Jul 2019 12:10		05 Jul 2019 13:11	10 Jul 2019 16:35	10
HS19070159-13	WG-1620-FD01-20190702	02 Jul 2019 12:10		05 Jul 2019 13:11	09 Jul 2019 20:04	1

WorkOrder: HS19070159
 InstrumentID: SV-7
 Test Code: 8270_LOW_W

**METHOD DETECTION /
 REPORTING LIMITS**

Test Number: SW8270

Matrix: Aqueous

Units: mg/L

Test Name: Low-Level Semivolatiles by 8270D

Type	Analyte	CAS	DCS Spike	DCS	MDL	PQL
A	2-Methylnaphthalene	91-57-6	0.000050	0.000033	0.000019	0.00010
A	Acenaphthene	83-32-9	0.000050	0.000044	0.000027	0.00010
A	Acenaphthylene	208-96-8	0.000050	0.000042	0.000015	0.00010
A	Anthracene	120-12-7	0.000050	0.000043	0.000014	0.00010
A	Bis(2-ethylhexyl)phthalate	117-81-7	0.00010	0.000095	0.000037	0.00020
A	Dibenzofuran	132-64-9	0.000050	0.000035	0.000020	0.00010
A	Di-n-butyl phthalate	84-74-2	0.00010	0.000084	0.000020	0.00020
A	Fluoranthene	206-44-0	0.000050	0.000041	0.000010	0.00010
A	Fluorene	86-73-7	0.000050	0.000042	0.000030	0.00010
A	Naphthalene	91-20-3	0.000050	0.000045	0.000020	0.00010
A	Phenanthrene	85-01-8	0.000050	0.000045	0.000021	0.00010
A	Phenol	108-95-2	0.00010	0.000085	0.000035	0.00020
A	Pyrene	129-00-0	0.000050	0.000044	0.000019	0.00010
S	2,4,6-Tribromophenol	118-79-6	0	0	0	0.00020
S	2-Fluorobiphenyl	321-60-8	0	0	0	0.00020
S	2-Fluorophenol	367-12-4	0	0	0	0.00020
S	4-Terphenyl-d14	1718-51-0	0	0	0	0.00020
S	Nitrobenzene-d5	4165-60-0	0	0	0	0.00020
S	Phenol-d6	13127-88-3	0	0	0	0.00020

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

QC BATCH REPORT

Batch ID: 142762 (0)		Instrument: SV-7		Method: LOW-LEVEL SEMIVOLATILES BY 8270D						
MBLK	Sample ID: MBLK-142762	Units: ug/L			Analysis Date: 09-Jul-2019 13:43					
Client ID:	Run ID: SV-7_342117	SeqNo: 5160050		PrepDate: 05-Jul-2019		DF: 1				
Analyte	Result	MLQ	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	U	0.10								
Acenaphthene	U	0.10								
Acenaphthylene	U	0.10								
Anthracene	U	0.10								
Bis(2-ethylhexyl)phthalate	U	0.20								
Dibenzofuran	U	0.10								
Di-n-butyl phthalate	U	0.20								
Fluoranthene	U	0.10								
Fluorene	U	0.10								
Naphthalene	U	0.10								
Phenanthrene	U	0.10								
Phenol	U	0.20								
Pyrene	U	0.10								
<i>Surr: 2,4,6-Tribromophenol</i>	3.006	0.20	5	0	60.1	34 - 129				
<i>Surr: 2-Fluorobiphenyl</i>	3.855	0.20	5	0	77.1	40 - 125				
<i>Surr: 2-Fluorophenol</i>	4.129	0.20	5	0	82.6	20 - 120				
<i>Surr: 4-Terphenyl-d14</i>	3.423	0.20	5	0	68.5	40 - 135				
<i>Surr: Nitrobenzene-d5</i>	4.721	0.20	5	0	94.4	41 - 120				
<i>Surr: Phenol-d6</i>	4.33	0.20	5	0	86.6	20 - 120				

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

QC BATCH REPORT

Batch ID: 142762 (0)		Instrument: SV-7		Method: LOW-LEVEL SEMIVOLATILES BY 8270D						
LCS	Sample ID: LCS-142762	Units: ug/L			Analysis Date: 09-Jul-2019 14:03					
Client ID:	Run ID: SV-7_342117	SeqNo: 5160051		PrepDate: 05-Jul-2019		DF: 1				
Analyte	Result	MLQ	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual	
2-Methylnaphthalene	3.96	0.10	5	0	79.2	50 - 120				
Acenaphthene	3.723	0.10	5	0	74.5	45 - 120				
Acenaphthylene	3.707	0.10	5	0	74.1	47 - 120				
Anthracene	3.476	0.10	5	0	69.5	45 - 120				
Bis(2-ethylhexyl)phthalate	4.07	0.20	5	0	81.4	40 - 139				
Dibenzofuran	3.775	0.10	5	0	75.5	50 - 120				
Di-n-butyl phthalate	3.864	0.20	5	0	77.3	45 - 123				
Fluoranthene	3.634	0.10	5	0	72.7	45 - 125				
Fluorene	3.604	0.10	5	0	72.1	49 - 120				
Naphthalene	3.773	0.10	5	0	75.5	45 - 120				
Phenanthrene	3.418	0.10	5	0	68.4	45 - 121				
Phenol	4.024	0.20	5	0	80.5	20 - 124				
Pyrene	3.792	0.10	5	0	75.8	40 - 130				
<i>Surr: 2,4,6-Tribromophenol</i>	3.769	0.20	5	0	75.4	34 - 129				
<i>Surr: 2-Fluorobiphenyl</i>	4.113	0.20	5	0	82.3	40 - 125				
<i>Surr: 2-Fluorophenol</i>	4.135	0.20	5	0	82.7	20 - 120				
<i>Surr: 4-Terphenyl-d14</i>	3.572	0.20	5	0	71.4	40 - 135				
<i>Surr: Nitrobenzene-d5</i>	5.031	0.20	5	0	101	41 - 120				
<i>Surr: Phenol-d6</i>	4.606	0.20	5	0	92.1	20 - 120				

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

QC BATCH REPORT

Batch ID: 142762 (0)		Instrument: SV-7		Method: LOW-LEVEL SEMIVOLATILES BY 8270D						
MS	Sample ID: HS19070159-01MS	Units: ug/L			Analysis Date: 09-Jul-2019 20:44					
Client ID: WG-1620-P12-20190701	Run ID: SV-7_342117	SeqNo: 5160062		PrepDate: 05-Jul-2019		DF: 1				
Analyte	Result	MLQ	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit Qual	
2-Methylnaphthalene	2.584	0.10	5	0	51.7	50 - 120				
Acenaphthene	2.815	0.10	5	0	56.3	45 - 120				
Acenaphthylene	2.753	0.10	5	0	55.1	47 - 120				
Anthracene	3.412	0.10	5	0.05218	67.2	45 - 120				
Bis(2-ethylhexyl)phthalate	4.295	0.20	5	0	85.9	40 - 139				
Dibenzofuran	3.088	0.10	5	0	61.8	50 - 120				
Di-n-butyl phthalate	4.178	0.20	5	0	83.6	45 - 123				
Fluoranthene	3.935	0.10	5	0	78.7	45 - 125				
Fluorene	3.209	0.10	5	0	64.2	49 - 120				
Naphthalene	2.592	0.10	5	0	51.8	45 - 120				
Phenanthrene	3.405	0.10	5	0	68.1	45 - 121				
Phenol	2.666	0.20	5	0	53.3	20 - 124				
Pyrene	3.839	0.10	5	0	76.8	40 - 130				
<i>Surr: 2,4,6-Tribromophenol</i>	<i>3.752</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>75.0</i>	<i>34 - 129</i>				
<i>Surr: 2-Fluorobiphenyl</i>	<i>2.699</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>54.0</i>	<i>40 - 125</i>				
<i>Surr: 2-Fluorophenol</i>	<i>2.86</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>57.2</i>	<i>20 - 120</i>				
<i>Surr: 4-Terphenyl-d14</i>	<i>3.534</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>70.7</i>	<i>40 - 135</i>				
<i>Surr: Nitrobenzene-d5</i>	<i>3.417</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>68.3</i>	<i>41 - 120</i>				
<i>Surr: Phenol-d6</i>	<i>2.982</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>59.6</i>	<i>20 - 120</i>				

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

QC BATCH REPORT

Batch ID: 142762 (0)		Instrument: SV-7		Method: LOW-LEVEL SEMIVOLATILES BY 8270D						
MSD		Sample ID: HS19070159-01MSD		Units: ug/L		Analysis Date: 09-Jul-2019 21:04				
Client ID: WG-1620-P12-20190701		Run ID: SV-7_342117		SeqNo: 5160063		PrepDate: 05-Jul-2019		DF: 1		
Analyte	Result	MLQ	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	3.038	0.10	5	0	60.8	50 - 120	2.584	16.2	20	
Acenaphthene	3.082	0.10	5	0	61.6	45 - 120	2.815	9.05	20	
Acenaphthylene	2.979	0.10	5	0	59.6	47 - 120	2.753	7.87	20	
Anthracene	3.858	0.10	5	0.05218	76.1	45 - 120	3.412	12.3	20	
Bis(2-ethylhexyl)phthalate	4.996	0.20	5	0	99.9	40 - 139	4.295	15.1	20	
Dibenzofuran	3.269	0.10	5	0	65.4	50 - 120	3.088	5.69	20	
Di-n-butyl phthalate	4.713	0.20	5	0	94.3	45 - 123	4.178	12	20	
Fluoranthene	4.508	0.10	5	0	90.2	45 - 125	3.935	13.6	20	
Fluorene	3.444	0.10	5	0	68.9	49 - 120	3.209	7.08	20	
Naphthalene	2.948	0.10	5	0	59.0	45 - 120	2.592	12.9	20	
Phenanthrene	3.853	0.10	5	0	77.1	45 - 121	3.405	12.4	20	
Phenol	2.972	0.20	5	0	59.4	20 - 124	2.666	10.8	20	
Pyrene	4.535	0.10	5	0	90.7	40 - 130	3.839	16.6	20	
<i>Surr: 2,4,6-Tribromophenol</i>	<i>4.161</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>83.2</i>	<i>34 - 129</i>	<i>3.752</i>	<i>10.3</i>	<i>20</i>	
<i>Surr: 2-Fluorobiphenyl</i>	<i>3.034</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>60.7</i>	<i>40 - 125</i>	<i>2.699</i>	<i>11.7</i>	<i>20</i>	
<i>Surr: 2-Fluorophenol</i>	<i>3.148</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>63.0</i>	<i>20 - 120</i>	<i>2.86</i>	<i>9.56</i>	<i>20</i>	
<i>Surr: 4-Terphenyl-d14</i>	<i>4.135</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>82.7</i>	<i>40 - 135</i>	<i>3.534</i>	<i>15.7</i>	<i>20</i>	
<i>Surr: Nitrobenzene-d5</i>	<i>3.936</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>78.7</i>	<i>41 - 120</i>	<i>3.417</i>	<i>14.1</i>	<i>20</i>	
<i>Surr: Phenol-d6</i>	<i>3.404</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>68.1</i>	<i>20 - 120</i>	<i>2.982</i>	<i>13.2</i>	<i>20</i>	

The following samples were analyzed in this batch:

HS19070159-01	HS19070159-02	HS19070159-03	HS19070159-04
HS19070159-05	HS19070159-06	HS19070159-07	HS19070159-08
HS19070159-09	HS19070159-10	HS19070159-11	HS19070159-12
HS19070159-13	HS19070159-14		

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19070159

**QUALIFIERS,
ACRONYMS, UNITS**

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/L	Milligrams per Liter

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Kansas	E-10352 2018-2019	31-Jul-2019
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
Oklahoma	2018-156	31-Aug-2019
Texas	TX104704231-19-23	30-Apr-2020

Sample Receipt Checklist

Client Name: PBW
Work Order: HS19070159

Date/Time Received: 02-Jul-2019 14:35
Received by: JRM

Checklist completed by: Nilesh D. Ranchod
eSignature
Date: 3-Jul-2019

Reviewed by: Dane J. Wacasey
eSignature
Date: 8-Jul-2019

Matrices: Water

Carrier name: Client

- Shipping container/cooler in good condition? Yes [checked] No [] Not Present []
Custody seals intact on shipping container/cooler? Yes [] No [] Not Present [checked]
Custody seals intact on sample bottles? Yes [] No [] Not Present [checked]
VOA/TX1005/TX1006 Solids in hermetically sealed vials? Yes [] No [] Not Present [checked]
Chain of custody present? Yes [checked] No []
Chain of custody signed when relinquished and received? Yes [checked] No []
Samplers name present on COC? Yes [checked] No []
Chain of custody agrees with sample labels? Yes [] No [checked]
Samples in proper container/bottle? Yes [checked] No []
Sample containers intact? Yes [checked] No []
Sufficient sample volume for indicated test? Yes [checked] No []
All samples received within holding time? Yes [checked] No []
Container/Temp Blank temperature in compliance? Yes [checked] No []

2 Page(s)
COC IDs:203587/203585

Temperature(s)/Thermometer(s): 1.5C/1.5C, 1.2C/1.2C,0.8C/0.8C, 0.9C/0.9C UC/C IR # 25
Cooler(s)/Kit(s): 44381/44883/45155/43623
Date/Time sample(s) sent to storage: 07/02/2019 18:00
Water - VOA vials have zero headspace? Yes [] No [] No VOA vials submitted [checked]
Water - pH acceptable upon receipt? Yes [] No [] N/A [checked]
pH adjusted? Yes [] No [] N/A [checked]

pH adjusted by:

Login Notes: Sample Label time differ. WG-1620-FD02-20190701 COC= 16:55 Label= 16:00; logged per COC

Client Contacted: Date Contacted: Person Contacted:
Contacted By: Regarding:
Comments:
Corrective Action:



Cincinnati, OH
+1 513 733 5336
Everett, WA
+1 425 356 2600

Fort Collins, CO
+1 970 490 1511
Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 1 of 2

COC ID: 203587

HS19070159

WV

Golder Associates Inc.
Houston TX-Wood Preserving Works

ALS Project Manager:



Customer Information		Project Information		
Purchase Order	UPRR/Kevin Peterburs	Project Name	Houston TX-Wood Preserving Works	A 8270_LOW_W (5632532 ATZ SemiVolatiles)
Work Order		Project Number	1620-07-Rev0 SR 92686	B 8270_LOW_W (5632532 BTZ SemiVolatiles)
Company Name	Golder Associates	Bill To Company	Union Pacific Railroad- A/P	C 8270_LOW_W (5632532 ATZ & BTZ SemiVolatiles)
Send Report To	Eric Matzner	Invoice Attn	Accounts Payable	D ms/msp
Address	2201 Double Creek Drive	Address	1400 Douglas Street	E
	Suite 4004		Stop 0750	F
City/State/Zip	Round Rock, TX 78664	City/State/Zip	Omaha NE 681790750	G
Phone	(512) 671-3434	Phone		H
Fax	(512) 671-3446	Fax		I
e-Mail Address	eric_matzner@golder.com	e-Mail Address		J

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Mold
1	WG-1620-P12-20190701	7-1-19	1415	Groundwa	6	4		X		X							
2	WG-1620-MW08-20190701		1510	GW		2	X										
3	WG-1620-P10-20190701		1600	GW		2		X									
4	WG-1620-MW07-20190701		1655	GW		2	X										
5	WG-1620-FD02-20190701		1655	GW		2	X										
6	WG-1620-FB01-20190701		1715	GW		2	X	X									
7	WG-1620-MW11A-20190702	7-2-19	0745	GW		2	X										
8	WG-1620-MW11B-20190702		0835	GW		2		X									
9	WG-1620-MW10A-20190702		0925	GW		2	X										
10	WG-1620-MW10B-20190702		1020	GW		2		X									

Sampler(s) Please Print & Sign JOHN BRAYTON		Shipment Method HAND DELIVERED		Required Turnaround Time: (Check Box) <input checked="" type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 24 Hrs				Results Due Date:		
Relinquished by John Br		Date: 7-2-19	Time: 14:35	Received by:		Notes: UPRR Houston MWPW				
Relinquished by John Br		Date: 7/2/19	Time: 14:35	Received by (Laboratory): S. Matzner		Cooler ID	Cooler Temp.	QC Package: (Check One Box Below)		
Logged by (Laboratory):		Date:	Time:	Checked by (Laboratory):		44381	1.5	<input type="checkbox"/> Level II Std QC	<input checked="" type="checkbox"/> RFP Checklist	
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035						44863	1.2	<input type="checkbox"/> Level III Std QC/Rev Date	<input type="checkbox"/> RFP Level IV	
						45155	0.8	<input type="checkbox"/> Level IV SWB46/CLP		
						43623	0.9	<input type="checkbox"/> Other		

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.



Cincinnati, OH
+1 513 733 5336
Everett, WA
+1 425 356 2600

Fort Collins, CO
+1 970 490 1511
Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 2 of 2

COC ID: 203585

HS19070159

WV

Golder Associates Inc.
Houston TX-Wood Preserving Works



ALS Project Manager:

Customer Information		Project Information		
Purchase Order	UPRR/Kevin Paterburs	Project Name	Houston TX-Wood Preserving Works	A 8270_LOW_W (5632532 ATZ SemiVolatiles)
Work Order		Project Number	1620-07-Rev0 SR 92688 SWMU1	B 8270_LOW_W (5632532 BTZ SemiVolatiles)
Company Name	Golder Associates	Bill To Company	Union Pacific Railroad- A/P	C 8270_LOW_W (5632532 ATZ & BTZ SemiVolatiles)
Send Report To	Eric Matzner	Invoice Attn	Accounts Payable	D
Address	2201 Double Creek Drive	Address	1400 Douglas Street	E
	Suite 4004		Stop 0750	F
City/State/Zip	Round Rock, TX 78664	City/State/Zip	Omaha NE 681790750	G
Phone	(512) 671-3434	Phone		H
Fax	(512) 671-3446	Fax		I
e-Mail Address	eric_matzner@golder.com	e-Mail Address		J

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	WG-1620-MW02-20190702	7-2-19	1115	Groundwa	6	2	X										
2	WG-1620-MW01A-20190702	↓	1210			2	X										
3	WG-1620-FD01-20190702	↓	1210			2	X										
4	WG-1620-FB02-20190702	↓	1230			2	X	X									
5																	
6																	
7																	
8																	
9																	
10																	

Sampler(s) Please Print & Sign JOHN BRAYON <i>John Br</i>		Shipment Method HAND DELIVERED		Required Turnaround Time: (Check Box) <input checked="" type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 24 Hr				Results Due Date:	
Relinquished by: <i>John Br</i>	Date: 7-2-19	Time: 19:35	Received by:	Notes: UPRR Houston MWPW					
Relinquished by:	Date: 7/2/19	Time: 19:35	Received by (Laboratory):	Cooler ID	Cooler Temp.	QC Package: (Check One Box Below)			
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):			<input type="checkbox"/> Level II Std QC	<input checked="" type="checkbox"/> TRP Checklist		
						<input type="checkbox"/> Level III Std QC/Rw Date	<input type="checkbox"/> TRP Level IV		
						<input type="checkbox"/> Level IV SWB4/CLP			
						<input type="checkbox"/> Other			

Preservative Key: 1-HCl 2-HNO₃ 3-H₂SO₄ 4-NaOH 5-Na₂S₂O₃ 6-NaHSO₄ 7-Other 8-4°C 9-5035

- ote: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.



Memorandum

August 20, 2019

To: Eric Matzner Ref. No.: 11183954-1620

From: ^{CK} Chris G. Knight/eew/351-NF Tel: 512-506-8803

cc: Jesse Orth, Jon Lang; Julie Lidstone

**Subject: Data Usability Summary
Semiannual Groundwater Monitoring Resample Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
August 2019**

1. Scope of Data Usability Study

This document details a Data Usability Summary (DUS) of analytical results for a groundwater sample collected in support of the Semiannual Groundwater Monitoring Resample Event at the Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works site during August 2019. The sample was submitted to ALS Environmental (ALS), located in Houston, Texas and are reported in data package HS19080117. The intended use of the data is to support the Semiannual Groundwater Monitoring Resample Event at the site by providing current concentration of naphthalene.

Data were reviewed and validated by Chris G. Knight of GHD, in accordance with Title 30 of the Texas Administrative Code Section 350.54 (30 TAC 350.54) as described in the Texas Commission on Environmental Quality (TCEQ) Regulatory Guidance document entitled "Review and Reporting of COC Concentration Data under TRRP", (RG-366/TRRP-13), revised May 2010, herein referred to as "TRRP-13 Guidance". Evaluation of the data was based on information obtained from the chain of custody forms, the finished report forms, method blank data, recovery data from surrogate spikes/laboratory control samples (LCS)/matrix spikes (MS), field quality assurance/quality control (QA/QC) sample, the laboratory review checklists (LRC), and the laboratory exception report (ER).

A sample collection and analysis summary is presented in Table 1. This summary provides a cross-reference of field sample identification numbers and location identification. Each sample is assigned a unique field identification number.

The validated sample result is presented in Table 2. A summary of the analytical methodology is presented in Table 3.



2. Laboratory Qualifications

The Laboratory's quality assurance program is consistent with the quality standards outlined in the National Environmental Laboratory Accreditation Program (NELAP). This laboratory was accredited under Texas Certification number # TX104704231 at the time the analysis was performed and the certificate is included in Attachment A.

3. Project Objectives

3.1 Sampling/Analytical QA/QC Objectives

The QA/QC program was designed to identify contamination resulting from the sampling, sample transport and analytical process through the analysis of a field blank sample and a method blank. The QA/QC program was designed to evaluate the quality of the resulting data with respect to bias and precision through analysis of LCS and MS analyses.

4. Data Review/Validation Results

4.1 Sample Holding Time and Preservation

The sample was shipped with a chain of custody and the paper work was filled out properly. The sample was properly preserved, delivered on ice, and stored by the laboratory at the required temperature (0-6°C).

The sample chain of custody documents and the analytical report were used to determine sample holding times. The sample was prepared and analyzed within the required holding times.

4.2 Sample Containers

Sample containers used were certified pre-cleaned glass containers provided by the laboratory. These containers meet or exceed analyte specifications established in the United States Environmental Protection Agency (USEPA) *Specifications and Guidance for Contaminant-free Sample Containers*.

4.3 Calibrations

According to the LRC, initial calibration and continuing calibration data met the criteria for the selected method.

4.4 Laboratory Method Blank Analyses

Method blanks are prepared from a purified matrix and analyzed with investigative samples to determine the existence and magnitude of sample contamination introduced during the analytical procedures. As these were not discrete samples handled in the field, these blanks are not listed on the sample identification cross-reference list found in the data package.



For this study, laboratory method blanks were analyzed at a minimum frequency of one per twenty investigative samples and/or one per analytical batch and results are reported in the laboratory data package.

The method blank result was non-detect or below the method quantitation limit (MQL), indicating that laboratory contamination was not a factor for this investigation.

4.5 Internal Standard and Surrogate Spike Recoveries

Recoveries of internal standards are addressed in the LRC of the data package. All internal standard recoveries associated with the compounds of interest were acceptable per the LRC.

In accordance with the methods employed, all samples, blanks, and QC samples analyzed for naphthalene are spiked with surrogate compounds prior to sample analysis. Surrogate recoveries provide a means to evaluate the effects of laboratory performance on individual sample matrices. The recovery ranges established by the laboratory are adopted as the acceptance criteria for the project. Each individual surrogate compound is expected to meet the laboratory control limits. According to the TRRP-13 Guidelines, one outlying surrogate is acceptable for methods with multiple surrogate spike compounds as long as the recovery is at least ten percent. The sample was analyzed at an elevated sample dilution (greater than five times) and was not assessed.

4.6 Laboratory Control Sample Analysis

LCS are prepared and analyzed as samples to assess the analytical efficiencies of the methods employed, independent of sample matrix effects. The recovery range established by the laboratory was adopted as the acceptance criteria for the project.

For this study, LCS were analyzed at a minimum frequency of one per twenty investigative samples and/or one per analytical batch.

The LCS contained naphthalene. The LCS recovery was within the laboratory control limits, demonstrating acceptable analytical accuracy.

4.7 Matrix Spike Analysis

To evaluate the effects of sample matrices on the preparation process, measurement procedures, and accuracy of a particular analysis, samples are spiked with known concentrations of the analytes of interest and analyzed as MS/matrix spike duplicate (MSD) samples. The relative percent difference (RPD) between the MS and MSD is used to assess analytical precision.

The laboratory performed an MS/MSD on a non-site sample. This cannot be used to assess accuracy and precision for the site sample.

4.8 Field QA/QC Sample

The field QA/QC consisted of one field blank sample.



To assess ambient conditions at the site, one field blank sample was were submitted for analysis, as identified in Table 1.

- i) WG-1620-FB01-20190730 yielded a low level detection for naphthalene. The associated sample result was significantly greater than the field blank detection and was not affected. No further action was required.

4.9 Field Procedures

Golder Associates, Inc. collected the groundwater sample in accordance with their Standard Operating Procedures (SOP) for sample collection.

4.10 Analyte Reporting

The laboratory reported the detected result for naphthalene down to the sample detection limit (SDL), which is defined as the method detection limit (MDL) with sample-specific adjustments for dilutions, aliquot size, volumes, etc.

The detectability check standard (DCS) results supported the laboratory MDL.

5. Conclusion

Based on the assessment detailed in the foregoing, the data summarized in Table 2 are usable for the purpose of supporting the Semiannual Groundwater Monitoring Resample Event at the site by providing current concentration of naphthalene without qualification.

Table 1

Sample Collection and Analysis Summary
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
August 2019

Sample Identification	Location	Matrix	Collection Date (mm/dd/yyyy)	Collection Time (hr:min)	<u>Analysis/Parameters</u>		Comments
					Naphthalene		
WG-1620-MW11B-20190730	MW-11B	Water	07/30/2019	13:00	X		
WG-1620-FB01-20190730	-	Water	07/30/2019	13:15	X		Field Blank

Table 2

**Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
August 2019**

Location ID:	MW-11B
Sample Name:	WG-1620-MW11B-20190730
Sample Date:	07/30/2019

Parameters	Unit	
Semi-volatile Organic Compounds		
Naphthalene	mg/L	1.1

Table 3

Analytical Methods
Semiannual Groundwater Monitoring Event
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
August 2019

Parameter	Method	Matrix	Holding Time	Holding Time
			Collection to Extraction (Days)	Extraction to Analysis (Days)
Naphthalene	SW-846 8270D	Water	7	40

Method References:

SW-846 - "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", SW-846, Third Edition, 1986, with subsequent revisions

Attachment A

Laboratory NELAP Certificate



Texas Commission on Environmental Quality

NELAP - Recognized Laboratory Fields of Accreditation



ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Method EPA 1613

Analyte	AB	Analyte ID	Method ID
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10120408

Method EPA 200.8

Analyte	AB	Analyte ID	Method ID
Copper	TX	1055	10014605
Lead	TX	1075	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	AB	Analyte ID	Method ID
Method EPA 1010			
Analyte	AB	Analyte ID	Method ID
Ignitability	TX	1780	10116606
Method EPA 120.1			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	10006403
Method EPA 1311			
Analyte	AB	Analyte ID	Method ID
TCLP	TX	849	10118806
Method EPA 1312			
Analyte	AB	Analyte ID	Method ID
SPLP	TX	850	10119003
Method EPA 160.4			
Analyte	AB	Analyte ID	Method ID
Residue-volatile	TX	1970	10010409
Method EPA 1613			
Analyte	AB	Analyte ID	Method ID
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10120408
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10120408
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10120408
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10120408
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10120408
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10120408
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10120408
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10120408
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,6,7,8-HxCDD)	TX	9456	10120408
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10120408
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10120408
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10120408
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10120408
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10120408



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10120408
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10120408
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10120408
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10120408
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10120408
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10120408
Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10120408
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10120408
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10120408
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10120408
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10120408
Method EPA 1664			
Analyte	AB	Analyte ID	Method ID
n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10127807
Method EPA 180.1			
Analyte	AB	Analyte ID	Method ID
Turbidity	TX	2055	10011606
Method EPA 200.8			
Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10014605
Antimony	TX	1005	10014605
Arsenic	TX	1010	10014605
Barium	TX	1015	10014605
Beryllium	TX	1020	10014605
Boron	TX	1025	10014605
Cadmium	TX	1030	10014605
Calcium	TX	1035	10014605
Chromium	TX	1040	10014605
Cobalt	TX	1050	10014605
Copper	TX	1055	10014605
Iron	TX	1070	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Lead	TX	1075	10014605
Magnesium	TX	1085	10014605
Manganese	TX	1090	10014605
Molybdenum	TX	1100	10014605
Nickel	TX	1105	10014605
Potassium	TX	1125	10014605
Selenium	TX	1140	10014605
Silver	TX	1150	10014605
Sodium	TX	1155	10014605
Strontium	TX	1160	10014605
Thallium	TX	1165	10014605
Tin	TX	1175	10014605
Titanium	TX	1180	10014605
Uranium	TX	3035	10014605
Vanadium	TX	1185	10014605
Zinc	TX	1190	10014605

Method EPA 245.1

Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10036609

Method EPA 300.0

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10053200
Chloride	TX	1575	10053200
Fluoride	TX	1730	10053200
Nitrate as N	TX	1810	10053200
Nitrate-nitrite	TX	1820	10053200
Nitrite as N	TX	1840	10053200
Orthophosphate as P	TX	1870	10053200
Sulfate	TX	2000	10053200

Method EPA 325.1

Analyte	AB	Analyte ID	Method ID
---------	----	------------	-----------



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Chloride	TX	1575	10056801
Method EPA 335.1			
Analyte Amenable cyanide	AB TX	Analyte ID 1510	Method ID 10060001
Method EPA 335.2			
Analyte Total cyanide	AB TX	Analyte ID 1645	Method ID 10278203
Method EPA 335.4			
Analyte Total cyanide	AB TX	Analyte ID 1645	Method ID 10061402
Method EPA 350.3			
Analyte Ammonia as N	AB TX	Analyte ID 1515	Method ID 10064401
Method EPA 365.3			
Analyte Orthophosphate as P	AB TX	Analyte ID 1870	Method ID 10070801
Phosphorus	TX	1910	10070801
Method EPA 375.4			
Analyte Sulfate	AB TX	Analyte ID 2000	Method ID 10073800
Method EPA 376.1			
Analyte Sulfide	AB TX	Analyte ID 2005	Method ID 10074201
Method EPA 410.4			
Analyte Chemical oxygen demand (COD)	AB TX	Analyte ID 1565	Method ID 10077404
Method EPA 415.1			
Analyte Total Organic Carbon (TOC)	AB TX	Analyte ID 2040	Method ID 10078407
Method EPA 420.1			
Analyte Total phenolics	AB TX	Analyte ID 1905	Method ID 10079400



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 420.4

Analyte	AB	Analyte ID	Method ID
Total phenolics	TX	1905	10080203

Method EPA 6020

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10156419
Antimony	TX	1005	10156419
Arsenic	TX	1010	10156419
Barium	TX	1015	10156419
Beryllium	TX	1020	10156419
Boron	TX	1025	10156419
Cadmium	TX	1030	10156419
Calcium	TX	1035	10156419
Chromium	TX	1040	10156419
Cobalt	TX	1050	10156419
Copper	TX	1055	10156419
Iron	TX	1070	10156419
Lead	TX	1075	10156419
Lithium	TX	1080	10156419
Magnesium	TX	1085	10156419
Manganese	TX	1090	10156419
Molybdenum	TX	1100	10156419
Nickel	TX	1105	10156419
Potassium	TX	1125	10156419
Selenium	TX	1140	10156419
Silver	TX	1150	10156419
Sodium	TX	1155	10156419
Strontium	TX	1160	10156419
Thallium	TX	1165	10156419
Tin	TX	1175	10156419
Titanium	TX	1180	10156419



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Vanadium	TX	1185	10156419
Zinc	TX	1190	10156419
Method EPA 608			
Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10103603
4,4'-DDE	TX	7360	10103603
4,4'-DDT	TX	7365	10103603
Aldrin	TX	7025	10103603
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10103603
alpha-Chlordane	TX	7240	10103603
Aroclor-1016 (PCB-1016)	TX	8880	10103603
Aroclor-1221 (PCB-1221)	TX	8885	10103603
Aroclor-1232 (PCB-1232)	TX	8890	10103603
Aroclor-1242 (PCB-1242)	TX	8895	10103603
Aroclor-1248 (PCB-1248)	TX	8900	10103603
Aroclor-1254 (PCB-1254)	TX	8905	10103603
Aroclor-1260 (PCB-1260)	TX	8910	10103603
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10103603
Chlordane (tech.)	TX	7250	10103603
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10103603
Dieldrin	TX	7470	10103603
Endosulfan I	TX	7510	10103603
Endosulfan II	TX	7515	10103603
Endosulfan sulfate	TX	7520	10103603
Endrin	TX	7540	10103603
Endrin aldehyde	TX	7530	10103603
Endrin ketone	TX	7535	10103603
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10103603
gamma-Chlordane	TX	7245	10103603
Heptachlor	TX	7685	10103603



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Heptachlor epoxide	TX	7690	10103603
Methoxychlor	TX	7810	10103603
Toxaphene (Chlorinated camphene)	TX	8250	10103603

Method EPA 624

Analyte	AB	Analyte ID	Method ID
1,1,1-Trichloroethane	TX	5160	10107207
1,1,2,2-Tetrachloroethane	TX	5110	10107207
1,1,2-Trichloroethane	TX	5165	10107207
1,1-Dichloroethane	TX	4630	10107207
1,1-Dichloroethylene	TX	4640	10107207
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10107207
1,2-Dichlorobenzene	TX	4610	10107207
1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10107207
1,2-Dichloropropane	TX	4655	10107207
1,3-Dichlorobenzene	TX	4615	10107207
1,4-Dichlorobenzene	TX	4620	10107207
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10107207
2-Chloroethyl vinyl ether	TX	4500	10107207
Acetone (2-Propanone)	TX	4315	10107207
Acrolein (Propenal)	TX	4325	10107207
Acrylonitrile	TX	4340	10107207
Benzene	TX	4375	10107207
Bromodichloromethane	TX	4395	10107207
Bromoform	TX	4400	10107207
Carbon tetrachloride	TX	4455	10107207
Chlorobenzene	TX	4475	10107207
Chlorodibromomethane	TX	4575	10107207
Chloroethane (Ethyl chloride)	TX	4485	10107207
Chloroform	TX	4505	10107207
cis-1,2-Dichloroethylene	TX	4645	10107207



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

cis-1,3-Dichloropropene	TX	4680	10107207
Ethylbenzene	TX	4765	10107207
m+p-xylene	TX	5240	10107207
Methyl bromide (Bromomethane)	TX	4950	10107207
Methyl chloride (Chloromethane)	TX	4960	10107207
Methyl tert-butyl ether (MTBE)	TX	5000	10107207
Methylene chloride (Dichloromethane)	TX	4975	10107207
Naphthalene	TX	5005	10107207
o-Xylene	TX	5250	10107207
Tetrachloroethylene (Perchloroethylene)	TX	5115	10107207
Toluene	TX	5140	10107207
trans-1,2-Dichloroethylene	TX	4700	10107207
trans-1,3-Dichloropropylene	TX	4685	10107207
Trichloroethene (Trichloroethylene)	TX	5170	10107207
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10107207
Vinyl chloride	TX	5235	10107207
Xylene (total)	TX	5260	10107207

Method EPA 625

Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10107401
1,2,4-Trichlorobenzene	TX	5155	10107401
1,2-Dichlorobenzene	TX	4610	10107401
1,2-Diphenylhydrazine	TX	6220	10107401
1,3-Dichlorobenzene	TX	4615	10107401
1,4-Dichlorobenzene	TX	4620	10107401
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10107401
2,4,5-Trichlorophenol	TX	6835	10107401
2,4,6-Trichlorophenol	TX	6840	10107401
2,4-Dichlorophenol	TX	6000	10107401
2,4-Dimethylphenol	TX	6130	10107401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2,4-Dinitrophenol	TX	6175	10107401
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10107401
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10107401
2-Chloronaphthalene	TX	5795	10107401
2-Chlorophenol	TX	5800	10107401
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10107401
2-Methylphenol (o-Cresol)	TX	6400	10107401
2-Nitrophenol	TX	6490	10107401
3,3'-Dichlorobenzidine	TX	5945	10107401
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10107401
4-Chloro-3-methylphenol	TX	5700	10107401
4-Chlorophenyl phenylether	TX	5825	10107401
4-Methylphenol (p-Cresol)	TX	6410	10107401
4-Nitrophenol	TX	6500	10107401
Acenaphthene	TX	5500	10107401
Acenaphthylene	TX	5505	10107401
Anthracene	TX	5555	10107401
Benzidine	TX	5595	10107401
Benzo(a)anthracene	TX	5575	10107401
Benzo(a)pyrene	TX	5580	10107401
Benzo(b)fluoranthene	TX	5585	10107401
Benzo(g,h,i)perylene	TX	5590	10107401
Benzo(k)fluoranthene	TX	5600	10107401
bis(2-Chloroethoxy)methane	TX	5760	10107401
bis(2-Chloroethyl) ether	TX	5765	10107401
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10107401
Butyl benzyl phthalate	TX	5670	10107401
Chrysene	TX	5855	10107401
Dibenz(a,h) anthracene	TX	5895	10107401
Diethyl phthalate	TX	6070	10107401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Dimethyl phthalate	TX	6135	10107401
Di-n-butyl phthalate	TX	5925	10107401
Di-n-octyl phthalate	TX	6200	10107401
Fluoranthene	TX	6265	10107401
Fluorene	TX	6270	10107401
Hexachlorobenzene	TX	6275	10107401
Hexachlorobutadiene	TX	4835	10107401
Hexachlorocyclopentadiene	TX	6285	10107401
Hexachloroethane	TX	4840	10107401
Indeno(1,2,3-cd) pyrene	TX	6315	10107401
Isophorone	TX	6320	10107401
Naphthalene	TX	5005	10107401
Nitrobenzene	TX	5015	10107401
n-Nitrosodiethylamine	TX	6525	10107401
n-Nitrosodimethylamine	TX	6530	10107401
n-Nitrosodi-n-butylamine	TX	5025	10107401
n-Nitrosodi-n-propylamine	TX	6545	10107401
n-Nitrosodiphenylamine	TX	6535	10107401
Pentachlorobenzene	TX	6590	10107401
Pentachlorophenol	TX	6605	10107401
Phenanthrene	TX	6615	10107401
Phenol	TX	6625	10107401
Pyrene	TX	6665	10107401
Pyridine	TX	5095	10107401
Method EPA 7196			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	10162206
Method EPA 7470			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10165603



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 8011

Analyte	AB	Analyte ID	Method ID
1,2,3-Trichloropropane	TX	5180	10173009
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10173009
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10173009

Method EPA 8015

Analyte	AB	Analyte ID	Method ID
Diesel range organics (DRO)	TX	9369	10173203
Ethanol	TX	4750	10173203
Ethylene glycol	TX	4785	10173203
Gasoline range organics (GRO)	TX	9408	10173203
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10173203
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10173203
Methanol	TX	4930	10173203
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10173203
n-Propanol (1-Propanol)	TX	5055	10173203
Propylene Glycol	TX	6657	10173203
tert-Butyl alcohol	TX	4420	10173203

Method EPA 8021

Analyte	AB	Analyte ID	Method ID
Benzene	TX	4375	10174400
Ethylbenzene	TX	4765	10174400
m+p-xylene	TX	5240	10174400
Methyl tert-butyl ether (MTBE)	TX	5000	10174400
o-Xylene	TX	5250	10174400
Toluene	TX	5140	10174400
Xylene (total)	TX	5260	10174400

Method EPA 8081

Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10178402
4,4'-DDE	TX	7360	10178402



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

4,4'-DDT	TX	7365	10178402
Aldrin	TX	7025	10178402
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10178402
alpha-Chlordane	TX	7240	10178402
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10178402
Chlordane (tech.)	TX	7250	10178402
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10178402
Dieldrin	TX	7470	10178402
Endosulfan I	TX	7510	10178402
Endosulfan II	TX	7515	10178402
Endosulfan sulfate	TX	7520	10178402
Endrin	TX	7540	10178402
Endrin aldehyde	TX	7530	10178402
Endrin ketone	TX	7535	10178402
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10178402
gamma-Chlordane	TX	7245	10178402
Heptachlor	TX	7685	10178402
Heptachlor epoxide	TX	7690	10178402
Hexachlorobenzene	TX	6275	10178402
Methoxychlor	TX	7810	10178402
Mirex	TX	7870	10178402
Toxaphene (Chlorinated camphene)	TX	8250	10178402

Method EPA 8082

Analyte	AB	Analyte ID	Method ID
Aroclor-1016 (PCB-1016)	TX	8880	10179201
Aroclor-1221 (PCB-1221)	TX	8885	10179201
Aroclor-1232 (PCB-1232)	TX	8890	10179201
Aroclor-1242 (PCB-1242)	TX	8895	10179201
Aroclor-1248 (PCB-1248)	TX	8900	10179201
Aroclor-1254 (PCB-1254)	TX	8905	10179201



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Aroclor-1260 (PCB-1260)	TX	8910	10179201
PCBs (total)	TX	8870	10179201

Method EPA 8151

Analyte	AB	Analyte ID	Method ID
2,4,5-T	TX	8655	10183003
2,4-D	TX	8545	10183003
2,4-DB	TX	8560	10183003
Dalapon	TX	8555	10183003
Dicamba	TX	8595	10183003
Dichloroprop (Dichloroprop, Weedone)	TX	8605	10183003
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10183003
MCPA	TX	7775	10183003
MCPP	TX	7780	10183003
Silvex (2,4,5-TP)	TX	8650	10183003

Method EPA 8260

Analyte	AB	Analyte ID	Method ID
1,1,1,2-Tetrachloroethane	TX	5105	10184404
1,1,1-Trichloroethane	TX	5160	10184404
1,1,2,2-Tetrachloroethane	TX	5110	10184404
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	TX	5195	10184404
1,1,2-Trichloroethane	TX	5165	10184404
1,1-Dichloroethane	TX	4630	10184404
1,1-Dichloroethylene	TX	4640	10184404
1,1-Dichloropropene	TX	4670	10184404
1,2,3-Trichlorobenzene	TX	5150	10184404
1,2,3-Trichloropropane	TX	5180	10184404
1,2,4-Trichlorobenzene	TX	5155	10184404
1,2,4-Trimethylbenzene	TX	5210	10184404
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10184404
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10184404
1,2-Dichlorobenzene	TX	4610	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10184404
1,2-Dichloropropane	TX	4655	10184404
1,3,5-Trimethylbenzene	TX	5215	10184404
1,3-Dichlorobenzene	TX	4615	10184404
1,3-Dichloropropane	TX	4660	10184404
1,4-Dichlorobenzene	TX	4620	10184404
1,4-Dioxane (1,4-Diethyleneoxide)	TX	4735	10184404
1-Chlorohexane	TX	4510	10184404
1-Propanol	TX	5060	10184404
2,2-Dichloropropane	TX	4665	10184404
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10184404
2-Chloroethyl vinyl ether	TX	4500	10184404
2-Chlorotoluene	TX	4535	10184404
2-Hexanone (MBK)	TX	4860	10184404
2-Pentanone	TX	5045	10184404
4-Chlorotoluene	TX	4540	10184404
4-Isopropyltoluene (p-Cymene)	TX	4915	10184404
4-Methyl-2-pentanone (MIBK)	TX	4995	10184404
Acetone (2-Propanone)	TX	4315	10184404
Acetonitrile	TX	4320	10184404
Acrolein (Propenal)	TX	4325	10184404
Acrylonitrile	TX	4340	10184404
Allyl alcohol	TX	4350	10184404
Allyl chloride (3-Chloropropene)	TX	4355	10184404
Benzene	TX	4375	10184404
Benzyl chloride	TX	5635	10184404
Bromobenzene	TX	4385	10184404
Bromochloromethane	TX	4390	10184404
Bromodichloromethane	TX	4395	10184404
Bromoform	TX	4400	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Carbon disulfide	TX	4450	10184404
Carbon tetrachloride	TX	4455	10184404
Chlorobenzene	TX	4475	10184404
Chlorodibromomethane	TX	4575	10184404
Chloroethane (Ethyl chloride)	TX	4485	10184404
Chloroform	TX	4505	10184404
Chloroprene (2-Chloro-1,3-butadiene)	TX	4525	10184404
cis-1,2-Dichloroethylene	TX	4645	10184404
cis-1,3-Dichloropropene	TX	4680	10184404
Dibromofluoromethane	TX	4590	10184404
Dibromomethane (Methylene bromide)	TX	4595	10184404
Dichlorodifluoromethane (Freon-12)	TX	4625	10184404
Diethyl ether	TX	4725	10184404
Di-isopropylether (DIPE)	TX	9375	10184404
Epichlorohydrin (1-Chloro-2,3-epoxypropane)	TX	4745	10184404
Ethanol	TX	4750	10184404
Ethyl acetate	TX	4755	10184404
Ethyl methacrylate	TX	4810	10184404
Ethylbenzene	TX	4765	10184404
Ethylene oxide	TX	4795	10184404
Ethyl-t-butylether (ETBE) (2-Ethoxy-2-methylpropane)	TX	4770	10184404
Hexachlorobutadiene	TX	4835	10184404
Iodomethane (Methyl iodide)	TX	4870	10184404
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10184404
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10184404
Isopropylbenzene (Cumene)	TX	4900	10184404
m+p-xylene	TX	5240	10184404
Methacrylonitrile	TX	4925	10184404
Methyl acetate	TX	4940	10184404
Methyl acrylate	TX	4945	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Methyl bromide (Bromomethane)	TX	4950	10184404
Methyl chloride (Chloromethane)	TX	4960	10184404
Methyl methacrylate	TX	4990	10184404
Methyl tert-butyl ether (MTBE)	TX	5000	10184404
Methylcyclohexane	TX	4965	10184404
Methylene chloride (Dichloromethane)	TX	4975	10184404
Naphthalene	TX	5005	10184404
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10184404
n-Butylbenzene	TX	4435	10184404
n-Propylbenzene	TX	5090	10184404
o-Xylene	TX	5250	10184404
Pentachloroethane	TX	5035	10184404
Propionitrile (Ethyl cyanide)	TX	5080	10184404
Pyridine	TX	5095	10184404
sec-Butylbenzene	TX	4440	10184404
Styrene	TX	5100	10184404
T-amylmethylether (TAME)	TX	4370	10184404
tert-Butyl alcohol	TX	4420	10184404
tert-Butylbenzene	TX	4445	10184404
Tetrachloroethylene (Perchloroethylene)	TX	5115	10184404
Toluene	TX	5140	10184404
trans-1,2-Dichloroethylene	TX	4700	10184404
trans-1,3-Dichloropropylene	TX	4685	10184404
trans-1,4-Dichloro-2-butene	TX	4605	10184404
Trichloroethene (Trichloroethylene)	TX	5170	10184404
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10184404
Vinyl acetate	TX	5225	10184404
Vinyl chloride	TX	5235	10184404
Xylene (total)	TX	5260	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 8270

Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10185203
1,2,4-Trichlorobenzene	TX	5155	10185203
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10185203
1,2-Dichlorobenzene	TX	4610	10185203
1,2-Dinitrobenzene	TX	6155	10185203
1,2-Diphenylhydrazine	TX	6220	10185203
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10185203
1,3-Dichlorobenzene	TX	4615	10185203
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10185203
1,4-Dichlorobenzene	TX	4620	10185203
1,4-Dinitrobenzene	TX	6165	10185203
1,4-Naphthoquinone	TX	6420	10185203
1,4-Phenylenediamine	TX	6630	10185203
1-Chloronaphthalene	TX	5790	10185203
1-Naphthylamine	TX	6425	10185203
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10185203
2,3,4,6-Tetrachlorophenol	TX	6735	10185203
2,4,5-Trichlorophenol	TX	6835	10185203
2,4,5-Trimethylaniline	TX	6880	10185203
2,4,6-Trichlorophenol	TX	6840	10185203
2,4-Diaminotoluene	TX	5880	10185203
2,4-Dichlorophenol	TX	6000	10185203
2,4-Dimethylphenol	TX	6130	10185203
2,4-Dinitrophenol	TX	6175	10185203
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10185203
2,6-Dichlorophenol	TX	6005	10185203
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10185203
2-Acetylaminofluorene	TX	5515	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2-Chloronaphthalene	TX	5795	10185203
2-Chlorophenol	TX	5800	10185203
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10185203
2-Methylaniline (o-Toluidine)	TX	5145	10185203
2-Methylnaphthalene	TX	6385	10185203
2-Methylphenol (o-Cresol)	TX	6400	10185203
2-Naphthylamine	TX	6430	10185203
2-Nitroaniline	TX	6460	10185203
2-Nitrophenol	TX	6490	10185203
2-Picoline (2-Methylpyridine)	TX	5050	10185203
3,3'-Dichlorobenzidine	TX	5945	10185203
3,3'-Dimethylbenzidine	TX	6120	10185203
3-Methylcholanthrene	TX	6355	10185203
3-Methylphenol (m-Cresol)	TX	6405	10185203
3-Nitroaniline	TX	6465	10185203
4-Aminobiphenyl	TX	5540	10185203
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10185203
4-Chloro-3-methylphenol	TX	5700	10185203
4-Chloroaniline	TX	5745	10185203
4-Chlorophenyl phenylether	TX	5825	10185203
4-Dimethyl aminoazobenzene	TX	6105	10185203
4-Methylphenol (p-Cresol)	TX	6410	10185203
4-Nitroaniline	TX	6470	10185203
4-Nitrobiphenyl	TX	6480	10185203
4-Nitrophenol	TX	6500	10185203
4-Nitroquinoline-1-oxide	TX	6510	10185203
5-Chloro-2-methylaniline	TX	5695	10185203
5-Nitro-o-toluidine	TX	6570	10185203
7,12-Dimethylbenz(a) anthracene	TX	6115	10185203
a-a-Dimethylphenethylamine	TX	6125	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Acenaphthene	TX	5500	10185203
Acenaphthylene	TX	5505	10185203
Acetophenone	TX	5510	10185203
Aniline	TX	5545	10185203
Anthracene	TX	5555	10185203
Aramite	TX	5560	10185203
Atrazine	TX	7065	10185203
Azinphos-methyl (Guthion)	TX	7075	10185203
Azobenzene	TX	5562	10185203
Benzenethiol (Thiophenol)	TX	6750	10185203
Benzidine	TX	5595	10185203
Benzo(a)anthracene	TX	5575	10185203
Benzo(a)pyrene	TX	5580	10185203
Benzo(b)fluoranthene	TX	5585	10185203
Benzo(e)pyrene	TX	5605	10185203
Benzo(g,h,i)perylene	TX	5590	10185203
Benzo(k)fluoranthene	TX	5600	10185203
Benzoic acid	TX	5610	10185203
Benzyl alcohol	TX	5630	10185203
Biphenyl	TX	5640	10185203
bis(2-Chloroethoxy)methane	TX	5760	10185203
bis(2-Chloroethyl) ether	TX	5765	10185203
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10185203
Butyl benzyl phthalate	TX	5670	10185203
Caprolactam	TX	7180	10185203
Captan	TX	7190	10185203
Carbaryl (Sevin)	TX	7195	10185203
Carbazole	TX	5680	10185203
Carbophenothion	TX	7220	10185203
Chlorobenzilate	TX	7260	10185203



Texas Commission on Environmental Quality

NELAP - Recognized Laboratory Fields of Accreditation



ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Chrysene	TX	5855	10185203
Coumaphos	TX	7315	10185203
Demeton	TX	7390	10185203
Demeton	TX	7390	10185203
Demeton-o	TX	7395	10185203
Demeton-s	TX	7385	10185203
Diallate	TX	7405	10185203
Dibenz(a,h) anthracene	TX	5895	10185203
Dibenz(a,j) acridine	TX	5900	10185203
Dibenzofuran	TX	5905	10185203
Dichlorovos (DDVP, Dichlorvos)	TX	8610	10185203
Diethyl phthalate	TX	6070	10185203
Dimethoate	TX	7475	10185203
Dimethoate	TX	7475	10185203
Dimethyl phthalate	TX	6135	10185203
Di-n-butyl phthalate	TX	5925	10185203
Di-n-octyl phthalate	TX	6200	10185203
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10185203
Dioxathion	TX	7495	10185203
Diphenylamine	TX	6205	10185203
Disulfoton	TX	8625	10185203
Ethion	TX	7565	10185203
Ethyl methanesulfonate	TX	6260	10185203
Famphur	TX	7580	10185203
Fluoranthene	TX	6265	10185203
Fluorene	TX	6270	10185203
Hexachlorobenzene	TX	6275	10185203
Hexachlorobutadiene	TX	4835	10185203
Hexachlorocyclopentadiene	TX	6285	10185203
Hexachloroethane	TX	4840	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Hexachlorophene	TX	6290	10185203
Hexachloropropene	TX	6295	10185203
Indeno(1,2,3-cd) pyrene	TX	6315	10185203
Isodrin	TX	7725	10185203
Isophorone	TX	6320	10185203
Isosafrole	TX	6325	10185203
Kepone	TX	7740	10185203
Maleic anhydride	TX	6335	10185203
Methapyrilene	TX	6345	10185203
Methyl methanesulfonate	TX	6375	10185203
Methyl parathion (Parathion, methyl)	TX	7825	10185203
Mevinphos	TX	7850	10185203
Naled	TX	7905	10185203
Naphthalene	TX	5005	10185203
Nitrobenzene	TX	5015	10185203
n-Nitrosodiethylamine	TX	6525	10185203
n-Nitrosodimethylamine	TX	6530	10185203
n-Nitrosodi-n-butylamine	TX	5025	10185203
n-Nitrosodi-n-propylamine	TX	6545	10185203
n-Nitrosodiphenylamine	TX	6535	10185203
n-Nitrosomethylethylamine	TX	6550	10185203
n-Nitrosomorpholine	TX	6555	10185203
n-Nitrosopiperidine	TX	6560	10185203
n-Nitrosopyrrolidine	TX	6565	10185203
o,o,o-Triethyl phosphorothioate	TX	8290	10185203
o-Anisidine	TX	5550	10185203
Parathion, ethyl	TX	7955	10185203
p-Cresidine	TX	5860	10185203
Pentachlorobenzene	TX	6590	10185203
Pentachloronitrobenzene (PCNB)	TX	6600	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Pentachlorophenol	TX	6605	10185203
Phenacetin	TX	6610	10185203
Phenanthrene	TX	6615	10185203
Phenol	TX	6625	10185203
Phorate	TX	7985	10185203
Phosmet (Imidan)	TX	8000	10185203
Phthalic anhydride	TX	6640	10185203
Pronamide (Kerb)	TX	6650	10185203
Pyrene	TX	6665	10185203
Pyridine	TX	5095	10185203
Quinoline	TX	6670	10185203
Resorcinol	TX	6680	10185203
Safrole	TX	6685	10185203
Sulfotepp	TX	8155	10185203
Terbufos	TX	8185	10185203
Tetrachlorvinphos (Stirophos, Gardona)	TX	8197	10185203
Thionazin (Zinophos)	TX	8235	10185203
Toluene diisocyanate	TX	6775	10185203
Trifluralin (Treflan)	TX	8295	10185203

Method EPA 8290

Analyte	AB	Analyte ID	Method ID
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10187209
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10187209
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10187209
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10187209
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10187209
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10187209
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10187209
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10187209
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-HxCDD)	TX	9456	10187209



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10187209
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10187209
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10187209
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10187209
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10187209
2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10187209
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10187209
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10187209
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10187209
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10187209
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10187209
Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10187209
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10187209
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10187209
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10187209
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10187209

Method EPA 8316

Analyte	AB	Analyte ID	Method ID
Acrylamide	TX	4330	10188202

Method EPA 8330

Analyte	AB	Analyte ID	Method ID
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10189807
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10189807
2,4,6-Trinitrotoluene (2,4,6-TNT)	TX	9651	10189807
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10189807
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10189807
2-Amino-4,6-dinitrotoluene (2-am-dnt)	TX	9303	10189807
2-Nitrotoluene	TX	9507	10189807
3-Nitrotoluene	TX	9510	10189807
4-Amino-2,6-dinitrotoluene (4-am-dnt)	TX	9306	10189807
4-Nitrotoluene	TX	9513	10189807



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Methyl-2,4,6-trinitrophenylamine (tetryl)	TX	6415	10189807
Nitrobenzene	TX	5015	10189807
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	TX	9522	10189807
RDX (hexahydro-1,3,5-trinitro-1,3,5-triazine)	TX	9432	10189807
Method EPA 9014			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	10193803
Total cyanide	TX	1645	10193803
Method EPA 9038			
Analyte	AB	Analyte ID	Method ID
Sulfate	TX	2000	10196608
Method EPA 9040			
Analyte	AB	Analyte ID	Method ID
pH	TX	1900	10196802
Method EPA 9050			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	10198604
Method EPA 9056			
Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10199209
Chloride	TX	1575	10199209
Fluoride	TX	1730	10199209
Nitrate as N	TX	1810	10199209
Nitrate-nitrite	TX	1820	10199209
Nitrite as N	TX	1840	10199209
Orthophosphate as P	TX	1870	10199209
Sulfate	TX	2000	10199209
Method EPA 9060			
Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	10200201



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	Analyte	AB	Analyte ID	Method ID
EPA 9065	Total phenolics	TX	1905	10200405
EPA 9066	Total phenolics	TX	1905	10200609
EPA 9250	Chloride	TX	1575	10207202
EPA RSK 175	2-methylpropane (Isobutane)	TX	4942	10212905
	Ethane	TX	4747	10212905
	Ethene	TX	4752	10212905
	Methane	TX	4926	10212905
	n-Butane	TX	5007	10212905
	n-Propane	TX	5029	10212905
HACH 8000	Chemical oxygen demand (COD)	TX	1565	60003001
SM 2120 B	Color	TX	1605	20223807
SM 2310 B (4a)	Acidity, as CaCO ₃	TX	1500	20002806
SM 2320 B	Alkalinity as CaCO ₃	TX	1505	20045005
SM 2340 B		AB	Analyte ID	Method ID



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Total hardness as CaCO ₃	TX	1755	20046008
Method SM 2510 B			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	20048004
Method SM 2540 B			
Analyte	AB	Analyte ID	Method ID
Residue-total (total solids)	TX	1950	20004608
Method SM 2540 C			
Analyte	AB	Analyte ID	Method ID
Residue-filterable (TDS)	TX	1955	20049803
Method SM 2540 D			
Analyte	AB	Analyte ID	Method ID
Residue-nonfilterable (TSS)	TX	1960	20004802
Method SM 3500-Cr B			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	20065809
Method SM 4500-Cl F			
Analyte	AB	Analyte ID	Method ID
Total residual chlorine	TX	1940	20080482
Method SM 4500-Cl ⁻ E			
Analyte	AB	Analyte ID	Method ID
Chloride	TX	1575	20019209
Method SM 4500-CN ⁻ C			
Analyte	AB	Analyte ID	Method ID
Total cyanide	TX	1645	20020808
Method SM 4500-CN ⁻ E			
Analyte	AB	Analyte ID	Method ID
Total cyanide	TX	1645	20021209
Method SM 4500-CN ⁻ G			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	20021607



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	Analyte	AB	Analyte ID	Method ID
SM 4500-H+ B				
	pH	TX	1900	20104603
SM 4500-NH3 D				
	Ammonia as N	TX	1515	20108809
	Kjeldahl Nitrogen (Total Kjeldahl Nitrogen-TKN)	TX	1790	20108809
SM 4500-NH3 F				
	Ammonia as N	TX	1515	20023001
SM 4500-O G				
	Oxygen, dissolved	TX	1880	20025405
SM 4500-P E				
	Orthophosphate as P	TX	1870	20025803
	Phosphorus	TX	1910	20025803
SM 4500-S2 ⁻ F				
	Sulfide	TX	2005	20126209
SM 4500-SiO2 D				
	Silica as SiO2	TX	1990	20127202
SM 4500-SO3 ⁻ B				
	Sulfite	TX	2015	20026806
SM 5210 B				
	Biochemical oxygen demand (BOD)	TX	1530	20027401
	Carbonaceous BOD, CBOD	TX	1555	20027401
SM 5310 B				
	Analyte	AB	Analyte ID	Method ID



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Total Organic Carbon (TOC)	TX	2040	20137206
Method SM 5310 C			
Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	20138209
Method SM 5540 C			
Analyte	AB	Analyte ID	Method ID
Surfactants - MBAS	TX	2025	20144405
Method TCEQ 1005			
Analyte	AB	Analyte ID	Method ID
Total Petroleum Hydrocarbons (TPH)	TX	2050	90019208



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method	Analyte	AB	Analyte ID	Method ID
ASTM D2216	Moisture	TX	10337	ASTM D2216-05
EPA 1010	Ignitability	TX	1780	10116606
EPA 1030	Ignitability	TX	1780	10117201
EPA 1311	TCLP	TX	849	10118806
EPA 1312	SPLP	TX	850	10119003
EPA 1668	Decachlorobiphenyls	TX	10332	10262007
	Dichlorobiphenyls	TX	464	10262007
	Heptachlorobiphenyls	TX	486	10262007
	Hexachlorobiphenyls	TX	487	10262007
	Monochlorobiphenyls	TX	501	10262007
	Nonachlorobiphenyls	TX	507	10262007
	Octachlorobiphenyls	TX	508	10262007
	Pentachlorobiphenyls	TX	515	10262007
	Tetrachlorobiphenyls	TX	528	10262007
	Trichlorobiphenyls	TX	541	10262007
EPA 200.8	Uranium	TX	3035	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method EPA 300.0

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10053200
Chloride	TX	1575	10053200
Fluoride	TX	1730	10053200
Nitrate as N	TX	1810	10053200
Nitrate-nitrite	TX	1820	10053200
Nitrite as N	TX	1840	10053200
Orthophosphate as P	TX	1870	10053200
Sulfate	TX	2000	10053200

Method EPA 310.1

Analyte	AB	Analyte ID	Method ID
Alkalinity as CaCO3	TX	1505	10054805

Method EPA 350.3

Analyte	AB	Analyte ID	Method ID
Ammonia as N	TX	1515	10064401

Method EPA 365.3

Analyte	AB	Analyte ID	Method ID
Orthophosphate as P	TX	1870	10070801
Phosphorus	TX	1910	10070801

Method EPA 6020

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10156204
Antimony	TX	1005	10156204
Arsenic	TX	1010	10156204
Barium	TX	1015	10156204
Beryllium	TX	1020	10156204
Boron	TX	1025	10156204
Cadmium	TX	1030	10156204
Calcium	TX	1035	10156204
Chromium	TX	1040	10156204



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Cobalt	TX	1050	10156204
Copper	TX	1055	10156204
Iron	TX	1070	10156204
Lead	TX	1075	10156204
Lithium	TX	1080	10156204
Magnesium	TX	1085	10156204
Manganese	TX	1090	10156204
Molybdenum	TX	1100	10156204
Nickel	TX	1105	10156204
Potassium	TX	1125	10156204
Selenium	TX	1140	10156204
Silver	TX	1150	10156204
Sodium	TX	1155	10156204
Strontium	TX	1160	10156204
Thallium	TX	1165	10156204
Tin	TX	1175	10156204
Titanium	TX	1180	10156204
Vanadium	TX	1185	10156204
Zinc	TX	1190	10156204
Method EPA 7196			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	10162206
Method EPA 7470			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10165603
Method EPA 7471			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10166004
Method EPA 8015			
Analyte	AB	Analyte ID	Method ID
Diesel range organics (DRO)	TX	9369	10173203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Ethanol	TX	4750	10173203
Ethylene glycol	TX	4785	10173203
Gasoline range organics (GRO)	TX	9408	10173203
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10173203
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10173203
Methanol	TX	4930	10173203
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10173203
n-Propanol (1-Propanol)	TX	5055	10173203
Propylene Glycol	TX	6657	10173203
tert-Butyl alcohol	TX	4420	10173203

Method EPA 8021

Analyte	AB	Analyte ID	Method ID
Benzene	TX	4375	10174400
Ethylbenzene	TX	4765	10174400
m+p-xylene	TX	5240	10174400
Methyl tert-butyl ether (MTBE)	TX	5000	10174400
o-Xylene	TX	5250	10174400
Toluene	TX	5140	10174400
Xylene (total)	TX	5260	10174400

Method EPA 8081

Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10178402
4,4'-DDE	TX	7360	10178402
4,4'-DDT	TX	7365	10178402
Aldrin	TX	7025	10178402
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10178402
alpha-Chlordane	TX	7240	10178402
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10178402
Chlordane (tech.)	TX	7250	10178402
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10178402
Dieldrin	TX	7470	10178402



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Endosulfan I	TX	7510	10178402
Endosulfan II	TX	7515	10178402
Endosulfan sulfate	TX	7520	10178402
Endrin	TX	7540	10178402
Endrin aldehyde	TX	7530	10178402
Endrin ketone	TX	7535	10178402
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10178402
gamma-Chlordane	TX	7245	10178402
Heptachlor	TX	7685	10178402
Heptachlor epoxide	TX	7690	10178402
Methoxychlor	TX	7810	10178402
Mirex	TX	7870	10178402
Toxaphene (Chlorinated camphene)	TX	8250	10178402

Method EPA 8082

Analyte	AB	Analyte ID	Method ID
Aroclor-1016 (PCB-1016)	TX	8880	10179201
Aroclor-1221 (PCB-1221)	TX	8885	10179201
Aroclor-1232 (PCB-1232)	TX	8890	10179201
Aroclor-1242 (PCB-1242)	TX	8895	10179201
Aroclor-1248 (PCB-1248)	TX	8900	10179201
Aroclor-1254 (PCB-1254)	TX	8905	10179201
Aroclor-1260 (PCB-1260)	TX	8910	10179201
PCBs (total)	TX	8870	10179201

Method EPA 8260

Analyte	AB	Analyte ID	Method ID
1,1,1,2-Tetrachloroethane	TX	5105	10184404
1,1,1-Trichloroethane	TX	5160	10184404
1,1,2,2-Tetrachloroethane	TX	5110	10184404
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	TX	5195	10184404
1,1,2-Trichloroethane	TX	5165	10184404
1,1-Dichloroethane	TX	4630	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

1,1-Dichloroethylene	TX	4640	10184404
1,1-Dichloropropene	TX	4670	10184404
1,2,3-Trichlorobenzene	TX	5150	10184404
1,2,3-Trichloropropane	TX	5180	10184404
1,2,4-Trichlorobenzene	TX	5155	10184404
1,2,4-Trimethylbenzene	TX	5210	10184404
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10184404
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10184404
1,2-Dichlorobenzene	TX	4610	10184404
1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10184404
1,2-Dichloropropane	TX	4655	10184404
1,3,5-Trimethylbenzene	TX	5215	10184404
1,3-Dichlorobenzene	TX	4615	10184404
1,3-Dichloropropane	TX	4660	10184404
1,4-Dichlorobenzene	TX	4620	10184404
1,4-Dioxane (1,4-Diethyleneoxide)	TX	4735	10184404
1-Chlorohexane	TX	4510	10184404
1-Propanol	TX	5060	10184404
2,2-Dichloropropane	TX	4665	10184404
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10184404
2-Chloroethyl vinyl ether	TX	4500	10184404
2-Chlorotoluene	TX	4535	10184404
2-Hexanone (MBK)	TX	4860	10184404
4-Chlorotoluene	TX	4540	10184404
4-Isopropyltoluene (p-Cymene)	TX	4915	10184404
4-Methyl-2-pentanone (MIBK)	TX	4995	10184404
Acetone (2-Propanone)	TX	4315	10184404
Acetonitrile	TX	4320	10184404
Acrolein (Propenal)	TX	4325	10184404
Acrylonitrile	TX	4340	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Allyl chloride (3-Chloropropene)	TX	4355	10184404
Benzene	TX	4375	10184404
Benzyl chloride	TX	5635	10184404
Bromobenzene	TX	4385	10184404
Bromochloromethane	TX	4390	10184404
Bromodichloromethane	TX	4395	10184404
Bromoform	TX	4400	10184404
Carbon disulfide	TX	4450	10184404
Carbon tetrachloride	TX	4455	10184404
Chlorobenzene	TX	4475	10184404
Chlorodibromomethane	TX	4575	10184404
Chloroethane (Ethyl chloride)	TX	4485	10184404
Chloroform	TX	4505	10184404
Chloroprene (2-Chloro-1,3-butadiene)	TX	4525	10184404
cis-1,2-Dichloroethylene	TX	4645	10184404
cis-1,3-Dichloropropene	TX	4680	10184404
Dibromofluoromethane	TX	4590	10184404
Dibromomethane (Methylene bromide)	TX	4595	10184404
Dichlorodifluoromethane (Freon-12)	TX	4625	10184404
Diethyl ether	TX	4725	10184404
Epichlorohydrin (1-Chloro-2,3-epoxypropane)	TX	4745	10184404
Ethanol	TX	4750	10184404
Ethyl acetate	TX	4755	10184404
Ethyl methacrylate	TX	4810	10184404
Ethylbenzene	TX	4765	10184404
Ethylene oxide	TX	4795	10184404
Hexachlorobutadiene	TX	4835	10184404
Iodomethane (Methyl iodide)	TX	4870	10184404
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10184404
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Isopropylbenzene (Cumene)	TX	4900	10184404
m+p-xylene	TX	5240	10184404
Methacrylonitrile	TX	4925	10184404
Methyl acetate	TX	4940	10184404
Methyl acrylate	TX	4945	10184404
Methyl bromide (Bromomethane)	TX	4950	10184404
Methyl chloride (Chloromethane)	TX	4960	10184404
Methyl methacrylate	TX	4990	10184404
Methyl tert-butyl ether (MTBE)	TX	5000	10184404
Methylcyclohexane	TX	4965	10184404
Methylene chloride (Dichloromethane)	TX	4975	10184404
Naphthalene	TX	5005	10184404
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10184404
n-Butylbenzene	TX	4435	10184404
n-Propylbenzene	TX	5090	10184404
o-Xylene	TX	5250	10184404
Pentachloroethane	TX	5035	10184404
Propionitrile (Ethyl cyanide)	TX	5080	10184404
Pyridine	TX	5095	10184404
sec-Butylbenzene	TX	4440	10184404
Styrene	TX	5100	10184404
tert-Butyl alcohol	TX	4420	10184404
tert-Butylbenzene	TX	4445	10184404
Tetrachloroethylene (Perchloroethylene)	TX	5115	10184404
Toluene	TX	5140	10184404
trans-1,2-Dichloroethylene	TX	4700	10184404
trans-1,3-Dichloropropylene	TX	4685	10184404
trans-1,4-Dichloro-2-butene	TX	4605	10184404
Trichloroethene (Trichloroethylene)	TX	5170	10184404
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Vinyl acetate	TX	5225	10184404
Vinyl chloride	TX	5235	10184404
Xylene (total)	TX	5260	10184404
Method EPA 8270			
Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10185203
1,2,4-Trichlorobenzene	TX	5155	10185203
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10185203
1,2-Dichlorobenzene	TX	4610	10185203
1,2-Dinitrobenzene	TX	6155	10185203
1,2-Diphenylhydrazine	TX	6220	10185203
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10185203
1,3-Dichlorobenzene	TX	4615	10185203
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10185203
1,4-Dichlorobenzene	TX	4620	10185203
1,4-Dinitrobenzene	TX	6165	10185203
1,4-Naphthoquinone	TX	6420	10185203
1,4-Phenylenediamine	TX	6630	10185203
1-Chloronaphthalene	TX	5790	10185203
1-Naphthylamine	TX	6425	10185203
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10185203
2,3,4,6-Tetrachlorophenol	TX	6735	10185203
2,4,5-Trichlorophenol	TX	6835	10185203
2,4,5-Trimethylaniline	TX	6880	10185203
2,4,6-Trichlorophenol	TX	6840	10185203
2,4-Diaminotoluene	TX	5880	10185203
2,4-Dichlorophenol	TX	6000	10185203
2,4-Dimethylphenol	TX	6130	10185203
2,4-Dinitrophenol	TX	6175	10185203
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

2,6-Dichlorophenol	TX	6005	10185203
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10185203
2-Acetylaminofluorene	TX	5515	10185203
2-Chloronaphthalene	TX	5795	10185203
2-Chlorophenol	TX	5800	10185203
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10185203
2-Methylaniline (o-Toluidine)	TX	5145	10185203
2-Methylnaphthalene	TX	6385	10185203
2-Methylphenol (o-Cresol)	TX	6400	10185203
2-Naphthylamine	TX	6430	10185203
2-Nitroaniline	TX	6460	10185203
2-Nitrophenol	TX	6490	10185203
2-Picoline (2-Methylpyridine)	TX	5050	10185203
3,3'-Dichlorobenzidine	TX	5945	10185203
3,3'-Dimethylbenzidine	TX	6120	10185203
3-Methylcholanthrene	TX	6355	10185203
3-Methylphenol (m-Cresol)	TX	6405	10185203
3-Nitroaniline	TX	6465	10185203
4-Aminobiphenyl	TX	5540	10185203
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10185203
4-Chloro-3-methylphenol	TX	5700	10185203
4-Chloroaniline	TX	5745	10185203
4-Chlorophenyl phenylether	TX	5825	10185203
4-Methylphenol (p-Cresol)	TX	6410	10185203
4-Nitroaniline	TX	6470	10185203
4-Nitrophenol	TX	6500	10185203
4-Nitroquinoline-1-oxide	TX	6510	10185203
5-Nitro-o-toluidine	TX	6570	10185203
7,12-Dimethylbenz(a) anthracene	TX	6115	10185203
a-a-Dimethylphenethylamine	TX	6125	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Acenaphthene	TX	5500	10185203
Acenaphthylene	TX	5505	10185203
Acetophenone	TX	5510	10185203
Aniline	TX	5545	10185203
Anthracene	TX	5555	10185203
Aramite	TX	5560	10185203
Atrazine	TX	7065	10185203
Azinphos-methyl (Guthion)	TX	7075	10185203
Azobenzene	TX	5562	10185203
Benzenethiol (Thiophenol)	TX	6750	10185203
Benzidine	TX	5595	10185203
Benzo(a)anthracene	TX	5575	10185203
Benzo(a)pyrene	TX	5580	10185203
Benzo(b)fluoranthene	TX	5585	10185203
Benzo(e)pyrene	TX	5605	10185203
Benzo(g,h,i)perylene	TX	5590	10185203
Benzo(k)fluoranthene	TX	5600	10185203
Benzoic acid	TX	5610	10185203
Benzyl alcohol	TX	5630	10185203
Biphenyl	TX	5640	10185203
bis(2-Chloroethoxy)methane	TX	5760	10185203
bis(2-Chloroethyl) ether	TX	5765	10185203
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10185203
Butyl benzyl phthalate	TX	5670	10185203
Caprolactam	TX	7180	10185203
Carbaryl (Sevin)	TX	7195	10185203
Carbazole	TX	5680	10185203
Carbophenothion	TX	7220	10185203
Chlorobenzilate	TX	7260	10185203
Chrysene	TX	5855	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Demeton	TX	7390	10185203
Demeton-o	TX	7395	10185203
Demeton-s	TX	7385	10185203
Diallate	TX	7405	10185203
Dibenz(a,h) anthracene	TX	5895	10185203
Dibenz(a,j) acridine	TX	5900	10185203
Dibenzo(a,e) pyrene	TX	5890	10185203
Dibenzofuran	TX	5905	10185203
Dichlorovos (DDVP, Dichlorvos)	TX	8610	10185203
Diethyl phthalate	TX	6070	10185203
Dimethoate	TX	7475	10185203
Dimethyl phthalate	TX	6135	10185203
Di-n-butyl phthalate	TX	5925	10185203
Di-n-octyl phthalate	TX	6200	10185203
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10185203
Diphenylamine	TX	6205	10185203
Disulfoton	TX	8625	10185203
Ethyl methanesulfonate	TX	6260	10185203
Fluoranthene	TX	6265	10185203
Fluorene	TX	6270	10185203
Hexachlorobenzene	TX	6275	10185203
Hexachlorobutadiene	TX	4835	10185203
Hexachlorocyclopentadiene	TX	6285	10185203
Hexachloroethane	TX	4840	10185203
Hexachlorophene	TX	6290	10185203
Hexachloropropene	TX	6295	10185203
Indeno(1,2,3-cd) pyrene	TX	6315	10185203
Isodrin	TX	7725	10185203
Isophorone	TX	6320	10185203
Isosafrole	TX	6325	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Kepone	TX	7740	10185203
Malathion	TX	7770	10185203
Methapyrilene	TX	6345	10185203
Methyl methanesulfonate	TX	6375	10185203
Methyl parathion (Parathion, methyl)	TX	7825	10185203
Mevinphos	TX	7850	10185203
Naphthalene	TX	5005	10185203
Nitrobenzene	TX	5015	10185203
n-Nitrosodiethylamine	TX	6525	10185203
n-Nitrosodimethylamine	TX	6530	10185203
n-Nitrosodi-n-butylamine	TX	5025	10185203
n-Nitrosodi-n-propylamine	TX	6545	10185203
n-Nitrosodiphenylamine	TX	6535	10185203
n-Nitrosomethylethylamine	TX	6550	10185203
n-Nitrosomorpholine	TX	6555	10185203
n-Nitrosopiperidine	TX	6560	10185203
n-Nitrosopyrrolidine	TX	6565	10185203
o,o,o-Triethyl phosphorothioate	TX	8290	10185203
o-Anisidine	TX	5550	10185203
Parathion, ethyl	TX	7955	10185203
p-Cresidine	TX	5860	10185203
Pentachlorobenzene	TX	6590	10185203
Pentachloronitrobenzene (PCNB)	TX	6600	10185203
Pentachlorophenol	TX	6605	10185203
Phenacetin	TX	6610	10185203
Phenanthrene	TX	6615	10185203
Phenol	TX	6625	10185203
Phorate	TX	7985	10185203
Pronamide (Kerb)	TX	6650	10185203
Pyrene	TX	6665	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Pyridine	TX	5095	10185203
Quinoline	TX	6670	10185203
Safrole	TX	6685	10185203
Sulfotepp	TX	8155	10185203
Terbufos	TX	8185	10185203
Tetrachlorvinphos (Stirophos, Gardona)	TX	8197	10185203
Thionazin (Zinophos)	TX	8235	10185203
Toluene diisocyanate	TX	6775	10185203

Method EPA 8290

Analyte	AB	Analyte ID	Method ID
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10187209
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10187209
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10187209
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10187209
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10187209
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10187209
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10187209
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10187209
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-HxCDD)	TX	9456	10187209
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10187209
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10187209
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10187209
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10187209
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10187209
2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10187209
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10187209
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10187209
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10187209
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10187209
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10187209



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10187209
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10187209
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10187209
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10187209
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10187209
Method EPA 8316			
Analyte	AB	Analyte ID	Method ID
Acrylamide	TX	4330	10188202
Method EPA 8330			
Analyte	AB	Analyte ID	Method ID
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10189807
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10189807
2,4,6-Trinitrotoluene (2,4,6-TNT)	TX	9651	10189807
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10189807
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10189807
2-Amino-4,6-dinitrotoluene (2-am-dnt)	TX	9303	10189807
2-Nitrotoluene	TX	9507	10189807
3-Nitrotoluene	TX	9510	10189807
4-Amino-2,6-dinitrotoluene (4-am-dnt)	TX	9306	10189807
4-Nitrotoluene	TX	9513	10189807
Methyl-2,4,6-trinitrophenylnitramine (tetryl)	TX	6415	10189807
Nitrobenzene	TX	5015	10189807
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	TX	9522	10189807
RDX (hexahydro-1,3,5-trinitro-1,3,5-triazine)	TX	9432	10189807
Method EPA 9014			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	10193803
Total cyanide	TX	1645	10193803
Method EPA 9038			
Analyte	AB	Analyte ID	Method ID
Sulfate	TX	2000	10196608



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method EPA 9040

Analyte	AB	Analyte ID	Method ID
Corrosivity	TX	1615	10197203
pH	TX	1900	10196802

Method EPA 9045

Analyte	AB	Analyte ID	Method ID
Corrosivity	TX	1615	10197805
pH	TX	1900	10197805

Method EPA 9050

Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	10198604

Method EPA 9056

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10199209
Chloride	TX	1575	10199209
Fluoride	TX	1730	10199209
Nitrate as N	TX	1810	10199209
Nitrate-nitrite	TX	1820	10199209
Nitrite as N	TX	1840	10199209
Orthophosphate as P	TX	1870	10199209
Sulfate	TX	2000	10199209

Method EPA 9060

Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	10200201

Method EPA 9065

Analyte	AB	Analyte ID	Method ID
Total phenolics	TX	1905	10200405

Method EPA 9071

Analyte	AB	Analyte ID	Method ID
n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10201204



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method	AB	Analyte ID	Method ID
EPA 9095			
Analyte Paint Filter Liquids Test	TX	10312	10204009
EPA 9250			
Analyte Chloride	TX	1575	10207202
SM 2320 B			
Analyte Alkalinity as CaCO3	TX	1505	20045005
SM 2510 B			
Analyte Conductivity	TX	1610	20048004
SM 2540 G			
Analyte Residue-total (total solids)	TX	1950	20005203
SSA/ASA Part 3:34			
Analyte Carbon, organic (Walkley-Black)	TX	10340	SSA/ASA Pt 3:34
TCEQ 1005			
Analyte Total Petroleum Hydrocarbons (TPH)	TX	2050	90019208



10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

August 08, 2019

Eric Matzner
Golder Associates Inc.
2201 Double Creek Drive
Suite 4004
Round Rock, TX 78664

Work Order: **HS19080117**

Laboratory Results for: **Houston TX-Wood Preserving Works**

Dear Eric,

ALS Environmental received 2 sample(s) on Aug 01, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
Dane J. Wacasey

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19080117

**TRRP Laboratory Data
Package Cover Page**

This data package consists of all or some of the following as applicable:

This signature page, the laboratory review checklist, and the following reportable data:

- R1 Field chain-of-custody documentation;
- R2 Sample identification cross-reference;
- R3 Test reports (analytical data sheets) for each environmental sample that includes:
 - a) Items consistent with NELAC Chapter 5,
 - b) dilution factors,
 - c) preparation methods,
 - d) cleanup methods, and
 - e) if required for the project, tentatively identified compounds (TICs).
- R4 Surrogate recovery data including:
 - a) Calculated recovery (%R), and
 - b) The laboratory's surrogate QC limits.
- R5 Test reports/summary forms for blank samples;
- R6 Test reports/summary forms for laboratory control samples (LCSs) including:
 - a) LCS spiking amounts,
 - b) Calculated %R for each analyte, and
 - c) The laboratory's LCS QC limits.
- R7 Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
 - a) Samples associated with the MS/MSD clearly identified,
 - b) MS/MSD spiking amounts,
 - c) Concentration of each MS/MSD analyte measured in the parent and spiked samples,
 - d) Calculated %Rs and relative percent differences (RPDs), and
 - e) The laboratory's MS/MSD QC limits.
- R8 Laboratory analytical duplicate (if applicable) recovery and precision:
 - a) the amount of analyte measured in the duplicate,
 - b) the calculated RPD, and
 - c) the laboratory's QC limits for analytical duplicates.
- R9 List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 Other problems or anomalies.
The Exception Report for each "No" or "Not Reviewed (NR)" item in Laboratory Review Checklist and for each analyte, matrix, and method for which the laboratory does not hold NELAC accreditation under the Texas Laboratory Accreditation Program.

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19080117

**TRRP Laboratory Data
Package Cover Page**

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the attached exception reports. By my signature below, I affirm to the best of my knowledge, all problems/anomalies, observed by the laboratory have been identified by the laboratory in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Check, if applicable: [NA] This laboratory meets an exception under 30 TAC §25.6 and was last inspected by TCEQ or _____ on (enter date of last inspection). Any findings affecting the data in this laboratory data package are noted in the Exception Reports herein. The official signing the cover page of the report in which these data are used is responsible for releasing this data package and is by signature affirming the above release statement is true.



Dane J. Wacasey

Laboratory Review Checklist: Reportable Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 08/07/2019			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS19080117			
Reviewer Name: Dane Wacasey				Prep Batch Number(s): 143727			
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?	X				
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?			X		
		Were % moisture (or solids) reported for all soil and sediment samples?			X		
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW-846 Method 5035?			X		
		If required for the project, TICs reported?			X		
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?		X			1
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?		X			2
		Were MS/MSD RPDs within laboratory QC limits?	X				
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?			X		
		Were analytical duplicates analyzed at the appropriate frequency?			X		
		Were RPDs or relative standard deviations within the laboratory QC limits?			X		
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Were all necessary corrective actions performed for the reported data?	X				
		Was applicable and available technology used to lower the SDL and minimize the matrix interference effects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Program for the analytes, matrices and methods associated with this laboratory data package?	X				

Laboratory Review Checklist: Supporting Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 08/07/2019			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS19080117			
Reviewer Name: Dane Wacasey				Prep Batch Number(s): 143727			
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
S1	OI	Initial calibration (ICAL)					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB)					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?			X		
S3	O	Mass spectral tuning:					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	Internal standards (IS):					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC section 1 appendix A glossary, and section 5.12 or ISO/IEC 17025 section					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?			X		
S7	O	Tentatively identified compounds (TICs):					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	Interference Check Sample (ICS) results:					
		Were percent recoveries within method QC limits?			X		
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	Proficiency test reports:					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5C or ISO/IEC 4?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chap 5 or ISO/IEC 17025 Section 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs):					
		Are laboratory SOPs current and on file for each method performed?	X				

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.

O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);

NA = Not Applicable;

NR = Not Reviewed;

R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Exception Reports

Laboratory Name: ALS Laboratory Group		LRC Date: 08/07/2019
Project Name: Houston TX-Wood Preserving Works		Laboratory Job Number: HS19080117
Reviewer Name: Dane Wacasey		Prep Batch Number(s): 143727
ER#⁵	Description	
1	Semivolatile Organics Method SW8270, sample WG-1620-MW11B-20190730, the surrogate recoveries could not be determined due to dilution below the calibration range.	
2	Batch 143727, Semivolatile Organics Method SW8270, sample HS19080069-04, MS/MSD RPD is for an unrelated sample.	
<p>Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.</p> <p>O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable); NA = Not Applicable; NR = Not Reviewed; R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).</p>		

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
Work Order: HS19080117

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19080117-01	WG-1620-MW11B-20190730	Groundwater		30-Jul-2019 13:00	01-Aug-2019 14:40	<input type="checkbox"/>
HS19080117-02	WG-1620-FB01-20190730	Groundwater		30-Jul-2019 13:15	01-Aug-2019 14:40	<input type="checkbox"/>

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-MW11B-20190730
 Collection Date: 30-Jul-2019 13:00

ANALYTICAL REPORT
 WorkOrder:HS19080117
 Lab ID:HS19080117-01
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D	Method:SW8270			Prep:SW3510 / 02-Aug-2019		Analyst: LG	
Naphthalene	1.1		0.0050	0.025	mg/L	250	07-Aug-2019 15:52
<i>Surr: 2-Fluorobiphenyl</i>	0	JS		40-125	%REC	250	07-Aug-2019 15:52
<i>Surr: 4-Terphenyl-d14</i>	0	JS		40-135	%REC	250	07-Aug-2019 15:52
<i>Surr: Nitrobenzene-d5</i>	0	JS		41-120	%REC	250	07-Aug-2019 15:52

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WG-1620-FB01-20190730
 Collection Date: 30-Jul-2019 13:15

ANALYTICAL REPORT

WorkOrder:HS19080117
 Lab ID:HS19080117-02
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D	Method:SW8270			Prep:SW3510 / 02-Aug-2019		Analyst: LG	
Naphthalene	0.00047		0.000020	0.00010	mg/L	1	06-Aug-2019 16:46
<i>Surr: 2-Fluorobiphenyl</i>	93.7			40-125	%REC	1	06-Aug-2019 16:46
<i>Surr: 4-Terphenyl-d14</i>	86.0			40-135	%REC	1	06-Aug-2019 16:46
<i>Surr: Nitrobenzene-d5</i>	78.6			41-120	%REC	1	06-Aug-2019 16:46

Note: See Qualifiers Page for a list of qualifiers and their explanation.

WEIGHT LOG

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19080117

Batch ID: 143727 **Method:** LOW-LEVEL SEMIVOLATILES BY 8270D **Prep:** 3510_B_LOW

SamplID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS19080117-01	1	1000	1 (mL)	0.001
HS19080117-02	1	1000	1 (mL)	0.001

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19080117

DATES REPORT

Sample ID	Client Samp ID	Collection Date	TCLP Date	Prep Date	Analysis Date	DF
Batch ID: 143727 (0)		Test Name : LOW-LEVEL SEMIVOLATILES BY 8270D			Matrix: Groundwater	
HS19080117-01	WG-1620-MW11B-20190730	30 Jul 2019 13:00		02 Aug 2019 07:00	07 Aug 2019 15:52	250
HS19080117-02	WG-1620-FB01-20190730	30 Jul 2019 13:15		02 Aug 2019 07:00	06 Aug 2019 16:46	1

WorkOrder: HS19080117
 InstrumentID: SV-6
 Test Code: 8270_LOW_W
 Test Number: SW8270
 Test Name: Low-Level Semivolatiles by 8270D

**METHOD DETECTION /
 REPORTING LIMITS**

Matrix: Aqueous

Units: mg/L

Type	Analyte	CAS	DCS Spike	DCS	MDL	PQL
A	Naphthalene	91-20-3	0.00010	0.00012	0.000020	0.00010
S	2-Fluorobiphenyl	321-60-8	0	0	0	0.00020
S	4-Terphenyl-d14	1718-51-0	0	0	0	0.00020
S	Nitrobenzene-d5	4165-60-0	0	0	0	0.00020

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19080117

QC BATCH REPORT

Batch ID: 143727 (0)		Instrument: SV-6		Method: LOW-LEVEL SEMIVOLATILES BY 8270D						
MBLK	Sample ID: MBLK-143727	Units: ug/L			Analysis Date: 02-Aug-2019 13:29					
Client ID:	Run ID: SV-6_343627	SeqNo: 5196073		PrepDate: 02-Aug-2019		DF: 1				
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Naphthalene	U	0.10								
Surr: 2-Fluorobiphenyl	4.588	0.20	5	0	91.8	40 - 125				
Surr: 4-Terphenyl-d14	4.367	0.20	5	0	87.3	40 - 135				
Surr: Nitrobenzene-d5	4.55	0.20	5	0	91.0	41 - 120				
LCS	Sample ID: LCS-143727	Units: ug/L			Analysis Date: 02-Aug-2019 13:48					
Client ID:	Run ID: SV-6_343627	SeqNo: 5196074		PrepDate: 02-Aug-2019		DF: 1				
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Naphthalene	4.236	0.10	5	0	84.7	45 - 120				
Surr: 2-Fluorobiphenyl	5.065	0.20	5	0	101	40 - 125				
Surr: 4-Terphenyl-d14	4.919	0.20	5	0	98.4	40 - 135				
Surr: Nitrobenzene-d5	4.524	0.20	5	0	90.5	41 - 120				
MS	Sample ID: HS19080069-04MS	Units: ug/L			Analysis Date: 02-Aug-2019 19:37					
Client ID:	Run ID: SV-6_343627	SeqNo: 5196079		PrepDate: 02-Aug-2019		DF: 1				
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Naphthalene	3.253	0.10	5	0	65.1	45 - 120				
Surr: 2-Fluorobiphenyl	4.013	0.20	5	0	80.3	40 - 125				
Surr: 4-Terphenyl-d14	4.438	0.20	5	0	88.8	40 - 135				
Surr: Nitrobenzene-d5	3.521	0.20	5	0	70.4	41 - 120				
MSD	Sample ID: HS19080069-04MSD	Units: ug/L			Analysis Date: 02-Aug-2019 19:57					
Client ID:	Run ID: SV-6_343627	SeqNo: 5196080		PrepDate: 02-Aug-2019		DF: 1				
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Naphthalene	5.202	0.10	5	0	104	45 - 120	3.253	46.1	20	R
Surr: 2-Fluorobiphenyl	3.568	0.20	5	0	71.4	40 - 125	4.013	11.7	20	
Surr: 4-Terphenyl-d14	4.548	0.20	5	0	91.0	40 - 135	4.438	2.46	20	
Surr: Nitrobenzene-d5	3.299	0.20	5	0	66.0	41 - 120	3.521	6.51	20	

The following samples were analyzed in this batch: HS19080117-01 HS19080117-02

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS19080117

**QUALIFIERS,
ACRONYMS, UNITS**

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/L	Milligrams per Liter

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
Oklahoma	2018-156	31-Aug-2019
Texas	TX104704231-19-23	30-Apr-2020

Sample Receipt Checklist

Client Name: PBW
Work Order: HS19080117

Date/Time Received: 01-Aug-2019 14:40
Received by: AC

Checklist completed by: Asad Chaudhry
eSignature
Date: 2-Aug-2019

Reviewed by: Dane J. Wacasey
eSignature
Date: 6-Aug-2019

Matrices: Groundwater

Carrier name: Client

- Shipping container/cooler in good condition? Yes [checked] No [] Not Present []
Custody seals intact on shipping container/cooler? Yes [] No [] Not Present [checked]
Custody seals intact on sample bottles? Yes [] No [] Not Present [checked]
VOA/TX1005/TX1006 Solids in hermetically sealed vials? Yes [] No [] Not Present [checked]
Chain of custody present? Yes [checked] No []
Chain of custody signed when relinquished and received? Yes [checked] No []
Samplers name present on COC? Yes [checked] No []
Chain of custody agrees with sample labels? Yes [checked] No []
Samples in proper container/bottle? Yes [checked] No []
Sample containers intact? Yes [checked] No []
Sufficient sample volume for indicated test? Yes [checked] No []
All samples received within holding time? Yes [checked] No []
Container/Temp Blank temperature in compliance? Yes [checked] No []

COC IDs:205872

Temperature(s)/Thermometer(s): 1.5c C/UC IR 25
Cooler(s)/Kit(s): 44505
Date/Time sample(s) sent to storage: 08/01/2019 19:00
Water - VOA vials have zero headspace? Yes [] No [] No VOA vials submitted [checked]
Water - pH acceptable upon receipt? Yes [] No [] N/A [checked]
pH adjusted? Yes [] No [] N/A [checked]
pH adjusted by:

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:



Cincinnati, OH
+1 513 733 5336

Fort Collins, CO
+1 970 490 1511

Everett, WA
+1 425 356 2600

Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 1 of 1

COC ID: 205872

Houston, TX
+1 281 530 5656


Spring City, PA
+1 610 948 4903

South Charleston, WV
+1 304 356 3168

Middletown, PA
+1 717 944 5541

Salt Lake City, UT
+1 801 266 7700

York, PA
+1 717 505 5280

Customer Information		Project Information		ALS Project Manager:		ALS Work Order #:	
Purchase Order	UPRR/Kevin Patarburs	Project Name	Houston TX-Wood Preserving Works	A	8270_LOW_W (5632532 ATZ SemiVolatiles)		
Work Order		Project Number	1620-07-Rev0 SR 92888 SWMU1	B	8270_LOW_W (5632532 BTZ SemiVolatiles)		
Company Name	Golder Associates	Bill To Company	Union Pacific Railroad- A/F	C	8270_LOW_W (5632532 ATZ & BTZ SemiVolatiles)		
Send Report To	Eric Matzner	Invoice Attn	Accounts Payable	D	<p style="text-align: center;">HS19080117</p> <p style="text-align: center;">Golder Associates Inc. Houston TX-Wood Preserving Works</p> 		
Address	2201 Double Creek Drive Suite 4004	Address	1400 Douglas Street Stop 0750	E			
City/State/Zip	Round Rock, TX 78664	City/State/Zip	Omaha NE 681790750	F			
Phone	(512) 671-3434	Phone		G			
Fax	(512) 671-3446	Fax		H			
e-Mail Address	eric_matzner@golder.com	e-Mail Address		I			
				J			

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	WG-1620-MW11B-20190730	7-30-19	1300	Groundwa	6	2		X									
2	WG-1620-FB01-20190730	7-30-19	1315					X									
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	

Sampler(s) Please Print & Sign JOHN BRAYTON <i>John Br</i>		Shipment Method HAND DELIVERED		Required Turnaround Time: (Check Box) <input checked="" type="checkbox"/> STD 10 Wk: Drys <input type="checkbox"/> 5 Wk: Days <input type="checkbox"/> 2 Wk: Days <input type="checkbox"/> 24 Hour				Results Due Date:			
Relinquished by: <i>John Br</i>		Date: 8-1-19	Time: 14:40	Received by:		Notes: UPRR Houston MWPW					
Relinquished by:		Date: 8-1-19	Time: 14:40	Received by (Laboratory): AC		QC Package: (Check One Box Below)					
Logged by (Laboratory):		Date: 8-1-19		Time: 14:40		Checked by (Laboratory):		Cooler ID: 44505	Cooler Temp: U/C	<input type="checkbox"/> Level II Std QC	<input checked="" type="checkbox"/> TRRP Cite III
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035									1.5	<input type="checkbox"/> Level III Std QC/Raw Data	<input type="checkbox"/> TRRP Level IV
										<input type="checkbox"/> Level IV SW/MS/CLP	
										<input type="checkbox"/> Other	

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.