

Texas Commission on Environmental Quality
Remediation Division Correspondence Identification Form

SITE & PROGRAM AREA IDENTIFICATION			
SITE LOCATION		REMEDATION DIVISION PROGRAM AND FACILITY IDENTIFICATION	
Site Name:		Is This Site Being Managed Under A State Lead Contract? Yes No	
Address 1:		Program Area:	
Address 2:		Mail Code:	
City:	State: Texas	Is This A New Site To This Program Area? Yes No	
Zip Code:		County:	Additional Information:
TCEQ Region:		Additional Information:	

DOCUMENT(S) IDENTIFICATION	
PHASE OF REMEDIATION	DOCUMENT NAME
1.	
2.	
3.	
4.	
5.	

CONTACT INFORMATION					
I attest that all work has been done in accordance with TCEQ rules	I certify that I am aware misrepresentation of any claim is a violation.				
RESPONSIBLE PARTY/APPLICANT/CUSTOMER INFORMATION (IF APPLICABLE)					
ENVIRONMENTAL CONSULTANT/REPORT PREPARER/AGENT					
SIGNATURES					

DATABASE CODES			
Document No.	TCEQ Database Term	Document No.	TCEQ Database Term
1.		4.	
2.		5.	
3.			



July 14, 2020

Project No. 19119232

Ms. Maureen Hatfield
Texas Commission on Environmental Quality
VCP-CA Section, Team 1, Remediation Division, MC-127
P.O. Box 13087
Austin, Texas 78711-3087

**UPDATED PENTACHLOROPHENOL SOIL ASSESSMENT INTERIM REPORT
UNION PACIFIC RAILROAD HOUSTON WOOD PRESERVING WORKS FACILITY
4910 LIBERTY ROAD FACILITY, HOUSTON, TEXAS
POST-CLOSURE CARE PERMIT NO. HW-50343; INDUSTRIAL SWR NO. 31547**

Dear Ms. Hatfield,

Golder Associates Inc (Golder) is pleased to provide, on behalf of Union Pacific Railroad (UPRR), this Updated Pentachlorophenol (PCP) Soil Assessment Interim Report (Updated PCP Report) to the Texas Commission on Environmental Quality (TCEQ). This update provides the results of additional surface soil sampling for PCP conducted in June 2020 at the UPRR Houston Wood Preserving Works (HWPW) site (the Site). The additional soil sampling activities were proposed in a response letter dated May 8, 2020 to the TCEQ Approval with Comments Letter dated April 23, 2020 on the Pentachlorophenol (PCP) Soil Assessment Interim Report (PCP Report) dated March 30, 2020. The TCEQ approved UPRR to proceed with the additional soil sampling activities in a Notice to Proceed with Proposed Additional PCP Soil Assessment letter dated May 19, 2020.

As detailed in the May 8, 2020 letter, the additional soil sampling plan was designed to meet the following assessment objectives: 1.) evaluate the lateral extent of PCP concentrations in surface soils off-site in areas where PCP concentrations in surface soil samples collected on-site along the UPRR property boundary exceeded the TCEQ Texas Risk Reduction Program (TRRP) Tier 1 Residential $T^{ot}Soil_{Comb}$ protective concentration level (PCL); and 2.) evaluate the soil to groundwater pathway through the TRRP Tier 3 PCL process by assessing the potential leachability of PCP from surface soils in areas where the highest PCP concentrations in the February 2020 soil samples were detected. The additional soil PCP assessment detailed in this letter supplements the soil data provided in the PCP Report. Details of the field sampling activities and soil data evaluation are provided in the following sections.

June 2020 Field Sampling Activities

As detailed in the PCP Report (March 2020), three on-site soil samples collected in February 2020 near the property boundary SSO-03 (along the northern perimeter), SSO-07, and SSO-08 (along the western perimeter) had PCP concentrations that were less than the commercial/industrial $T^{ot}Soil_{Comb}$ PCL of 32 mg/kg but exceeded the residential $T^{ot}Soil_{Comb}$ PCL of 0.73 mg/kg. To assess the lateral extent of PCP concentrations in surface soil

Golder Associates Inc.
2201 Double Creek Dr, Suite 4004, Round Rock, Texas, USA 78664

T: +1 512 671-3434 F: +1 512 671-3446

off-site to the residential $\text{TotSoil}_{\text{Comb}}$ PCL, Golder collected surface soil samples in the following off-site areas (shown on attached Figure 1):

- North of the Site – Five soil borings (SSO-16 through SSO-20) were drilled and sampled within the City of Houston right-of-way (ROW) north of the Site near on-site location SSO-03; and
- West of the Site – Eighteen soil borings (six transects of three borings per transect) were drilled and sampled in the off-site storm water ditch area within the City of Houston ROW between the western fence line of the Site and Kashmere Street in the vicinity of on-site soil borings SSO-07 and SSO-08. The three borings conducted along each transect were sampled at the following locations:
 - Within approximately two feet west of the UPRR fence line,
 - At the bottom or centerline of the drainage ditch, and
 - Between the centerline of the ditch and Kashmere Street (underground utilities were located near Kashmere Street).

In addition, Golder drilled and sampled three soil borings SSO-3R, SSO-7R, and SSO-08R adjacent to on-site locations SSO-03, SSO-07, and SSO-08, respectively where the highest PCP concentrations were detected above the Tier 2 $\text{GWSoil}_{\text{In}}$ PCL in the February 2020 soil samples. These soil borings were conducted to collect soil samples to evaluate the soil-to-groundwater pathway.

From June 2 through June 5, 2020, Golder advanced the 26 soil borings to a depth of 4 feet below ground surface (bgs) with a hand auger. Samples were field screened using a photoionization detector (PID). Prior to sampling, the PID was calibrated using 100 parts per million (ppm) by volume isobutylene standard. The hand auger was decontaminated before and between each soil boring. The location for each soil boring was surveyed in the field using a Trimble handheld GPS unit and backfilled with bentonite chips once the soil samples were collected. Table 1 summarizes the soil sample locations, PID readings, and soil type descriptions for each location sampled in February and June 2020. Figure 1 shows the approximate locations of the June 2020 soil borings with the previous soil sample locations.

Soil samples were collected from 0 to 2 feet bgs and 2 to 4 feet bgs at each location during the additional sampling activities in June 2020. Soil samples were placed in laboratory-supplied containers, stored on ice in an insulated cooler, and hand delivered to ALS Environmental in Houston, Texas for PCP analysis by EPA Method 8270. Soil samples from on-site boring locations SSO-03R, SSO-07R, and SSO-08R were also analyzed for pH by EPA Method 9045D and select samples (SSO-03R (0-2) for the north perimeter and SSO-08R (0-2) for the west perimeter) were analyzed for PCP concentrations in the extraction from the synthetic precipitation leaching procedure (SPLP) by EPA Test Method 1312 (SPLP extraction) and EPA Method 8270 (PCP analysis of the extract). A completed chain-of-custody accompanied the samples through receipt at the analytical laboratory. Copies of the laboratory reports and data usability summary prepared pursuant to TRRP-13 Guidance are included in Attachment 1.

Data Evaluation

PCP concentrations in the soil samples collected in February 2020 and June 2020 are summarized in Table 2. For the off-site soil samples collected, the soil analytical results were compared to TCEQ TRRP Tier 1 (30-acre source area) Residential $\text{TotSoil}_{\text{Comb}}$ PCL (0.73 mg/kg) and preliminarily to the Tier 2 $\text{GWSoil}_{\text{In}}$ PCL (0.12 mg/kg) for initial screening purposes. For the soil-to-groundwater pathway evaluation, PCP concentrations from the SPLP

analysis were compared to the PCP Tier 1 Residential groundwater ingestion pathway PCL ($^{GW}GW_{Ing}=0.001$ mg/L).

Residential^{Tot}Soil_{Comb} PCL Evaluation

PCP concentrations in soils from the off-site soil borings within the City of Houston ROW ranged from not detected above the method detection level (MDL) at twelve samples to 0.69 mg/kg at SSO-16 (0-2) (Table 2). None of the off-site soil samples had PCP concentrations that exceeded the Tier 1 Residential^{Tot}Soil_{Comb} PCL for a 30-acre source area of 0.73 mg/kg, indicating that the off-site soils are protective to the residential soil exposure pathway.

Soil-to-Groundwater Pathway

Twelve of the soil samples collected in June 2020 off-site had PCP concentrations greater than the Tier 2^{GW}Soil_{Ing} PCL (0.12 mg/kg) for the 0-2 feet bgs depth interval. Only two of the soil samples collected off-site from 2-4 feet bgs exceeded the Tier 2^{GW}Soil_{Ing} PCL. Except for SSO-21-02 soil boring, the PCP concentrations in the deeper sample (2-4 feet bgs) had lower concentrations compared to the 0-2 foot sample at the same soil boring, often lower by an order of magnitude or more, indicating that the PCP concentrations quickly attenuate with depth.

PCP concentrations in the samples collected adjacent to previous on-site borings SSO-03, SSO-07, and SSO-08 in the 0-2-foot interval were detected at 2.2 mg/kg, 0.45 mg/kg, and 1.5 mg/kg, respectively. These concentrations are less than the concentrations detected at the adjacent locations during the February 2020 soil sampling activities (Table 2). Since SSO-03R (0-2) at 2.2 mg/kg and SSO-08R (0-2) at 1.5 mg/kg had the highest PCP concentrations detected during the June 2020 sampling activities, these two samples were further analyzed for PCP concentrations in the SPLP extract to evaluate the potential leachability of the PCP concentrations from the soils. PCP SPLP results for SSO-03R (0-2) and SSO-08R (0-2) were 0.00057 mg/L and <0.00005 mg/L, respectively. These concentrations are orders of magnitude below the Tier 1 Residential^{GW}GW_{Ing} PCL of 0.001 mg/L. Based on this evaluation, PCP concentrations as high as 2.2 mg/kg are protective of the shallow groundwater.

As detailed in the PCP Report (March 2020), groundwater sampling results for PCP concentrations from monitoring wells in the shallow, uppermost groundwater-bearing zone (A-TZ) on the west side of the Site have been below detection limits since 2012 in monitoring wells MW-12A, MW-13, MW-15A, and MW-38A and in MW-94A and MW-95A (installed in 2020). As shown on Figure 1, these wells are all located near the northern and western boundaries of the Site. The TCEQ concurred in the April 23, 2020 letter that the groundwater results generally support the conclusion that the concentrations of PCP in soil are protective of groundwater.

Pursuant to 30 TAC §350.75(i)(7)(C) that states that a soil leachate-to-groundwater PCL may not be required when a demonstration can be made that the soils are protective of groundwater, a weight-of-evidence approach was used to demonstrate that the existing PCP concentrations in soil attain the soil response objectives for groundwater protection in this area. The multiple lines of evidence, as discussed above, include: 1) probable time since the release (prior to 1984 when the facility shut down); 2) the significant decrease (typically by an order of magnitude or more) in PCP concentrations with depth; 3) the very low leachability of PCP concentrations from these soils as indicated by SPLP extraction concentrations below the groundwater drinking water-based PCL; and 4) the absence of detectable PCP concentrations in groundwater in the area. Based on this evaluation, the PCP concentrations in soils both on-site and off-site are considered protective of the shallow groundwater pursuant to 30 TAC §350.75(i)(7)(C) and thus a soil leachate-to-groundwater PCL for PCP is not required for the Site.

Additionally, since PCP concentrations in soil samples collected off-site to the north and to the west of the UPRR property boundary were below the Tier 1 Residential ^{Tot}Soil_{Comb} PCL, delineation of PCP in soils has been achieved and no further investigation of PCP concentrations in soil north and west of the Site is necessary.

If you have any questions or comments, please feel free to give Mr. Kevin Peterburs of UPRR a call at (414) 267-4164 or us at 512-671-3434.

Sincerely,

Golder Associates Inc.



Eric C. Matzner, P.G.
Principal / Practice Leader



Eric Pastor, P.E.
Principal / Practice Leader

Texas Geosciences Firm No. 50369

Texas Engineering Firm No. 2578

CC: TCEQ Region 12, Houston Texas

Attachments: Table 1 – Surface Soil Sample Locations
Table 2 – Pentachlorophenol Concentrations – Surface Soil Sampling Results
Figure 1 – Surface Soil Sampling Location – North West Tie Storage Area – Pentachlorophenol
Attachment 1 – Data Usability Summary and Laboratory Analytical Reports

[https://golderassociates.sharepoint.com/sites/116841/project/files/6/deliverables/rap/rap revision 5/pcp interim report/updated letter/uprr hwpw updated pentachlorophenol surface soil assessment letter report july 2020.docx](https://golderassociates.sharepoint.com/sites/116841/project/files/6/deliverables/rap/rap%20revision%205/pcp%20interim%20report/updated%20letter/uprr%20hwpw%20updated%20pentachlorophenol%20surface%20soil%20assessment%20letter%20report%20july%202020.docx)

Tables

Table 1

**Surface Soil Sample Locations - Soil Pentachlorophenol Assessment
UPRR Houston Wood Preserving Works**

Sample ID	Sample Date	Sample Interval (ft bgs)	Latitude	Longitude	PID (ppmV)	Soil type
SSO-01	02/10/2020	0-2	29.787449	-95.321182	0.1	0-0.5 topsoil; 0.5-2 clay
SSO-02	02/11/2020	0-2	29.787543	-95.321721	2.9	0-0.5 topsoil; 0.5-2 clay
SSO-03	02/10/2020	0-2	29.787589	-95.322464	0.6	0-2 topsoil
SSO-03R	06/05/2020	0-2	29.78759001	-95.32246165	0.0	0-2 fill
SSO-03R	06/05/2020	2-4	29.78759001	-95.32246165	0.9	2-4 silty clay
SSO-04	02/10/2020	0-2	29.787584	-95.323116	0.1	0-0.5 topsoil; 0.5-2 clay
SSO-05	02/11/2020	0-2	29.787492	-95.323864	3.6	0-0.5 topsoil; 0.5-2 clay
SSO-06	02/10/2020	0-2	29.787247	-95.323866	1.7	0-0.5 topsoil; 0.5-2 clay
SSO-07	02/10/2020	0-2	29.786992	-95.323861	0.9	0-0.5 topsoil; 0.5-2 clay
SSO-07R	06/05/2020	0-2	29.78699184	-95.3238624	3.2	0-2 fill
SSO-07R	06/05/2020	2-4	29.78699184	-95.3238624	3.8	2-4 clay
SSO-08	02/10/2020	0-2	29.786795	-95.323857	2.5	0-0.5 topsoil; 0.5-2 clay
SSO-08R	06/05/2020	0-2	29.78679863	-95.32385836	8.8	0-2 sandy clay
SSO-08R	06/05/2020	2-4	29.78679863	-95.32385836	5.5	2-4 silty clay
SSO-09	02/10/2020	0-2	29.786591	-95.323853	2.2	0-0.5 topsoil; 0.5-2 clay
SSO-10	02/10/2020	0-2	29.786271	-95.323843	1.8	0-0.5 topsoil; 0.5-2 clay
SSO-11	02/11/2020	0-2	29.785992	-95.323796	4.0	0-0.5 sand; 0.5-2 clay
SSO-12	02/11/2020	0-2	29.785685	-95.323799	2.3	0-0.5 sand; 0.5-2 clay
SSO-13	02/11/2020	0-2	29.785438	-95.323797	1.6	0-2 sand
SSO-14	02/11/2020	0-2	29.785342	-95.324344	4.7	0-2 clay
SSO-15	02/11/2020	0-2	29.785056	-95.324525	6.0	0-2 clay
SSO-16	06/02/2020	0-2	29.78760088	-95.32279881	7.8	0-2 clay
SSO-16	06/02/2020	2-4	29.78760088	-95.32279881	4.8	2-4 clay
SSO-17	06/02/2020	0-2	29.7876034	-95.32262841	2.8	0-2 clay
SSO-17	06/02/2020	2-4	29.7876034	-95.32262841	0.2	2-4 clay
SSO-18	06/02/2020	0-2	29.78760076	-95.32245908	0.2	0-2 clay
SSO-18	06/02/2020	2-4	29.78760076	-95.32245908	0.1	2-4 clay
SSO-19	06/03/2020	0-2	29.78759496	-95.32230921	14.0	0-2 clay
SSO-19	06/03/2020	2-4	29.78759496	-95.32230921	20.6	2-4 clay
SSO-20	06/03/2020	0-2	29.78760357	-95.32215457	5.2	0-2 fill
SSO-20	06/03/2020	2-4	29.78760357	-95.32215457	14.8	2-4 clay
SSO-21-01	06/02/2020	0-2	29.7872361	-95.32387585	0.6	0-2 clay
SSO-21-01	06/02/2020	2-4	29.7872361	-95.32387585	1.5	2-4 clay
SSO-21-02	06/02/2020	0-2	29.78724033	-95.32390237	2.9	0-2 clay
SSO-21-02	06/02/2020	2-4	29.78724033	-95.32390237	13.5	2-4 clay
SSO-21-03	06/02/2020	0-2	29.78724478	-95.32390114	0.9	0-2 clay
SSO-21-03	06/02/2020	2-4	29.78724478	-95.32390114	3.5	2-4 clay
SSO-22-01	06/03/2020	0-2	29.78711015	-95.32387437	0.0	0-2 clay
SSO-22-01	06/03/2020	2-4	29.78711015	-95.32387437	0.0	2-4 clay
SSO-22-02	06/03/2020	0-2	29.78711208	-95.32389382	0.0	0-2 clay
SSO-22-02	06/03/2020	2-4	29.78711208	-95.32389382	0.0	2-4 clay
SSO-22-03	06/03/2020	0-2	29.78711869	-95.32390887	8.8	0-2 clay
SSO-22-03	06/03/2020	2-4	29.78711869	-95.32390887	14.1	2-4 clay
SSO-23-01	06/03/2020	0-2	29.78699274	-95.32387758	0.0	0-2 clay
SSO-23-01	06/03/2020	2-4	29.78699274	-95.32387758	0.0	2-4 clay
SSO-23-02	06/03/2020	0-2	29.78700019	-95.32389061	0.0	0-2 clay
SSO-23-02	06/03/2020	2-4	29.78700019	-95.32389061	0.0	2-4 clay
SSO-23-03	06/04/2020	0-2	29.7870028	-95.32390598	0.0	0-2 clay
SSO-23-03	06/04/2020	2-4	29.7870028	-95.32390598	0.0	2-4 silty clay
SSO-24-01	06/04/2020	0-2	29.78685104	-95.32386466	5.2	0-2 clay
SSO-24-01	06/04/2020	2-4	29.78685104	-95.32386466	1.5	2-4 silty clay

Table 1

Surface Soil Sample Locations - Soil Pentachlorophenol Assessment
UPRR Houston Wood Preserving Works

Sample ID	Sample Date	Sample Interval (ft bgs)	Latitude	Longitude	PID (ppmV)	Soil type
SSO-24-02	06/04/2020	0-2	29.78684723	-95.32388424	1.1	0-2 silty clay
SSO-24-02	06/04/2020	2-4	29.78684723	-95.32388424	2.1	2-4 silty clay
SSO-24-03	06/04/2020	0-2	29.78684965	-95.32390307	9.5	0-2 silty clay
SSO-24-03	06/04/2020	2-4	29.78684965	-95.32390307	10.8	2-4 silty clay
SSO-25-01	06/04/2020	0-2	29.7867081	-95.32387453	1.2	0-2 silty clay
SSO-25-01	06/04/2020	2-4	29.7867081	-95.32387453	1.9	2-4 silty clay
SSO-25-02	06/04/2020	0-2	29.78670726	-95.32388831	2.6	0-2 silty clay
SSO-25-02	06/04/2020	2-4	29.78670726	-95.32388831	1.0	2-4 silty clay
SSO-25-03	06/04/2020	0-2	29.78670864	-95.32390291	1.4	0-2 clay
SSO-25-03	06/04/2020	2-4	29.78670864	-95.32390291	0.1	2-4 silty clay
SSO-26-01	06/04/2020	0-2	29.78657007	-95.3238753	1.9	0-2 clay
SSO-26-01	06/04/2020	2-4	29.78657007	-95.3238753	0.0	2-4 silty clay
SSO-26-02	06/04/2020	0-2	29.78656472	-95.32388143	0.0	0-2 silty clay
SSO-26-02	06/04/2020	2-4	29.78656472	-95.32388143	0.0	2-4 clay
SSO-26-03	06/04/2020	0-2	29.78656511	-95.32389626	19.0	0-2 clay
SSO-26-03	06/04/2020	2-4	29.78656511	-95.32389626	1.7	2-4 silty clay



Table 2

**Pentachlorophenol Concentrations - Surface Soil Sampling Results
UPRR Houston Wood Preserving Works**

Sample ID	Sample Interval (ft)	Sample Date	Pentachlorophenol (mg/kg)	Pentachlorophenol (SPLP ¹) (mg/L)
TRRP Tier 2 Residential	^{GW} Soil _{Ing}	PCL (mg/kg) *	0.12	--
TRRP Tier 1 Residential	^{Tot} Soil _{Comb}	PCL (mg/kg)	0.73	--
TRRP Tier 1 C/I	^{Tot} Soil _{Comb}	PCL (mg/kg)	32	--
TRRP Tier 1 Residential and C/I	^{GW} GW _{Ing}	PCL (mg/L)	--	0.001
February 2020 Sampling				
SSO-01	0-2	02/10/2020	0.2	--
SSO-02	0-2	02/11/2020	0.032	--
SSO-03	0-2	02/10/2020	3.7	--
SSO-04	0-2	02/10/2020	0.13	--
SSO-05	0-2	02/11/2020	0.062	--
SSO-06	0-2	02/10/2020	0.26	--
SSO-07	0-2	02/10/2020	3.9	J
SSO-07 (duplicate)	0-2	02/10/2020	6.7	J
SSO-08	0-2	02/10/2020	13	--
SSO-09	0-2	02/10/2020	0.21	--
SSO-10	0-2	02/10/2020	0.13	--
SSO-11	0-2	02/11/2020	0.22	--
SSO-12	0-2	02/11/2020	0.0059	J
SSO-13	0-2	02/11/2020	0.09	--
SSO-14	0-2	02/11/2020	< 0.0041	--
SSO-14 (duplicate)	0-2	02/11/2020	< 0.0041	--
SSO-15	0-2	02/11/2020	< 0.004	--
June 2020 Sampling				
SSO-03R	0-2	06/05/2020	2.2	0.00057
	2-4	06/05/2020	0.022	J
SSO-03R (duplicate)	2-4	06/05/2020	0.0067	J
SSO-07R	0-2	06/05/2020	0.45	--
	2-4	06/05/2020	0.44	--
SSO-08R	0-2	06/05/2020	1.5	< 0.00005
	2-4	06/05/2020	0.13	--
SSO-16	0-2	06/02/2020	0.69	--
	2-4	06/02/2020	0.060	--
SSO-17	0-2	06/02/2020	0.15	--
	2-4	06/02/2020	0.019	--
SSO-18	0-2	06/02/2020	0.22	--
	2-4	06/02/2020	0.046	--
SSO-19	0-2	06/03/2020	0.32	--
	2-4	06/03/2020	0.019	--
SSO-20	0-2	06/03/2020	0.016	--
SSO-20 (duplicate)	0-2	06/03/2020	0.030	--
	2-4	06/03/2020	< 0.0039	--
SSO-21-01	0-2	06/02/2020	0.086	--
	2-4	06/02/2020	0.019	--
SSO-21-02	0-2	06/02/2020	0.23	--
	2-4	06/02/2020	0.32	--
SSO-21-03	0-2	06/02/2020	0.044	--
	2-4	06/02/2020	< 0.0039	--

Table 2

**Pentachlorophenol Concentrations - Surface Soil Sampling Results
UPRR Houston Wood Preserving Works**

Sample ID	Sample Interval (ft)	Sample Date	Pentachlorophenol (mg/kg)	Pentachlorophenol (SPLP ¹) (mg/L)
TRRP Tier 2 Residential ^{GW} Soil _{Ing} PCL (mg/kg) *			0.12	--
TRRP Tier 1 Residential ^{TOT} Soil _{Comb} PCL (mg/kg)			0.73	--
TRRP Tier 1 C/I ^{TOT} Soil _{Comb} PCL (mg/kg)			32	--
TRRP Tier 1 Residential and C/I ^{GW} GW _{Ing} PCL (mg/L)			--	0.001
SSO-22-01	0-2	06/03/2020	0.13	--
	2-4	06/03/2020	0.032	
SSO-22-02	0-2	06/03/2020	0.42	--
	2-4	06/03/2020	0.024	
SSO-22-03	0-2	06/03/2020	0.038 J	--
SSO-22-03 (duplicate)	0-2	06/03/2020	0.57 J	--
	2-4	06/03/2020	< 0.0040	--
SSO-23-01	0-2	06/03/2020	0.46	--
	2-4	06/03/2020	0.042	
SSO-23-02	0-2	06/03/2020	0.38	--
	2-4	06/03/2020	0.078	
SSO-23-03	0-2	06/04/2020	0.0064 J	--
	2-4	06/04/2020	< 0.0039	--
SSO-24-01	0-2	06/04/2020	0.0065 J	--
	2-4	06/04/2020	< 0.0039	
SSO-24-02	0-2	06/04/2020	0.024	--
	2-4	06/04/2020	0.0069 J	
SSO-24-03	0-2	06/04/2020	0.014	--
	2-4	06/04/2020	< 0.0038	
SSO-25-01	0-2	06/04/2020	< 0.0041	--
	2-4	06/04/2020	< 0.0043	
SSO-25-02	0-2	06/04/2020	0.28	--
	2-4	06/04/2020	0.070	
SSO-25-03	0-2	06/04/2020	0.078	--
	2-4	06/04/2020	< 0.0041	
SSO-26-01	0-2	06/04/2020	0.0040 J	--
	2-4	06/04/2020	0.0046 J	
SSO-26-02	0-2	06/04/2020	< 0.0040	--
	2-4	06/04/2020	< 0.0041	
SSO-26-03	0-2	06/04/2020	0.22	--
	2-4	06/04/2020	< 0.0039	

Notes: TRRP 30-acre source area PCLs (30 TAC §350, Tables 1 and 2), last updated November 2019.


Results that exceed the Tier 2 ^{GW}Soil_{Ing} PCL are highlighted blue; results that exceed the Tier 1 Residential ^{TOT}Soil_{Comb} PCL are highlighted green (all on-site).

* Tier 2 calculations using site-specific data are detailed in Affected Property Assessment Report Addendum dated July 21, 2009.

¹ SPLP- Synthetic Precipitation Leaching Procedure SW1312

Figures

Path: \\neartech\ad\proj\19119232 - HWPW\2020\6 June\1 - Files\Name: FIG 3 - 2020 Surface Soil Sample Locations-Pentachlorophenol.dwg | Last Edited By: adamand | Date: 2020-07-14 | Time: 9:32 AM | Printed By: adamand | Date: 2020-07-14 | Time: 9:17:54 AM



SSO-21-03	SSO-21-02	SSO-21-01
0-2	0.044	0.23
2-4	<0.0039	0.32

SSO-22-03	SSO-22-02	SSO-22-01
0-2	0.038J / 0.57J	0.42
2-4	<0.004	0.024

SSO-23-03	SSO-23-02	SSO-23-01
0-2	0.0064J	0.38
2-4	<0.0039	0.078

SSO-24-03	SSO-24-02	SSO-24-01
0-2	0.014	0.024
2-4	<0.0038	0.0069J

SSO-25-03	SSO-25-02	SSO-25-01
0-2	0.078	0.28
2-4	<0.0041	0.07

SSO-26-03	SSO-26-02	SSO-26-01
0-2	0.22	<0.004
2-4	<0.0039	0.004J

SSO-16	
0-2	0.69
2-4	0.060

SSO-18	
0-2	0.22
2-4	0.046

SSO-19	
0-2	0.32
2-4	0.019

SSO-20	
0-2	0.016 / 0.03
2-4	<0.0039

SSO-17	
0-2	0.15
2-4	0.019

SSO-03R	
0-2	2.2
2-4	0.022J / 0.0067J

SSO-07R	
0-2	0.45
2-4	0.44

SSO-08R	
0-2	1.5
2-4	0.13

LEGEND

- UPRR PROPERTY BOUNDARY
- HISTORICAL STRUCTURE AND FEATURE
- ROAD, PARKING LOT, SIDEWALK
- FENCE
- RAILROAD
- ⊕ A-TZ MONITORING WELL LOCATION
- ⊕ TEMPORARY MONITORING WELL LOCATION
- SOIL BORING LOCATION
- 0.078 PENTACHLOROPHENOL CONCENTRATION IN mg/Kg
- (NS) NOT SAMPLED
- PCL EVALUATION
- DETECTED SURFACE SOIL CONCENTRATION >RAL
- AFFECTED PROPERTY/PCLE ZONE
- ▨ SURFACE SOILS EXCAVATED WITHIN AOC AND CONSOLIDATED IN SOIL CAP AREA
- ▩ RAILROAD BALLAST CAP AREA
- ASPHALT CAP AREA
- ▨ SOIL CAP
- ▨ CONCRETE CAP AREA

- NOTE(S)**
- J = ESTIMATED CONCENTRATION LESS THAN MDL.
 - U = NOT DETECTED (SQL REPORTED).
 - RESIDENTIAL ASSESSMENT LEVEL (RAL) = 0.73 mg/Kg.
 - CRITICAL PCL (cPCL) = 0.73 mg/Kg (OFF-SITE) AND 32 mg/kg (ON-SITE).
 - RAL & cPCL BASED ON TIER 1 RESIDENTIAL/C/II^{10T} SOIL_{comb} PCLs, 30 ACRE SOURCE AREA.
 - R = RESAMPLED LOCATION (2006) (i.e., SSO-C01R).
 - YELLOW HIGHLIGHTED LOCATIONS WERE COLLECTED IN FEBRUARY AND JUNE 2020.

REFERENCE(S)
BASE MAP FROM ERM-SOUTHWEST, INC APAR ADDENDUM, FIG 3-1, DATED JUNE 2004.



CLIENT
UNION PACIFIC RAILROAD CO.

CONSULTANT
GOLDER
TEXAS GEOSCIENCE FIRM NO. 50369
TEXAS ENGINEERING FIRM NO. 2578

YYYY-MM-DD	2020-07-14
DESIGNED	AJD
PREPARED	AJD
REVIEWED	ECM
APPROVED	ECM



PROJECT
HOUSTON WOOD PRESERVING WORKS

TITLE
**SURFACE SOIL SAMPLE LOCATION -
TIE STORAGE AREA - PENTACHLOROPHENOL**

PROJECT NO.
19119232

REV.
0

FIGURE
1



1 in IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM ANSI B

ATTACHMENT 1

Data Usability Summaries and Laboratory Analytical Reports




Memorandum

February 27, 2020

Revised February 28, 2020

To: Eric Matzner

Ref. No.: 11183954-1620

From:  Angela Bown/cs/550-NF

Tel: 513-285-1102

CC: Jesse Orth; Jon Lang; Julie Lidstone; Chris Knight

**Subject: Data Usability Summary
Pentachlorophenol Assessment in Soils
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
February 2020**

1. Scope of Data Usability Study

This document details a Data Usability Summary (DUS) of analytical results for soil samples collected in support of the Pentachlorophenol Assessment in Soils at the Union Pacific Railroad (UPRR)/Houston TX-Wood Preserving Works site during February 2020. Samples were submitted to ALS Environmental (ALS), located in Houston, Texas and are reported in data package HS20020447. The intended use of the data is to support the Pentachlorophenol Assessments in Soils investigation at the site by providing current concentrations of the chemical of concern.

Data were reviewed and validated by Angela Bown of GHD, in accordance with Title 30 of the Texas Administrative Code Section 350.54 (30 TAC 350.54) as described in the Texas Commission on Environmental Quality (TCEQ) Regulatory Guidance document entitled "Review and Reporting of COC Concentration Data under TRRP", (RG-366/TRRP-13), revised May 2010, herein referred to as "TRRP-13 Guidance". Evaluation of the data was based on information obtained from the chain of custody form, the finished report forms, method blank data, recovery data from surrogate spikes/laboratory control samples (LCS)/matrix spikes (MS), duplicate data, field quality assurance/quality control (QA/QC) samples, the laboratory review checklists (LRC), and the laboratory exception reports (ER).

A sample collection and analysis summary is presented in Table 1. This summary provides a cross-reference of field sample identification numbers and location identification. Each sample is assigned a unique field identification number.

The validated sample results are presented in Table 2. A summary of the analytical methodology is presented in Table 3.



2. Laboratory Qualifications

The Laboratory's quality assurance program is consistent with the quality standards outlined in the National Environmental Laboratory Accreditation Program (NELAP). This laboratory was accredited under Texas Certification number # TX104704231 at the time the analysis was performed and the certificate is included in Attachment A.

3. Project Objectives

3.1 Sampling/Analytical QA/QC Objectives

The QA/QC program was designed to identify contamination resulting from the sampling, sample transport and analytical process through the analysis of trip blank samples, field blank samples, field duplicate sample sets, and method blanks. The QA/QC program was designed to evaluate the quality of the resulting data with respect to bias and precision through analysis of LCS, MS, and duplicate analyses.

4. Data Review/Validation Results

4.1 Sample Holding Time and Preservation

Samples were shipped with a chain of custody and the paper work was filled out properly.

All samples were properly preserved, delivered on ice, and stored by the laboratory at the required temperature (0-6°C).

The sample chain of custody document and the analytical report were used to determine sample holding times. All samples were prepared and analyzed within the required holding times.

4.2 Sample Containers

Sample containers used were certified pre-cleaned glass and plastic containers provided by the laboratory. These containers meet or exceed analyte specifications established in the United States Environmental Protection Agency (USEPA) *Specifications and Guidance for Contaminant-free Sample Containers*.

4.3 Calibrations

According to the LRC, initial calibration and continuing calibration data met the criteria for the selected method.

4.4 Laboratory Method Blank Analyses

Method blanks are prepared from a purified matrix and analyzed with investigative samples to determine the existence and magnitude of sample contamination introduced during the analytical procedures. As these were not discrete samples handled in the field, these blanks are not listed on the sample identification cross-reference list found in the data packages.



For this study, laboratory method blanks were analyzed at a minimum frequency of one per twenty investigative samples and/or one per analytical batch and results are reported in the laboratory data packages.

The method blank result was non-detect or below the method quantitation limit (MQL), indicating that laboratory contamination was not a factor for this investigation.

4.5 Internal Standard and Surrogate Spike Recoveries

Recoveries of internal standards are addressed in the LRC of the data packages. All internal standard recoveries associated with the compounds of interest were acceptable per the LRC.

In accordance with the methods employed, all samples, blanks, and QC samples analyzed for semi-volatile organic compounds (SVOCs) are spiked with surrogate compounds prior to sample analysis. Surrogate recoveries provide a means to evaluate the effects of laboratory performance on individual sample matrices. The recovery ranges established by the laboratory are adopted as the acceptance criteria for the project. Each individual surrogate compound is expected to meet the laboratory control limits. According to the TRRP-13 Guidelines, one outlying surrogate is acceptable for methods with multiple surrogate spike compounds as long as the recovery is at least ten percent. Sample analyzed at elevated sample dilutions (five times or greater) were not assessed.

Surrogate recoveries were assessed against laboratory control limits and/or the guidance in TRRP-13. All surrogate recoveries met the above criteria.

4.6 Laboratory Control Sample Analysis

LCSs are prepared and analyzed as samples to assess the analytical efficiencies of the methods employed, independent of sample matrix effects. The recovery ranges established by the laboratory are adopted as the acceptance criteria for the project.

For this study, LCSs were analyzed at a minimum frequency of one per twenty investigative samples and/or one per analytical batch.

The LCS contained the analyte specified in the method. All LCS recoveries were within the laboratory control limits, demonstrating acceptable analytical accuracy.

4.7 Matrix Spike Analysis

To evaluate the effects of sample matrices on the preparation process, measurement procedures, and accuracy of a particular analysis, samples are spiked with known concentrations of the analytes of interest and analyzed as MS/matrix spike duplicate (MSD) samples. The RPD between the MS and MSD is used to assess analytical precision.

No site-specific samples were selected for MS/MSD analyses. The laboratory performed MS/MSD on non-site samples. These cannot be used to assess accuracy and precision for the site samples.



4.8 Field QA/QC Samples

The field QA/QC consisted of two field duplicate sample sets.

Field Duplicate Sample Analysis

To assess the analytical and sampling protocol precision, two field duplicate sample sets were collected and submitted "blind" to the laboratory, as specified in Table 1. The RPDs associated with these duplicate samples must be less than 50 percent for soil samples. The RPDs are only used when sample concentrations are above the estimated regions of detection.

Field duplicate summary data are presented in Table 2. The results for sample set SO-1620-SSO07(0-2)-20200210 and SO-1620-FD01-20200210 displayed variability in pentachlorophenol results. Table 4 presents the qualified sample results.

4.9 Field Procedures

Golder Associates, Inc. collected soil samples in accordance with their Standard Operating Procedures (SOP) for sample collection.

4.10 Analyte Reporting

The laboratory reported detected results for each analyte down to the sample detection limit (SDL), which is defined as the method detection limit (MDL) with sample-specific adjustments for dilutions, aliquot size, volumes, etc. Positive analyte detections less than the MQL but greater than the SDL were qualified as estimated (J) in Table 2 unless qualified otherwise in this memorandum.

The detectability check standard (DCS) results supported the laboratory MDLs.

5. Conclusion

Based on the assessment detailed in the foregoing, the data summarized in Table 2 are usable for the purpose of supporting the Pentachlorophenol Assessment in Soils investigation at the site by providing current concentrations of the chemical of concern with the specific qualifications noted herein.

Table 1

Sample Collection and Analysis Summary
Pentachlorophenol Assessment in Soils
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
February 2020

Sample Identification	Location	Matrix	Start Depth (ft bgs)	End Depth (ft bgs)	Collection Date (mm/dd/yyyy)	Collection Time (hr:min)	Analysis/Parameters		Comments
							Pentachlorophenol		
SO-1620-SSO01(0-2)-20200210	SSO01	Soil	0	2	02/10/2020	13:10	X		
SO-1620-SSO03(0-2)-20200210	SSO03	Soil	0	2	02/10/2020	13:40	X		
SO-1620-SSO04(0-2)-20200210	SSO04	Soil	0	2	02/10/2020	13:50	X		
SO-1620-SSO06(0-2)-20200210	SSO06	Soil	0	2	02/10/2020	14:00	X		
SO-1620-SSO07(0-2)-20200210	SSO07	Soil	0	2	02/10/2020	14:10	X		
SO-1620-SSO08(0-2)-20200210	SSO08	Soil	0	2	02/10/2020	14:20	X		
SO-1620-SSO09(0-2)-20200210	SSO09	Soil	0	2	02/10/2020	14:30	X		
SO-1620-SSO10(0-2)-20200210	SSO10	Soil	0	2	02/10/2020	14:45	X		
SO-1620-SSO05(0-2)-20200211	SSO05	Soil	0	2	02/11/2020	09:25	X		
SO-1620-SSO11(0-2)-20200211	SSO11	Soil	0	2	02/11/2020	09:40	X		
SO-1620-SSO12(0-2)-20200211	SSO12	Soil	0	2	02/11/2020	09:45	X		
SO-1620-SSO13(0-2)-20200211	SSO13	Soil	0	2	02/11/2020	09:50	X		
SO-1620-SSO14(0-2)-20200211	SSO14	Soil	0	2	02/11/2020	10:00	X		
SO-1620-SSO15(0-2)-20200211	SSO15	Soil	0	2	02/11/2020	10:19	X		
SO-1620-SSO02(0-2)-20200211	SSO02	Soil	0	2	02/11/2020	11:00	X		
SO-1620-FD01-20200210	SSO07	Soil	0	2	02/10/2020	-	X		FD(SO-1620-SSO07(0-2)-20200210)
SO-1620-FD02-20200211	SSO14	Soil	0	2	02/11/2020	-	X		FD(SO-1620-SSO14(0-2)-20200211)

Notes:

- FD - Field Duplicate of Sample in Parentheses
 "-" - Not Applicable
 ft bgs - Feet below ground surface

**Analytical Results Summary
 Pentachlorophenol Assessment in Soils
 Union Pacific Railroad (UPRR/Houston, TX-Wood Preserving Works
 Houston, Texas
 February 2020**

Location ID:	SSO01	SSO02	SSO03
Sample Name:	SO-1620-SSO01(0-2)-20200210	SO-1620-SSO02(0-2)-20200211	SO-1620-SSO03(0-2)-20200210
Sample Date:	02/10/2020	02/11/2020	02/10/2020
Depth:	0-2 ft BGS	0-2 ft BGS	0-2 ft BGS

Parameters	Unit			
Semivolatile Organic Compounds				
Pentachlorophenol	mg/kg	0.20	0.032	3.7
General Chemistry				
Moisture	wt%	13.4	14.9	10.9

Notes:

J - Estimated concentration

**Analytical Results Summary
 Pentachlorophenol Assessment in Soils
 Union Pacific Railroad (UPRR/Houston, TX-Wood Preserving Works
 Houston, Texas
 February 2020**

Location ID:	SSO04	SSO05	SSO06
Sample Name:	SO-1620-SSO04(0-2)-20200210	SO-1620-SSO05(0-2)-20200211	SO-1620-SSO06(0-2)-20200210
Sample Date:	02/10/2020	02/11/2020	02/10/2020
Depth:	0-2 ft BGS	0-2 ft BGS	0-2 ft BGS

Parameters	Unit			
Semivolatile Organic Compounds				
Pentachlorophenol	mg/kg	0.13	0.062	0.26
General Chemistry				
Moisture	wt%	8.75	14.8	15.6

Notes:

J - Estimated concentration

**Analytical Results Summary
 Pentachlorophenol Assessment in Soils
 Union Pacific Railroad (UPRR/Houston, TX-Wood Preserving Works
 Houston, Texas
 February 2020**

Location ID:	SSO07	SSO07	SSO08
Sample Name:	SO-1620-SSO07(0-2)-20200210	SO-1620-FD01-20200210	SO-1620-SSO08(0-2)-20200210
Sample Date:	02/10/2020	02/10/2020	02/10/2020
Depth:	0-2 ft BGS	0-2 ft BGS	0-2 ft BGS
		Duplicate	

Parameters	Unit			
Semivolatile Organic Compounds				
Pentachlorophenol	mg/kg	6.7 J	3.9 J	13
General Chemistry				
Moisture	wt%	15.7	22.2	16.9

Notes:

J - Estimated concentration

**Analytical Results Summary
 Pentachlorophenol Assessment in Soils
 Union Pacific Railroad (UPRR/Houston, TX-Wood Preserving Works
 Houston, Texas
 February 2020**

Location ID:	SSO09	SSO10	SSO11
Sample Name:	SO-1620-SSO09(0-2)-20200210	SO-1620-SSO10(0-2)-20200210	SO-1620-SSO11(0-2)-20200211
Sample Date:	02/10/2020	02/10/2020	02/11/2020
Depth:	0-2 ft BGS	0-2 ft BGS	0-2 ft BGS

Parameters	Unit			
Semivolatile Organic Compounds				
Pentachlorophenol	mg/kg	0.21	0.13	0.22
General Chemistry				
Moisture	wt%	18.9	17.4	7.94

Notes:

J - Estimated concentration

**Analytical Results Summary
Pentachlorophenol Assessment in Soils
Union Pacific Railroad (UPRR/Houston, TX-Wood Preserving Works
Houston, Texas
February 2020**

Location ID:	SSO12	SSO13	SSO14
Sample Name:	SO-1620-SSO12(0-2)-20200211	SO-1620-SSO13(0-2)-20200211	SO-1620-SSO14(0-2)-20200211
Sample Date:	02/11/2020	02/11/2020	02/11/2020
Depth:	0-2 ft BGS	0-2 ft BGS	0-2 ft BGS

Parameters	Unit			
Semivolatile Organic Compounds				
Pentachlorophenol	mg/kg	0.0059 J	0.090	<0.0041
General Chemistry				
Moisture	wt%	14.7	8.83	19.4

Notes:

J - Estimated concentration

**Analytical Results Summary
 Pentachlorophenol Assessment in Soils
 Union Pacific Railroad (UPRR/Houston, TX-Wood Preserving Works
 Houston, Texas
 February 2020**

Location ID:	SSO14	SSO15
Sample Name:	SO-1620-FD02-20200211	SO-1620-SSO15(0-2)-20200211
Sample Date:	02/11/2020	02/11/2020
Depth:	0-2 ft BGS Duplicate	0-2 ft BGS

Parameters	Unit		
Semivolatile Organic Compounds			
Pentachlorophenol	mg/kg	<0.0041	<0.0040
General Chemistry			
Moisture	wt%	20.7	18.2

Notes:

J - Estimated concentration

Table 3

Analytical Methods
Pentachlorophenol Assessment in Soils
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
February 2020

Parameter	Method	Matrix	Holding Time	
			Collection to Extraction (Days)	Extraction to Analysis (Days)
Pentachlorophenol	SW-846 8270D	Soil	14	40

Method References:

SW-846 - "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", SW-846, Third Edition, 1986, with subsequent revisions

Table 4

**Qualified Sample Data Due to Variability in Field Duplicate Results
Pentachlorophenol Assessment in Soils
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
February 2020**

Parameter	Analyte	RPD	Sample ID	Qualified Result	Field Duplicate Sample ID	Qualified Result	Units
SVOCs	Pentachlorophenol	53	SO-1620-SSO07(0-2)-20200210	6.7 J	SO-1620-FD01-20200210	3.9 J	mg/Kg

Notes:

- RPD - Relative Percent Difference
- SVOCs - Semi-volatile Organic Compounds
- J - Estimated concentration

Attachment A

Laboratory NELAP Certificate



Texas Commission on Environmental Quality

NELAP - Recognized Laboratory Fields of Accreditation



ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Method EPA 1613

Analyte	AB	Analyte ID	Method ID
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10120408

Method EPA 200.8

Analyte	AB	Analyte ID	Method ID
Copper	TX	1055	10014605
Lead	TX	1075	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	AB	Analyte ID	Method ID
Method EPA 1010			
Analyte Ignitability	TX	1780	10116606
Method EPA 120.1			
Analyte Conductivity	TX	1610	10006403
Method EPA 1311			
Analyte TCLP	TX	849	10118806
Method EPA 1312			
Analyte SPLP	TX	850	10119003
Method EPA 160.4			
Analyte Residue-volatile	TX	1970	10010409
Method EPA 1613			
Analyte 1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10120408
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10120408
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10120408
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10120408
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10120408
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10120408
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10120408
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10120408
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,6,7,8-HxCDD)	TX	9456	10120408
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10120408
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10120408
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10120408
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10120408
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10120408



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10120408
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10120408
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10120408
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10120408
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10120408
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10120408
Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10120408
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10120408
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10120408
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10120408
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10120408
Method EPA 1664			
Analyte	AB	Analyte ID	Method ID
n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10127807
Method EPA 180.1			
Analyte	AB	Analyte ID	Method ID
Turbidity	TX	2055	10011606
Method EPA 200.8			
Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10014605
Antimony	TX	1005	10014605
Arsenic	TX	1010	10014605
Barium	TX	1015	10014605
Beryllium	TX	1020	10014605
Boron	TX	1025	10014605
Cadmium	TX	1030	10014605
Calcium	TX	1035	10014605
Chromium	TX	1040	10014605
Cobalt	TX	1050	10014605
Copper	TX	1055	10014605
Iron	TX	1070	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Lead	TX	1075	10014605
Magnesium	TX	1085	10014605
Manganese	TX	1090	10014605
Molybdenum	TX	1100	10014605
Nickel	TX	1105	10014605
Potassium	TX	1125	10014605
Selenium	TX	1140	10014605
Silver	TX	1150	10014605
Sodium	TX	1155	10014605
Strontium	TX	1160	10014605
Thallium	TX	1165	10014605
Tin	TX	1175	10014605
Titanium	TX	1180	10014605
Uranium	TX	3035	10014605
Vanadium	TX	1185	10014605
Zinc	TX	1190	10014605

Method EPA 245.1

Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10036609

Method EPA 300.0

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10053200
Chloride	TX	1575	10053200
Fluoride	TX	1730	10053200
Nitrate as N	TX	1810	10053200
Nitrate-nitrite	TX	1820	10053200
Nitrite as N	TX	1840	10053200
Orthophosphate as P	TX	1870	10053200
Sulfate	TX	2000	10053200

Method EPA 325.1

Analyte	AB	Analyte ID	Method ID
---------	----	------------	-----------



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Chloride	TX	1575	10056801
Method EPA 335.1			
Analyte Amenable cyanide	AB TX	Analyte ID 1510	Method ID 10060001
Method EPA 335.2			
Analyte Total cyanide	AB TX	Analyte ID 1645	Method ID 10278203
Method EPA 335.4			
Analyte Total cyanide	AB TX	Analyte ID 1645	Method ID 10061402
Method EPA 350.3			
Analyte Ammonia as N	AB TX	Analyte ID 1515	Method ID 10064401
Method EPA 365.3			
Analyte Orthophosphate as P	AB TX	Analyte ID 1870	Method ID 10070801
Phosphorus	TX	1910	10070801
Method EPA 375.4			
Analyte Sulfate	AB TX	Analyte ID 2000	Method ID 10073800
Method EPA 376.1			
Analyte Sulfide	AB TX	Analyte ID 2005	Method ID 10074201
Method EPA 410.4			
Analyte Chemical oxygen demand (COD)	AB TX	Analyte ID 1565	Method ID 10077404
Method EPA 415.1			
Analyte Total Organic Carbon (TOC)	AB TX	Analyte ID 2040	Method ID 10078407
Method EPA 420.1			
Analyte Total phenolics	AB TX	Analyte ID 1905	Method ID 10079400



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 420.4

Analyte	AB	Analyte ID	Method ID
Total phenolics	TX	1905	10080203

Method EPA 6020

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10156419
Antimony	TX	1005	10156419
Arsenic	TX	1010	10156419
Barium	TX	1015	10156419
Beryllium	TX	1020	10156419
Boron	TX	1025	10156419
Cadmium	TX	1030	10156419
Calcium	TX	1035	10156419
Chromium	TX	1040	10156419
Cobalt	TX	1050	10156419
Copper	TX	1055	10156419
Iron	TX	1070	10156419
Lead	TX	1075	10156419
Lithium	TX	1080	10156419
Magnesium	TX	1085	10156419
Manganese	TX	1090	10156419
Molybdenum	TX	1100	10156419
Nickel	TX	1105	10156419
Potassium	TX	1125	10156419
Selenium	TX	1140	10156419
Silver	TX	1150	10156419
Sodium	TX	1155	10156419
Strontium	TX	1160	10156419
Thallium	TX	1165	10156419
Tin	TX	1175	10156419
Titanium	TX	1180	10156419



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Vanadium	TX	1185	10156419
Zinc	TX	1190	10156419
Method EPA 608			
Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10103603
4,4'-DDE	TX	7360	10103603
4,4'-DDT	TX	7365	10103603
Aldrin	TX	7025	10103603
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10103603
alpha-Chlordane	TX	7240	10103603
Aroclor-1016 (PCB-1016)	TX	8880	10103603
Aroclor-1221 (PCB-1221)	TX	8885	10103603
Aroclor-1232 (PCB-1232)	TX	8890	10103603
Aroclor-1242 (PCB-1242)	TX	8895	10103603
Aroclor-1248 (PCB-1248)	TX	8900	10103603
Aroclor-1254 (PCB-1254)	TX	8905	10103603
Aroclor-1260 (PCB-1260)	TX	8910	10103603
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10103603
Chlordane (tech.)	TX	7250	10103603
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10103603
Dieldrin	TX	7470	10103603
Endosulfan I	TX	7510	10103603
Endosulfan II	TX	7515	10103603
Endosulfan sulfate	TX	7520	10103603
Endrin	TX	7540	10103603
Endrin aldehyde	TX	7530	10103603
Endrin ketone	TX	7535	10103603
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10103603
gamma-Chlordane	TX	7245	10103603
Heptachlor	TX	7685	10103603



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Heptachlor epoxide	TX	7690	10103603
Methoxychlor	TX	7810	10103603
Toxaphene (Chlorinated camphene)	TX	8250	10103603

Method EPA 624

Analyte	AB	Analyte ID	Method ID
1,1,1-Trichloroethane	TX	5160	10107207
1,1,2,2-Tetrachloroethane	TX	5110	10107207
1,1,2-Trichloroethane	TX	5165	10107207
1,1-Dichloroethane	TX	4630	10107207
1,1-Dichloroethylene	TX	4640	10107207
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10107207
1,2-Dichlorobenzene	TX	4610	10107207
1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10107207
1,2-Dichloropropane	TX	4655	10107207
1,3-Dichlorobenzene	TX	4615	10107207
1,4-Dichlorobenzene	TX	4620	10107207
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10107207
2-Chloroethyl vinyl ether	TX	4500	10107207
Acetone (2-Propanone)	TX	4315	10107207
Acrolein (Propenal)	TX	4325	10107207
Acrylonitrile	TX	4340	10107207
Benzene	TX	4375	10107207
Bromodichloromethane	TX	4395	10107207
Bromoform	TX	4400	10107207
Carbon tetrachloride	TX	4455	10107207
Chlorobenzene	TX	4475	10107207
Chlorodibromomethane	TX	4575	10107207
Chloroethane (Ethyl chloride)	TX	4485	10107207
Chloroform	TX	4505	10107207
cis-1,2-Dichloroethylene	TX	4645	10107207



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

cis-1,3-Dichloropropene	TX	4680	10107207
Ethylbenzene	TX	4765	10107207
m+p-xylene	TX	5240	10107207
Methyl bromide (Bromomethane)	TX	4950	10107207
Methyl chloride (Chloromethane)	TX	4960	10107207
Methyl tert-butyl ether (MTBE)	TX	5000	10107207
Methylene chloride (Dichloromethane)	TX	4975	10107207
Naphthalene	TX	5005	10107207
o-Xylene	TX	5250	10107207
Tetrachloroethylene (Perchloroethylene)	TX	5115	10107207
Toluene	TX	5140	10107207
trans-1,2-Dichloroethylene	TX	4700	10107207
trans-1,3-Dichloropropylene	TX	4685	10107207
Trichloroethene (Trichloroethylene)	TX	5170	10107207
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10107207
Vinyl chloride	TX	5235	10107207
Xylene (total)	TX	5260	10107207

Method EPA 625

Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10107401
1,2,4-Trichlorobenzene	TX	5155	10107401
1,2-Dichlorobenzene	TX	4610	10107401
1,2-Diphenylhydrazine	TX	6220	10107401
1,3-Dichlorobenzene	TX	4615	10107401
1,4-Dichlorobenzene	TX	4620	10107401
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10107401
2,4,5-Trichlorophenol	TX	6835	10107401
2,4,6-Trichlorophenol	TX	6840	10107401
2,4-Dichlorophenol	TX	6000	10107401
2,4-Dimethylphenol	TX	6130	10107401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2,4-Dinitrophenol	TX	6175	10107401
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10107401
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10107401
2-Chloronaphthalene	TX	5795	10107401
2-Chlorophenol	TX	5800	10107401
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10107401
2-Methylphenol (o-Cresol)	TX	6400	10107401
2-Nitrophenol	TX	6490	10107401
3,3'-Dichlorobenzidine	TX	5945	10107401
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10107401
4-Chloro-3-methylphenol	TX	5700	10107401
4-Chlorophenyl phenylether	TX	5825	10107401
4-Methylphenol (p-Cresol)	TX	6410	10107401
4-Nitrophenol	TX	6500	10107401
Acenaphthene	TX	5500	10107401
Acenaphthylene	TX	5505	10107401
Anthracene	TX	5555	10107401
Benzidine	TX	5595	10107401
Benzo(a)anthracene	TX	5575	10107401
Benzo(a)pyrene	TX	5580	10107401
Benzo(b)fluoranthene	TX	5585	10107401
Benzo(g,h,i)perylene	TX	5590	10107401
Benzo(k)fluoranthene	TX	5600	10107401
bis(2-Chloroethoxy)methane	TX	5760	10107401
bis(2-Chloroethyl) ether	TX	5765	10107401
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10107401
Butyl benzyl phthalate	TX	5670	10107401
Chrysene	TX	5855	10107401
Dibenz(a,h) anthracene	TX	5895	10107401
Diethyl phthalate	TX	6070	10107401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Dimethyl phthalate	TX	6135	10107401
Di-n-butyl phthalate	TX	5925	10107401
Di-n-octyl phthalate	TX	6200	10107401
Fluoranthene	TX	6265	10107401
Fluorene	TX	6270	10107401
Hexachlorobenzene	TX	6275	10107401
Hexachlorobutadiene	TX	4835	10107401
Hexachlorocyclopentadiene	TX	6285	10107401
Hexachloroethane	TX	4840	10107401
Indeno(1,2,3-cd) pyrene	TX	6315	10107401
Isophorone	TX	6320	10107401
Naphthalene	TX	5005	10107401
Nitrobenzene	TX	5015	10107401
n-Nitrosodiethylamine	TX	6525	10107401
n-Nitrosodimethylamine	TX	6530	10107401
n-Nitrosodi-n-butylamine	TX	5025	10107401
n-Nitrosodi-n-propylamine	TX	6545	10107401
n-Nitrosodiphenylamine	TX	6535	10107401
Pentachlorobenzene	TX	6590	10107401
Pentachlorophenol	TX	6605	10107401
Phenanthrene	TX	6615	10107401
Phenol	TX	6625	10107401
Pyrene	TX	6665	10107401
Pyridine	TX	5095	10107401
Method EPA 7196			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	10162206
Method EPA 7470			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10165603



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 8011

Analyte	AB	Analyte ID	Method ID
1,2,3-Trichloropropane	TX	5180	10173009
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10173009
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10173009

Method EPA 8015

Analyte	AB	Analyte ID	Method ID
Diesel range organics (DRO)	TX	9369	10173203
Ethanol	TX	4750	10173203
Ethylene glycol	TX	4785	10173203
Gasoline range organics (GRO)	TX	9408	10173203
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10173203
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10173203
Methanol	TX	4930	10173203
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10173203
n-Propanol (1-Propanol)	TX	5055	10173203
Propylene Glycol	TX	6657	10173203
tert-Butyl alcohol	TX	4420	10173203

Method EPA 8021

Analyte	AB	Analyte ID	Method ID
Benzene	TX	4375	10174400
Ethylbenzene	TX	4765	10174400
m+p-xylene	TX	5240	10174400
Methyl tert-butyl ether (MTBE)	TX	5000	10174400
o-Xylene	TX	5250	10174400
Toluene	TX	5140	10174400
Xylene (total)	TX	5260	10174400

Method EPA 8081

Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10178402
4,4'-DDE	TX	7360	10178402



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

4,4'-DDT	TX	7365	10178402
Aldrin	TX	7025	10178402
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10178402
alpha-Chlordane	TX	7240	10178402
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10178402
Chlordane (tech.)	TX	7250	10178402
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10178402
Dieldrin	TX	7470	10178402
Endosulfan I	TX	7510	10178402
Endosulfan II	TX	7515	10178402
Endosulfan sulfate	TX	7520	10178402
Endrin	TX	7540	10178402
Endrin aldehyde	TX	7530	10178402
Endrin ketone	TX	7535	10178402
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10178402
gamma-Chlordane	TX	7245	10178402
Heptachlor	TX	7685	10178402
Heptachlor epoxide	TX	7690	10178402
Hexachlorobenzene	TX	6275	10178402
Methoxychlor	TX	7810	10178402
Mirex	TX	7870	10178402
Toxaphene (Chlorinated camphene)	TX	8250	10178402

Method EPA 8082

Analyte	AB	Analyte ID	Method ID
Aroclor-1016 (PCB-1016)	TX	8880	10179201
Aroclor-1221 (PCB-1221)	TX	8885	10179201
Aroclor-1232 (PCB-1232)	TX	8890	10179201
Aroclor-1242 (PCB-1242)	TX	8895	10179201
Aroclor-1248 (PCB-1248)	TX	8900	10179201
Aroclor-1254 (PCB-1254)	TX	8905	10179201



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Aroclor-1260 (PCB-1260)	TX	8910	10179201
PCBs (total)	TX	8870	10179201

Method EPA 8151

Analyte	AB	Analyte ID	Method ID
2,4,5-T	TX	8655	10183003
2,4-D	TX	8545	10183003
2,4-DB	TX	8560	10183003
Dalapon	TX	8555	10183003
Dicamba	TX	8595	10183003
Dichloroprop (Dichloroprop, Weedone)	TX	8605	10183003
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10183003
MCPA	TX	7775	10183003
MCPP	TX	7780	10183003
Silvex (2,4,5-TP)	TX	8650	10183003

Method EPA 8260

Analyte	AB	Analyte ID	Method ID
1,1,1,2-Tetrachloroethane	TX	5105	10184404
1,1,1-Trichloroethane	TX	5160	10184404
1,1,2,2-Tetrachloroethane	TX	5110	10184404
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	TX	5195	10184404
1,1,2-Trichloroethane	TX	5165	10184404
1,1-Dichloroethane	TX	4630	10184404
1,1-Dichloroethylene	TX	4640	10184404
1,1-Dichloropropene	TX	4670	10184404
1,2,3-Trichlorobenzene	TX	5150	10184404
1,2,3-Trichloropropane	TX	5180	10184404
1,2,4-Trichlorobenzene	TX	5155	10184404
1,2,4-Trimethylbenzene	TX	5210	10184404
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10184404
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10184404
1,2-Dichlorobenzene	TX	4610	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10184404
1,2-Dichloropropane	TX	4655	10184404
1,3,5-Trimethylbenzene	TX	5215	10184404
1,3-Dichlorobenzene	TX	4615	10184404
1,3-Dichloropropane	TX	4660	10184404
1,4-Dichlorobenzene	TX	4620	10184404
1,4-Dioxane (1,4-Diethyleneoxide)	TX	4735	10184404
1-Chlorohexane	TX	4510	10184404
1-Propanol	TX	5060	10184404
2,2-Dichloropropane	TX	4665	10184404
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10184404
2-Chloroethyl vinyl ether	TX	4500	10184404
2-Chlorotoluene	TX	4535	10184404
2-Hexanone (MBK)	TX	4860	10184404
2-Pentanone	TX	5045	10184404
4-Chlorotoluene	TX	4540	10184404
4-Isopropyltoluene (p-Cymene)	TX	4915	10184404
4-Methyl-2-pentanone (MIBK)	TX	4995	10184404
Acetone (2-Propanone)	TX	4315	10184404
Acetonitrile	TX	4320	10184404
Acrolein (Propenal)	TX	4325	10184404
Acrylonitrile	TX	4340	10184404
Allyl alcohol	TX	4350	10184404
Allyl chloride (3-Chloropropene)	TX	4355	10184404
Benzene	TX	4375	10184404
Benzyl chloride	TX	5635	10184404
Bromobenzene	TX	4385	10184404
Bromochloromethane	TX	4390	10184404
Bromodichloromethane	TX	4395	10184404
Bromoform	TX	4400	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Carbon disulfide	TX	4450	10184404
Carbon tetrachloride	TX	4455	10184404
Chlorobenzene	TX	4475	10184404
Chlorodibromomethane	TX	4575	10184404
Chloroethane (Ethyl chloride)	TX	4485	10184404
Chloroform	TX	4505	10184404
Chloroprene (2-Chloro-1,3-butadiene)	TX	4525	10184404
cis-1,2-Dichloroethylene	TX	4645	10184404
cis-1,3-Dichloropropene	TX	4680	10184404
Dibromofluoromethane	TX	4590	10184404
Dibromomethane (Methylene bromide)	TX	4595	10184404
Dichlorodifluoromethane (Freon-12)	TX	4625	10184404
Diethyl ether	TX	4725	10184404
Di-isopropylether (DIPE)	TX	9375	10184404
Epichlorohydrin (1-Chloro-2,3-epoxypropane)	TX	4745	10184404
Ethanol	TX	4750	10184404
Ethyl acetate	TX	4755	10184404
Ethyl methacrylate	TX	4810	10184404
Ethylbenzene	TX	4765	10184404
Ethylene oxide	TX	4795	10184404
Ethyl-t-butylether (ETBE) (2-Ethoxy-2-methylpropane)	TX	4770	10184404
Hexachlorobutadiene	TX	4835	10184404
Iodomethane (Methyl iodide)	TX	4870	10184404
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10184404
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10184404
Isopropylbenzene (Cumene)	TX	4900	10184404
m+p-xylene	TX	5240	10184404
Methacrylonitrile	TX	4925	10184404
Methyl acetate	TX	4940	10184404
Methyl acrylate	TX	4945	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Methyl bromide (Bromomethane)	TX	4950	10184404
Methyl chloride (Chloromethane)	TX	4960	10184404
Methyl methacrylate	TX	4990	10184404
Methyl tert-butyl ether (MTBE)	TX	5000	10184404
Methylcyclohexane	TX	4965	10184404
Methylene chloride (Dichloromethane)	TX	4975	10184404
Naphthalene	TX	5005	10184404
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10184404
n-Butylbenzene	TX	4435	10184404
n-Propylbenzene	TX	5090	10184404
o-Xylene	TX	5250	10184404
Pentachloroethane	TX	5035	10184404
Propionitrile (Ethyl cyanide)	TX	5080	10184404
Pyridine	TX	5095	10184404
sec-Butylbenzene	TX	4440	10184404
Styrene	TX	5100	10184404
T-amylmethylether (TAME)	TX	4370	10184404
tert-Butyl alcohol	TX	4420	10184404
tert-Butylbenzene	TX	4445	10184404
Tetrachloroethylene (Perchloroethylene)	TX	5115	10184404
Toluene	TX	5140	10184404
trans-1,2-Dichloroethylene	TX	4700	10184404
trans-1,3-Dichloropropylene	TX	4685	10184404
trans-1,4-Dichloro-2-butene	TX	4605	10184404
Trichloroethene (Trichloroethylene)	TX	5170	10184404
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10184404
Vinyl acetate	TX	5225	10184404
Vinyl chloride	TX	5235	10184404
Xylene (total)	TX	5260	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 8270

Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10185203
1,2,4-Trichlorobenzene	TX	5155	10185203
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10185203
1,2-Dichlorobenzene	TX	4610	10185203
1,2-Dinitrobenzene	TX	6155	10185203
1,2-Diphenylhydrazine	TX	6220	10185203
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10185203
1,3-Dichlorobenzene	TX	4615	10185203
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10185203
1,4-Dichlorobenzene	TX	4620	10185203
1,4-Dinitrobenzene	TX	6165	10185203
1,4-Naphthoquinone	TX	6420	10185203
1,4-Phenylenediamine	TX	6630	10185203
1-Chloronaphthalene	TX	5790	10185203
1-Naphthylamine	TX	6425	10185203
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10185203
2,3,4,6-Tetrachlorophenol	TX	6735	10185203
2,4,5-Trichlorophenol	TX	6835	10185203
2,4,5-Trimethylaniline	TX	6880	10185203
2,4,6-Trichlorophenol	TX	6840	10185203
2,4-Diaminotoluene	TX	5880	10185203
2,4-Dichlorophenol	TX	6000	10185203
2,4-Dimethylphenol	TX	6130	10185203
2,4-Dinitrophenol	TX	6175	10185203
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10185203
2,6-Dichlorophenol	TX	6005	10185203
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10185203
2-Acetylaminofluorene	TX	5515	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2-Chloronaphthalene	TX	5795	10185203
2-Chlorophenol	TX	5800	10185203
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10185203
2-Methylaniline (o-Toluidine)	TX	5145	10185203
2-Methylnaphthalene	TX	6385	10185203
2-Methylphenol (o-Cresol)	TX	6400	10185203
2-Naphthylamine	TX	6430	10185203
2-Nitroaniline	TX	6460	10185203
2-Nitrophenol	TX	6490	10185203
2-Picoline (2-Methylpyridine)	TX	5050	10185203
3,3'-Dichlorobenzidine	TX	5945	10185203
3,3'-Dimethylbenzidine	TX	6120	10185203
3-Methylcholanthrene	TX	6355	10185203
3-Methylphenol (m-Cresol)	TX	6405	10185203
3-Nitroaniline	TX	6465	10185203
4-Aminobiphenyl	TX	5540	10185203
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10185203
4-Chloro-3-methylphenol	TX	5700	10185203
4-Chloroaniline	TX	5745	10185203
4-Chlorophenyl phenylether	TX	5825	10185203
4-Dimethyl aminoazobenzene	TX	6105	10185203
4-Methylphenol (p-Cresol)	TX	6410	10185203
4-Nitroaniline	TX	6470	10185203
4-Nitrobiphenyl	TX	6480	10185203
4-Nitrophenol	TX	6500	10185203
4-Nitroquinoline-1-oxide	TX	6510	10185203
5-Chloro-2-methylaniline	TX	5695	10185203
5-Nitro-o-toluidine	TX	6570	10185203
7,12-Dimethylbenz(a) anthracene	TX	6115	10185203
a-a-Dimethylphenethylamine	TX	6125	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Acenaphthene	TX	5500	10185203
Acenaphthylene	TX	5505	10185203
Acetophenone	TX	5510	10185203
Aniline	TX	5545	10185203
Anthracene	TX	5555	10185203
Aramite	TX	5560	10185203
Atrazine	TX	7065	10185203
Azinphos-methyl (Guthion)	TX	7075	10185203
Azobenzene	TX	5562	10185203
Benzenethiol (Thiophenol)	TX	6750	10185203
Benzidine	TX	5595	10185203
Benzo(a)anthracene	TX	5575	10185203
Benzo(a)pyrene	TX	5580	10185203
Benzo(b)fluoranthene	TX	5585	10185203
Benzo(e)pyrene	TX	5605	10185203
Benzo(g,h,i)perylene	TX	5590	10185203
Benzo(k)fluoranthene	TX	5600	10185203
Benzoic acid	TX	5610	10185203
Benzyl alcohol	TX	5630	10185203
Biphenyl	TX	5640	10185203
bis(2-Chloroethoxy)methane	TX	5760	10185203
bis(2-Chloroethyl) ether	TX	5765	10185203
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10185203
Butyl benzyl phthalate	TX	5670	10185203
Caprolactam	TX	7180	10185203
Captan	TX	7190	10185203
Carbaryl (Sevin)	TX	7195	10185203
Carbazole	TX	5680	10185203
Carbophenothion	TX	7220	10185203
Chlorobenzilate	TX	7260	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23

Expiration Date: 4/30/2020

Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Chrysene	TX	5855	10185203
Coumaphos	TX	7315	10185203
Demeton	TX	7390	10185203
Demeton	TX	7390	10185203
Demeton-o	TX	7395	10185203
Demeton-s	TX	7385	10185203
Diallate	TX	7405	10185203
Dibenz(a,h) anthracene	TX	5895	10185203
Dibenz(a,j) acridine	TX	5900	10185203
Dibenzofuran	TX	5905	10185203
Dichlorvos (DDVP, Dichlorvos)	TX	8610	10185203
Diethyl phthalate	TX	6070	10185203
Dimethoate	TX	7475	10185203
Dimethoate	TX	7475	10185203
Dimethyl phthalate	TX	6135	10185203
Di-n-butyl phthalate	TX	5925	10185203
Di-n-octyl phthalate	TX	6200	10185203
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10185203
Dioxathion	TX	7495	10185203
Diphenylamine	TX	6205	10185203
Disulfoton	TX	8625	10185203
Ethion	TX	7565	10185203
Ethyl methanesulfonate	TX	6260	10185203
Famphur	TX	7580	10185203
Fluoranthene	TX	6265	10185203
Fluorene	TX	6270	10185203
Hexachlorobenzene	TX	6275	10185203
Hexachlorobutadiene	TX	4835	10185203
Hexachlorocyclopentadiene	TX	6285	10185203
Hexachloroethane	TX	4840	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Hexachlorophene	TX	6290	10185203
Hexachloropropene	TX	6295	10185203
Indeno(1,2,3-cd) pyrene	TX	6315	10185203
Isodrin	TX	7725	10185203
Isophorone	TX	6320	10185203
Isosafrole	TX	6325	10185203
Kepone	TX	7740	10185203
Maleic anhydride	TX	6335	10185203
Methapyrilene	TX	6345	10185203
Methyl methanesulfonate	TX	6375	10185203
Methyl parathion (Parathion, methyl)	TX	7825	10185203
Mevinphos	TX	7850	10185203
Naled	TX	7905	10185203
Naphthalene	TX	5005	10185203
Nitrobenzene	TX	5015	10185203
n-Nitrosodiethylamine	TX	6525	10185203
n-Nitrosodimethylamine	TX	6530	10185203
n-Nitrosodi-n-butylamine	TX	5025	10185203
n-Nitrosodi-n-propylamine	TX	6545	10185203
n-Nitrosodiphenylamine	TX	6535	10185203
n-Nitrosomethylethylamine	TX	6550	10185203
n-Nitrosomorpholine	TX	6555	10185203
n-Nitrosopiperidine	TX	6560	10185203
n-Nitrosopyrrolidine	TX	6565	10185203
o,o,o-Triethyl phosphorothioate	TX	8290	10185203
o-Anisidine	TX	5550	10185203
Parathion, ethyl	TX	7955	10185203
p-Cresidine	TX	5860	10185203
Pentachlorobenzene	TX	6590	10185203
Pentachloronitrobenzene (PCNB)	TX	6600	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Pentachlorophenol	TX	6605	10185203
Phenacetin	TX	6610	10185203
Phenanthrene	TX	6615	10185203
Phenol	TX	6625	10185203
Phorate	TX	7985	10185203
Phosmet (Imidan)	TX	8000	10185203
Phthalic anhydride	TX	6640	10185203
Pronamide (Kerb)	TX	6650	10185203
Pyrene	TX	6665	10185203
Pyridine	TX	5095	10185203
Quinoline	TX	6670	10185203
Resorcinol	TX	6680	10185203
Safrole	TX	6685	10185203
Sulfotepp	TX	8155	10185203
Terbufos	TX	8185	10185203
Tetrachlorvinphos (Stirophos, Gardona)	TX	8197	10185203
Thionazin (Zinophos)	TX	8235	10185203
Toluene diisocyanate	TX	6775	10185203
Trifluralin (Treflan)	TX	8295	10185203

Method EPA 8290

Analyte	AB	Analyte ID	Method ID
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10187209
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10187209
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10187209
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10187209
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10187209
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10187209
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10187209
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10187209
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-HxCDD)	TX	9456	10187209



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10187209
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10187209
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10187209
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10187209
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10187209
2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10187209
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10187209
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10187209
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10187209
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10187209
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10187209
Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10187209
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10187209
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10187209
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10187209
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10187209

Method EPA 8316

Analyte	AB	Analyte ID	Method ID
Acrylamide	TX	4330	10188202

Method EPA 8330

Analyte	AB	Analyte ID	Method ID
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10189807
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10189807
2,4,6-Trinitrotoluene (2,4,6-TNT)	TX	9651	10189807
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10189807
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10189807
2-Amino-4,6-dinitrotoluene (2-am-dnt)	TX	9303	10189807
2-Nitrotoluene	TX	9507	10189807
3-Nitrotoluene	TX	9510	10189807
4-Amino-2,6-dinitrotoluene (4-am-dnt)	TX	9306	10189807
4-Nitrotoluene	TX	9513	10189807



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Methyl-2,4,6-trinitrophenylamine (tetryl)	TX	6415	10189807
Nitrobenzene	TX	5015	10189807
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	TX	9522	10189807
RDX (hexahydro-1,3,5-trinitro-1,3,5-triazine)	TX	9432	10189807
Method EPA 9014			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	10193803
Total cyanide	TX	1645	10193803
Method EPA 9038			
Analyte	AB	Analyte ID	Method ID
Sulfate	TX	2000	10196608
Method EPA 9040			
Analyte	AB	Analyte ID	Method ID
pH	TX	1900	10196802
Method EPA 9050			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	10198604
Method EPA 9056			
Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10199209
Chloride	TX	1575	10199209
Fluoride	TX	1730	10199209
Nitrate as N	TX	1810	10199209
Nitrate-nitrite	TX	1820	10199209
Nitrite as N	TX	1840	10199209
Orthophosphate as P	TX	1870	10199209
Sulfate	TX	2000	10199209
Method EPA 9060			
Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	10200201



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	Analyte	AB	Analyte ID	Method ID
EPA 9065	Total phenolics	TX	1905	10200405
EPA 9066	Total phenolics	TX	1905	10200609
EPA 9250	Chloride	TX	1575	10207202
EPA RSK 175	2-methylpropane (Isobutane)	TX	4942	10212905
	Ethane	TX	4747	10212905
	Ethene	TX	4752	10212905
	Methane	TX	4926	10212905
	n-Butane	TX	5007	10212905
	n-Propane	TX	5029	10212905
HACH 8000	Chemical oxygen demand (COD)	TX	1565	60003001
SM 2120 B	Color	TX	1605	20223807
SM 2310 B (4a)	Acidity, as CaCO3	TX	1500	20002806
SM 2320 B	Alkalinity as CaCO3	TX	1505	20045005
SM 2340 B		AB	Analyte ID	Method ID



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Total hardness as CaCO ₃	TX	1755	20046008
Method SM 2510 B			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	20048004
Method SM 2540 B			
Analyte	AB	Analyte ID	Method ID
Residue-total (total solids)	TX	1950	20004608
Method SM 2540 C			
Analyte	AB	Analyte ID	Method ID
Residue-filterable (TDS)	TX	1955	20049803
Method SM 2540 D			
Analyte	AB	Analyte ID	Method ID
Residue-nonfilterable (TSS)	TX	1960	20004802
Method SM 3500-Cr B			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	20065809
Method SM 4500-Cl F			
Analyte	AB	Analyte ID	Method ID
Total residual chlorine	TX	1940	20080482
Method SM 4500-Cl ⁻ E			
Analyte	AB	Analyte ID	Method ID
Chloride	TX	1575	20019209
Method SM 4500-CN ⁻ C			
Analyte	AB	Analyte ID	Method ID
Total cyanide	TX	1645	20020808
Method SM 4500-CN ⁻ E			
Analyte	AB	Analyte ID	Method ID
Total cyanide	TX	1645	20021209
Method SM 4500-CN ⁻ G			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	20021607



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	AB	Analyte ID	Method ID
Method SM 4500-H+ B			
Analyte	AB	Analyte ID	Method ID
pH	TX	1900	20104603
Method SM 4500-NH3 D			
Analyte	AB	Analyte ID	Method ID
Ammonia as N	TX	1515	20108809
Kjeldahl Nitrogen (Total Kjeldahl Nitrogen-TKN)	TX	1790	20108809
Method SM 4500-NH3 F			
Analyte	AB	Analyte ID	Method ID
Ammonia as N	TX	1515	20023001
Method SM 4500-O G			
Analyte	AB	Analyte ID	Method ID
Oxygen, dissolved	TX	1880	20025405
Method SM 4500-P E			
Analyte	AB	Analyte ID	Method ID
Orthophosphate as P	TX	1870	20025803
Phosphorus	TX	1910	20025803
Method SM 4500-S2 ⁻ F			
Analyte	AB	Analyte ID	Method ID
Sulfide	TX	2005	20126209
Method SM 4500-SiO2 D			
Analyte	AB	Analyte ID	Method ID
Silica as SiO2	TX	1990	20127202
Method SM 4500-SO3 ⁻ B			
Analyte	AB	Analyte ID	Method ID
Sulfite	TX	2015	20026806
Method SM 5210 B			
Analyte	AB	Analyte ID	Method ID
Biochemical oxygen demand (BOD)	TX	1530	20027401
Carbonaceous BOD, CBOD	TX	1555	20027401
Method SM 5310 B			
Analyte	AB	Analyte ID	Method ID



Texas Commission on Environmental Quality

NELAP - Recognized Laboratory Fields of Accreditation



ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Total Organic Carbon (TOC)	TX	2040	20137206
Method SM 5310 C			
Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	20138209
Method SM 5540 C			
Analyte	AB	Analyte ID	Method ID
Surfactants - MBAS	TX	2025	20144405
Method TCEQ 1005			
Analyte	AB	Analyte ID	Method ID
Total Petroleum Hydrocarbons (TPH)	TX	2050	90019208



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method	AB	Analyte ID	Method ID
Method ASTM D2216			
Analyte Moisture	TX	10337	ASTM D2216-05
Method EPA 1010			
Analyte Ignitability	TX	1780	10116606
Method EPA 1030			
Analyte Ignitability	TX	1780	10117201
Method EPA 1311			
Analyte TCLP	TX	849	10118806
Method EPA 1312			
Analyte SPLP	TX	850	10119003
Method EPA 1668			
Analyte Decachlorobiphenyls	TX	10332	10262007
Dichlorobiphenyls	TX	464	10262007
Heptachlorobiphenyls	TX	486	10262007
Hexachlorobiphenyls	TX	487	10262007
Monochlorobiphenyls	TX	501	10262007
Nonachlorobiphenyls	TX	507	10262007
Octachlorobiphenyls	TX	508	10262007
Pentachlorobiphenyls	TX	515	10262007
Tetrachlorobiphenyls	TX	528	10262007
Trichlorobiphenyls	TX	541	10262007
Method EPA 200.8			
Analyte Uranium	TX	3035	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: **Solid & Chemical Materials**

Method EPA 300.0

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10053200
Chloride	TX	1575	10053200
Fluoride	TX	1730	10053200
Nitrate as N	TX	1810	10053200
Nitrate-nitrite	TX	1820	10053200
Nitrite as N	TX	1840	10053200
Orthophosphate as P	TX	1870	10053200
Sulfate	TX	2000	10053200

Method EPA 310.1

Analyte	AB	Analyte ID	Method ID
Alkalinity as CaCO3	TX	1505	10054805

Method EPA 350.3

Analyte	AB	Analyte ID	Method ID
Ammonia as N	TX	1515	10064401

Method EPA 365.3

Analyte	AB	Analyte ID	Method ID
Orthophosphate as P	TX	1870	10070801
Phosphorus	TX	1910	10070801

Method EPA 6020

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10156204
Antimony	TX	1005	10156204
Arsenic	TX	1010	10156204
Barium	TX	1015	10156204
Beryllium	TX	1020	10156204
Boron	TX	1025	10156204
Cadmium	TX	1030	10156204
Calcium	TX	1035	10156204
Chromium	TX	1040	10156204



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Cobalt	TX	1050	10156204
Copper	TX	1055	10156204
Iron	TX	1070	10156204
Lead	TX	1075	10156204
Lithium	TX	1080	10156204
Magnesium	TX	1085	10156204
Manganese	TX	1090	10156204
Molybdenum	TX	1100	10156204
Nickel	TX	1105	10156204
Potassium	TX	1125	10156204
Selenium	TX	1140	10156204
Silver	TX	1150	10156204
Sodium	TX	1155	10156204
Strontium	TX	1160	10156204
Thallium	TX	1165	10156204
Tin	TX	1175	10156204
Titanium	TX	1180	10156204
Vanadium	TX	1185	10156204
Zinc	TX	1190	10156204
Method EPA 7196			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	10162206
Method EPA 7470			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10165603
Method EPA 7471			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10166004
Method EPA 8015			
Analyte	AB	Analyte ID	Method ID
Diesel range organics (DRO)	TX	9369	10173203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Ethanol	TX	4750	10173203
Ethylene glycol	TX	4785	10173203
Gasoline range organics (GRO)	TX	9408	10173203
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10173203
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10173203
Methanol	TX	4930	10173203
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10173203
n-Propanol (1-Propanol)	TX	5055	10173203
Propylene Glycol	TX	6657	10173203
tert-Butyl alcohol	TX	4420	10173203

Method EPA 8021

Analyte	AB	Analyte ID	Method ID
Benzene	TX	4375	10174400
Ethylbenzene	TX	4765	10174400
m+p-xylene	TX	5240	10174400
Methyl tert-butyl ether (MTBE)	TX	5000	10174400
o-Xylene	TX	5250	10174400
Toluene	TX	5140	10174400
Xylene (total)	TX	5260	10174400

Method EPA 8081

Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10178402
4,4'-DDE	TX	7360	10178402
4,4'-DDT	TX	7365	10178402
Aldrin	TX	7025	10178402
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10178402
alpha-Chlordane	TX	7240	10178402
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10178402
Chlordane (tech.)	TX	7250	10178402
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10178402
Dieldrin	TX	7470	10178402



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Endosulfan I	TX	7510	10178402
Endosulfan II	TX	7515	10178402
Endosulfan sulfate	TX	7520	10178402
Endrin	TX	7540	10178402
Endrin aldehyde	TX	7530	10178402
Endrin ketone	TX	7535	10178402
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10178402
gamma-Chlordane	TX	7245	10178402
Heptachlor	TX	7685	10178402
Heptachlor epoxide	TX	7690	10178402
Methoxychlor	TX	7810	10178402
Mirex	TX	7870	10178402
Toxaphene (Chlorinated camphene)	TX	8250	10178402

Method EPA 8082

Analyte	AB	Analyte ID	Method ID
Aroclor-1016 (PCB-1016)	TX	8880	10179201
Aroclor-1221 (PCB-1221)	TX	8885	10179201
Aroclor-1232 (PCB-1232)	TX	8890	10179201
Aroclor-1242 (PCB-1242)	TX	8895	10179201
Aroclor-1248 (PCB-1248)	TX	8900	10179201
Aroclor-1254 (PCB-1254)	TX	8905	10179201
Aroclor-1260 (PCB-1260)	TX	8910	10179201
PCBs (total)	TX	8870	10179201

Method EPA 8260

Analyte	AB	Analyte ID	Method ID
1,1,1,2-Tetrachloroethane	TX	5105	10184404
1,1,1-Trichloroethane	TX	5160	10184404
1,1,2,2-Tetrachloroethane	TX	5110	10184404
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	TX	5195	10184404
1,1,2-Trichloroethane	TX	5165	10184404
1,1-Dichloroethane	TX	4630	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

1,1-Dichloroethylene	TX	4640	10184404
1,1-Dichloropropene	TX	4670	10184404
1,2,3-Trichlorobenzene	TX	5150	10184404
1,2,3-Trichloropropane	TX	5180	10184404
1,2,4-Trichlorobenzene	TX	5155	10184404
1,2,4-Trimethylbenzene	TX	5210	10184404
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10184404
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10184404
1,2-Dichlorobenzene	TX	4610	10184404
1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10184404
1,2-Dichloropropane	TX	4655	10184404
1,3,5-Trimethylbenzene	TX	5215	10184404
1,3-Dichlorobenzene	TX	4615	10184404
1,3-Dichloropropane	TX	4660	10184404
1,4-Dichlorobenzene	TX	4620	10184404
1,4-Dioxane (1,4-Diethyleneoxide)	TX	4735	10184404
1-Chlorohexane	TX	4510	10184404
1-Propanol	TX	5060	10184404
2,2-Dichloropropane	TX	4665	10184404
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10184404
2-Chloroethyl vinyl ether	TX	4500	10184404
2-Chlorotoluene	TX	4535	10184404
2-Hexanone (MBK)	TX	4860	10184404
4-Chlorotoluene	TX	4540	10184404
4-Isopropyltoluene (p-Cymene)	TX	4915	10184404
4-Methyl-2-pentanone (MIBK)	TX	4995	10184404
Acetone (2-Propanone)	TX	4315	10184404
Acetonitrile	TX	4320	10184404
Acrolein (Propenal)	TX	4325	10184404
Acrylonitrile	TX	4340	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Allyl chloride (3-Chloropropene)	TX	4355	10184404
Benzene	TX	4375	10184404
Benzyl chloride	TX	5635	10184404
Bromobenzene	TX	4385	10184404
Bromochloromethane	TX	4390	10184404
Bromodichloromethane	TX	4395	10184404
Bromoform	TX	4400	10184404
Carbon disulfide	TX	4450	10184404
Carbon tetrachloride	TX	4455	10184404
Chlorobenzene	TX	4475	10184404
Chlorodibromomethane	TX	4575	10184404
Chloroethane (Ethyl chloride)	TX	4485	10184404
Chloroform	TX	4505	10184404
Chloroprene (2-Chloro-1,3-butadiene)	TX	4525	10184404
cis-1,2-Dichloroethylene	TX	4645	10184404
cis-1,3-Dichloropropene	TX	4680	10184404
Dibromofluoromethane	TX	4590	10184404
Dibromomethane (Methylene bromide)	TX	4595	10184404
Dichlorodifluoromethane (Freon-12)	TX	4625	10184404
Diethyl ether	TX	4725	10184404
Epichlorohydrin (1-Chloro-2,3-epoxypropane)	TX	4745	10184404
Ethanol	TX	4750	10184404
Ethyl acetate	TX	4755	10184404
Ethyl methacrylate	TX	4810	10184404
Ethylbenzene	TX	4765	10184404
Ethylene oxide	TX	4795	10184404
Hexachlorobutadiene	TX	4835	10184404
Iodomethane (Methyl iodide)	TX	4870	10184404
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10184404
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Isopropylbenzene (Cumene)	TX	4900	10184404
m+p-xylene	TX	5240	10184404
Methacrylonitrile	TX	4925	10184404
Methyl acetate	TX	4940	10184404
Methyl acrylate	TX	4945	10184404
Methyl bromide (Bromomethane)	TX	4950	10184404
Methyl chloride (Chloromethane)	TX	4960	10184404
Methyl methacrylate	TX	4990	10184404
Methyl tert-butyl ether (MTBE)	TX	5000	10184404
Methylcyclohexane	TX	4965	10184404
Methylene chloride (Dichloromethane)	TX	4975	10184404
Naphthalene	TX	5005	10184404
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10184404
n-Butylbenzene	TX	4435	10184404
n-Propylbenzene	TX	5090	10184404
o-Xylene	TX	5250	10184404
Pentachloroethane	TX	5035	10184404
Propionitrile (Ethyl cyanide)	TX	5080	10184404
Pyridine	TX	5095	10184404
sec-Butylbenzene	TX	4440	10184404
Styrene	TX	5100	10184404
tert-Butyl alcohol	TX	4420	10184404
tert-Butylbenzene	TX	4445	10184404
Tetrachloroethylene (Perchloroethylene)	TX	5115	10184404
Toluene	TX	5140	10184404
trans-1,2-Dichloroethylene	TX	4700	10184404
trans-1,3-Dichloropropylene	TX	4685	10184404
trans-1,4-Dichloro-2-butene	TX	4605	10184404
Trichloroethene (Trichloroethylene)	TX	5170	10184404
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Vinyl acetate	TX	5225	10184404
Vinyl chloride	TX	5235	10184404
Xylene (total)	TX	5260	10184404
Method EPA 8270			
Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10185203
1,2,4-Trichlorobenzene	TX	5155	10185203
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10185203
1,2-Dichlorobenzene	TX	4610	10185203
1,2-Dinitrobenzene	TX	6155	10185203
1,2-Diphenylhydrazine	TX	6220	10185203
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10185203
1,3-Dichlorobenzene	TX	4615	10185203
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10185203
1,4-Dichlorobenzene	TX	4620	10185203
1,4-Dinitrobenzene	TX	6165	10185203
1,4-Naphthoquinone	TX	6420	10185203
1,4-Phenylenediamine	TX	6630	10185203
1-Chloronaphthalene	TX	5790	10185203
1-Naphthylamine	TX	6425	10185203
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10185203
2,3,4,6-Tetrachlorophenol	TX	6735	10185203
2,4,5-Trichlorophenol	TX	6835	10185203
2,4,5-Trimethylaniline	TX	6880	10185203
2,4,6-Trichlorophenol	TX	6840	10185203
2,4-Diaminotoluene	TX	5880	10185203
2,4-Dichlorophenol	TX	6000	10185203
2,4-Dimethylphenol	TX	6130	10185203
2,4-Dinitrophenol	TX	6175	10185203
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

2,6-Dichlorophenol	TX	6005	10185203
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10185203
2-Acetylaminofluorene	TX	5515	10185203
2-Chloronaphthalene	TX	5795	10185203
2-Chlorophenol	TX	5800	10185203
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10185203
2-Methylaniline (o-Toluidine)	TX	5145	10185203
2-Methylnaphthalene	TX	6385	10185203
2-Methylphenol (o-Cresol)	TX	6400	10185203
2-Naphthylamine	TX	6430	10185203
2-Nitroaniline	TX	6460	10185203
2-Nitrophenol	TX	6490	10185203
2-Picoline (2-Methylpyridine)	TX	5050	10185203
3,3'-Dichlorobenzidine	TX	5945	10185203
3,3'-Dimethylbenzidine	TX	6120	10185203
3-Methylcholanthrene	TX	6355	10185203
3-Methylphenol (m-Cresol)	TX	6405	10185203
3-Nitroaniline	TX	6465	10185203
4-Aminobiphenyl	TX	5540	10185203
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10185203
4-Chloro-3-methylphenol	TX	5700	10185203
4-Chloroaniline	TX	5745	10185203
4-Chlorophenyl phenylether	TX	5825	10185203
4-Methylphenol (p-Cresol)	TX	6410	10185203
4-Nitroaniline	TX	6470	10185203
4-Nitrophenol	TX	6500	10185203
4-Nitroquinoline-1-oxide	TX	6510	10185203
5-Nitro-o-toluidine	TX	6570	10185203
7,12-Dimethylbenz(a) anthracene	TX	6115	10185203
a-a-Dimethylphenethylamine	TX	6125	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Acenaphthene	TX	5500	10185203
Acenaphthylene	TX	5505	10185203
Acetophenone	TX	5510	10185203
Aniline	TX	5545	10185203
Anthracene	TX	5555	10185203
Aramite	TX	5560	10185203
Atrazine	TX	7065	10185203
Azinphos-methyl (Guthion)	TX	7075	10185203
Azobenzene	TX	5562	10185203
Benzenethiol (Thiophenol)	TX	6750	10185203
Benzidine	TX	5595	10185203
Benzo(a)anthracene	TX	5575	10185203
Benzo(a)pyrene	TX	5580	10185203
Benzo(b)fluoranthene	TX	5585	10185203
Benzo(e)pyrene	TX	5605	10185203
Benzo(g,h,i)perylene	TX	5590	10185203
Benzo(k)fluoranthene	TX	5600	10185203
Benzoic acid	TX	5610	10185203
Benzyl alcohol	TX	5630	10185203
Biphenyl	TX	5640	10185203
bis(2-Chloroethoxy)methane	TX	5760	10185203
bis(2-Chloroethyl) ether	TX	5765	10185203
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10185203
Butyl benzyl phthalate	TX	5670	10185203
Caprolactam	TX	7180	10185203
Carbaryl (Sevin)	TX	7195	10185203
Carbazole	TX	5680	10185203
Carbophenothion	TX	7220	10185203
Chlorobenzilate	TX	7260	10185203
Chrysene	TX	5855	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Demeton	TX	7390	10185203
Demeton-o	TX	7395	10185203
Demeton-s	TX	7385	10185203
Diallate	TX	7405	10185203
Dibenz(a,h) anthracene	TX	5895	10185203
Dibenz(a,j) acridine	TX	5900	10185203
Dibenzo(a,e) pyrene	TX	5890	10185203
Dibenzofuran	TX	5905	10185203
Dichlorovos (DDVP, Dichlorvos)	TX	8610	10185203
Diethyl phthalate	TX	6070	10185203
Dimethoate	TX	7475	10185203
Dimethyl phthalate	TX	6135	10185203
Di-n-butyl phthalate	TX	5925	10185203
Di-n-octyl phthalate	TX	6200	10185203
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10185203
Diphenylamine	TX	6205	10185203
Disulfoton	TX	8625	10185203
Ethyl methanesulfonate	TX	6260	10185203
Fluoranthene	TX	6265	10185203
Fluorene	TX	6270	10185203
Hexachlorobenzene	TX	6275	10185203
Hexachlorobutadiene	TX	4835	10185203
Hexachlorocyclopentadiene	TX	6285	10185203
Hexachloroethane	TX	4840	10185203
Hexachlorophene	TX	6290	10185203
Hexachloropropene	TX	6295	10185203
Indeno(1,2,3-cd) pyrene	TX	6315	10185203
Isodrin	TX	7725	10185203
Isophorone	TX	6320	10185203
Isosafrole	TX	6325	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Kepona	TX	7740	10185203
Malathion	TX	7770	10185203
Methapyrilene	TX	6345	10185203
Methyl methanesulfonate	TX	6375	10185203
Methyl parathion (Parathion, methyl)	TX	7825	10185203
Mevinphos	TX	7850	10185203
Naphthalene	TX	5005	10185203
Nitrobenzene	TX	5015	10185203
n-Nitrosodiethylamine	TX	6525	10185203
n-Nitrosodimethylamine	TX	6530	10185203
n-Nitrosodi-n-butylamine	TX	5025	10185203
n-Nitrosodi-n-propylamine	TX	6545	10185203
n-Nitrosodiphenylamine	TX	6535	10185203
n-Nitrosomethylethylamine	TX	6550	10185203
n-Nitrosomorpholine	TX	6555	10185203
n-Nitrosopiperidine	TX	6560	10185203
n-Nitrosopyrrolidine	TX	6565	10185203
o,o,o-Triethyl phosphorothioate	TX	8290	10185203
o-Anisidine	TX	5550	10185203
Parathion, ethyl	TX	7955	10185203
p-Cresidine	TX	5860	10185203
Pentachlorobenzene	TX	6590	10185203
Pentachloronitrobenzene (PCNB)	TX	6600	10185203
Pentachlorophenol	TX	6605	10185203
Phenacetin	TX	6610	10185203
Phenanthrene	TX	6615	10185203
Phenol	TX	6625	10185203
Phorate	TX	7985	10185203
Pronamide (Kerb)	TX	6650	10185203
Pyrene	TX	6665	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Pyridine	TX	5095	10185203
Quinoline	TX	6670	10185203
Safrole	TX	6685	10185203
Sulfotepp	TX	8155	10185203
Terbufos	TX	8185	10185203
Tetrachlorvinphos (Stirophos, Gardona)	TX	8197	10185203
Thionazin (Zinophos)	TX	8235	10185203
Toluene diisocyanate	TX	6775	10185203

Method EPA 8290

Analyte	AB	Analyte ID	Method ID
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10187209
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10187209
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10187209
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10187209
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10187209
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10187209
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10187209
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10187209
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-HxCDD)	TX	9456	10187209
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10187209
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10187209
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10187209
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10187209
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10187209
2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10187209
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10187209
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10187209
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10187209
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10187209
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10187209



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10187209
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10187209
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10187209
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10187209
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10187209
Method EPA 8316			
Analyte	AB	Analyte ID	Method ID
Acrylamide	TX	4330	10188202
Method EPA 8330			
Analyte	AB	Analyte ID	Method ID
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10189807
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10189807
2,4,6-Trinitrotoluene (2,4,6-TNT)	TX	9651	10189807
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10189807
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10189807
2-Amino-4,6-dinitrotoluene (2-am-dnt)	TX	9303	10189807
2-Nitrotoluene	TX	9507	10189807
3-Nitrotoluene	TX	9510	10189807
4-Amino-2,6-dinitrotoluene (4-am-dnt)	TX	9306	10189807
4-Nitrotoluene	TX	9513	10189807
Methyl-2,4,6-trinitrophenylnitramine (tetryl)	TX	6415	10189807
Nitrobenzene	TX	5015	10189807
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	TX	9522	10189807
RDX (hexahydro-1,3,5-trinitro-1,3,5-triazine)	TX	9432	10189807
Method EPA 9014			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	10193803
Total cyanide	TX	1645	10193803
Method EPA 9038			
Analyte	AB	Analyte ID	Method ID
Sulfate	TX	2000	10196608



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method EPA 9040

Analyte	AB	Analyte ID	Method ID
Corrosivity	TX	1615	10197203
pH	TX	1900	10196802

Method EPA 9045

Analyte	AB	Analyte ID	Method ID
Corrosivity	TX	1615	10197805
pH	TX	1900	10197805

Method EPA 9050

Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	10198604

Method EPA 9056

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10199209
Chloride	TX	1575	10199209
Fluoride	TX	1730	10199209
Nitrate as N	TX	1810	10199209
Nitrate-nitrite	TX	1820	10199209
Nitrite as N	TX	1840	10199209
Orthophosphate as P	TX	1870	10199209
Sulfate	TX	2000	10199209

Method EPA 9060

Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	10200201

Method EPA 9065

Analyte	AB	Analyte ID	Method ID
Total phenolics	TX	1905	10200405

Method EPA 9071

Analyte	AB	Analyte ID	Method ID
n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10201204



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-19-23
Expiration Date: 4/30/2020
Issue Date: 5/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method	AB	Analyte ID	Method ID
Method EPA 9095			
Analyte	AB	Analyte ID	Method ID
Paint Filter Liquids Test	TX	10312	10204009
Method EPA 9250			
Analyte	AB	Analyte ID	Method ID
Chloride	TX	1575	10207202
Method SM 2320 B			
Analyte	AB	Analyte ID	Method ID
Alkalinity as CaCO3	TX	1505	20045005
Method SM 2510 B			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	20048004
Method SM 2540 G			
Analyte	AB	Analyte ID	Method ID
Residue-total (total solids)	TX	1950	20005203
Method SSA/ASA Part 3:34			
Analyte	AB	Analyte ID	Method ID
Carbon, organic (Walkley-Black)	TX	10340	SSA/ASA Pt 3:34
Method TCEQ 1005			
Analyte	AB	Analyte ID	Method ID
Total Petroleum Hydrocarbons (TPH)	TX	2050	90019208



10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

February 19, 2020

Eric Matzner
Golder Associates Inc.
2201 Double Creek Drive
Suite 4004
Round Rock, TX 78664

Work Order: **HS20020447**

Laboratory Results for: **Houston TX-Wood Preserving Works**

Dear Eric,

ALS Environmental received 17 sample(s) on Feb 11, 2020 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
Dane J. Wacasey

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20020447

**TRRP Laboratory Data
Package Cover Page**

This data package consists of all or some of the following as applicable:

This signature page, the laboratory review checklist, and the following reportable data:

- R1 Field chain-of-custody documentation;
- R2 Sample identification cross-reference;
- R3 Test reports (analytical data sheets) for each environmental sample that includes:
 - a) Items consistent with NELAC Chapter 5,
 - b) dilution factors,
 - c) preparation methods,
 - d) cleanup methods, and
 - e) if required for the project, tentatively identified compounds (TICs).
- R4 Surrogate recovery data including:
 - a) Calculated recovery (%R), and
 - b) The laboratory's surrogate QC limits.
- R5 Test reports/summary forms for blank samples;
- R6 Test reports/summary forms for laboratory control samples (LCSs) including:
 - a) LCS spiking amounts,
 - b) Calculated %R for each analyte, and
 - c) The laboratory's LCS QC limits.
- R7 Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
 - a) Samples associated with the MS/MSD clearly identified,
 - b) MS/MSD spiking amounts,
 - c) Concentration of each MS/MSD analyte measured in the parent and spiked samples,
 - d) Calculated %Rs and relative percent differences (RPDs), and
 - e) The laboratory's MS/MSD QC limits.
- R8 Laboratory analytical duplicate (if applicable) recovery and precision:
 - a) the amount of analyte measured in the duplicate,
 - b) the calculated RPD, and
 - c) the laboratory's QC limits for analytical duplicates.
- R9 List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 Other problems or anomalies.
The Exception Report for each "No" or "Not Reviewed (NR)" item in Laboratory Review Checklist and for each analyte, matrix, and method for which the laboratory does not hold NELAC accreditation under the Texas Laboratory Accreditation Program.

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20020447

**TRRP Laboratory Data
Package Cover Page**

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the attached exception reports. By my signature below, I affirm to the best of my knowledge, all problems/anomalies, observed by the laboratory have been identified by the laboratory in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Check, if applicable: [NA] This laboratory meets an exception under 30 TAC §25.6 and was last inspected by TCEQ or _____ on (enter date of last inspection). Any findings affecting the data in this laboratory data package are noted in the Exception Reports herein. The official signing the cover page of the report in which these data are used is responsible for releasing this data package and is by signature affirming the above release statement is true.



Dane J. Wacasey

Laboratory Review Checklist: Reportable Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 02/19/2020			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS20020447			
Reviewer Name: Dane Wacasey				Prep Batch Number(s): 150597,150608,R356459			
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?	X				
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?	X				
		Were % moisture (or solids) reported for all soil and sediment samples?	X				
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW-846 Method 5035?			X		
		If required for the project, TICs reported?			X		
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?	X				
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?		X			1
		Were MS/MSD RPDs within laboratory QC limits?		X			2
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?	X				
		Were analytical duplicates analyzed at the appropriate frequency?	X				
		Were RPDs or relative standard deviations within the laboratory QC limits?	X				
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Were all necessary corrective actions performed for the reported data?	X				
		Was applicable and available technology used to lower the SDL and minimize the matrix interference effects on the sample results?	X				3
		Is the laboratory NELAC-accredited under the Texas Laboratory Program for the analytes, matrices and methods associated with this laboratory data package?	X				

Laboratory Review Checklist: Supporting Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 02/19/2020			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS20020447			
Reviewer Name: Dane Wacasey				Prep Batch Number(s): 150597,150608,R356459			
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
S1	OI	Initial calibration (ICAL)					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB)					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?			X		
S3	O	Mass spectral tuning:					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	Internal standards (IS):					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC section 1 appendix A glossary, and section 5.12 or ISO/IEC 17025 section					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?			X		
S7	O	Tentatively identified compounds (TICs):					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	Interference Check Sample (ICS) results:					
		Were percent recoveries within method QC limits?			X		
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	Proficiency test reports:					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5C or ISO/IEC 4?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chap 5 or ISO/IEC 17025 Section 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs):					
		Are laboratory SOPs current and on file for each method performed?	X				

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.

O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);

NA = Not Applicable;

NR = Not Reviewed;

R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Exception Reports

Laboratory Name: ALS Laboratory Group	LRC Date: 02/19/2020
Project Name: Houston TX-Wood Preserving Works	Laboratory Job Number: HS20020447
Reviewer Name: Dane Wacasey	Prep Batch Number(s): 150597,150608,R356459

ER# ⁵	Description
1	Batch 150609, Semivolatile Organics Method SW8270, sample HS20020449-01, MS and MSD were performed on unrelated sample.
2	Batch 150609, Semivolatile Organics Method SW8270, sample HS20020449-01, MS/MSD RPD is for an unrelated sample.
3	Batch 150597, Semivolatile Organics Method SW8270, samples SO-1620-SSO03(0-2)-20200210, SO-1620-SSO07(0-2)-20200210 and SO-1620-SSO08(0-2)-20200210: the GCMS semi-volatile extract of the samples were run at a dilution due to a high level of matrix interference.

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);
NA = Not Applicable;
NR = Not Reviewed;
R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
Work Order: HS20020447

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS20020447-01	SO-1620-SSO01(0-2)-20200210	Soil		10-Feb-2020 13:10	11-Feb-2020 14:40	<input type="checkbox"/>
HS20020447-02	SO-1620-SSO03(0-2)-20200210	Soil		10-Feb-2020 13:40	11-Feb-2020 14:40	<input type="checkbox"/>
HS20020447-03	SO-1620-SSO04(0-2)-20200210	Soil		10-Feb-2020 13:50	11-Feb-2020 14:40	<input type="checkbox"/>
HS20020447-04	SO-1620-SSO06(0-2)-20200210	Soil		10-Feb-2020 14:00	11-Feb-2020 14:40	<input type="checkbox"/>
HS20020447-05	SO-1620-SSO07(0-2)-20200210	Soil		10-Feb-2020 14:10	11-Feb-2020 14:40	<input type="checkbox"/>
HS20020447-06	SO-1620-SSO08(0-2)-20200210	Soil		10-Feb-2020 14:20	11-Feb-2020 14:40	<input type="checkbox"/>
HS20020447-07	SO-1620-SSO09(0-2)-20200210	Soil		10-Feb-2020 14:30	11-Feb-2020 14:40	<input type="checkbox"/>
HS20020447-08	SO-1620-SSO10(0-2)-20200210	Soil		10-Feb-2020 14:45	11-Feb-2020 14:40	<input type="checkbox"/>
HS20020447-09	SO-1620-SSO05(0-2)-20200211	Soil		11-Feb-2020 09:25	11-Feb-2020 14:40	<input type="checkbox"/>
HS20020447-10	SO-1620-SSO11(0-2)-20200211	Soil		11-Feb-2020 09:40	11-Feb-2020 14:40	<input type="checkbox"/>
HS20020447-11	SO-1620-SSO12(0-2)-20200211	Soil		11-Feb-2020 09:45	11-Feb-2020 14:40	<input type="checkbox"/>
HS20020447-12	SO-1620-SSO13(0-2)-20200211	Soil		11-Feb-2020 09:50	11-Feb-2020 14:40	<input type="checkbox"/>
HS20020447-13	SO-1620-SSO14(0-2)-20200211	Soil		11-Feb-2020 10:00	11-Feb-2020 14:40	<input type="checkbox"/>
HS20020447-14	SO-1620-SSO15(0-2)-20200211	Soil		11-Feb-2020 10:19	11-Feb-2020 14:40	<input type="checkbox"/>
HS20020447-15	SO-1620-SSO02(0-2)-20200211	Soil		11-Feb-2020 11:00	11-Feb-2020 14:40	<input type="checkbox"/>
HS20020447-16	SO-1620-FD01-20200210	Soil		10-Feb-2020 00:00	11-Feb-2020 14:40	<input type="checkbox"/>
HS20020447-17	SO-1620-FD02-20200211	Soil		11-Feb-2020 00:00	11-Feb-2020 14:40	<input type="checkbox"/>

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO01(0-2)-20200210
 Collection Date: 10-Feb-2020 13:10

ANALYTICAL REPORT
 WorkOrder:HS20020447
 Lab ID:HS20020447-01
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	SQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 13-Feb-2020		Analyst: GEY	
Pentachlorophenol	0.20		0.0038	0.0076	mg/Kg-dry	1	13-Feb-2020 21:07
<i>Surr: 2,4,6-Tribromophenol</i>	67.2			36-126	%REC	1	13-Feb-2020 21:07
<i>Surr: 2-Fluorobiphenyl</i>	58.5			43-125	%REC	1	13-Feb-2020 21:07
<i>Surr: 2-Fluorophenol</i>	56.5			37-125	%REC	1	13-Feb-2020 21:07
<i>Surr: 4-Terphenyl-d14</i>	67.2			32-125	%REC	1	13-Feb-2020 21:07
<i>Surr: Nitrobenzene-d5</i>	52.2			37-125	%REC	1	13-Feb-2020 21:07
<i>Surr: Phenol-d6</i>	59.5			40-125	%REC	1	13-Feb-2020 21:07
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: DFF	
Percent Moisture	13.4		0.0100	0.0100	wt%	1	17-Feb-2020 10:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO03(0-2)-20200210
 Collection Date: 10-Feb-2020 13:40

ANALYTICAL REPORT
 WorkOrder:HS20020447
 Lab ID:HS20020447-02
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MLL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 13-Feb-2020		Analyst: GEY	
Pentachlorophenol	3.7		0.074	0.15	mg/Kg-dry	20	14-Feb-2020 13:44
<i>Surr: 2,4,6-Tribromophenol</i>	89.2			36-126	%REC	20	14-Feb-2020 13:44
<i>Surr: 2-Fluorobiphenyl</i>	72.4			43-125	%REC	20	14-Feb-2020 13:44
<i>Surr: 2-Fluorophenol</i>	48.7			37-125	%REC	20	14-Feb-2020 13:44
<i>Surr: 4-Terphenyl-d14</i>	90.5			32-125	%REC	20	14-Feb-2020 13:44
<i>Surr: Nitrobenzene-d5</i>	43.8			37-125	%REC	20	14-Feb-2020 13:44
<i>Surr: Phenol-d6</i>	52.9			40-125	%REC	20	14-Feb-2020 13:44
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: DFF	
Percent Moisture	10.9		0.0100	0.0100	wt%	1	17-Feb-2020 10:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO04(0-2)-20200210
 Collection Date: 10-Feb-2020 13:50

ANALYTICAL REPORT
 WorkOrder:HS20020447
 Lab ID:HS20020447-03
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	SQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 13-Feb-2020		Analyst: GEY	
Pentachlorophenol	0.13		0.0036	0.0072	mg/Kg-dry	1	13-Feb-2020 21:45
<i>Surr: 2,4,6-Tribromophenol</i>	81.4			36-126	%REC	1	13-Feb-2020 21:45
<i>Surr: 2-Fluorobiphenyl</i>	76.4			43-125	%REC	1	13-Feb-2020 21:45
<i>Surr: 2-Fluorophenol</i>	61.7			37-125	%REC	1	13-Feb-2020 21:45
<i>Surr: 4-Terphenyl-d14</i>	79.9			32-125	%REC	1	13-Feb-2020 21:45
<i>Surr: Nitrobenzene-d5</i>	52.4			37-125	%REC	1	13-Feb-2020 21:45
<i>Surr: Phenol-d6</i>	61.1			40-125	%REC	1	13-Feb-2020 21:45
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: DFF	
Percent Moisture	8.75		0.0100	0.0100	wt%	1	17-Feb-2020 10:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO06(0-2)-20200210
 Collection Date: 10-Feb-2020 14:00

ANALYTICAL REPORT
 WorkOrder:HS20020447
 Lab ID:HS20020447-04
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 13-Feb-2020		Analyst: GEY	
Pentachlorophenol	0.26		0.0039	0.0078	mg/Kg-dry	1	13-Feb-2020 22:04
<i>Surr: 2,4,6-Tribromophenol</i>	56.6			36-126	%REC	1	13-Feb-2020 22:04
<i>Surr: 2-Fluorobiphenyl</i>	58.8			43-125	%REC	1	13-Feb-2020 22:04
<i>Surr: 2-Fluorophenol</i>	39.0			37-125	%REC	1	13-Feb-2020 22:04
<i>Surr: 4-Terphenyl-d14</i>	64.6			32-125	%REC	1	13-Feb-2020 22:04
<i>Surr: Nitrobenzene-d5</i>	58.3			37-125	%REC	1	13-Feb-2020 22:04
<i>Surr: Phenol-d6</i>	44.1			40-125	%REC	1	13-Feb-2020 22:04
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: DFF	
Percent Moisture	15.6		0.0100	0.0100	wt%	1	17-Feb-2020 10:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO07(0-2)-20200210
 Collection Date: 10-Feb-2020 14:10

ANALYTICAL REPORT

WorkOrder:HS20020447
 Lab ID:HS20020447-05
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 13-Feb-2020		Analyst: GEY	
Pentachlorophenol	6.7		0.077	0.15	mg/Kg-dry	20	14-Feb-2020 14:03
<i>Surr: 2,4,6-Tribromophenol</i>	109			36-126	%REC	20	14-Feb-2020 14:03
<i>Surr: 2-Fluorobiphenyl</i>	98.8			43-125	%REC	20	14-Feb-2020 14:03
<i>Surr: 2-Fluorophenol</i>	78.9			37-125	%REC	20	14-Feb-2020 14:03
<i>Surr: 4-Terphenyl-d14</i>	114			32-125	%REC	20	14-Feb-2020 14:03
<i>Surr: Nitrobenzene-d5</i>	63.9			37-125	%REC	20	14-Feb-2020 14:03
<i>Surr: Phenol-d6</i>	65.5			40-125	%REC	20	14-Feb-2020 14:03
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: DFF	
Percent Moisture	15.7		0.0100	0.0100	wt%	1	17-Feb-2020 10:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO08(0-2)-20200210
 Collection Date: 10-Feb-2020 14:20

ANALYTICAL REPORT
 WorkOrder:HS20020447
 Lab ID:HS20020447-06
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 13-Feb-2020		Analyst: GEY	
Pentachlorophenol	13		0.20	0.39	mg/Kg-dry	50	14-Feb-2020 14:22
<i>Surr: 2,4,6-Tribromophenol</i>	113			36-126	%REC	50	14-Feb-2020 14:22
<i>Surr: 2-Fluorobiphenyl</i>	95.1			43-125	%REC	50	14-Feb-2020 14:22
<i>Surr: 2-Fluorophenol</i>	67.8			37-125	%REC	50	14-Feb-2020 14:22
<i>Surr: 4-Terphenyl-d14</i>	34.1			32-125	%REC	50	14-Feb-2020 14:22
<i>Surr: Nitrobenzene-d5</i>	57.8			37-125	%REC	50	14-Feb-2020 14:22
<i>Surr: Phenol-d6</i>	66.1			40-125	%REC	50	14-Feb-2020 14:22
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: DFF	
Percent Moisture	16.9		0.0100	0.0100	wt%	1	17-Feb-2020 10:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO09(0-2)-20200210
 Collection Date: 10-Feb-2020 14:30

ANALYTICAL REPORT
 WorkOrder:HS20020447
 Lab ID:HS20020447-07
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	SQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 13-Feb-2020		Analyst: GEY	
Pentachlorophenol	0.21		0.0040	0.0080	mg/Kg-dry	1	13-Feb-2020 23:01
<i>Surr: 2,4,6-Tribromophenol</i>	69.0			36-126	%REC	1	13-Feb-2020 23:01
<i>Surr: 2-Fluorobiphenyl</i>	72.1			43-125	%REC	1	13-Feb-2020 23:01
<i>Surr: 2-Fluorophenol</i>	60.1			37-125	%REC	1	13-Feb-2020 23:01
<i>Surr: 4-Terphenyl-d14</i>	74.1			32-125	%REC	1	13-Feb-2020 23:01
<i>Surr: Nitrobenzene-d5</i>	41.9			37-125	%REC	1	13-Feb-2020 23:01
<i>Surr: Phenol-d6</i>	47.6			40-125	%REC	1	13-Feb-2020 23:01
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: DFF	
Percent Moisture	18.9		0.0100	0.0100	wt%	1	17-Feb-2020 10:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO10(0-2)-20200210
 Collection Date: 10-Feb-2020 14:45

ANALYTICAL REPORT
 WorkOrder:HS20020447
 Lab ID:HS20020447-08
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 13-Feb-2020		Analyst: LG	
Pentachlorophenol	0.13		0.0040	0.0080	mg/Kg-dry	1	17-Feb-2020 13:25
<i>Surr: 2,4,6-Tribromophenol</i>	88.3			36-126	%REC	1	17-Feb-2020 13:25
<i>Surr: 2-Fluorobiphenyl</i>	75.1			43-125	%REC	1	17-Feb-2020 13:25
<i>Surr: 2-Fluorophenol</i>	64.2			37-125	%REC	1	17-Feb-2020 13:25
<i>Surr: 4-Terphenyl-d14</i>	86.1			32-125	%REC	1	17-Feb-2020 13:25
<i>Surr: Nitrobenzene-d5</i>	58.8			37-125	%REC	1	17-Feb-2020 13:25
<i>Surr: Phenol-d6</i>	60.7			40-125	%REC	1	17-Feb-2020 13:25
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: DFF	
Percent Moisture	17.4		0.0100	0.0100	wt%	1	17-Feb-2020 10:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO05(0-2)-20200211
 Collection Date: 11-Feb-2020 09:25

ANALYTICAL REPORT
 WorkOrder:HS20020447
 Lab ID:HS20020447-09
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 13-Feb-2020		Analyst: LG	
Pentachlorophenol	0.062		0.0038	0.0077	mg/Kg-dry	1	17-Feb-2020 13:44
<i>Surr: 2,4,6-Tribromophenol</i>	109			36-126	%REC	1	17-Feb-2020 13:44
<i>Surr: 2-Fluorobiphenyl</i>	88.8			43-125	%REC	1	17-Feb-2020 13:44
<i>Surr: 2-Fluorophenol</i>	72.8			37-125	%REC	1	17-Feb-2020 13:44
<i>Surr: 4-Terphenyl-d14</i>	97.9			32-125	%REC	1	17-Feb-2020 13:44
<i>Surr: Nitrobenzene-d5</i>	73.6			37-125	%REC	1	17-Feb-2020 13:44
<i>Surr: Phenol-d6</i>	69.6			40-125	%REC	1	17-Feb-2020 13:44
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: DFF	
Percent Moisture	14.8		0.0100	0.0100	wt%	1	17-Feb-2020 10:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO11(0-2)-20200211
 Collection Date: 11-Feb-2020 09:40

ANALYTICAL REPORT
 WorkOrder:HS20020447
 Lab ID:HS20020447-10
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 13-Feb-2020		Analyst: LG	
Pentachlorophenol	0.22		0.0035	0.0071	mg/Kg-dry	1	17-Feb-2020 14:03
<i>Surr: 2,4,6-Tribromophenol</i>	94.7			36-126	%REC	1	17-Feb-2020 14:03
<i>Surr: 2-Fluorobiphenyl</i>	75.6			43-125	%REC	1	17-Feb-2020 14:03
<i>Surr: 2-Fluorophenol</i>	69.1			37-125	%REC	1	17-Feb-2020 14:03
<i>Surr: 4-Terphenyl-d14</i>	84.4			32-125	%REC	1	17-Feb-2020 14:03
<i>Surr: Nitrobenzene-d5</i>	67.4			37-125	%REC	1	17-Feb-2020 14:03
<i>Surr: Phenol-d6</i>	65.6			40-125	%REC	1	17-Feb-2020 14:03
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: DFF	
Percent Moisture	7.94		0.0100	0.0100	wt%	1	17-Feb-2020 10:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO12(0-2)-20200211
 Collection Date: 11-Feb-2020 09:45

ANALYTICAL REPORT
 WorkOrder:HS20020447
 Lab ID:HS20020447-11
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 13-Feb-2020		Analyst: LG	
Pentachlorophenol	0.0059	J	0.0038	0.0077	mg/Kg-dry	1	17-Feb-2020 14:22
<i>Surr: 2,4,6-Tribromophenol</i>	99.2			36-126	%REC	1	17-Feb-2020 14:22
<i>Surr: 2-Fluorobiphenyl</i>	70.9			43-125	%REC	1	17-Feb-2020 14:22
<i>Surr: 2-Fluorophenol</i>	72.3			37-125	%REC	1	17-Feb-2020 14:22
<i>Surr: 4-Terphenyl-d14</i>	88.9			32-125	%REC	1	17-Feb-2020 14:22
<i>Surr: Nitrobenzene-d5</i>	71.2			37-125	%REC	1	17-Feb-2020 14:22
<i>Surr: Phenol-d6</i>	64.8			40-125	%REC	1	17-Feb-2020 14:22
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: DFF	
Percent Moisture	14.7		0.0100	0.0100	wt%	1	17-Feb-2020 10:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO13(0-2)-20200211
 Collection Date: 11-Feb-2020 09:50

ANALYTICAL REPORT
 WorkOrder:HS20020447
 Lab ID:HS20020447-12
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	SQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 13-Feb-2020		Analyst: LG	
Pentachlorophenol	0.090		0.0036	0.0072	mg/Kg-dry	1	17-Feb-2020 14:41
<i>Surr: 2,4,6-Tribromophenol</i>	89.4			36-126	%REC	1	17-Feb-2020 14:41
<i>Surr: 2-Fluorobiphenyl</i>	75.2			43-125	%REC	1	17-Feb-2020 14:41
<i>Surr: 2-Fluorophenol</i>	65.6			37-125	%REC	1	17-Feb-2020 14:41
<i>Surr: 4-Terphenyl-d14</i>	77.5			32-125	%REC	1	17-Feb-2020 14:41
<i>Surr: Nitrobenzene-d5</i>	61.9			37-125	%REC	1	17-Feb-2020 14:41
<i>Surr: Phenol-d6</i>	57.5			40-125	%REC	1	17-Feb-2020 14:41
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: DFF	
Percent Moisture	8.83		0.0100	0.0100	wt%	1	17-Feb-2020 10:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO14(0-2)-20200211
 Collection Date: 11-Feb-2020 10:00

ANALYTICAL REPORT
 WorkOrder:HS20020447
 Lab ID:HS20020447-13
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 13-Feb-2020		Analyst: LG	
Pentachlorophenol		U	0.0041	0.0082	mg/Kg-dry	1	17-Feb-2020 15:00
Surr: 2,4,6-Tribromophenol	91.8			36-126	%REC	1	17-Feb-2020 15:00
Surr: 2-Fluorobiphenyl	86.2			43-125	%REC	1	17-Feb-2020 15:00
Surr: 2-Fluorophenol	67.2			37-125	%REC	1	17-Feb-2020 15:00
Surr: 4-Terphenyl-d14	87.8			32-125	%REC	1	17-Feb-2020 15:00
Surr: Nitrobenzene-d5	65.4			37-125	%REC	1	17-Feb-2020 15:00
Surr: Phenol-d6	64.3			40-125	%REC	1	17-Feb-2020 15:00
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: DFF	
Percent Moisture	19.4		0.0100	0.0100	wt%	1	17-Feb-2020 10:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO15(0-2)-20200211
 Collection Date: 11-Feb-2020 10:19

ANALYTICAL REPORT
 WorkOrder:HS20020447
 Lab ID:HS20020447-14
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 13-Feb-2020		Analyst: LG	
Pentachlorophenol		U	0.0040	0.0080	mg/Kg-dry	1	17-Feb-2020 15:20
Surr: 2,4,6-Tribromophenol	62.2			36-126	%REC	1	17-Feb-2020 15:20
Surr: 2-Fluorobiphenyl	67.1			43-125	%REC	1	17-Feb-2020 15:20
Surr: 2-Fluorophenol	55.0			37-125	%REC	1	17-Feb-2020 15:20
Surr: 4-Terphenyl-d14	66.3			32-125	%REC	1	17-Feb-2020 15:20
Surr: Nitrobenzene-d5	47.6			37-125	%REC	1	17-Feb-2020 15:20
Surr: Phenol-d6	49.9			40-125	%REC	1	17-Feb-2020 15:20
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: DFF	
Percent Moisture	18.2		0.0100	0.0100	wt%	1	17-Feb-2020 10:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO02(0-2)-20200211
 Collection Date: 11-Feb-2020 11:00

ANALYTICAL REPORT
 WorkOrder:HS20020447
 Lab ID:HS20020447-15
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 13-Feb-2020		Analyst: LG	
Pentachlorophenol	0.032		0.0038	0.0077	mg/Kg-dry	1	17-Feb-2020 15:39
<i>Surr: 2,4,6-Tribromophenol</i>	91.7			36-126	%REC	1	17-Feb-2020 15:39
<i>Surr: 2-Fluorobiphenyl</i>	71.6			43-125	%REC	1	17-Feb-2020 15:39
<i>Surr: 2-Fluorophenol</i>	58.4			37-125	%REC	1	17-Feb-2020 15:39
<i>Surr: 4-Terphenyl-d14</i>	68.4			32-125	%REC	1	17-Feb-2020 15:39
<i>Surr: Nitrobenzene-d5</i>	56.2			37-125	%REC	1	17-Feb-2020 15:39
<i>Surr: Phenol-d6</i>	58.3			40-125	%REC	1	17-Feb-2020 15:39
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: DFF	
Percent Moisture	14.9		0.0100	0.0100	wt%	1	17-Feb-2020 10:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-FD01-20200210
 Collection Date: 10-Feb-2020 00:00

ANALYTICAL REPORT
 WorkOrder:HS20020447
 Lab ID:HS20020447-16
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MLL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 13-Feb-2020		Analyst: LG	
Pentachlorophenol	3.9		0.042	0.083	mg/Kg-dry	10	17-Feb-2020 16:36
<i>Surr: 2,4,6-Tribromophenol</i>	112			36-126	%REC	10	17-Feb-2020 16:36
<i>Surr: 2-Fluorobiphenyl</i>	103			43-125	%REC	10	17-Feb-2020 16:36
<i>Surr: 2-Fluorophenol</i>	78.1			37-125	%REC	10	17-Feb-2020 16:36
<i>Surr: 4-Terphenyl-d14</i>	102			32-125	%REC	10	17-Feb-2020 16:36
<i>Surr: Nitrobenzene-d5</i>	70.3			37-125	%REC	10	17-Feb-2020 16:36
<i>Surr: Phenol-d6</i>	86.3			40-125	%REC	10	17-Feb-2020 16:36
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: DFF	
Percent Moisture	22.2		0.0100	0.0100	wt%	1	17-Feb-2020 10:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-FD02-20200211
 Collection Date: 11-Feb-2020 00:00

ANALYTICAL REPORT
 WorkOrder:HS20020447
 Lab ID:HS20020447-17
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 13-Feb-2020		Analyst: LG	
Pentachlorophenol	U		0.0041	0.0083	mg/Kg-dry	1	17-Feb-2020 16:17
Surr: 2,4,6-Tribromophenol	104			36-126	%REC	1	17-Feb-2020 16:17
Surr: 2-Fluorobiphenyl	86.2			43-125	%REC	1	17-Feb-2020 16:17
Surr: 2-Fluorophenol	68.9			37-125	%REC	1	17-Feb-2020 16:17
Surr: 4-Terphenyl-d14	93.7			32-125	%REC	1	17-Feb-2020 16:17
Surr: Nitrobenzene-d5	74.4			37-125	%REC	1	17-Feb-2020 16:17
Surr: Phenol-d6	55.5			40-125	%REC	1	17-Feb-2020 16:17
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: DFF	
Percent Moisture	20.7		0.0100	0.0100	wt%	1	17-Feb-2020 10:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Weight / Prep Log

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20020447

Batch ID: 150597 **Start Date:** 13 Feb 2020 11:26 **End Date:** 13 Feb 2020 16:00
Method: SV SOXHLET EXTRACT-LOWLEVEL-SW3541 **Prep Code:** 3541_B_LOW

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS20020447-01		30.19 (g)	1 (mL)	0.03312
HS20020447-02		30.18 (g)	1 (mL)	0.03313
HS20020447-03		30.02 (g)	1 (mL)	0.03331
HS20020447-04		30.12 (g)	1 (mL)	0.0332
HS20020447-05		30.45 (g)	1 (mL)	0.03284
HS20020447-06		30.32 (g)	1 (mL)	0.03298
HS20020447-07		30.37 (g)	1 (mL)	0.03293

Batch ID: 150608 **Start Date:** 13 Feb 2020 13:39 **End Date:** 13 Feb 2020 18:00
Method: SV SOXHLET EXTRACT-LOWLEVEL-SW3541 **Prep Code:** 3541_B_LOW

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS20020447-08		30.05 (g)	1 (mL)	0.03328
HS20020447-09		30.32 (g)	1 (mL)	0.03298
HS20020447-10		30.32 (g)	1 (mL)	0.03298
HS20020447-11		30.19 (g)	1 (mL)	0.03312
HS20020447-12		30.11 (g)	1 (mL)	0.03321
HS20020447-13		30.02 (g)	1 (mL)	0.03331
HS20020447-14		30.12 (g)	1 (mL)	0.0332
HS20020447-15		30.37 (g)	1 (mL)	0.03293
HS20020447-16		30.48 (g)	1 (mL)	0.03281
HS20020447-17		30.25 (g)	1 (mL)	0.03306

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20020447

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: 150597 (0)		Test Name : LOW-LEVEL SEMIVOLATILES BY 8270D			Matrix: Soil	
HS20020447-01	SO-1620-SSO01(0-2)-20200210	10 Feb 2020 13:10		13 Feb 2020 11:26	13 Feb 2020 21:07	1
HS20020447-02	SO-1620-SSO03(0-2)-20200210	10 Feb 2020 13:40		13 Feb 2020 11:26	14 Feb 2020 13:44	20
HS20020447-03	SO-1620-SSO04(0-2)-20200210	10 Feb 2020 13:50		13 Feb 2020 11:26	13 Feb 2020 21:45	1
HS20020447-04	SO-1620-SSO06(0-2)-20200210	10 Feb 2020 14:00		13 Feb 2020 11:26	13 Feb 2020 22:04	1
HS20020447-05	SO-1620-SSO07(0-2)-20200210	10 Feb 2020 14:10		13 Feb 2020 11:26	14 Feb 2020 14:03	20
HS20020447-06	SO-1620-SSO08(0-2)-20200210	10 Feb 2020 14:20		13 Feb 2020 11:26	14 Feb 2020 14:22	50
HS20020447-07	SO-1620-SSO09(0-2)-20200210	10 Feb 2020 14:30		13 Feb 2020 11:26	13 Feb 2020 23:01	1
Batch ID: 150608 (0)		Test Name : LOW-LEVEL SEMIVOLATILES BY 8270D			Matrix: Soil	
HS20020447-08	SO-1620-SSO10(0-2)-20200210	10 Feb 2020 14:45		13 Feb 2020 13:39	17 Feb 2020 13:25	1
HS20020447-09	SO-1620-SSO05(0-2)-20200211	11 Feb 2020 09:25		13 Feb 2020 13:39	17 Feb 2020 13:44	1
HS20020447-10	SO-1620-SSO11(0-2)-20200211	11 Feb 2020 09:40		13 Feb 2020 13:39	17 Feb 2020 14:03	1
HS20020447-11	SO-1620-SSO12(0-2)-20200211	11 Feb 2020 09:45		13 Feb 2020 13:39	17 Feb 2020 14:22	1
HS20020447-12	SO-1620-SSO13(0-2)-20200211	11 Feb 2020 09:50		13 Feb 2020 13:39	17 Feb 2020 14:41	1
HS20020447-13	SO-1620-SSO14(0-2)-20200211	11 Feb 2020 10:00		13 Feb 2020 13:39	17 Feb 2020 15:00	1
HS20020447-14	SO-1620-SSO15(0-2)-20200211	11 Feb 2020 10:19		13 Feb 2020 13:39	17 Feb 2020 15:20	1
HS20020447-15	SO-1620-SSO02(0-2)-20200211	11 Feb 2020 11:00		13 Feb 2020 13:39	17 Feb 2020 15:39	1
HS20020447-16	SO-1620-FD01-20200210	10 Feb 2020 00:00		13 Feb 2020 13:39	17 Feb 2020 16:36	10
HS20020447-17	SO-1620-FD02-20200211	11 Feb 2020 00:00		13 Feb 2020 13:39	17 Feb 2020 16:17	1

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20020447

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R356459 (0)		Test Name : MOISTURE - ASTM D2216			Matrix: Soil	
HS20020447-01	SO-1620-SSO01(0-2)-20200210	10 Feb 2020 13:10			17 Feb 2020 10:27	1
HS20020447-02	SO-1620-SSO03(0-2)-20200210	10 Feb 2020 13:40			17 Feb 2020 10:27	1
HS20020447-03	SO-1620-SSO04(0-2)-20200210	10 Feb 2020 13:50			17 Feb 2020 10:27	1
HS20020447-04	SO-1620-SSO06(0-2)-20200210	10 Feb 2020 14:00			17 Feb 2020 10:27	1
HS20020447-05	SO-1620-SSO07(0-2)-20200210	10 Feb 2020 14:10			17 Feb 2020 10:27	1
HS20020447-06	SO-1620-SSO08(0-2)-20200210	10 Feb 2020 14:20			17 Feb 2020 10:27	1
HS20020447-07	SO-1620-SSO09(0-2)-20200210	10 Feb 2020 14:30			17 Feb 2020 10:27	1
HS20020447-08	SO-1620-SSO10(0-2)-20200210	10 Feb 2020 14:45			17 Feb 2020 10:27	1
HS20020447-09	SO-1620-SSO05(0-2)-20200211	11 Feb 2020 09:25			17 Feb 2020 10:27	1
HS20020447-10	SO-1620-SSO11(0-2)-20200211	11 Feb 2020 09:40			17 Feb 2020 10:27	1
HS20020447-11	SO-1620-SSO12(0-2)-20200211	11 Feb 2020 09:45			17 Feb 2020 10:27	1
HS20020447-12	SO-1620-SSO13(0-2)-20200211	11 Feb 2020 09:50			17 Feb 2020 10:27	1
HS20020447-13	SO-1620-SSO14(0-2)-20200211	11 Feb 2020 10:00			17 Feb 2020 10:27	1
HS20020447-14	SO-1620-SSO15(0-2)-20200211	11 Feb 2020 10:19			17 Feb 2020 10:27	1
HS20020447-15	SO-1620-SSO02(0-2)-20200211	11 Feb 2020 11:00			17 Feb 2020 10:27	1
HS20020447-16	SO-1620-FD01-20200210	10 Feb 2020 00:00			17 Feb 2020 10:27	1
HS20020447-17	SO-1620-FD02-20200211	11 Feb 2020 00:00			17 Feb 2020 10:27	1

WorkOrder: HS20020447
 InstrumentID: SV-7
 Test Code: 8270_LOW_S
 Test Number: SW8270
 Test Name: Low-Level Semivolatiles by 8270D

**METHOD DETECTION /
 REPORTING LIMITS**

Matrix: Solid

Units: mg/Kg

Type	Analyte	CAS	DCS Spike	DCS	MDL	PQL
A	Pentachlorophenol	87-86-5	0.0033	0.0025	0.0033	0.0066
S	2,4,6-Tribromophenol	118-79-6	0	0	0	0
S	2-Fluorobiphenyl	321-60-8	0	0	0	0
S	2-Fluorophenol	367-12-4	0	0	0	0
S	4-Terphenyl-d14	1718-51-0	0	0	0	0
S	Nitrobenzene-d5	4165-60-0	0	0	0	0
S	Phenol-d6	13127-88-3	0	0	0	0

WorkOrder: HS20020447
 InstrumentID: SV-6
 Test Code: 8270_LOW_S
 Test Number: SW8270
 Test Name: Low-Level Semivolatiles by 8270D

**METHOD DETECTION /
 REPORTING LIMITS**

Matrix: Solid

Units: mg/Kg

Type	Analyte	CAS	DCS Spike	DCS	MDL	PQL
A	Pentachlorophenol	87-86-5	0.0033	0.00021	0.0033	0.0066
S	2,4,6-Tribromophenol	118-79-6	0	0	0	0
S	2-Fluorobiphenyl	321-60-8	0	0	0	0
S	2-Fluorophenol	367-12-4	0	0	0	0
S	4-Terphenyl-d14	1718-51-0	0	0	0	0
S	Nitrobenzene-d5	4165-60-0	0	0	0	0
S	Phenol-d6	13127-88-3	0	0	0	0

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20020447

QC BATCH REPORT

Batch ID: 150597 (0) **Instrument:** SV-7 **Method:** LOW-LEVEL SEMIVOLATILES BY 8270D

MBLK		Sample ID: MBLK-150597		Units: ug/Kg		Analysis Date: 13-Feb-2020 16:22			
Client ID:		Run ID: SV-7_356280		SeqNo: 5473119		PrepDate: 13-Feb-2020		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	U	6.6							
<i>Surr: 2,4,6-Tribromophenol</i>	111	0	167	0	66.5	36 - 126			
<i>Surr: 2-Fluorobiphenyl</i>	128.7	0	167	0	77.1	43 - 125			
<i>Surr: 2-Fluorophenol</i>	91.39	0	167	0	54.7	37 - 125			
<i>Surr: 4-Terphenyl-d14</i>	146	0	167	0	87.4	32 - 125			
<i>Surr: Nitrobenzene-d5</i>	119.2	0	167	0	71.4	37 - 125			
<i>Surr: Phenol-d6</i>	99.27	0	167	0	59.4	40 - 125			

LCS		Sample ID: LCS-150597		Units: ug/Kg		Analysis Date: 13-Feb-2020 16:41			
Client ID:		Run ID: SV-7_356280		SeqNo: 5473120		PrepDate: 13-Feb-2020		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	49	6.6	167	0	29.3	23 - 136			
<i>Surr: 2,4,6-Tribromophenol</i>	105.5	0	167	0	63.2	36 - 126			
<i>Surr: 2-Fluorobiphenyl</i>	86.63	0	167	0	51.9	43 - 125			
<i>Surr: 2-Fluorophenol</i>	75.53	0	167	0	45.2	37 - 125			
<i>Surr: 4-Terphenyl-d14</i>	109.5	0	167	0	65.5	32 - 125			
<i>Surr: Nitrobenzene-d5</i>	117.4	0	167	0	70.3	37 - 125			
<i>Surr: Phenol-d6</i>	75	0	167	0	44.9	40 - 125			

MS		Sample ID: HS20020501-02MS		Units: ug/Kg		Analysis Date: 14-Feb-2020 12:00			
Client ID:		Run ID: SV-7_356313		SeqNo: 5473790		PrepDate: 13-Feb-2020		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	77.31	6.6	166.6	0	46.4	23 - 136			
<i>Surr: 2,4,6-Tribromophenol</i>	148.1	0	166.6	0	88.9	36 - 126			
<i>Surr: 2-Fluorobiphenyl</i>	147.3	0	166.6	0	88.5	43 - 125			
<i>Surr: 2-Fluorophenol</i>	77.89	0	166.6	0	46.8	37 - 125			
<i>Surr: 4-Terphenyl-d14</i>	144.9	0	166.6	0	87.0	32 - 125			
<i>Surr: Nitrobenzene-d5</i>	95.46	0	166.6	0	57.3	37 - 125			
<i>Surr: Phenol-d6</i>	86.77	0	166.6	0	52.1	40 - 125			

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20020447

QC BATCH REPORT

Batch ID: 150597 (0)		Instrument: SV-7		Method: LOW-LEVEL SEMIVOLATILES BY 8270D						
MSD	Sample ID: HS20020501-02MSD	Units: ug/Kg			Analysis Date: 13-Feb-2020 19:13					
Client ID:	Run ID: SV-7_356280	SeqNo: 5473127		PrepDate: 13-Feb-2020		DF: 1				
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Pentachlorophenol	94.05	6.6	166.4	0	56.5	23 - 136	77.31	19.5	30	
<i>Surr: 2,4,6-Tribromophenol</i>	<i>134.5</i>	<i>0</i>	<i>166.4</i>	<i>0</i>	<i>80.8</i>	<i>36 - 126</i>	<i>148.1</i>	<i>9.58</i>	<i>30</i>	
<i>Surr: 2-Fluorobiphenyl</i>	<i>134.9</i>	<i>0</i>	<i>166.4</i>	<i>0</i>	<i>81.1</i>	<i>43 - 125</i>	<i>147.3</i>	<i>8.77</i>	<i>30</i>	
<i>Surr: 2-Fluorophenol</i>	<i>102.5</i>	<i>0</i>	<i>166.4</i>	<i>0</i>	<i>61.6</i>	<i>37 - 125</i>	<i>77.89</i>	<i>27.2</i>	<i>30</i>	
<i>Surr: 4-Terphenyl-d14</i>	<i>141</i>	<i>0</i>	<i>166.4</i>	<i>0</i>	<i>84.8</i>	<i>32 - 125</i>	<i>144.9</i>	<i>2.73</i>	<i>30</i>	
<i>Surr: Nitrobenzene-d5</i>	<i>109.9</i>	<i>0</i>	<i>166.4</i>	<i>0</i>	<i>66.0</i>	<i>37 - 125</i>	<i>95.46</i>	<i>14.1</i>	<i>30</i>	
<i>Surr: Phenol-d6</i>	<i>74.37</i>	<i>0</i>	<i>166.4</i>	<i>0</i>	<i>44.7</i>	<i>40 - 125</i>	<i>86.77</i>	<i>15.4</i>	<i>30</i>	
The following samples were analyzed in this batch:										
HS20020447-01		HS20020447-02		HS20020447-03		HS20020447-04				
HS20020447-05		HS20020447-06		HS20020447-07						

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20020447

QC BATCH REPORT

Batch ID: 150608 (0)	Instrument: SV-6	Method: LOW-LEVEL SEMIVOLATILES BY 8270D
-------------------------------	-------------------------	---

MBLK	Sample ID: MBLK-150608	Units: ug/Kg	Analysis Date: 13-Feb-2020 17:29							
Client ID:	Run ID: SV-6_356229	SeqNo: 5472906	PrepDate: 13-Feb-2020 DF: 1							
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual
Pentachlorophenol	U	6.6								
Surr: 2,4,6-Tribromophenol	88.84	0	167	0	53.2	36 - 126				
Surr: 2-Fluorobiphenyl	127.4	0	167	0	76.3	43 - 125				
Surr: 2-Fluorophenol	101.9	0	167	0	61.0	37 - 125				
Surr: 4-Terphenyl-d14	123.1	0	167	0	73.7	32 - 125				
Surr: Nitrobenzene-d5	118.2	0	167	0	70.8	37 - 125				
Surr: Phenol-d6	88.12	0	167	0	52.8	40 - 125				

LCS	Sample ID: LCS-150608	Units: ug/Kg	Analysis Date: 13-Feb-2020 17:48							
Client ID:	Run ID: SV-6_356229	SeqNo: 5472907	PrepDate: 13-Feb-2020 DF: 1							
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual
Pentachlorophenol	60.33	6.6	167	0	36.1	23 - 136				
Surr: 2,4,6-Tribromophenol	108.6	0	167	0	65.0	36 - 126				
Surr: 2-Fluorobiphenyl	139.8	0	167	0	83.7	43 - 125				
Surr: 2-Fluorophenol	116.9	0	167	0	70.0	37 - 125				
Surr: 4-Terphenyl-d14	142.8	0	167	0	85.5	32 - 125				
Surr: Nitrobenzene-d5	127.2	0	167	0	76.2	37 - 125				
Surr: Phenol-d6	117.6	0	167	0	70.4	40 - 125				

MS	Sample ID: HS20020449-01MS	Units: ug/Kg	Analysis Date: 14-Feb-2020 11:51							
Client ID:	Run ID: SV-6_356287	SeqNo: 5473656	PrepDate: 13-Feb-2020 DF: 1							
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual
Pentachlorophenol	10.9	6.6	166.7	0	6.54	23 - 136				S
Surr: 2,4,6-Tribromophenol	66.74	0	166.7	0	40.0	36 - 126				
Surr: 2-Fluorobiphenyl	127.2	0	166.7	0	76.3	43 - 125				
Surr: 2-Fluorophenol	77.49	0	166.7	0	46.5	37 - 125				
Surr: 4-Terphenyl-d14	129.4	0	166.7	0	77.6	32 - 125				
Surr: Nitrobenzene-d5	107	0	166.7	0	64.2	37 - 125				
Surr: Phenol-d6	88.11	0	166.7	0	52.9	40 - 125				

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20020447

QC BATCH REPORT

Batch ID: 150608 (0)		Instrument: SV-6		Method: LOW-LEVEL SEMIVOLATILES BY 8270D						
MSD	Sample ID: HS20020449-01MSD	Units: ug/Kg			Analysis Date: 14-Feb-2020 12:10					
Client ID:	Run ID: SV-6_356287	SeqNo: 5473657		PrepDate: 13-Feb-2020		DF: 1				
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Pentachlorophenol	4.024	6.5	165	0	2.44	23 - 136	10.9	0	30	JS
<i>Surr: 2,4,6-Tribromophenol</i>	<i>U</i>	<i>0</i>	<i>165</i>	<i>0</i>	<i>0</i>	<i>36 - 126</i>	<i>66.74</i>	<i>200</i>	<i>30</i>	SR
<i>Surr: 2-Fluorobiphenyl</i>	<i>124.1</i>	<i>0</i>	<i>165</i>	<i>0</i>	<i>75.2</i>	<i>43 - 125</i>	<i>127.2</i>	<i>2.46</i>	<i>30</i>	
<i>Surr: 2-Fluorophenol</i>	<i>12.68</i>	<i>0</i>	<i>165</i>	<i>0</i>	<i>7.68</i>	<i>37 - 125</i>	<i>77.49</i>	<i>144</i>	<i>30</i>	SR
<i>Surr: 4-Terphenyl-d14</i>	<i>118.8</i>	<i>0</i>	<i>165</i>	<i>0</i>	<i>72.0</i>	<i>32 - 125</i>	<i>129.4</i>	<i>8.49</i>	<i>30</i>	
<i>Surr: Nitrobenzene-d5</i>	<i>106.2</i>	<i>0</i>	<i>165</i>	<i>0</i>	<i>64.4</i>	<i>37 - 125</i>	<i>107</i>	<i>0.758</i>	<i>30</i>	
<i>Surr: Phenol-d6</i>	<i>25.04</i>	<i>0</i>	<i>165</i>	<i>0</i>	<i>15.2</i>	<i>40 - 125</i>	<i>88.11</i>	<i>111</i>	<i>30</i>	SR

The following samples were analyzed in this batch:

HS20020447-08	HS20020447-09	HS20020447-10	HS20020447-11
HS20020447-12	HS20020447-13	HS20020447-14	HS20020447-15
HS20020447-16	HS20020447-17		

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20020447

QC BATCH REPORT

Batch ID: R356459 (0)		Instrument: Balance1		Method: MOISTURE - ASTM D2216					
DUP	Sample ID: HS20020447-17DUP	Units: wt%		Analysis Date: 17-Feb-2020 10:27					
Client ID: SO-1620-FD02-20200211	Run ID: Balance1_356459	SeqNo: 5476913		PrepDate:		DF: 1			
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual

Percent Moisture	20.2	0.0100					20.7	2.44	20
------------------	------	--------	--	--	--	--	------	------	----

The following samples were analyzed in this batch:

HS20020447-01	HS20020447-02	HS20020447-03	HS20020447-04
HS20020447-05	HS20020447-06	HS20020447-07	HS20020447-08
HS20020447-09	HS20020447-10	HS20020447-11	HS20020447-12
HS20020447-13	HS20020447-14	HS20020447-15	HS20020447-16
HS20020447-17			

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20020447

**QUALIFIERS,
ACRONYMS, UNITS**

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/Kg-dry	Milligrams per Kilogram- Dry weight corrected

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231 V009	22-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2020	31-Dec-2020
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	T104704231-19-25	30-Apr-2020

Sample Receipt Checklist

Client Name: PBW
Work Order: HS20020447

Date/Time Received: 11-Feb-2020 14:40
Received by: PMG

Checklist completed by: Nilesh D. Ranchod
eSignature Date 11-Feb-2020

Reviewed by: Dane J. Wacasey
eSignature Date 12-Feb-2020

Matrices: Soil

Carrier name: Client

- Shipping container/cooler in good condition?
Custody seals intact on shipping container/cooler?
Custody seals intact on sample bottles?
VOA/TX1005/TX1006 Solids in hermetically sealed vials?
Chain of custody present?
Chain of custody signed when relinquished and received?
Samplers name present on COC?
Chain of custody agrees with sample labels?
Samples in proper container/bottle?
Sample containers intact?
Sufficient sample volume for indicated test?
All samples received within holding time?
Container/Temp Blank temperature in compliance?

- Yes No Not Present
Yes No Not Present
Yes No Not Present
Yes No Not Present
Yes No
Yes No
Yes No
Yes No
Yes No
Yes No
Yes No
Yes No

2 Page(s)
COC IDs:213525/213524

Temperature(s)/Thermometer(s): 0.2°C UC/C IR # 25
Cooler(s)/Kit(s): 45623
Date/Time sample(s) sent to storage: 02/11/2020 19:30
Water - VOA vials have zero headspace?
Water - pH acceptable upon receipt?
pH adjusted?
pH adjusted by:

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:



Cincinnati, OH
+1 513 733 5336
Everett, WA
+1 425 356 2600

Fort Collins, CO
+1 970 490 1511
Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 1 of 2

COC ID: 213525

HS20020447

Golder Associates Inc.
Houston TX-Wood Preserving Works



Customer Information		Project Information		ALS Project Manager:	
Purchase Order	UPRR/Kevin Peterburs	Project Name	Houston TX-Wood Preserving Works	A	
Work Order		Project Number	1620-12-Rev0 SR 92688	B	8270 LOW W (5632532 SVOC - Pentachlorophenol only)
Company Name	Golder Associates Inc.	Bill To Company	Union Pacific Railroad- AP	C	MOIST_ASTM (5631931 Moisture%)
Send Report To	Patrick Marty	Invoice Attn	Accounts Payable	D	
Address	2201 Double Creek Drive	Address	1400 Douglas Street	E	Per Golder MSA
	Suite 4004		Stop 0750	F	
City/State/Zip	Round Rock, TX 78664	City/State/Zip	Omaha NE 681790750	G	
Phone	(512) 671-3434	Phone		H	
Fax	(512) 671-3446	Fax		I	
e-Mail Address	Patrick_Marty@golder.com	e-Mail Address		J	

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	SO-1620-SS001(0-2)-20200210	2-10-20	1310	Soil	8	1	X	X									
2	SS003(0-2)		1340														
3	SS004(0-2)		1350														
4	SS005(0-2)		1400														
5	SS006(0-2)		1410														
6	SS008(0-2)		1420														
7	SS009(0-2)		1430														
8	SS010(0-2)		1445														
9	SS005(0-2)-20200211	2-11-20	925														
10	SS011(0-2)		940														

Sampler(s) Please Print & Sign Blake Sokora, Tim McSpaldon, [Signature]		Shipment Method	Required Turnaround Time: (Check Box) <input checked="" type="checkbox"/> STD ID Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 24 Hour		Results Due Date:
Relinquished by: [Signature]	Date: 2-11-20	Time: 1440	Received by: [Signature]	Notes: UPRR HWPW 1620-12	
Relinquished by:	Date:	Time:	Received by (Laboratory): [Signature]	Cooler ID: 45623	Cooler Temp: 2°C
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory): [Signature]	OC Package: (Check One Box Below) <input type="checkbox"/> Level II Std GC <input checked="" type="checkbox"/> TPRP Cleanair <input type="checkbox"/> Level III Std GC/Res: Date: <input type="checkbox"/> TPRP Level IV <input type="checkbox"/> Level IV SWB40/CLP	
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035					

note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.



Cincinnati, OH
+1 513 733 5336

Fort Collins, CO
+1 970 490 1511

Everett, WA
+1 425 356 2600

Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 2 of 2

COC ID: 213524

HS20020447

Golder Associates Inc.
Houston TX-Wood Preserving Works



8270_LOW_W (5632532 SVOC - Pentachlorophenol only)
MOIST_ASTM (5631931 Moisture%)

*Per Golder
MSA*

Customer Information		Project Information		ALS Project Manager:	
Purchase Order	UPRR/Kevin Peterburs	Project Name	Houston TX-Wood Preserving Works	A	
Work Order		Project Number	1620-12-Rev0 SR 92688	B	
Company Name	Golder Associates Inc.	Bill To Company	Union Pacific Railroad- A/P	C	
Send Report To	Patrick Marty	Invoice Attn	Accountis Payable	D	
Address	2201 Double Creek Drive Suite 4004	Address	1400 Douglas Street Stop 0750	E	
City/State/Zip	Round Rock, TX 78664	City/State/Zip	Omaha NE 681790750	F	
Phone	(512) 671-3434	Phone		G	
Fax	(512) 671-3446	Fax		H	
e-Mail Address	Patrick_Marty@golder.com	e-Mail Address		I	
				J	

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	SO-1620-SS012(0-2)-20200211	2-11-20	945	Soil	8	1	X	X									
2	SS013(0-2)		950				X	X									
3	SS014(0-2)		1000				X	X									
4	SS015(0-2)		1019				X	X									
5	SS002(0-2)		1100				X	X									
6	FD01-20200210						X	X									
7	FD02-20200211						X	X									
8																	
9																	
10																	

Sampler(s) Please Print & Sign <i>Blake Sokora</i> <i>Tim McSpadden</i>	Shipment Method	Required Turnaround Time: (Check Box) <input checked="" type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 24 Hour	Other	Results Due Date:
Relinquished by: <i>Blake Sokora</i> Date: 2-11-20 Time: 1440	Received by: <i>[Signature]</i> Date: 2/11/2020 Time: 14:40	Received by (Laboratory):	Checked by (Laboratory):	Notes: UPRR HWPW 1620-12
Logged by (Laboratory):	Date:	Time:	QC Package: (Check One Box Below) <input type="checkbox"/> Level II Std CC <input type="checkbox"/> Level III Std CC/Raw Data <input type="checkbox"/> Level IV SMC/CLP <input type="checkbox"/> Other	<input checked="" type="checkbox"/> TRRP Checklist <input type="checkbox"/> TRRP Level IV
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035				

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.



Memorandum

June 29, 2020

Revision: July 14, 2020

To: Eric Matzner Ref. No.: 11183954-1620

From: ^{CK} Chris G. Knight/eew/663-NF Tel: 512-506-8803

CC: Jesse Orth, Jon Lang; Julie Lidstone

**Subject: Data Usability Summary
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works
Houston, Texas
June 2020**

1. Scope of Data Usability Study

This document details a Data Usability Summary (DUS) of analytical results for soil samples collected in support of the Pentachlorophenol Assessment at the Union Pacific Railroad (UPRR) / Houston TX-Wood Preserving Works site during June 2020. Samples were submitted to ALS Environmental (ALS), located in Houston, Texas and are reported in data packages HS20060152 and HS20060313. The intended use of the data is to support the Pentachlorophenol Assessment at the site by providing current concentration of chemicals of concern.

Data were reviewed and validated by Chris G. Knight of GHD, in accordance with Title 30 of the Texas Administrative Code Section 350.54 (30 TAC 350.54) as described in the Texas Commission on Environmental Quality (TCEQ) Regulatory Guidance document entitled "Review and Reporting of COC Concentration Data under TRRP", (RG-366/TRRP-13), revised May 2010, herein referred to as "TRRP-13 Guidance". Evaluation of the data was based on information obtained from the chain of custody forms, the finished report forms, method blank data, recovery data from surrogate spikes/laboratory control samples (LCS)/matrix spikes (MS)/duplicate data, field quality assurance/quality control (QA/QC) samples, the laboratory review checklists (LRC), and the laboratory exception reports (ER).

A sample collection and analysis summary is presented in Table 1. This summary provides a cross-reference of field sample identification numbers and location identification. Each sample is assigned a unique field identification number.

The validated sample results are presented in Table 2A. While synthetic precipitation leaching procedure (SPLP) results are presented in Table 2B, they are included only for informational purposes. No data review or verification was performed on the SPLP analyses. A summary of the analytical methodology is presented in Table 3.



2. Laboratory Qualifications

The Laboratory's quality assurance program is consistent with the quality standards outlined in the National Environmental Laboratory Accreditation Program (NELAP). This laboratory was accredited under Texas Certification number # TX104704231 at the time the analysis was performed and the certificate is included in Attachment A.

3. Project Objectives

3.1 Sampling/Analytical QA/QC Objectives

The QA/QC program was designed to identify contamination resulting from the sampling, sample transport and analytical process through the analysis of method blanks. The QA/QC program was designed to evaluate the quality of the resulting data with respect to bias and precision through analysis of LCS, MS, and duplicate analyses.

4. Data Review/Validation Results

4.1 Sample Holding Time and Preservation

Samples were shipped with a chain of custody and the paper work was filled out properly. All samples were delivered on ice and stored by the laboratory at the required temperature (0-6°C).

The sample chain of custody documents and the analytical reports were used to determine sample holding times. All samples were prepared and analyzed within the required holding times.

4.2 Sample Containers

Sample containers used were certified pre-cleaned glass containers provided by the laboratory. These containers meet or exceed analyte specifications established in the United States Environmental Protection Agency (USEPA) *Specifications and Guidance for Contaminant-free Sample Containers*.

4.3 Calibrations

According to the LRC, initial calibration and continuing calibration data met the criteria for the selected method.

4.4 Laboratory Method Blank Analyses

Method blanks are prepared from a purified matrix and analyzed with investigative samples to determine the existence and magnitude of sample contamination introduced during the analytical procedures. As these were not discrete samples handled in the field, these blanks are not listed on the sample identification cross-reference list found in the data packages.



For this study, laboratory method blanks were analyzed at a minimum frequency of one per twenty investigative samples and/or one per analytical batch and results are reported in the laboratory data packages.

The method blank results were non-detect or below the method quantitation limit (MQL), indicating that laboratory contamination was not a factor for this investigation.

4.5 Internal Standard and Surrogate Spike Recoveries

Recoveries of internal standards are addressed in the LRC of the data packages. All internal standard recoveries associated with the compounds of interest were acceptable per the LRC.

In accordance with the methods employed, all samples, blanks, and QC samples analyzed for pentachlorophenol determinations are spiked with surrogate compounds prior to sample analysis. Surrogate recoveries provide a means to evaluate the effects of laboratory performance on individual sample matrices. The recovery ranges established by the laboratory are adopted as the acceptance criteria for the project. Each individual surrogate compound is expected to meet the laboratory control limits. According to the TRRP-13 Guidelines, one outlying surrogate is acceptable for methods with multiple surrogate spike compounds as long as the recovery is at least ten percent. Sample analyzed at elevated sample dilutions (five times or greater) were not assessed.

Surrogate recoveries were assessed against laboratory control limits and/or the guidance in TRRP-13. All surrogate recoveries met the above criteria.

4.6 Laboratory Control Sample Analysis

LCS or LCS/laboratory control sample duplicate (LCSD) are prepared and analyzed as samples to assess the analytical efficiencies of the methods employed, independent of sample matrix effects. The relative percent difference (RPD) of the LCS/LCSD recoveries is used to evaluate analytical precision. The recovery ranges established by the laboratory are adopted as the acceptance criteria for the project.

For this study, LCS or LCS/LCSD were analyzed at a minimum frequency of one per twenty investigative samples and/or one per analytical batch.

The LCS or LCS/LCSD contained pentachlorophenol. All LCS recoveries and/or RPDs were within the laboratory control limits, demonstrating acceptable analytical accuracy and precision (where applicable).

4.7 Matrix Spike Analysis

To evaluate the effects of sample matrices on the preparation process, measurement procedures, and accuracy of a particular analysis, samples are spiked with known concentrations of the analytes of interest and analyzed as MS/matrix spike duplicate (MSD) samples. The RPD between the MS and MSD is used to assess analytical precision.

MS/MSD analyses were performed as specified in Table 1. The recovery ranges established by the laboratory is adopted as the acceptance criteria for the project.



The MS/MSD samples were spiked with pentachlorophenol. All percent recoveries and the RPD value were within the laboratory control limits, demonstrating acceptable analytical accuracy and precision.

The laboratory also performed additional MS/MSD on non-site samples. These cannot be used to assess accuracy and precision for the site samples.

4.8 Duplicate Sample Analyses

Analytical precision is evaluated based on the analysis of laboratory duplicate samples. For this study, duplicate samples were prepared and analyzed by the laboratory for pH analysis. The relative percent differences (RPD) established by the laboratory are adopted as the acceptance criteria for the project.

The laboratory performed duplicate analyses on non-site samples. These cannot be used to assess precision for the site samples.

4.9 Field QA/QC Samples

The field QA/QC consisted of three equipment blank sample samples and three field duplicate sample sets.

Equipment Blank Sample Analysis

To assess field decontamination procedures and cleanliness of sample containers, three equipment blank samples were submitted for analysis, as identified in Table 1. All results were non-detect for pentachlorophenol.

Field Duplicate Sample Analysis

To assess the analytical and sampling protocol precision, three field duplicate sample sets were collected and submitted "blind" to the laboratory, as specified in Table 1. The RPDs associated with these duplicate samples must be less than fifty percent for soil samples. The RPDs are only used when sample concentrations are above the estimated regions of detection.

Field duplicate summary data are presented in Table 2A. SO-1620-SS020(0-2)-2020060/ SO-1620-FD01-20200603 results were within acceptable agreement, demonstrating acceptable sampling and analytical precision. SO-1620-SS0223(0-2)-20200603/SO-1620-FD02-20200603 and SO-1620-SSO03R(2-4)-20200605/SO-1620-FD03-20200605 did show some variability in pentachlorophenol results and were qualified as estimated (see Table 4).

4.10 Field Procedures

Golder Associates, Inc. collected soil samples in accordance with their Standard Operating Procedures (SOP) for sample collection.

4.11 Analyte Reporting

The laboratory reported detected results for each analyte down to the sample detection limit (SDL), which is defined as the method detection limit (MDL) with sample-specific adjustments for dilutions, aliquot size,



volumes, etc. Positive analyte detections less than the MQL but greater than the SDL were qualified as estimated (J) in Table 2A unless qualified elsewhere in this memorandum.

The detectability check standard (DCS) results supported the laboratory MDLs.

All soil results were reported on a dry weight basis.

5. Conclusion

Based on the assessment detailed in the foregoing, the data summarized in Table 2A are usable for the purpose of supporting the Pentachlorophenol Assessment at the site by providing current concentration of chemicals of concern in soil samples with the specific qualifications noted herein.

Table 1

Sample Collection and Analysis Summary
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
June 2020

Sample Identification	Location	Matrix	Initial Sample Depth (ft bgs)	Final Sample Depth (ft bgs)	Collection Date (mm/dd/yyyy)	Collection Time (hr:min)	Analysis/Parameters			Comments
							Pentachlorophenol	pH	SPLP Pentachlorophenol	
SO-1620-SS016(0-2)-20200602	SSO-16	Soil	0	2	06/02/2020	12:10	X			
SO-1620-SS016(2-4)-20200602	SSO-16	Soil	2	4	06/02/2020	12:18	X			
SO-1620-SS017(0-2)-20200602	SSO-17	Soil	0	2	06/02/2020	12:20	X			
SO-1620-SS017(2-4)-20200602	SSO-17	Soil	2	4	06/02/2020	12:25	X			
SO-1620-SS018(0-2)-20200602	SSO-18	Soil	0	2	06/02/2020	12:30	X			
SO-1620-SS018(2-4)-20200602	SSO-18	Soil	2	4	06/02/2020	12:35	X			
SO-1620-SS0211(0-2)-20200602	SSO-21-1	Soil	0	2	06/02/2020	14:55	X			
SO-1620-SS0211(2-4)-20200602	SSO-21-1	Soil	2	4	06/02/2020	15:00	X			
SO-1620-SS0212(0-2)-20200602	SSO-21-2	Soil	0	2	06/02/2020	15:05	X			
SO-1620-SS0212(2-4)-20200602	SSO-21-2	Soil	2	4	06/02/2020	15:10	X			
SO-1620-SS0213(0-2)-20200602	SSO-21-3	Soil	0	2	06/02/2020	16:45	X			
SO-1620-SS0213(2-4)-20200602	SSO-21-3	Soil	2	4	06/02/2020	16:50	X			
SO-1620-EB01-2020603	-	Water			06/03/2020	08:15	X			Equipment Blank
SO-1620-SS019(0-2)-20200603	SSO-19	Soil	0	2	06/03/2020	09:45	X			
SO-1620-SS019(2-4)-20200603	SSO-19	Soil	2	4	06/03/2020	09:50	X			
SO-1620-SS020(0-2)-20200603	SSO-20	Soil	0	2	06/03/2020	09:55	X			
SO-1620-SS020(2-4)-20200603	SSO-20	Soil	2	4	06/03/2020	10:00	X			

Table 1

Sample Collection and Analysis Summary
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
June 2020

Sample Identification	Location	Matrix	Initial Sample Depth (ft bgs)	Final Sample Depth (ft bgs)	Collection Date (mm/dd/yyyy)	Collection Time (hr:min)	Analysis/Parameters			Comments
							Pentachlorophenol	pH	SPLP Pentachlorophenol	
SO-1620-FD01-20200603	SSO-20	Soil	0	2	06/03/2020	10:10	X			Field duplicate of SSO-20
SO-1620-SS0223(0-2)-20200603	SSO-22-3	Soil	0	2	06/03/2020	10:50	X			
SO-1620-SS0223(2-4)-20200603	SSO-22-3	Soil	2	4	06/03/2020	10:55	X			
SO-1620-FD02-20200603	SSO-22-3	Soil	0	2	06/03/2020	11:00	X			Field duplicate of SSO-22-3
SO-1620-SSO221(0-2)-20200603	SSO-22-1	Soil	0	2	06/03/2020	16:00	X			
SO-1620-SSO221(2-4)-20200603	SSO-22-1	Soil	2	4	06/03/2020	16:05	X			
SO-1620-SSO222(0-2)-20200603	SSO-22-2	Soil	0	2	06/03/2020	16:10	X			MS/MSD
SO-1620-SSO222(2-4)-20200603	SSO-22-2	Soil	2	4	06/03/2020	16:15	X			
SO-1620-SSO231(0-2)-20200603	SSO-23-1	Soil	0	2	06/03/2020	16:20	X			
SO-1620-SSO231(2-4)-20200603	SSO-23-1	Soil	2	4	06/03/2020	16:25	X			
SO-1620-SSO232(0-2)-20200603	SSO-23-2	Soil	0	2	06/03/2020	16:30	X			
SO-1620-SSO232(2-4)-20200603	SSO-23-2	Soil	2	4	06/03/2020	16:35	X			
WQ-1620-EB02-20200604	-	Water			06/04/2020	08:10	X			Equipment Blank
SO-1620-SSO233(0-2)-20200604	SSO-23-3	Soil	0	2	06/04/2020	10:30	X			
SO-1620-SSO233(2-4)-20200604	SSO-23-3	Soil	2	4	06/04/2020	10:35	X			
SO-1620-SSO241(0-2)-20200604	SSO-24-1	Soil	0	2	06/04/2020	10:40	X			
SO-1620-SSO241(2-4)-20200604	SSO-24-1	Soil	2	4	06/04/2020	10:45	X			

Table 1

Sample Collection and Analysis Summary
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
June 2020

Sample Identification	Location	Matrix	Initial Sample Depth (ft bgs)	Final Sample Depth (ft bgs)	Collection Date (mm/dd/yyyy)	Collection Time (hr:min)	Analysis/Parameters			Comments
							Pentachlorophenol	pH	SPLP Pentachlorophenol	
SO-1620-SSO242(0-2)-20200604	SSO-24-2	Soil	0	2	06/04/2020	10:50	X			
SO-1620-SSO242(2-4)-20200604	SSO-24-2	Soil	2	4	06/04/2020	10:55	X			
SO-1620-SSO243(0-2)-20200604	SSO-24-3	Soil	0	2	06/04/2020	11:00	X			
SO-1620-SSO243(2-4)-20200604	SSO-24-3	Soil	2	4	06/04/2020	11:05	X			
SO-1620-SSO251(0-2)-20200604	SSO-25-1	Soil	0	2	06/04/2020	13:00	X			
SO-1620-SSO251(2-4)-20200604	SSO-25-1	Soil	2	4	06/04/2020	13:05	X			
SO-1620-SSO252(0-2)-20200604	SSO-25-2	Soil	0	2	06/04/2020	13:10	X			
SO-1620-SSO252(2-4)-20200604	SSO-25-2	Soil	2	4	06/04/2020	13:15	X			
SO-1620-SSO253(0-2)-20200604	SSO-25-3	Soil	0	2	06/04/2020	16:20	X			
SO-1620-SSO253(2-4)-20200604	SSO-25-3	Soil	2	4	06/04/2020	16:25	X			
SO-1620-SSO261(0-2)-20200604	SSO-26-1	Soil	0	2	06/04/2020	16:30	X			
SO-1620-SSO261(2-4)-20200604	SSO-26-1	Soil	2	4	06/04/2020	16:35	X			
SO-1620-SSO262(0-2)-20200604	SSO-26-2	Soil	0	2	06/04/2020	16:40	X			
SO-1620-SSO262(2-4)-20200604	SSO-26-2	Soil	2	4	06/04/2020	16:45	X			
SO-1620-SSO263(0-2)-20200604	SSO-26-3	Soil	0	2	06/04/2020	16:50	X			
SO-1620-SSO263(2-4)-20200604	SSO-26-3	Soil	2	4	06/04/2020	16:55	X			
WQ-1620-EB03-20200605	-	Water			06/05/2020	08:15	X			Equipment Blank

Table 1

Sample Collection and Analysis Summary
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
June 2020

Sample Identification	Location	Matrix	Initial Sample Depth (ft bgs)	Final Sample Depth (ft bgs)	Collection Date (mm/dd/yyyy)	Collection Time (hr:min)	Analysis/Parameters			Comments
							Pentachlorophenol	pH	SPLP Pentachlorophenol	
SO-1620-SSO03R(0-2)-20200605	SSO-03R	Soil	0	2	06/05/2020	10:55	X	X	X	
SO-1620-SSO03R(2-4)-20200605	SSO-03R	Soil	2	4	06/05/2020	11:00	X	X		
SO-1620-FD03-20200605	SSO-03R	Soil	2	4	06/05/2020	11:00	X	X		Field duplicate of SSO-03R; MS/MSD
SO-1620-SSO07R(0-2)-20200605	SSO-07R	Soil	0	2	06/05/2020	11:05	X	X		
SO-1620-SSO07R(2-4)-20200605	SSO-07R	Soil	2	4	06/05/2020	11:10	X	X		
SO-1620-SSO08R(0-2)-20200605	SSO-08R	Soil	0	2	06/05/2020	11:15	X	X	X	
SO-1620-SSO08R(2-4)-20200605	SSO-08R	Soil	2	4	06/05/2020	11:20	X	X		

Notes:

- ft bgs - Feet Below Ground Surface
SPLP - Synthetic Precipitation Leaching Procedure
MS/MSD - Matrix Spike/ Matrix Spike Duplicate

Table 2A
Soil Analytical Results Summary
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
June 2020

Location ID:	SSO-03R	SSO-03R	SSO-03R	SSO-07R	SSO-07R
Sample Name:	SO-1620-SSO03R(2-4)-20200605	SO-1620-FD03-20200605	SO-1620-SSO03R(0-2)-20200605	SO-1620-SSO07R(2-4)-20200605	SO-1620-SSO07R(0-2)-20200605
Sample Date:	06/05/2020	06/05/2020	06/05/2020	06/05/2020	06/05/2020
Depth:	2-4 ft bgs	2-4 ft bgs Duplicate	0-2 ft bgs	2-4 ft bgs	0-2 ft bgs

Parameters	Unit					
Semi-volatile Organic Compounds						
Pentachlorophenol	mg/kg	0.022	0.0067 J	2.2 J	0.44	0.45
General Chemistry						
pH	s.u.	7.02	7.08	7.61	7.03	7.21

Table 2A
Soil Analytical Results Summary
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
June 2020

Location ID:	SSO-08R	SSO-08R	SSO-16	SSO-16	SSO-17
Sample Name:	SO-1620-SSO08R(2-4)-20200605	SO-1620-SSO08R(0-2)-20200605	SO-1620-SS016(2-4)-20200602	SO-1620-SS016(0-2)-20200602	SO-1620-SS017(2-4)-20200602
Sample Date:	06/05/2020	06/05/2020	06/02/2020	06/02/2020	06/02/2020
Depth:	2-4 ft bgs	0-2 ft bgs	2-4 ft bgs	0-2 ft bgs	2-4 ft bgs

Parameters	Unit	SSO-08R	SSO-08R	SSO-16	SSO-16	SSO-17
Semi-volatile Organic Compounds						
Pentachlorophenol	mg/kg	0.13	1.5	0.060	0.69	0.019
General Chemistry						
pH	s.u.	7.57	7.53	--	--	--

Table 2A
Soil Analytical Results Summary
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
June 2020

Location ID:	SSO-17	SSO-18	SSO-18	SSO-19	SSO-19
Sample Name:	SO-1620-SS017(0-2)-20200602	SO-1620-SS018(2-4)-20200602	SO-1620-SS018(0-2)-20200602	SO-1620-SS019(2-4)-20200603	SO-1620-SS019(0-2)-20200603
Sample Date:	06/02/2020	06/02/2020	06/02/2020	06/03/2020	06/03/2020
Depth:	0-2 ft bgs	2-4 ft bgs	0-2 ft bgs	2-4 ft bgs	0-2 ft bgs

Parameters	Unit	SSO-17	SSO-18	SSO-18	SSO-19	SSO-19
Semi-volatile Organic Compounds						
Pentachlorophenol	mg/kg	0.15	0.046	0.22	0.019	0.32
General Chemistry						
pH	s.u.	--	--	--	--	--

Table 2A
Soil Analytical Results Summary
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
June 2020

Location ID:	SSO-20		SSO-20		SSO-21-1	
Sample Name:	SO-1620-SS020(2-4)-20200603	SO-1620-SS020(0-2)-20200603	SO-1620-FD01-20200603	SO-1620-SS0211(2-4)-20200602	SO-1620-SS0211(0-2)-20200602	
Sample Date:	06/03/2020	06/03/2020	06/03/2020	06/02/2020	06/02/2020	
Depth:	2-4 ft bgs	0-2 ft bgs	0-2 ft bgs Duplicate	2-4 ft bgs	0-2 ft bgs	

Parameters	Unit					
Semi-volatile Organic Compounds						
Pentachlorophenol	mg/kg	<0.0039	0.016	0.030	0.019	0.086
General Chemistry						
pH	s.u.	--	--	--	--	--

Table 2A
Soil Analytical Results Summary
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
June 2020

Location ID:	SSO-21-2	SSO-21-2	SSO-21-3	SSO-21-3	SSO-22-1
Sample Name:	SO-1620-SS0212(2-4)-20200602	SO-1620-SS0212(0-2)-20200602	SO-1620-SS0213(2-4)-20200602	SO-1620-SS0213(0-2)-20200602	SO-1620-SS0221(2-4)-20200603
Sample Date:	06/02/2020	06/02/2020	06/02/2020	06/02/2020	06/03/2020
Depth:	2-4 ft bgs	0-2 ft bgs	2-4 ft bgs	0-2 ft bgs	2-4 ft bgs

Parameters	Unit	SSO-21-2	SSO-21-2	SSO-21-3	SSO-21-3	SSO-22-1
Semi-volatile Organic Compounds						
Pentachlorophenol	mg/kg	0.32	0.23	<0.0039	0.044	0.032
General Chemistry						
pH	s.u.	--	--	--	--	--

Table 2A
Soil Analytical Results Summary
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
June 2020

Location ID:	SSO-22-1	SSO-22-2	SSO-22-2	SSO-22-3	SSO-22-3
Sample Name:	SO-1620-SSO221(0-2)-20200603	SO-1620-SSO222(2-4)-20200603	SO-1620-SSO222(0-2)-20200603	SO-1620-SSO223(2-4)-20200603	SO-1620-SSO223(0-2)-20200603
Sample Date:	06/03/2020	06/03/2020	06/03/2020	06/03/2020	06/03/2020
Depth:	0-2 ft bgs	2-4 ft bgs	0-2 ft bgs	2-4 ft bgs	0-2 ft bgs

Parameters	Unit	SSO-22-1	SSO-22-2	SSO-22-2	SSO-22-3	SSO-22-3
Semi-volatile Organic Compounds						
Pentachlorophenol	mg/kg	0.13	0.024	0.42	<0.0040	0.038 J
General Chemistry						
pH	s.u.	--	--	--	--	--

Table 2A

**Soil Analytical Results Summary
 Pentachlorophenol Assessment
 Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
 Houston, Texas
 June 2020**

Location ID:	SSO-22-3	SSO-23-1	SSO-23-1	SSO-23-2	SSO-23-2
Sample Name:	SO-1620-FD02-20200603	SO-1620-SSO231(2-4)-20200603	SO-1620-SSO231(0-2)-20200603	SO-1620-SSO232(2-4)-20200603	SO-1620-SSO232(0-2)-20200603
Sample Date:	06/03/2020	06/03/2020	06/03/2020	06/03/2020	06/03/2020
Depth:	0-2 ft bgs Duplicate	2-4 ft bgs	0-2 ft bgs	2-4 ft bgs	0-2 ft bgs

Parameters	Unit					
Semi-volatile Organic Compounds						
Pentachlorophenol	mg/kg	0.57 J	0.042	0.46	0.078	0.38
General Chemistry						
pH	s.u.	--	--	--	--	--

Table 2A

**Soil Analytical Results Summary
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
June 2020**

Location ID:	SSO-23-3	SSO-23-3	SSO-24-1	SSO-24-1	SSO-24-2
Sample Name:	SO-1620-SSO233(2-4)-20200604	SO-1620-SSO233(0-2)-20200604	SO-1620-SSO241(2-4)-20200604	SO-1620-SSO241(0-2)-20200604	SO-1620-SSO242(2-4)-20200604
Sample Date:	06/04/2020	06/04/2020	06/04/2020	06/04/2020	06/04/2020
Depth:	2-4 ft bgs	0-2 ft bgs	2-4 ft bgs	0-2 ft bgs	2-4 ft bgs

Parameters	Unit					
Semi-volatile Organic Compounds						
Pentachlorophenol	mg/kg	<0.0039	0.0064 J	<0.0039	0.0065 J	0.0069 J
General Chemistry						
pH	s.u.	--	--	--	--	--

Table 2A
Soil Analytical Results Summary
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
June 2020

Location ID:	SSO-24-2	SSO-24-3	SSO-24-3	SSO-25-1	SSO-25-1
Sample Name:	SO-1620-SSO242(0-2)-20200604	SO-1620-SSO243(2-4)-20200604	SO-1620-SSO243(0-2)-20200604	SO-1620-SSO251(2-4)-20200604	SO-1620-SSO251(0-2)-20200604
Sample Date:	06/04/2020	06/04/2020	06/04/2020	06/04/2020	06/04/2020
Depth:	0-2 ft bgs	2-4 ft bgs	0-2 ft bgs	2-4 ft bgs	0-2 ft bgs

Parameters	Unit					
Semi-volatile Organic Compounds						
Pentachlorophenol	mg/kg	0.024	<0.0038	0.014	<0.0043	<0.0041
General Chemistry						
pH	s.u.	--	--	--	--	--

Table 2A
Soil Analytical Results Summary
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
June 2020

Location ID:	SSO-25-2	SSO-25-2	SSO-25-3	SSO-25-3	SSO-26-1
Sample Name:	SO-1620-SSO252(2-4)-20200604	SO-1620-SSO252(0-2)-20200604	SO-1620-SSO253(2-4)-20200604	SO-1620-SSO253(0-2)-20200604	SO-1620-SSO261(2-4)-20200604
Sample Date:	06/04/2020	06/04/2020	06/04/2020	06/04/2020	06/04/2020
Depth:	2-4 ft bgs	0-2 ft bgs	2-4 ft bgs	0-2 ft bgs	2-4 ft bgs

Parameters	Unit	SSO-25-2	SSO-25-2	SSO-25-3	SSO-25-3	SSO-26-1
Semi-volatile Organic Compounds						
Pentachlorophenol	mg/kg	0.070	0.28	<0.0041	0.078	0.0046 J
General Chemistry						
pH	s.u.	--	--	--	--	--

Table 2A
Soil Analytical Results Summary
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
June 2020

Location ID:	SSO-26-1	SSO-26-2	SSO-26-2	SSO-26-3	SSO-26-3
Sample Name:	SO-1620-SSO261(0-2)-20200604	SO-1620-SSO262(2-4)-20200604	SO-1620-SSO262(0-2)-20200604	SO-1620-SSO263(2-4)-20200604	SO-1620-SSO263(0-2)-20200604
Sample Date:	06/04/2020	06/04/2020	06/04/2020	06/04/2020	06/04/2020
Depth:	0-2 ft bgs	2-4 ft bgs	0-2 ft bgs	2-4 ft bgs	0-2 ft bgs

Parameters	Unit	SSO-26-1	SSO-26-2	SSO-26-2	SSO-26-3	SSO-26-3
Semi-volatile Organic Compounds						
Pentachlorophenol	mg/kg	0.0040 J	<0.0041	<0.0040	<0.0039	0.22
General Chemistry						
pH	s.u.	--	--	--	--	--

Notes:

- ft bgs - Feet below ground surface
- < - Not detected at the associated reporting limit
- J - Estimated concentration
- "--" - Not applicable

Table 2B

**SPLP Analytical Results Summary
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
June 2020**

Location ID:	SSO-03R	SSO-08R
Sample Name:	SO-1620-SSO03R(0-2)-20200605	SO-1620-SSO08R(0-2)-20200605
Sample Date:	06/05/2020	06/05/2020
Depth:	0-2 ft bgs	0-2 ft bgs

Parameters	Unit		
Semi-volatile Organic Compounds (SPLP)			
Pentachlorophenol	mg/L	0.00057	<0.000050

Notes:

- ft bgs - Feet below ground surface
- SPLP - Synthetic Precipitation Leaching Procedure

Table 3

Analytical Methods
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
June 2020

Parameter	Method	Matrix	Holding Time	
			Collection to Extraction (Days)	Extraction to Analysis (Days)
Pentachlorophenol	SW-846 8270D	Soil	14	40
pH	SW-846 9045	Soil	-	-
SPLP Pentachlorophenol	SW-846 1312/8270D	Soil	14	40

Notes:

SPLP - Synthetic Precipitation Leaching Procedure

Methods:

SW-846 - "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", SW-846, Third Edition, 1986, with subsequent revisions

Table 4

Qualified Sample Data Due to Variability in Field Duplicate Results
Pentachlorophenol Assessment
Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works
Houston, Texas
June 2020

Parameter	Analyte	RPD	Sample ID	Qualified Result	Field Duplicate Sample ID	Qualified Result	Units
SVOCs	Pentachlorophenol	175	SO-1620-SS0223(0-2)-20200603	0.038 J	SO-1620-FD02-20200603	0.57 J	mg/kg
SVOCs	Pentachlorophenol	106	SO-1620-SSO03R(2-4)-20200605	0.022 J	SO-1620-FD03-20200605	0.0067 J	mg/kg

Notes:

- RPD - Relative Percent Difference
- SVOCs - Semi-volatile Organic Compounds
- J - Estimated concentration

Attachment A
Laboratory NELAP Certificate



Texas Commission on Environmental Quality

NELAP - Recognized Laboratory Fields of Accreditation



ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Method EPA 1613

Analyte	AB	Analyte ID	Method ID
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10120408

Method EPA 200.8

Analyte	AB	Analyte ID	Method ID
Copper	TX	1055	10014605
Lead	TX	1075	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	AB	Analyte ID	Method ID
Method EPA 1010			
Analyte	AB	Analyte ID	Method ID
Ignitability	TX	1780	10116606
Method EPA 120.1			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	10006403
Method EPA 1311			
Analyte	AB	Analyte ID	Method ID
TCLP	TX	849	10118806
Method EPA 1312			
Analyte	AB	Analyte ID	Method ID
SPLP	TX	850	10119003
Method EPA 160.4			
Analyte	AB	Analyte ID	Method ID
Residue-volatile	TX	1970	10010409
Method EPA 1613			
Analyte	AB	Analyte ID	Method ID
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10120408
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10120408
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10120408
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10120408
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10120408
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10120408
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10120408
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10120408
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-HxCDD)	TX	9456	10120408
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10120408
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10120408
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10120408
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10120408
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10120408



Texas Commission on Environmental Quality

NELAP - Recognized Laboratory Fields of Accreditation



ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10120408
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10120408
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10120408
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10120408
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10120408
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10120408
Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10120408
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10120408
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10120408
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10120408
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10120408
Method EPA 1664			
Analyte	AB	Analyte ID	Method ID
n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10127807
Method EPA 180.1			
Analyte	AB	Analyte ID	Method ID
Turbidity	TX	2055	10011606
Method EPA 200.8			
Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10014605
Antimony	TX	1005	10014605
Arsenic	TX	1010	10014605
Barium	TX	1015	10014605
Beryllium	TX	1020	10014605
Boron	TX	1025	10014605
Cadmium	TX	1030	10014605
Calcium	TX	1035	10014605
Chromium	TX	1040	10014605
Cobalt	TX	1050	10014605
Copper	TX	1055	10014605
Iron	TX	1070	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Lead	TX	1075	10014605
Magnesium	TX	1085	10014605
Manganese	TX	1090	10014605
Molybdenum	TX	1100	10014605
Nickel	TX	1105	10014605
Potassium	TX	1125	10014605
Selenium	TX	1140	10014605
Silver	TX	1150	10014605
Sodium	TX	1155	10014605
Strontium	TX	1160	10014605
Thallium	TX	1165	10014605
Tin	TX	1175	10014605
Titanium	TX	1180	10014605
Uranium	TX	3035	10014605
Vanadium	TX	1185	10014605
Zinc	TX	1190	10014605

Method EPA 245.1

Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10036609

Method EPA 300.0

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10053200
Chloride	TX	1575	10053200
Fluoride	TX	1730	10053200
Nitrate as N	TX	1810	10053200
Nitrate-nitrite	TX	1820	10053200
Nitrite as N	TX	1840	10053200
Orthophosphate as P	TX	1870	10053200
Sulfate	TX	2000	10053200

Method EPA 325.1

Analyte	AB	Analyte ID	Method ID
---------	----	------------	-----------



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Chloride	TX	1575	10056801
Method EPA 335.1			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	10060001
Method EPA 335.2			
Analyte	AB	Analyte ID	Method ID
Total cyanide	TX	1645	10278203
Method EPA 335.4			
Analyte	AB	Analyte ID	Method ID
Total cyanide	TX	1645	10061402
Method EPA 350.3			
Analyte	AB	Analyte ID	Method ID
Ammonia as N	TX	1515	10064401
Method EPA 365.3			
Analyte	AB	Analyte ID	Method ID
Orthophosphate as P	TX	1870	10070801
Phosphorus	TX	1910	10070801
Method EPA 375.4			
Analyte	AB	Analyte ID	Method ID
Sulfate	TX	2000	10073800
Method EPA 376.1			
Analyte	AB	Analyte ID	Method ID
Sulfide	TX	2005	10074201
Method EPA 410.4			
Analyte	AB	Analyte ID	Method ID
Chemical oxygen demand (COD)	TX	1565	10077404
Method EPA 415.1			
Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	10078407
Method EPA 420.1			
Analyte	AB	Analyte ID	Method ID
Total phenolics	TX	1905	10079400



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 420.4

Analyte	AB	Analyte ID	Method ID
Total phenolics	TX	1905	10080203

Method EPA 6020

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10156419
Antimony	TX	1005	10156419
Arsenic	TX	1010	10156419
Barium	TX	1015	10156419
Beryllium	TX	1020	10156419
Boron	TX	1025	10156419
Cadmium	TX	1030	10156419
Calcium	TX	1035	10156419
Chromium	TX	1040	10156419
Cobalt	TX	1050	10156419
Copper	TX	1055	10156419
Iron	TX	1070	10156419
Lead	TX	1075	10156419
Lithium	TX	1080	10156419
Magnesium	TX	1085	10156419
Manganese	TX	1090	10156419
Molybdenum	TX	1100	10156419
Nickel	TX	1105	10156419
Potassium	TX	1125	10156419
Selenium	TX	1140	10156419
Silver	TX	1150	10156419
Sodium	TX	1155	10156419
Strontium	TX	1160	10156419
Thallium	TX	1165	10156419
Tin	TX	1175	10156419
Titanium	TX	1180	10156419



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Vanadium	TX	1185	10156419
Zinc	TX	1190	10156419
Method EPA 608			
Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10103603
4,4'-DDE	TX	7360	10103603
4,4'-DDT	TX	7365	10103603
Aldrin	TX	7025	10103603
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10103603
alpha-Chlordane	TX	7240	10103603
Aroclor-1016 (PCB-1016)	TX	8880	10103603
Aroclor-1221 (PCB-1221)	TX	8885	10103603
Aroclor-1232 (PCB-1232)	TX	8890	10103603
Aroclor-1242 (PCB-1242)	TX	8895	10103603
Aroclor-1248 (PCB-1248)	TX	8900	10103603
Aroclor-1254 (PCB-1254)	TX	8905	10103603
Aroclor-1260 (PCB-1260)	TX	8910	10103603
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10103603
Chlordane (tech.)	TX	7250	10103603
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10103603
Dieldrin	TX	7470	10103603
Endosulfan I	TX	7510	10103603
Endosulfan II	TX	7515	10103603
Endosulfan sulfate	TX	7520	10103603
Endrin	TX	7540	10103603
Endrin aldehyde	TX	7530	10103603
Endrin ketone	TX	7535	10103603
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10103603
gamma-Chlordane	TX	7245	10103603
Heptachlor	TX	7685	10103603



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Heptachlor epoxide	TX	7690	10103603
Methoxychlor	TX	7810	10103603
Toxaphene (Chlorinated camphene)	TX	8250	10103603

Method EPA 624

Analyte	AB	Analyte ID	Method ID
1,1,1-Trichloroethane	TX	5160	10107207
1,1,2,2-Tetrachloroethane	TX	5110	10107207
1,1,2-Trichloroethane	TX	5165	10107207
1,1-Dichloroethane	TX	4630	10107207
1,1-Dichloroethylene	TX	4640	10107207
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10107207
1,2-Dichlorobenzene	TX	4610	10107207
1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10107207
1,2-Dichloropropane	TX	4655	10107207
1,3-Dichlorobenzene	TX	4615	10107207
1,4-Dichlorobenzene	TX	4620	10107207
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10107207
2-Chloroethyl vinyl ether	TX	4500	10107207
Acetone (2-Propanone)	TX	4315	10107207
Acrolein (Propenal)	TX	4325	10107207
Acrylonitrile	TX	4340	10107207
Benzene	TX	4375	10107207
Bromodichloromethane	TX	4395	10107207
Bromoform	TX	4400	10107207
Carbon tetrachloride	TX	4455	10107207
Chlorobenzene	TX	4475	10107207
Chlorodibromomethane	TX	4575	10107207
Chloroethane (Ethyl chloride)	TX	4485	10107207
Chloroform	TX	4505	10107207
cis-1,2-Dichloroethylene	TX	4645	10107207



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

cis-1,3-Dichloropropene	TX	4680	10107207
Ethylbenzene	TX	4765	10107207
m+p-xylene	TX	5240	10107207
Methyl bromide (Bromomethane)	TX	4950	10107207
Methyl chloride (Chloromethane)	TX	4960	10107207
Methyl tert-butyl ether (MTBE)	TX	5000	10107207
Methylene chloride (Dichloromethane)	TX	4975	10107207
Naphthalene	TX	5005	10107207
o-Xylene	TX	5250	10107207
Tetrachloroethylene (Perchloroethylene)	TX	5115	10107207
Toluene	TX	5140	10107207
trans-1,2-Dichloroethylene	TX	4700	10107207
trans-1,3-Dichloropropylene	TX	4685	10107207
Trichloroethene (Trichloroethylene)	TX	5170	10107207
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10107207
Vinyl chloride	TX	5235	10107207
Xylene (total)	TX	5260	10107207

Method EPA 625

Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10107401
1,2,4-Trichlorobenzene	TX	5155	10107401
1,2-Dichlorobenzene	TX	4610	10107401
1,2-Diphenylhydrazine	TX	6220	10107401
1,3-Dichlorobenzene	TX	4615	10107401
1,4-Dichlorobenzene	TX	4620	10107401
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10107401
2,4,5-Trichlorophenol	TX	6835	10107401
2,4,6-Trichlorophenol	TX	6840	10107401
2,4-Dichlorophenol	TX	6000	10107401
2,4-Dimethylphenol	TX	6130	10107401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2,4-Dinitrophenol	TX	6175	10107401
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10107401
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10107401
2-Chloronaphthalene	TX	5795	10107401
2-Chlorophenol	TX	5800	10107401
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10107401
2-Methylphenol (o-Cresol)	TX	6400	10107401
2-Nitrophenol	TX	6490	10107401
3,3'-Dichlorobenzidine	TX	5945	10107401
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10107401
4-Chloro-3-methylphenol	TX	5700	10107401
4-Chlorophenyl phenylether	TX	5825	10107401
4-Methylphenol (p-Cresol)	TX	6410	10107401
4-Nitrophenol	TX	6500	10107401
Acenaphthene	TX	5500	10107401
Acenaphthylene	TX	5505	10107401
Anthracene	TX	5555	10107401
Benzidine	TX	5595	10107401
Benzo(a)anthracene	TX	5575	10107401
Benzo(a)pyrene	TX	5580	10107401
Benzo(b)fluoranthene	TX	5585	10107401
Benzo(g,h,i)perylene	TX	5590	10107401
Benzo(k)fluoranthene	TX	5600	10107401
bis(2-Chloroethoxy)methane	TX	5760	10107401
bis(2-Chloroethyl) ether	TX	5765	10107401
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10107401
Butyl benzyl phthalate	TX	5670	10107401
Chrysene	TX	5855	10107401
Dibenz(a,h) anthracene	TX	5895	10107401
Diethyl phthalate	TX	6070	10107401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Dimethyl phthalate	TX	6135	10107401
Di-n-butyl phthalate	TX	5925	10107401
Di-n-octyl phthalate	TX	6200	10107401
Fluoranthene	TX	6265	10107401
Fluorene	TX	6270	10107401
Hexachlorobenzene	TX	6275	10107401
Hexachlorobutadiene	TX	4835	10107401
Hexachlorocyclopentadiene	TX	6285	10107401
Hexachloroethane	TX	4840	10107401
Indeno(1,2,3-cd) pyrene	TX	6315	10107401
Isophorone	TX	6320	10107401
Naphthalene	TX	5005	10107401
Nitrobenzene	TX	5015	10107401
n-Nitrosodiethylamine	TX	6525	10107401
n-Nitrosodimethylamine	TX	6530	10107401
n-Nitrosodi-n-butylamine	TX	5025	10107401
n-Nitrosodi-n-propylamine	TX	6545	10107401
n-Nitrosodiphenylamine	TX	6535	10107401
Pentachlorobenzene	TX	6590	10107401
Pentachlorophenol	TX	6605	10107401
Phenanthrene	TX	6615	10107401
Phenol	TX	6625	10107401
Pyrene	TX	6665	10107401
Pyridine	TX	5095	10107401
Method EPA 7196			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	10162206
Method EPA 7470			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10165603



Texas Commission on Environmental Quality

NELAP - Recognized Laboratory Fields of Accreditation



ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 8011

Analyte	AB	Analyte ID	Method ID
1,2,3-Trichloropropane	TX	5180	10173009
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10173009
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10173009

Method EPA 8015

Analyte	AB	Analyte ID	Method ID
Diesel range organics (DRO)	TX	9369	10173203
Ethanol	TX	4750	10173203
Ethylene glycol	TX	4785	10173203
Gasoline range organics (GRO)	TX	9408	10173203
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10173203
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10173203
Methanol	TX	4930	10173203
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10173203
n-Propanol (1-Propanol)	TX	5055	10173203
Propylene Glycol	TX	6657	10173203
tert-Butyl alcohol	TX	4420	10173203

Method EPA 8081

Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10178402
4,4'-DDE	TX	7360	10178402
4,4'-DDT	TX	7365	10178402
Aldrin	TX	7025	10178402
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10178402
alpha-Chlordane	TX	7240	10178402
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10178402
Chlordane (tech.)	TX	7250	10178402
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10178402
Dieldrin	TX	7470	10178402
Endosulfan I	TX	7510	10178402



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Endosulfan II	TX	7515	10178402
Endosulfan sulfate	TX	7520	10178402
Endrin	TX	7540	10178402
Endrin aldehyde	TX	7530	10178402
Endrin ketone	TX	7535	10178402
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10178402
gamma-Chlordane	TX	7245	10178402
Heptachlor	TX	7685	10178402
Heptachlor epoxide	TX	7690	10178402
Hexachlorobenzene	TX	6275	10178402
Methoxychlor	TX	7810	10178402
Mirex	TX	7870	10178402
Toxaphene (Chlorinated camphene)	TX	8250	10178402

Method EPA 8082

Analyte	AB	Analyte ID	Method ID
Aroclor-1016 (PCB-1016)	TX	8880	10179201
Aroclor-1221 (PCB-1221)	TX	8885	10179201
Aroclor-1232 (PCB-1232)	TX	8890	10179201
Aroclor-1242 (PCB-1242)	TX	8895	10179201
Aroclor-1248 (PCB-1248)	TX	8900	10179201
Aroclor-1254 (PCB-1254)	TX	8905	10179201
Aroclor-1260 (PCB-1260)	TX	8910	10179201
PCBs (total)	TX	8870	10179201

Method EPA 8151

Analyte	AB	Analyte ID	Method ID
2,4,5-T	TX	8655	10183003
2,4-D	TX	8545	10183003
2,4-DB	TX	8560	10183003
Dalapon	TX	8555	10183003
Dicamba	TX	8595	10183003
Dichloroprop (Dichloroprop, Weedone)	TX	8605	10183003



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10183003
MCPA	TX	7775	10183003
MCPP	TX	7780	10183003
Silvex (2,4,5-TP)	TX	8650	10183003

Method EPA 8260

Analyte	AB	Analyte ID	Method ID
1,1,1,2-Tetrachloroethane	TX	5105	10184404
1,1,1-Trichloroethane	TX	5160	10184404
1,1,2,2-Tetrachloroethane	TX	5110	10184404
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	TX	5195	10184404
1,1,2-Trichloroethane	TX	5165	10184404
1,1-Dichloroethane	TX	4630	10184404
1,1-Dichloroethylene	TX	4640	10184404
1,1-Dichloropropene	TX	4670	10184404
1,2,3-Trichlorobenzene	TX	5150	10184404
1,2,3-Trichloropropane	TX	5180	10184404
1,2,4-Trichlorobenzene	TX	5155	10184404
1,2,4-Trimethylbenzene	TX	5210	10184404
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10184404
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10184404
1,2-Dichlorobenzene	TX	4610	10184404
1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10184404
1,2-Dichloropropane	TX	4655	10184404
1,3,5-Trimethylbenzene	TX	5215	10184404
1,3-Dichlorobenzene	TX	4615	10184404
1,3-Dichloropropane	TX	4660	10184404
1,4-Dichlorobenzene	TX	4620	10184404
1,4-Dioxane (1,4-Diethyleneoxide)	TX	4735	10184404
1-Chlorohexane	TX	4510	10184404
1-Propanol	TX	5060	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2,2-Dichloropropane	TX	4665	10184404
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10184404
2-Chloroethyl vinyl ether	TX	4500	10184404
2-Chlorotoluene	TX	4535	10184404
2-Hexanone (MBK)	TX	4860	10184404
2-Pentanone	TX	5045	10184404
4-Chlorotoluene	TX	4540	10184404
4-Isopropyltoluene (p-Cymene)	TX	4915	10184404
4-Methyl-2-pentanone (MIBK)	TX	4995	10184404
Acetone (2-Propanone)	TX	4315	10184404
Acetonitrile	TX	4320	10184404
Acrolein (Propenal)	TX	4325	10184404
Acrylonitrile	TX	4340	10184404
Allyl alcohol	TX	4350	10184404
Allyl chloride (3-Chloropropene)	TX	4355	10184404
Benzene	TX	4375	10184404
Benzyl chloride	TX	5635	10184404
Bromobenzene	TX	4385	10184404
Bromochloromethane	TX	4390	10184404
Bromodichloromethane	TX	4395	10184404
Bromoform	TX	4400	10184404
Carbon disulfide	TX	4450	10184404
Carbon tetrachloride	TX	4455	10184404
Chlorobenzene	TX	4475	10184404
Chlorodibromomethane	TX	4575	10184404
Chloroethane (Ethyl chloride)	TX	4485	10184404
Chloroform	TX	4505	10184404
Chloroprene (2-Chloro-1,3-butadiene)	TX	4525	10184404
cis-1,2-Dichloroethylene	TX	4645	10184404
cis-1,3-Dichloropropene	TX	4680	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Dibromofluoromethane	TX	4590	10184404
Dibromomethane (Methylene bromide)	TX	4595	10184404
Dichlorodifluoromethane (Freon-12)	TX	4625	10184404
Diethyl ether	TX	4725	10184404
Di-isopropylether (DIPE)	TX	9375	10184404
Epichlorohydrin (1-Chloro-2,3-epoxypropane)	TX	4745	10184404
Ethanol	TX	4750	10184404
Ethyl acetate	TX	4755	10184404
Ethyl methacrylate	TX	4810	10184404
Ethylbenzene	TX	4765	10184404
Ethyl-t-butylether (ETBE) (2-Ethoxy-2-methylpropane)	TX	4770	10184404
Hexachlorobutadiene	TX	4835	10184404
Iodomethane (Methyl iodide)	TX	4870	10184404
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10184404
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10184404
Isopropylbenzene (Cumene)	TX	4900	10184404
m+p-xylene	TX	5240	10184404
Methacrylonitrile	TX	4925	10184404
Methyl acetate	TX	4940	10184404
Methyl acrylate	TX	4945	10184404
Methyl bromide (Bromomethane)	TX	4950	10184404
Methyl chloride (Chloromethane)	TX	4960	10184404
Methyl methacrylate	TX	4990	10184404
Methyl tert-butyl ether (MTBE)	TX	5000	10184404
Methylcyclohexane	TX	4965	10184404
Methylene chloride (Dichloromethane)	TX	4975	10184404
Naphthalene	TX	5005	10184404
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10184404
n-Butylbenzene	TX	4435	10184404
n-Propylbenzene	TX	5090	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

o-Xylene	TX	5250	10184404
Propionitrile (Ethyl cyanide)	TX	5080	10184404
Pyridine	TX	5095	10184404
sec-Butylbenzene	TX	4440	10184404
Styrene	TX	5100	10184404
T-amylmethylether (TAME)	TX	4370	10184404
tert-Butyl alcohol	TX	4420	10184404
tert-Butylbenzene	TX	4445	10184404
Tetrachloroethylene (Perchloroethylene)	TX	5115	10184404
Toluene	TX	5140	10184404
trans-1,2-Dichloroethylene	TX	4700	10184404
trans-1,3-Dichloropropylene	TX	4685	10184404
trans-1,4-Dichloro-2-butene	TX	4605	10184404
Trichloroethene (Trichloroethylene)	TX	5170	10184404
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10184404
Vinyl acetate	TX	5225	10184404
Vinyl chloride	TX	5235	10184404
Xylene (total)	TX	5260	10184404

Method EPA 8270

Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10185203
1,2,4-Trichlorobenzene	TX	5155	10185203
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10185203
1,2-Dichlorobenzene	TX	4610	10185203
1,2-Dinitrobenzene	TX	6155	10185203
1,2-Diphenylhydrazine	TX	6220	10185203
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10185203
1,3-Dichlorobenzene	TX	4615	10185203
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10185203
1,4-Dichlorobenzene	TX	4620	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

1,4-Dinitrobenzene	TX	6165	10185203
1,4-Naphthoquinone	TX	6420	10185203
1,4-Phenylenediamine	TX	6630	10185203
1-Chloronaphthalene	TX	5790	10185203
1-Naphthylamine	TX	6425	10185203
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10185203
2,3,4,6-Tetrachlorophenol	TX	6735	10185203
2,4,5-Trichlorophenol	TX	6835	10185203
2,4,5-Trimethylaniline	TX	6880	10185203
2,4,6-Trichlorophenol	TX	6840	10185203
2,4-Diaminotoluene	TX	5880	10185203
2,4-Dichlorophenol	TX	6000	10185203
2,4-Dimethylphenol	TX	6130	10185203
2,4-Dinitrophenol	TX	6175	10185203
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10185203
2,6-Dichlorophenol	TX	6005	10185203
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10185203
2-Acetylamino fluorene	TX	5515	10185203
2-Chloronaphthalene	TX	5795	10185203
2-Chlorophenol	TX	5800	10185203
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10185203
2-Methylaniline (o-Toluidine)	TX	5145	10185203
2-Methylnaphthalene	TX	6385	10185203
2-Methylphenol (o-Cresol)	TX	6400	10185203
2-Naphthylamine	TX	6430	10185203
2-Nitroaniline	TX	6460	10185203
2-Nitrophenol	TX	6490	10185203
2-Picoline (2-Methylpyridine)	TX	5050	10185203
3,3'-Dichlorobenzidine	TX	5945	10185203
3,3'-Dimethylbenzidine	TX	6120	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

3-Methylcholanthrene	TX	6355	10185203
3-Methylphenol (m-Cresol)	TX	6405	10185203
3-Nitroaniline	TX	6465	10185203
4-Aminobiphenyl	TX	5540	10185203
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10185203
4-Chloro-3-methylphenol	TX	5700	10185203
4-Chloroaniline	TX	5745	10185203
4-Chlorophenyl phenylether	TX	5825	10185203
4-Dimethyl aminoazobenzene	TX	6105	10185203
4-Methylphenol (p-Cresol)	TX	6410	10185203
4-Nitroaniline	TX	6470	10185203
4-Nitrobiphenyl	TX	6480	10185203
4-Nitrophenol	TX	6500	10185203
4-Nitroquinoline-1-oxide	TX	6510	10185203
5-Chloro-2-methylaniline	TX	5695	10185203
5-Nitro-o-toluidine	TX	6570	10185203
7,12-Dimethylbenz(a) anthracene	TX	6115	10185203
a-a-Dimethylphenethylamine	TX	6125	10185203
Acenaphthene	TX	5500	10185203
Acenaphthylene	TX	5505	10185203
Acetophenone	TX	5510	10185203
Aniline	TX	5545	10185203
Anthracene	TX	5555	10185203
Aramite	TX	5560	10185203
Atrazine	TX	7065	10185203
Azinphos-methyl (Guthion)	TX	7075	10185203
Azobenzene	TX	5562	10185203
Benzenethiol (Thiophenol)	TX	6750	10185203
Benzidine	TX	5595	10185203
Benzo(a)anthracene	TX	5575	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Benzo(a)pyrene	TX	5580	10185203
Benzo(b)fluoranthene	TX	5585	10185203
Benzo(e)pyrene	TX	5605	10185203
Benzo(g,h,i)perylene	TX	5590	10185203
Benzo(k)fluoranthene	TX	5600	10185203
Benzoic acid	TX	5610	10185203
Benzyl alcohol	TX	5630	10185203
Biphenyl	TX	5640	10185203
bis(2-Chloroethoxy)methane	TX	5760	10185203
bis(2-Chloroethyl) ether	TX	5765	10185203
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10185203
Butyl benzyl phthalate	TX	5670	10185203
Caprolactam	TX	7180	10185203
Captan	TX	7190	10185203
Carbaryl (Sevin)	TX	7195	10185203
Carbazole	TX	5680	10185203
Carbophenothion	TX	7220	10185203
Chlorobenzilate	TX	7260	10185203
Chrysene	TX	5855	10185203
Coumaphos	TX	7315	10185203
Demeton	TX	7390	10185203
Demeton	TX	7390	10185203
Demeton-o	TX	7395	10185203
Demeton-s	TX	7385	10185203
Diallate	TX	7405	10185203
Dibenz(a,h) anthracene	TX	5895	10185203
Dibenz(a,j) acridine	TX	5900	10185203
Dibenzofuran	TX	5905	10185203
Dichlorovos (DDVP, Dichlorvos)	TX	8610	10185203
Diethyl phthalate	TX	6070	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Dimethoate	TX	7475	10185203
Dimethoate	TX	7475	10185203
Dimethyl phthalate	TX	6135	10185203
Di-n-butyl phthalate	TX	5925	10185203
Di-n-octyl phthalate	TX	6200	10185203
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10185203
Dioxathion	TX	7495	10185203
Diphenylamine	TX	6205	10185203
Disulfoton	TX	8625	10185203
Ethion	TX	7565	10185203
Ethyl methanesulfonate	TX	6260	10185203
Famphur	TX	7580	10185203
Fluoranthene	TX	6265	10185203
Fluorene	TX	6270	10185203
Hexachlorobenzene	TX	6275	10185203
Hexachlorobutadiene	TX	4835	10185203
Hexachlorocyclopentadiene	TX	6285	10185203
Hexachloroethane	TX	4840	10185203
Hexachlorophene	TX	6290	10185203
Hexachloropropene	TX	6295	10185203
Indeno(1,2,3-cd) pyrene	TX	6315	10185203
Isodrin	TX	7725	10185203
Isophorone	TX	6320	10185203
Isosafrole	TX	6325	10185203
Kepone	TX	7740	10185203
Maleic anhydride	TX	6335	10185203
Methapyrilene	TX	6345	10185203
Methyl methanesulfonate	TX	6375	10185203
Methyl parathion (Parathion, methyl)	TX	7825	10185203
Mevinphos	TX	7850	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Naled	TX	7905	10185203
Naphthalene	TX	5005	10185203
Nitrobenzene	TX	5015	10185203
n-Nitrosodiethylamine	TX	6525	10185203
n-Nitrosodimethylamine	TX	6530	10185203
n-Nitrosodi-n-butylamine	TX	5025	10185203
n-Nitrosodi-n-propylamine	TX	6545	10185203
n-Nitrosodiphenylamine	TX	6535	10185203
n-Nitrosomethylethylamine	TX	6550	10185203
n-Nitrosomorpholine	TX	6555	10185203
n-Nitrosopiperidine	TX	6560	10185203
n-Nitrosopyrrolidine	TX	6565	10185203
o,o,o-Triethyl phosphorothioate	TX	8290	10185203
o-Anisidine	TX	5550	10185203
Parathion, ethyl	TX	7955	10185203
p-Cresidine	TX	5860	10185203
Pentachlorobenzene	TX	6590	10185203
Pentachloronitrobenzene (PCNB)	TX	6600	10185203
Pentachlorophenol	TX	6605	10185203
Phenacetin	TX	6610	10185203
Phenanthrene	TX	6615	10185203
Phenol	TX	6625	10185203
Phorate	TX	7985	10185203
Phosmet (Imidan)	TX	8000	10185203
Phthalic anhydride	TX	6640	10185203
Pronamide (Kerb)	TX	6650	10185203
Pyrene	TX	6665	10185203
Pyridine	TX	5095	10185203
Quinoline	TX	6670	10185203
Resorcinol	TX	6680	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Safrole	TX	6685	10185203
Sulfotepp	TX	8155	10185203
Terbufos	TX	8185	10185203
Tetrachlorvinphos (Stirophos, Gardona)	TX	8197	10185203
Thionazin (Zinophos)	TX	8235	10185203
Toluene diisocyanate	TX	6775	10185203
Trifluralin (Treflan)	TX	8295	10185203

Method EPA 8290

Analyte	AB	Analyte ID	Method ID
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10187209
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10187209
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10187209
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10187209
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10187209
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10187209
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10187209
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10187209
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-HxCDD)	TX	9456	10187209
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10187209
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10187209
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10187209
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10187209
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10187209
2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10187209
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10187209
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10187209
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10187209
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10187209
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10187209
Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10187209



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10187209
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10187209
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10187209
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10187209
Method EPA 8316			
Analyte	AB	Analyte ID	Method ID
Acrylamide	TX	4330	10188202
Method EPA 8330			
Analyte	AB	Analyte ID	Method ID
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10189807
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10189807
2,4,6-Trinitrotoluene (2,4,6-TNT)	TX	9651	10189807
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10189807
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10189807
2-Amino-4,6-dinitrotoluene (2-am-dnt)	TX	9303	10189807
2-Nitrotoluene	TX	9507	10189807
3-Nitrotoluene	TX	9510	10189807
4-Amino-2,6-dinitrotoluene (4-am-dnt)	TX	9306	10189807
4-Nitrotoluene	TX	9513	10189807
Methyl-2,4,6-trinitrophenylnitramine (tetryl)	TX	6415	10189807
Nitrobenzene	TX	5015	10189807
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	TX	9522	10189807
RDX (hexahydro-1,3,5-trinitro-1,3,5-triazine)	TX	9432	10189807
Method EPA 9014			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	10193803
Total cyanide	TX	1645	10193803
Method EPA 9038			
Analyte	AB	Analyte ID	Method ID
Sulfate	TX	2000	10196608



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	Analyte	AB	Analyte ID	Method ID
EPA 9040	pH	TX	1900	10196802
EPA 9050	Conductivity	TX	1610	10198604
EPA 9056	Bromide	TX	1540	10199209
	Chloride	TX	1575	10199209
	Fluoride	TX	1730	10199209
	Nitrate as N	TX	1810	10199209
	Nitrate-nitrite	TX	1820	10199209
	Nitrite as N	TX	1840	10199209
	Orthophosphate as P	TX	1870	10199209
	Sulfate	TX	2000	10199209
EPA 9060	Total Organic Carbon (TOC)	TX	2040	10200201
EPA 9065	Total phenolics	TX	1905	10200405
EPA 9066	Total phenolics	TX	1905	10200609
EPA 9250	Chloride	TX	1575	10207202
EPA RSK 175	2-methylpropane (Isobutane)	TX	4942	10212905



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Ethane	TX	4747	10212905
Ethene	TX	4752	10212905
Methane	TX	4926	10212905
n-Butane	TX	5007	10212905
n-Propane	TX	5029	10212905
Method HACH 8000			
Analyte	AB	Analyte ID	Method ID
Chemical oxygen demand (COD)	TX	1565	60003001
Method SM 2120 B			
Analyte	AB	Analyte ID	Method ID
Color	TX	1605	20223807
Method SM 2310 B (4a)			
Analyte	AB	Analyte ID	Method ID
Acidity, as CaCO ₃	TX	1500	20002806
Method SM 2320 B			
Analyte	AB	Analyte ID	Method ID
Alkalinity as CaCO ₃	TX	1505	20045005
Method SM 2340 B			
Analyte	AB	Analyte ID	Method ID
Total hardness as CaCO ₃	TX	1755	20046008
Method SM 2510 B			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	20048004
Method SM 2540 B			
Analyte	AB	Analyte ID	Method ID
Residue-total (total solids)	TX	1950	20004608
Method SM 2540 C			
Analyte	AB	Analyte ID	Method ID
Residue-filterable (TDS)	TX	1955	20049803
Method SM 2540 D			
Analyte	AB	Analyte ID	Method ID



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Residue-nonfilterable (TSS)	TX	1960	20004802
Method SM 3500-Cr B			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	20065809
Method SM 4500-Cl F			
Analyte	AB	Analyte ID	Method ID
Total residual chlorine	TX	1940	20080482
Method SM 4500-Cl ⁻ E			
Analyte	AB	Analyte ID	Method ID
Chloride	TX	1575	20019209
Method SM 4500-CN ⁻ C			
Analyte	AB	Analyte ID	Method ID
Total cyanide	TX	1645	20020808
Method SM 4500-CN ⁻ E			
Analyte	AB	Analyte ID	Method ID
Total cyanide	TX	1645	20021209
Method SM 4500-CN ⁻ G			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	20021607
Method SM 4500-H+ B			
Analyte	AB	Analyte ID	Method ID
pH	TX	1900	20104603
Method SM 4500-NH3 D			
Analyte	AB	Analyte ID	Method ID
Ammonia as N	TX	1515	20108809
Kjeldahl Nitrogen (Total Kjeldahl Nitrogen-TKN)	TX	1790	20108809
Method SM 4500-NH3 F			
Analyte	AB	Analyte ID	Method ID
Ammonia as N	TX	1515	20023001
Method SM 4500-O G			
Analyte	AB	Analyte ID	Method ID
Oxygen, dissolved	TX	1880	20025405



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	Analyte	AB	Analyte ID	Method ID
Method SM 4500-P E				
	Orthophosphate as P	TX	1870	20025803
	Phosphorus	TX	1910	20025803
Method SM 4500-S2 ⁻ D				
	Sulfide	TX	2005	20125400
Method SM 4500-S2 ⁻ F				
	Sulfide	TX	2005	20126209
Method SM 4500-SiO ₂ D				
	Silica as SiO ₂	TX	1990	20127202
Method SM 4500-SO ₃ ⁻ B				
	Sulfite	TX	2015	20026806
Method SM 5210 B				
	Biochemical oxygen demand (BOD)	TX	1530	20027401
	Carbonaceous BOD, CBOD	TX	1555	20027401
Method SM 5310 B				
	Total Organic Carbon (TOC)	TX	2040	20137206
Method SM 5310 C				
	Total Organic Carbon (TOC)	TX	2040	20138209
Method SM 5540 C				
	Surfactants - MBAS	TX	2025	20144405
Method TCEQ 1005				
	Total Petroleum Hydrocarbons (TPH)	TX	2050	90019208



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method ASTM D2216

Analyte	AB	Analyte ID	Method ID
Moisture	TX	10337	ASTM D2216-05

Method EPA 1010

Analyte	AB	Analyte ID	Method ID
Ignitability	TX	1780	10116606

Method EPA 1030

Analyte	AB	Analyte ID	Method ID
Ignitability	TX	1780	10117201

Method EPA 1311

Analyte	AB	Analyte ID	Method ID
TCLP	TX	849	10118806

Method EPA 1312

Analyte	AB	Analyte ID	Method ID
SPLP	TX	850	10119003

Method EPA 200.8

Analyte	AB	Analyte ID	Method ID
Uranium	TX	3035	10014605

Method EPA 300.0

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10053200
Chloride	TX	1575	10053200
Fluoride	TX	1730	10053200
Nitrate as N	TX	1810	10053200
Nitrate-nitrite	TX	1820	10053200
Nitrite as N	TX	1840	10053200
Orthophosphate as P	TX	1870	10053200
Sulfate	TX	2000	10053200

Method EPA 310.1

Analyte	AB	Analyte ID	Method ID
Alkalinity as CaCO3	TX	1505	10054805



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method EPA 350.3

Analyte	AB	Analyte ID	Method ID
Ammonia as N	TX	1515	10064401

Method EPA 365.3

Analyte	AB	Analyte ID	Method ID
Orthophosphate as P	TX	1870	10070801
Phosphorus	TX	1910	10070801

Method EPA 6020

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10156204
Antimony	TX	1005	10156204
Arsenic	TX	1010	10156204
Barium	TX	1015	10156204
Beryllium	TX	1020	10156204
Boron	TX	1025	10156204
Cadmium	TX	1030	10156204
Calcium	TX	1035	10156204
Chromium	TX	1040	10156204
Cobalt	TX	1050	10156204
Copper	TX	1055	10156204
Iron	TX	1070	10156204
Lead	TX	1075	10156204
Lithium	TX	1080	10156204
Magnesium	TX	1085	10156204
Manganese	TX	1090	10156204
Molybdenum	TX	1100	10156204
Nickel	TX	1105	10156204
Potassium	TX	1125	10156204
Selenium	TX	1140	10156204
Silver	TX	1150	10156204
Sodium	TX	1155	10156204



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Strontium	TX	1160	10156204
Thallium	TX	1165	10156204
Tin	TX	1175	10156204
Titanium	TX	1180	10156204
Vanadium	TX	1185	10156204
Zinc	TX	1190	10156204
Method EPA 7196			
Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	10162206
Method EPA 7470			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10165603
Method EPA 7471			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10166004
Method EPA 8015			
Analyte	AB	Analyte ID	Method ID
Diesel range organics (DRO)	TX	9369	10173203
Ethanol	TX	4750	10173203
Ethylene glycol	TX	4785	10173203
Gasoline range organics (GRO)	TX	9408	10173203
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10173203
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10173203
Methanol	TX	4930	10173203
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10173203
n-Propanol (1-Propanol)	TX	5055	10173203
Propylene Glycol	TX	6657	10173203
tert-Butyl alcohol	TX	4420	10173203
Method EPA 8081			
Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10178402



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

4,4'-DDE	TX	7360	10178402
4,4'-DDT	TX	7365	10178402
Aldrin	TX	7025	10178402
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10178402
alpha-Chlordane	TX	7240	10178402
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10178402
Chlordane (tech.)	TX	7250	10178402
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10178402
Dieldrin	TX	7470	10178402
Endosulfan I	TX	7510	10178402
Endosulfan II	TX	7515	10178402
Endosulfan sulfate	TX	7520	10178402
Endrin	TX	7540	10178402
Endrin aldehyde	TX	7530	10178402
Endrin ketone	TX	7535	10178402
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10178402
gamma-Chlordane	TX	7245	10178402
Heptachlor	TX	7685	10178402
Heptachlor epoxide	TX	7690	10178402
Methoxychlor	TX	7810	10178402
Mirex	TX	7870	10178402
Toxaphene (Chlorinated camphene)	TX	8250	10178402

Method EPA 8082

Analyte	AB	Analyte ID	Method ID
Aroclor-1016 (PCB-1016)	TX	8880	10179201
Aroclor-1221 (PCB-1221)	TX	8885	10179201
Aroclor-1232 (PCB-1232)	TX	8890	10179201
Aroclor-1242 (PCB-1242)	TX	8895	10179201
Aroclor-1248 (PCB-1248)	TX	8900	10179201
Aroclor-1254 (PCB-1254)	TX	8905	10179201



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Aroclor-1260 (PCB-1260)	TX	8910	10179201
PCBs (total)	TX	8870	10179201
Method EPA 8260			
Analyte	AB	Analyte ID	Method ID
1,1,1,2-Tetrachloroethane	TX	5105	10184404
1,1,1-Trichloroethane	TX	5160	10184404
1,1,2,2-Tetrachloroethane	TX	5110	10184404
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	TX	5195	10184404
1,1,2-Trichloroethane	TX	5165	10184404
1,1-Dichloroethane	TX	4630	10184404
1,1-Dichloroethylene	TX	4640	10184404
1,1-Dichloropropene	TX	4670	10184404
1,2,3-Trichlorobenzene	TX	5150	10184404
1,2,3-Trichloropropane	TX	5180	10184404
1,2,4-Trichlorobenzene	TX	5155	10184404
1,2,4-Trimethylbenzene	TX	5210	10184404
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10184404
1,2-Dibromoethane (EDB, Ethylene dibromide)	TX	4585	10184404
1,2-Dichlorobenzene	TX	4610	10184404
1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10184404
1,2-Dichloropropane	TX	4655	10184404
1,3,5-Trimethylbenzene	TX	5215	10184404
1,3-Dichlorobenzene	TX	4615	10184404
1,3-Dichloropropane	TX	4660	10184404
1,4-Dichlorobenzene	TX	4620	10184404
1,4-Dioxane (1,4-Diethyleneoxide)	TX	4735	10184404
1-Chlorohexane	TX	4510	10184404
1-Propanol	TX	5060	10184404
2,2-Dichloropropane	TX	4665	10184404
2-Butanone (Methyl ethyl ketone, MEK)	TX	4410	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

2-Chloroethyl vinyl ether	TX	4500	10184404
2-Chlorotoluene	TX	4535	10184404
2-Hexanone (MBK)	TX	4860	10184404
4-Chlorotoluene	TX	4540	10184404
4-Isopropyltoluene (p-Cymene)	TX	4915	10184404
4-Methyl-2-pentanone (MIBK)	TX	4995	10184404
Acetone (2-Propanone)	TX	4315	10184404
Acetonitrile	TX	4320	10184404
Acrolein (Propenal)	TX	4325	10184404
Acrylonitrile	TX	4340	10184404
Allyl chloride (3-Chloropropene)	TX	4355	10184404
Benzene	TX	4375	10184404
Benzyl chloride	TX	5635	10184404
Bromobenzene	TX	4385	10184404
Bromochloromethane	TX	4390	10184404
Bromodichloromethane	TX	4395	10184404
Bromoform	TX	4400	10184404
Carbon disulfide	TX	4450	10184404
Carbon tetrachloride	TX	4455	10184404
Chlorobenzene	TX	4475	10184404
Chlorodibromomethane	TX	4575	10184404
Chloroethane (Ethyl chloride)	TX	4485	10184404
Chloroform	TX	4505	10184404
Chloroprene (2-Chloro-1,3-butadiene)	TX	4525	10184404
cis-1,2-Dichloroethylene	TX	4645	10184404
cis-1,3-Dichloropropene	TX	4680	10184404
Dibromofluoromethane	TX	4590	10184404
Dibromomethane (Methylene bromide)	TX	4595	10184404
Dichlorodifluoromethane (Freon-12)	TX	4625	10184404
Diethyl ether	TX	4725	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Epichlorohydrin (1-Chloro-2,3-epoxypropane)	TX	4745	10184404
Ethanol	TX	4750	10184404
Ethyl acetate	TX	4755	10184404
Ethyl methacrylate	TX	4810	10184404
Ethylbenzene	TX	4765	10184404
Ethylene oxide	TX	4795	10184404
Hexachlorobutadiene	TX	4835	10184404
Iodomethane (Methyl iodide)	TX	4870	10184404
Isobutyl alcohol (2-Methyl-1-propanol)	TX	4875	10184404
Isopropyl alcohol (2-Propanol, Isopropanol)	TX	4895	10184404
Isopropylbenzene (Cumene)	TX	4900	10184404
m+p-xylene	TX	5240	10184404
Methacrylonitrile	TX	4925	10184404
Methyl acetate	TX	4940	10184404
Methyl acrylate	TX	4945	10184404
Methyl bromide (Bromomethane)	TX	4950	10184404
Methyl chloride (Chloromethane)	TX	4960	10184404
Methyl methacrylate	TX	4990	10184404
Methyl tert-butyl ether (MTBE)	TX	5000	10184404
Methylcyclohexane	TX	4965	10184404
Methylene chloride (Dichloromethane)	TX	4975	10184404
Naphthalene	TX	5005	10184404
n-Butyl alcohol (1-Butanol, n-Butanol)	TX	4425	10184404
n-Butylbenzene	TX	4435	10184404
n-Propylbenzene	TX	5090	10184404
o-Xylene	TX	5250	10184404
Pentachloroethane	TX	5035	10184404
Propionitrile (Ethyl cyanide)	TX	5080	10184404
Pyridine	TX	5095	10184404
sec-Butylbenzene	TX	4440	10184404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Styrene	TX	5100	10184404
tert-Butyl alcohol	TX	4420	10184404
tert-Butylbenzene	TX	4445	10184404
Tetrachloroethylene (Perchloroethylene)	TX	5115	10184404
Toluene	TX	5140	10184404
trans-1,2-Dichloroethylene	TX	4700	10184404
trans-1,3-Dichloropropylene	TX	4685	10184404
trans-1,4-Dichloro-2-butene	TX	4605	10184404
Trichloroethene (Trichloroethylene)	TX	5170	10184404
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10184404
Vinyl acetate	TX	5225	10184404
Vinyl chloride	TX	5235	10184404
Xylene (total)	TX	5260	10184404

Method EPA 8270

Analyte	AB	Analyte ID	Method ID
1,2,4,5-Tetrachlorobenzene	TX	6715	10185203
1,2,4-Trichlorobenzene	TX	5155	10185203
1,2-Dibromo-3-chloropropane (DBCP)	TX	4570	10185203
1,2-Dichlorobenzene	TX	4610	10185203
1,2-Dinitrobenzene	TX	6155	10185203
1,2-Diphenylhydrazine	TX	6220	10185203
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10185203
1,3-Dichlorobenzene	TX	4615	10185203
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10185203
1,4-Dichlorobenzene	TX	4620	10185203
1,4-Dinitrobenzene	TX	6165	10185203
1,4-Naphthoquinone	TX	6420	10185203
1,4-Phenylenediamine	TX	6630	10185203
1-Chloronaphthalene	TX	5790	10185203
1-Naphthylamine	TX	6425	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10185203
2,3,4,6-Tetrachlorophenol	TX	6735	10185203
2,4,5-Trichlorophenol	TX	6835	10185203
2,4,5-Trimethylaniline	TX	6880	10185203
2,4,6-Trichlorophenol	TX	6840	10185203
2,4-Diaminotoluene	TX	5880	10185203
2,4-Dichlorophenol	TX	6000	10185203
2,4-Dimethylphenol	TX	6130	10185203
2,4-Dinitrophenol	TX	6175	10185203
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10185203
2,6-Dichlorophenol	TX	6005	10185203
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10185203
2-Acetylamino fluorene	TX	5515	10185203
2-Chloronaphthalene	TX	5795	10185203
2-Chlorophenol	TX	5800	10185203
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10185203
2-Methylaniline (o-Toluidine)	TX	5145	10185203
2-Methylnaphthalene	TX	6385	10185203
2-Methylphenol (o-Cresol)	TX	6400	10185203
2-Naphthylamine	TX	6430	10185203
2-Nitroaniline	TX	6460	10185203
2-Nitrophenol	TX	6490	10185203
2-Picoline (2-Methylpyridine)	TX	5050	10185203
3,3'-Dichlorobenzidine	TX	5945	10185203
3,3'-Dimethylbenzidine	TX	6120	10185203
3-Methylcholanthrene	TX	6355	10185203
3-Methylphenol (m-Cresol)	TX	6405	10185203
3-Nitroaniline	TX	6465	10185203
4-Aminobiphenyl	TX	5540	10185203
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

4-Chloro-3-methylphenol	TX	5700	10185203
4-Chloroaniline	TX	5745	10185203
4-Chlorophenyl phenylether	TX	5825	10185203
4-Methylphenol (p-Cresol)	TX	6410	10185203
4-Nitroaniline	TX	6470	10185203
4-Nitrophenol	TX	6500	10185203
4-Nitroquinoline-1-oxide	TX	6510	10185203
5-Nitro-o-toluidine	TX	6570	10185203
7,12-Dimethylbenz(a) anthracene	TX	6115	10185203
a-a-Dimethylphenethylamine	TX	6125	10185203
Acenaphthene	TX	5500	10185203
Acenaphthylene	TX	5505	10185203
Acetophenone	TX	5510	10185203
Aniline	TX	5545	10185203
Anthracene	TX	5555	10185203
Aramite	TX	5560	10185203
Atrazine	TX	7065	10185203
Azinphos-methyl (Guthion)	TX	7075	10185203
Azobenzene	TX	5562	10185203
Benzenethiol (Thiophenol)	TX	6750	10185203
Benzidine	TX	5595	10185203
Benzo(a)anthracene	TX	5575	10185203
Benzo(a)pyrene	TX	5580	10185203
Benzo(b)fluoranthene	TX	5585	10185203
Benzo(e)pyrene	TX	5605	10185203
Benzo(g,h,i)perylene	TX	5590	10185203
Benzo(k)fluoranthene	TX	5600	10185203
Benzoic acid	TX	5610	10185203
Benzyl alcohol	TX	5630	10185203
Biphenyl	TX	5640	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

bis(2-Chloroethoxy)methane	TX	5760	10185203
bis(2-Chloroethyl) ether	TX	5765	10185203
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10185203
Butyl benzyl phthalate	TX	5670	10185203
Caprolactam	TX	7180	10185203
Carbaryl (Sevin)	TX	7195	10185203
Carbazole	TX	5680	10185203
Carbophenothion	TX	7220	10185203
Chlorobenzilate	TX	7260	10185203
Chrysene	TX	5855	10185203
Demeton	TX	7390	10185203
Demeton-o	TX	7395	10185203
Demeton-s	TX	7385	10185203
Diallate	TX	7405	10185203
Dibenz(a,h) anthracene	TX	5895	10185203
Dibenz(a,j) acridine	TX	5900	10185203
Dibenzo(a,e) pyrene	TX	5890	10185203
Dibenzofuran	TX	5905	10185203
Dichlorovos (DDVP, Dichlorvos)	TX	8610	10185203
Diethyl phthalate	TX	6070	10185203
Dimethoate	TX	7475	10185203
Dimethyl phthalate	TX	6135	10185203
Di-n-butyl phthalate	TX	5925	10185203
Di-n-octyl phthalate	TX	6200	10185203
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	TX	8620	10185203
Diphenylamine	TX	6205	10185203
Disulfoton	TX	8625	10185203
Ethyl methanesulfonate	TX	6260	10185203
Fluoranthene	TX	6265	10185203
Fluorene	TX	6270	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Hexachlorobenzene	TX	6275	10185203
Hexachlorobutadiene	TX	4835	10185203
Hexachlorocyclopentadiene	TX	6285	10185203
Hexachloroethane	TX	4840	10185203
Hexachlorophene	TX	6290	10185203
Hexachloropropene	TX	6295	10185203
Indeno(1,2,3-cd) pyrene	TX	6315	10185203
Isodrin	TX	7725	10185203
Isophorone	TX	6320	10185203
Isosafrole	TX	6325	10185203
Kepone	TX	7740	10185203
Malathion	TX	7770	10185203
Methapyrilene	TX	6345	10185203
Methyl methanesulfonate	TX	6375	10185203
Methyl parathion (Parathion, methyl)	TX	7825	10185203
Mevinphos	TX	7850	10185203
Naphthalene	TX	5005	10185203
Nitrobenzene	TX	5015	10185203
n-Nitrosodiethylamine	TX	6525	10185203
n-Nitrosodimethylamine	TX	6530	10185203
n-Nitrosodi-n-butylamine	TX	5025	10185203
n-Nitrosodi-n-propylamine	TX	6545	10185203
n-Nitrosodiphenylamine	TX	6535	10185203
n-Nitrosomethylethylamine	TX	6550	10185203
n-Nitrosomorpholine	TX	6555	10185203
n-Nitrosopiperidine	TX	6560	10185203
n-Nitrosopyrrolidine	TX	6565	10185203
o,o,o-Triethyl phosphorothioate	TX	8290	10185203
o-Anisidine	TX	5550	10185203
Parathion, ethyl	TX	7955	10185203



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

p-Cresidine	TX	5860	10185203
Pentachlorobenzene	TX	6590	10185203
Pentachloronitrobenzene (PCNB)	TX	6600	10185203
Pentachlorophenol	TX	6605	10185203
Phenacetin	TX	6610	10185203
Phenanthrene	TX	6615	10185203
Phenol	TX	6625	10185203
Phorate	TX	7985	10185203
Pronamide (Kerb)	TX	6650	10185203
Pyrene	TX	6665	10185203
Pyridine	TX	5095	10185203
Quinoline	TX	6670	10185203
Safrole	TX	6685	10185203
Sulfotepp	TX	8155	10185203
Terbufos	TX	8185	10185203
Tetrachlorvinphos (Stirophos, Gardona)	TX	8197	10185203
Thionazin (Zinophos)	TX	8235	10185203
Toluene diisocyanate	TX	6775	10185203

Method EPA 8290

Analyte	AB	Analyte ID	Method ID
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	TX	9516	10187209
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	TX	9519	10187209
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	TX	9420	10187209
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	TX	9426	10187209
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	TX	9423	10187209
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-HxCDF)	TX	9471	10187209
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)	TX	9453	10187209
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)	TX	9474	10187209
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-HxCDD)	TX	9456	10187209
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)	TX	9477	10187209



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)	TX	9459	10187209
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)	TX	9543	10187209
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)	TX	9540	10187209
2,3,4,6,7,8-Hexachlorodibenzofuran (2,3,4,6,7,8-HxCDF)	TX	9480	10187209
2,3,4,7,8-Pentachlorodibenzofuran (2,3,4,7,8-PeCDF)	TX	9549	10187209
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)	TX	9612	10187209
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)	TX	9618	10187209
Total Heptachlorodibenzofuran (Total HpCDF)	TX	9444	10187209
Total Heptachlorodibenzo-p-dioxin (Total HpCDD)	TX	9438	10187209
Total Hexachlorodibenzofuran (Total HxCDF)	TX	9483	10187209
Total Hexachlorodibenzo-p-dioxin (Total HxCDD)	TX	9468	10187209
Total Pentachlorodibenzofuran (Total PeCDF)	TX	9552	10187209
Total Pentachlorodibenzo-p-dioxin (Total PeCDD)	TX	9555	10187209
Total Tetrachlorodibenzofuran (Total TCDF)	TX	9615	10187209
Total Tetrachlorodibenzo-p-dioxin (Total TCDD)	TX	9609	10187209

Method EPA 8316

Analyte	AB	Analyte ID	Method ID
Acrylamide	TX	4330	10188202

Method EPA 8330

Analyte	AB	Analyte ID	Method ID
1,3,5-Trinitrobenzene (1,3,5-TNB)	TX	6885	10189807
1,3-Dinitrobenzene (1,3-DNB)	TX	6160	10189807
2,4,6-Trinitrotoluene (2,4,6-TNT)	TX	9651	10189807
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10189807
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10189807
2-Amino-4,6-dinitrotoluene (2-am-dnt)	TX	9303	10189807
2-Nitrotoluene	TX	9507	10189807
3-Nitrotoluene	TX	9510	10189807
4-Amino-2,6-dinitrotoluene (4-am-dnt)	TX	9306	10189807
4-Nitrotoluene	TX	9513	10189807
Methyl-2,4,6-trinitrophenylnitramine (tetryl)	TX	6415	10189807



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Nitrobenzene	TX	5015	10189807
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	TX	9522	10189807
RDX (hexahydro-1,3,5-trinitro-1,3,5-triazine)	TX	9432	10189807
Method EPA 9014			
Analyte	AB	Analyte ID	Method ID
Amenable cyanide	TX	1510	10193803
Total cyanide	TX	1645	10193803
Method EPA 9038			
Analyte	AB	Analyte ID	Method ID
Sulfate	TX	2000	10196608
Method EPA 9040			
Analyte	AB	Analyte ID	Method ID
Corrosivity	TX	1615	10197203
pH	TX	1900	10196802
Method EPA 9045			
Analyte	AB	Analyte ID	Method ID
Corrosivity	TX	1615	10197805
pH	TX	1900	10197805
Method EPA 9050			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	10198604
Method EPA 9056			
Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10199209
Chloride	TX	1575	10199209
Fluoride	TX	1730	10199209
Nitrate as N	TX	1810	10199209
Nitrate-nitrite	TX	1820	10199209
Nitrite as N	TX	1840	10199209
Orthophosphate as P	TX	1870	10199209
Sulfate	TX	2000	10199209



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

ALS Laboratory Group, Environmental Services Division (Houston, Texas)

10450 Stancliff Road, Suite 210
Houston, TX 77099-4338

Certificate: T104704231-20-26
Expiration Date: 4/30/2021
Issue Date: 5/1/2020

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method	Analyte	AB	Analyte ID	Method ID
EPA 9060	Total Organic Carbon (TOC)	TX	2040	10200201
EPA 9065	Total phenolics	TX	1905	10200405
EPA 9071	n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10201204
EPA 9095	Paint Filter Liquids Test	TX	10312	10204009
EPA 9250	Chloride	TX	1575	10207202
SM 2320 B	Alkalinity as CaCO3	TX	1505	20045005
SM 2510 B	Conductivity	TX	1610	20048004
SM 2540 G	Residue-total (total solids)	TX	1950	20005203
SSA/ASA Part 3:34	Carbon, organic (Walkley-Black)	TX	10340	SSA/ASA Pt 3:34
TCEQ 1005	Total Petroleum Hydrocarbons (TPH)	TX	2050	90019208



10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

June 19, 2020

Eric Matzner
Golder Associates Inc.
2201 Double Creek Drive
Suite 4004
Round Rock, TX 78664

Work Order: **HS20060313**

Laboratory Results for: **Houston TX-Wood Preserving Works**

Dear Eric Matzner,

ALS Environmental received 37 sample(s) on Jun 05, 2020 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: DANE.WACASEY
Dane J. Wacasey

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060313

**TRRP Laboratory Data
Package Cover Page**

This data package consists of all or some of the following as applicable:

This signature page, the laboratory review checklist, and the following reportable data:

- R1 Field chain-of-custody documentation;
- R2 Sample identification cross-reference;
- R3 Test reports (analytical data sheets) for each environmental sample that includes:
 - a) Items consistent with NELAC Chapter 5,
 - b) dilution factors,
 - c) preparation methods,
 - d) cleanup methods, and
 - e) if required for the project, tentatively identified compounds (TICs).
- R4 Surrogate recovery data including:
 - a) Calculated recovery (%R), and
 - b) The laboratory's surrogate QC limits.
- R5 Test reports/summary forms for blank samples;
- R6 Test reports/summary forms for laboratory control samples (LCSs) including:
 - a) LCS spiking amounts,
 - b) Calculated %R for each analyte, and
 - c) The laboratory's LCS QC limits.
- R7 Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
 - a) Samples associated with the MS/MSD clearly identified,
 - b) MS/MSD spiking amounts,
 - c) Concentration of each MS/MSD analyte measured in the parent and spiked samples,
 - d) Calculated %Rs and relative percent differences (RPDs), and
 - e) The laboratory's MS/MSD QC limits.
- R8 Laboratory analytical duplicate (if applicable) recovery and precision:
 - a) the amount of analyte measured in the duplicate,
 - b) the calculated RPD, and
 - c) the laboratory's QC limits for analytical duplicates.
- R9 List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 Other problems or anomalies.
The Exception Report for each "No" or "Not Reviewed (NR)" item in Laboratory Review Checklist and for each analyte, matrix, and method for which the laboratory does not hold NELAC accreditation under the Texas Laboratory Accreditation Program.

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060313

**TRRP Laboratory Data
Package Cover Page**

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the attached exception reports. By my signature below, I affirm to the best of my knowledge, all problems/anomalies, observed by the laboratory have been identified by the laboratory in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Check, if applicable: [NA] This laboratory meets an exception under 30 TAC §25.6 and was last inspected by TCEQ or _____ on (enter date of last inspection). Any findings affecting the data in this laboratory data package are noted in the Exception Reports herein. The official signing the cover page of the report in which these data are used is responsible for releasing this data package and is by signature affirming the above release statement is true.



Dane J. Wacasey

Laboratory Review Checklist: Reportable Data

Laboratory Name: ALS Laboratory Group		LRC Date: 06/19/2020					
Project Name: Houston TX-Wood Preserving Works		Laboratory Job Number: HS20060313					
Reviewer Name: Dane Wacasey		Prep Batch Number(s): 154255, 154287, 154378, 154569, R362991, R363048, R363172					
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?	X				
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?		X			1
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?	X				
		Were % moisture (or solids) reported for all soil and sediment samples?	X				
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW-846 Method 5035?	X				
		If required for the project, TICs reported?	X				
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?	X				
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?		X			2
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				3
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?	X				
		Were MS/MSD RPDs within laboratory QC limits?	X				
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?	X				
		Were analytical duplicates analyzed at the appropriate frequency?	X				
		Were RPDs or relative standard deviations within the laboratory QC limits?	X				
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Were all necessary corrective actions performed for the reported data?	X				
		Was applicable and available technology used to lower the SDL and minimize the matrix interference affects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Program for the analytes, matrices and methods associated with this laboratory data package?	X				

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.

O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);

NA = Not Applicable;

NR = Not Reviewed;

R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Supporting Data

Laboratory Name: ALS Laboratory Group		LRC Date: 06/19/2020					
Project Name: Houston TX-Wood Preserving Works		Laboratory Job Number: HS20060313					
Reviewer Name: Dane Wacasey		Prep Batch Number(s): 154255, 154287, 154378, 154569, R362991, R363048, R363172					
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
S1	OI	Initial calibration (ICAL)					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB)					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?	X				
S3	O	Mass spectral tuning:					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	Internal standards (IS):					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC section 1 appendix A glossary, and section 5.12 or ISO/IEC 17025 section					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?			X		
S7	O	Tentatively identified compounds (TICs):					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	Interference Check Sample (ICS) results:					
		Were percent recoveries within method QC limits?			X		
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	Proficiency test reports:					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5C or ISO/IEC 4?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chap 5 or ISO/IEC 17025 Section 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs):					
		Are laboratory SOPs current and on file for each method performed?	X				

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.

O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);

NA = Not Applicable;

NR = Not Reviewed;

R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Exception Data

Laboratory Name: ALS Laboratory Group	LRC Date: 06/19/2020
Project Name: Houston TX-Wood Preserving Works	Laboratory Job Number: HS20060313
Reviewer Name: Dane Wacasey	Prep Batch Number(s): 154255, 154287, 154378, 154569, R362991, R363048, R363172

ER# ^s	Description
1	Sample received outside method holding time for pH. pH is an immediate test. Sample results are flagged with an "H" qualifier. The temperature at the time of pH is reported. Please note that all pH results are already normalized to a temperature of 25 °C.
2	Batch 154378, Semi volatile Organics, Sample LCSD-154378; The LCSD RPD criterion was exceeded for surrogates 2-Fluorophenol and Phenol d-6. Individual recoveries were within control limits. Batch 154569, Semi volatile Organics, Sample LCSD-154569, the LCSD RPD criterion (20%) was exceeded for Phenol-d6 (20.04%).
3	Batch 154378, Semi volatile Organics, insufficient volume available to analyze MS/MSD, the batch contains LCS/LCSD pair for precision demonstration.
4	Batch 154255, Semi volatile Organics, Sample HS20060313-01MSD (SO-1620-SSO222(0-2)-20200603), the MSD RPD criterion was exceeded for Pentachlorophenol and all surrogates due to possible matrix heterogeneity and or matrix effect.

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);
NA = Not Applicable;
NR = Not Reviewed;
R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
Work Order: HS20060313

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS20060313-01	SO-1620-SSO222(0-2)-20200603	Soil		03-Jun-2020 16:10	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-02	SO-1620-SSO222(2-4)-20200603	Soil		03-Jun-2020 16:15	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-03	SO-1620-SSO221(0-2)-20200603	Soil		03-Jun-2020 16:00	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-04	SO-1620-SSO221(2-4)-20200603	Soil		03-Jun-2020 16:05	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-05	SO-1620-SSO231(0-2)-20200603	Soil		03-Jun-2020 16:20	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-06	SO-1620-SSO231(2-4)-20200603	Soil		03-Jun-2020 16:25	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-07	SO-1620-SSO232(0-2)-20200603	Soil		03-Jun-2020 16:30	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-08	SO-1620-SSO232(2-4)-20200603	Soil		03-Jun-2020 16:35	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-09	SO-1620-SSO233(0-2)-20200604	Soil		04-Jun-2020 10:30	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-10	SO-1620-SSO233(2-4)-20200604	Soil		04-Jun-2020 10:35	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-11	SO-1620-SSO241(0-2)-20200604	Soil		04-Jun-2020 10:40	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-12	SO-1620-SSO241(2-4)-20200604	Soil		04-Jun-2020 10:45	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-13	SO-1620-SSO242(0-2)-20200604	Soil		04-Jun-2020 10:50	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-14	SO-1620-SSO242(2-4)-20200604	Soil		04-Jun-2020 10:55	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-15	SO-1620-SSO243(0-2)-20200604	Soil		04-Jun-2020 11:00	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-16	SO-1620-SSO243(2-4)-20200604	Soil		04-Jun-2020 11:05	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-17	SO-1620-SSO251(0-2)-20200604	Soil		04-Jun-2020 13:00	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-18	SO-1620-SSO251(2-4)-20200604	Soil		04-Jun-2020 13:05	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-19	SO-1620-SSO252(0-2)-20200604	Soil		04-Jun-2020 13:10	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-20	SO-1620-SSO252(2-4)-20200604	Soil		04-Jun-2020 13:15	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-21	SO-1620-SSO253(0-2)-20200604	Soil		04-Jun-2020 16:20	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-22	SO-1620-SSO253(2-4)-20200604	Soil		04-Jun-2020 16:25	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-23	SO-1620-SSO261(0-2)-20200604	Soil		04-Jun-2020 16:30	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-24	SO-1620-SSO261(2-4)-20200604	Soil		04-Jun-2020 16:35	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-25	SO-1620-SSO262(0-2)-20200604	Soil		04-Jun-2020 16:40	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-26	SO-1620-SSO262(2-4)-20200604	Soil		04-Jun-2020 16:45	05-Jun-2020 13:20	<input type="checkbox"/>

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
Work Order: HS20060313

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS20060313-27	SO-1620-SSO263(0-2)-20200604	Soil		04-Jun-2020 16:50	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-28	SO-1620-SSO263(2-4)-20200604	Soil		04-Jun-2020 16:55	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-29	SO-1620-SSO07R(0-2)-20200605	Soil		05-Jun-2020 11:05	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-30	SO-1620-SSO07R(2-4)-20200605	Soil		05-Jun-2020 11:10	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-31	SO-1620-SSO03R(0-2)-20200605	Soil		05-Jun-2020 10:55	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-32	SO-1620-SSO03R(2-4)-20200605	Soil		05-Jun-2020 11:00	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-33	SO-1620-SSO08R(0-2)-20200605	Soil		05-Jun-2020 11:15	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-34	SO-1620-SSO08R(2-4)-20200605	Soil		05-Jun-2020 11:20	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-35	SO-1620-FD03-20200605	Soil		05-Jun-2020 11:00	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-36	WQ-1620-EB02-20200604	Water		04-Jun-2020 08:10	05-Jun-2020 13:20	<input type="checkbox"/>
HS20060313-37	WQ-1620-EB03-20200605	Water		05-Jun-2020 08:15	05-Jun-2020 13:20	<input type="checkbox"/>

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO222(0-2)-20200603
 Collection Date: 03-Jun-2020 16:10

ANALYTICAL REPORT

WorkOrder:HS20060313
 Lab ID:HS20060313-01
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.42		0.020	0.041	mg/Kg-dry	5	11-Jun-2020 21:07
<i>Surr: 2,4,6-Tribromophenol</i>	61.5			36-126	%REC	5	11-Jun-2020 21:07
<i>Surr: 2-Fluorophenol</i>	52.2			37-125	%REC	5	11-Jun-2020 21:07
<i>Surr: Phenol-d6</i>	64.8			40-125	%REC	5	11-Jun-2020 21:07
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	19.6		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO222(2-4)-20200603
 Collection Date: 03-Jun-2020 16:15

ANALYTICAL REPORT

WorkOrder:HS20060313
 Lab ID:HS20060313-02
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.024		0.0039	0.0079	mg/Kg-dry	1	10-Jun-2020 18:43
Surr: 2,4,6-Tribromophenol	102			36-126	%REC	1	10-Jun-2020 18:43
Surr: 2-Fluorophenol	95.6			37-125	%REC	1	10-Jun-2020 18:43
Surr: Phenol-d6	105			40-125	%REC	1	10-Jun-2020 18:43
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	16.6		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO221(0-2)-20200603
 Collection Date: 03-Jun-2020 16:00

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-03
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.13		0.0040	0.0080	mg/Kg-dry	1	10-Jun-2020 19:03
<i>Surr: 2,4,6-Tribromophenol</i>	114			36-126	%REC	1	10-Jun-2020 19:03
<i>Surr: 2-Fluorophenol</i>	77.0			37-125	%REC	1	10-Jun-2020 19:03
<i>Surr: Phenol-d6</i>	87.4			40-125	%REC	1	10-Jun-2020 19:03
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	17.4		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO221(2-4)-20200603
 Collection Date: 03-Jun-2020 16:05

ANALYTICAL REPORT

WorkOrder:HS20060313
 Lab ID:HS20060313-04
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.032		0.0040	0.0081	mg/Kg-dry	1	10-Jun-2020 19:22
Surr: 2,4,6-Tribromophenol	104			36-126	%REC	1	10-Jun-2020 19:22
Surr: 2-Fluorophenol	81.9			37-125	%REC	1	10-Jun-2020 19:22
Surr: Phenol-d6	93.9			40-125	%REC	1	10-Jun-2020 19:22
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	18.8		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO231(0-2)-20200603
 Collection Date: 03-Jun-2020 16:20

ANALYTICAL REPORT

WorkOrder:HS20060313
 Lab ID:HS20060313-05
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.46		0.020	0.039	mg/Kg-dry	5	16-Jun-2020 14:02
<i>Surr: 2,4,6-Tribromophenol</i>	81.2			36-126	%REC	5	16-Jun-2020 14:02
<i>Surr: 2-Fluorophenol</i>	86.3			37-125	%REC	5	16-Jun-2020 14:02
<i>Surr: Phenol-d6</i>	111			40-125	%REC	5	16-Jun-2020 14:02
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	16.5		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO231(2-4)-20200603
 Collection Date: 03-Jun-2020 16:25

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-06
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.042		0.0040	0.0080	mg/Kg-dry	1	10-Jun-2020 20:01
Surr: 2,4,6-Tribromophenol	105			36-126	%REC	1	10-Jun-2020 20:01
Surr: 2-Fluorophenol	61.9			37-125	%REC	1	10-Jun-2020 20:01
Surr: Phenol-d6	68.8			40-125	%REC	1	10-Jun-2020 20:01
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	18.0		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO232(0-2)-20200603
 Collection Date: 03-Jun-2020 16:30

ANALYTICAL REPORT

WorkOrder:HS20060313
 Lab ID:HS20060313-07
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.38		0.021	0.041	mg/Kg-dry	5	16-Jun-2020 14:21
<i>Surr: 2,4,6-Tribromophenol</i>	<i>90.1</i>			<i>36-126</i>	<i>%REC</i>	5	<i>16-Jun-2020 14:21</i>
<i>Surr: 2-Fluorophenol</i>	<i>104</i>			<i>37-125</i>	<i>%REC</i>	5	<i>16-Jun-2020 14:21</i>
<i>Surr: Phenol-d6</i>	<i>114</i>			<i>40-125</i>	<i>%REC</i>	5	<i>16-Jun-2020 14:21</i>
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	20.1		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO232(2-4)-20200603
 Collection Date: 03-Jun-2020 16:35

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-08
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.078		0.0042	0.0083	mg/Kg-dry	1	10-Jun-2020 20:40
<i>Surr: 2,4,6-Tribromophenol</i>	111			36-126	%REC	1	10-Jun-2020 20:40
<i>Surr: 2-Fluorophenol</i>	78.2			37-125	%REC	1	10-Jun-2020 20:40
<i>Surr: Phenol-d6</i>	88.7			40-125	%REC	1	10-Jun-2020 20:40
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	20.8		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO233(0-2)-20200604
 Collection Date: 04-Jun-2020 10:30

ANALYTICAL REPORT

WorkOrder:HS20060313
 Lab ID:HS20060313-09
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.0064	J	0.0039	0.0079	mg/Kg-dry	1	10-Jun-2020 20:59
Surr: 2,4,6-Tribromophenol	119			36-126	%REC	1	10-Jun-2020 20:59
Surr: 2-Fluorophenol	69.0			37-125	%REC	1	10-Jun-2020 20:59
Surr: Phenol-d6	88.0			40-125	%REC	1	10-Jun-2020 20:59
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	16.7		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO233(2-4)-20200604
 Collection Date: 04-Jun-2020 10:35

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-10
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270				Prep:SW3541 / 09-Jun-2020	Analyst: GEY
Pentachlorophenol		U	0.0039	0.0079	mg/Kg-dry	1	10-Jun-2020 21:19
<i>Surr: 2,4,6-Tribromophenol</i>		106		36-126	%REC	1	10-Jun-2020 21:19
<i>Surr: 2-Fluorophenol</i>		70.4		37-125	%REC	1	10-Jun-2020 21:19
<i>Surr: Phenol-d6</i>		85.2		40-125	%REC	1	10-Jun-2020 21:19
MOISTURE - ASTM D2216		Method:ASTM D2216					Analyst: KAH
Percent Moisture		16.6	0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO241(0-2)-20200604
 Collection Date: 04-Jun-2020 10:40

ANALYTICAL REPORT

WorkOrder:HS20060313
 Lab ID:HS20060313-11
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.0065	J	0.0039	0.0078	mg/Kg-dry	1	10-Jun-2020 21:38
Surr: 2,4,6-Tribromophenol	115			36-126	%REC	1	10-Jun-2020 21:38
Surr: 2-Fluorophenol	70.9			37-125	%REC	1	10-Jun-2020 21:38
Surr: Phenol-d6	109			40-125	%REC	1	10-Jun-2020 21:38
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	15.6		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO241(2-4)-20200604
 Collection Date: 04-Jun-2020 10:45

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-12
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270				Prep:SW3541 / 09-Jun-2020	Analyst: GEY
Pentachlorophenol		U	0.0039	0.0078	mg/Kg-dry	1	12-Jun-2020 18:44
<i>Surr: 2,4,6-Tribromophenol</i>	<i>67.0</i>			<i>36-126</i>	<i>%REC</i>	<i>1</i>	<i>12-Jun-2020 18:44</i>
<i>Surr: 2-Fluorophenol</i>	<i>88.1</i>			<i>37-125</i>	<i>%REC</i>	<i>1</i>	<i>12-Jun-2020 18:44</i>
<i>Surr: Phenol-d6</i>	<i>108</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>12-Jun-2020 18:44</i>
MOISTURE - ASTM D2216		Method:ASTM D2216					Analyst: KAH
Percent Moisture	15.4		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO242(0-2)-20200604
 Collection Date: 04-Jun-2020 10:50

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-13
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.024		0.0040	0.0079	mg/Kg-dry	1	12-Jun-2020 19:04
Surr: 2,4,6-Tribromophenol	60.7			36-126	%REC	1	12-Jun-2020 19:04
Surr: 2-Fluorophenol	94.0			37-125	%REC	1	12-Jun-2020 19:04
Surr: Phenol-d6	111			40-125	%REC	1	12-Jun-2020 19:04
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	16.8		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO242(2-4)-20200604
 Collection Date: 04-Jun-2020 10:55

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-14
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.0069	J	0.0039	0.0078	mg/Kg-dry	1	16-Jun-2020 14:40
Surr: 2,4,6-Tribromophenol	104			36-126	%REC	1	16-Jun-2020 14:40
Surr: 2-Fluorophenol	112			37-125	%REC	1	16-Jun-2020 14:40
Surr: Phenol-d6	121			40-125	%REC	1	16-Jun-2020 14:40
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	15.5		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO243(0-2)-20200604
 Collection Date: 04-Jun-2020 11:00

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-15
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.014		0.0041	0.0082	mg/Kg-dry	1	12-Jun-2020 19:43
Surr: 2,4,6-Tribromophenol	44.7			36-126	%REC	1	12-Jun-2020 19:43
Surr: 2-Fluorophenol	54.6			37-125	%REC	1	12-Jun-2020 19:43
Surr: Phenol-d6	65.6			40-125	%REC	1	12-Jun-2020 19:43
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	19.8		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO243(2-4)-20200604
 Collection Date: 04-Jun-2020 11:05

ANALYTICAL REPORT

WorkOrder:HS20060313
 Lab ID:HS20060313-16
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270				Prep:SW3541 / 09-Jun-2020	Analyst: GEY
Pentachlorophenol		U	0.0038	0.0077	mg/Kg-dry	1	12-Jun-2020 20:02
<i>Surr: 2,4,6-Tribromophenol</i>	72.9			36-126	%REC	1	12-Jun-2020 20:02
<i>Surr: 2-Fluorophenol</i>	66.2			37-125	%REC	1	12-Jun-2020 20:02
<i>Surr: Phenol-d6</i>	84.1			40-125	%REC	1	12-Jun-2020 20:02
MOISTURE - ASTM D2216		Method:ASTM D2216					Analyst: KAH
Percent Moisture	14.7		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO251(0-2)-20200604
 Collection Date: 04-Jun-2020 13:00

ANALYTICAL REPORT

WorkOrder:HS20060313
 Lab ID:HS20060313-17
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270				Prep:SW3541 / 09-Jun-2020	Analyst: GEY
Pentachlorophenol		U	0.0041	0.0081	mg/Kg-dry	1	12-Jun-2020 20:22
<i>Surr: 2,4,6-Tribromophenol</i>	<i>54.8</i>			<i>36-126</i>	<i>%REC</i>	<i>1</i>	<i>12-Jun-2020 20:22</i>
<i>Surr: 2-Fluorophenol</i>	<i>70.4</i>			<i>37-125</i>	<i>%REC</i>	<i>1</i>	<i>12-Jun-2020 20:22</i>
<i>Surr: Phenol-d6</i>	<i>80.5</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>12-Jun-2020 20:22</i>
MOISTURE - ASTM D2216		Method:ASTM D2216					Analyst: KAH
Percent Moisture	19.5		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO251(2-4)-20200604
 Collection Date: 04-Jun-2020 13:05

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-18
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270				Prep:SW3541 / 09-Jun-2020	Analyst: GEY
Pentachlorophenol		U	0.0043	0.0085	mg/Kg-dry	1	12-Jun-2020 20:41
<i>Surr: 2,4,6-Tribromophenol</i>	86.3			36-126	%REC	1	12-Jun-2020 20:41
<i>Surr: 2-Fluorophenol</i>	80.4			37-125	%REC	1	12-Jun-2020 20:41
<i>Surr: Phenol-d6</i>	93.7			40-125	%REC	1	12-Jun-2020 20:41
MOISTURE - ASTM D2216		Method:ASTM D2216					Analyst: KAH
Percent Moisture	22.8		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO252(0-2)-20200604
 Collection Date: 04-Jun-2020 13:10

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-19
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.28		0.0041	0.0081	mg/Kg-dry	1	12-Jun-2020 21:01
<i>Surr: 2,4,6-Tribromophenol</i>	89.3			36-126	%REC	1	12-Jun-2020 21:01
<i>Surr: 2-Fluorophenol</i>	100.0			37-125	%REC	1	12-Jun-2020 21:01
<i>Surr: Phenol-d6</i>	96.3			40-125	%REC	1	12-Jun-2020 21:01
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	18.7		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO252(2-4)-20200604
 Collection Date: 04-Jun-2020 13:15

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-20
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.070		0.0040	0.0079	mg/Kg-dry	1	12-Jun-2020 21:20
Surr: 2,4,6-Tribromophenol	55.8			36-126	%REC	1	12-Jun-2020 21:20
Surr: 2-Fluorophenol	96.3			37-125	%REC	1	12-Jun-2020 21:20
Surr: Phenol-d6	110			40-125	%REC	1	12-Jun-2020 21:20
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	16.5		0.0100	0.0100	wt%	1	12-Jun-2020 08:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO253(0-2)-20200604
 Collection Date: 04-Jun-2020 16:20

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-21
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.078		0.0039	0.0078	mg/Kg-dry	1	15-Jun-2020 16:52
Surr: 2,4,6-Tribromophenol	67.2			36-126	%REC	1	15-Jun-2020 16:52
Surr: 2-Fluorophenol	71.9			37-125	%REC	1	15-Jun-2020 16:52
Surr: Phenol-d6	77.2			40-125	%REC	1	15-Jun-2020 16:52
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	15.9		0.0100	0.0100	wt%	1	12-Jun-2020 10:01

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO253(2-4)-20200604
 Collection Date: 04-Jun-2020 16:25

ANALYTICAL REPORT

WorkOrder:HS20060313
 Lab ID:HS20060313-22
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol		U	0.0041	0.0081	mg/Kg-dry	1	15-Jun-2020 17:11
<i>Surr: 2,4,6-Tribromophenol</i>	68.8			36-126	%REC	1	15-Jun-2020 17:11
<i>Surr: 2-Fluorophenol</i>	83.4			37-125	%REC	1	15-Jun-2020 17:11
<i>Surr: Phenol-d6</i>	93.4			40-125	%REC	1	15-Jun-2020 17:11
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	19.3		0.0100	0.0100	wt%	1	12-Jun-2020 10:01

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO261(0-2)-20200604
 Collection Date: 04-Jun-2020 16:30

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-23
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.0040	J	0.0039	0.0078	mg/Kg-dry	1	15-Jun-2020 17:30
Surr: 2,4,6-Tribromophenol	57.2			36-126	%REC	1	15-Jun-2020 17:30
Surr: 2-Fluorophenol	67.1			37-125	%REC	1	15-Jun-2020 17:30
Surr: Phenol-d6	68.9			40-125	%REC	1	15-Jun-2020 17:30
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	15.6		0.0100	0.0100	wt%	1	12-Jun-2020 10:01

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO261(2-4)-20200604
 Collection Date: 04-Jun-2020 16:35

ANALYTICAL REPORT

WorkOrder:HS20060313
 Lab ID:HS20060313-24
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.0046	J	0.0039	0.0079	mg/Kg-dry	1	15-Jun-2020 17:49
<i>Surr: 2,4,6-Tribromophenol</i>	83.6			36-126	%REC	1	15-Jun-2020 17:49
<i>Surr: 2-Fluorophenol</i>	80.6			37-125	%REC	1	15-Jun-2020 17:49
<i>Surr: Phenol-d6</i>	95.9			40-125	%REC	1	15-Jun-2020 17:49
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	16.1		0.0100	0.0100	wt%	1	12-Jun-2020 10:01

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO262(0-2)-20200604
 Collection Date: 04-Jun-2020 16:40

ANALYTICAL REPORT

WorkOrder:HS20060313
 Lab ID:HS20060313-25
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270				Prep:SW3541 / 09-Jun-2020	Analyst: GEY
Pentachlorophenol		U	0.0040	0.0080	mg/Kg-dry	1	15-Jun-2020 18:09
<i>Surr: 2,4,6-Tribromophenol</i>	69.0			36-126	%REC	1	15-Jun-2020 18:09
<i>Surr: 2-Fluorophenol</i>	67.0			37-125	%REC	1	15-Jun-2020 18:09
<i>Surr: Phenol-d6</i>	81.5			40-125	%REC	1	15-Jun-2020 18:09
MOISTURE - ASTM D2216		Method:ASTM D2216					Analyst: KAH
Percent Moisture	17.2		0.0100	0.0100	wt%	1	12-Jun-2020 10:01

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO262(2-4)-20200604
 Collection Date: 04-Jun-2020 16:45

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-26
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270				Prep:SW3541 / 09-Jun-2020	Analyst: GEY
Pentachlorophenol		U	0.0041	0.0081	mg/Kg-dry	1	15-Jun-2020 18:28
<i>Surr: 2,4,6-Tribromophenol</i>	62.4			36-126	%REC	1	15-Jun-2020 18:28
<i>Surr: 2-Fluorophenol</i>	48.4			37-125	%REC	1	15-Jun-2020 18:28
<i>Surr: Phenol-d6</i>	54.8			40-125	%REC	1	15-Jun-2020 18:28
MOISTURE - ASTM D2216		Method:ASTM D2216					Analyst: KAH
Percent Moisture	18.6		0.0100	0.0100	wt%	1	12-Jun-2020 10:01

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO263(0-2)-20200604
 Collection Date: 04-Jun-2020 16:50

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-27
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.22		0.0039	0.0079	mg/Kg-dry	1	15-Jun-2020 18:47
Surr: 2,4,6-Tribromophenol	46.2			36-126	%REC	1	15-Jun-2020 18:47
Surr: 2-Fluorophenol	60.7			37-125	%REC	1	15-Jun-2020 18:47
Surr: Phenol-d6	76.5			40-125	%REC	1	15-Jun-2020 18:47
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	16.1		0.0100	0.0100	wt%	1	12-Jun-2020 10:01

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO263(2-4)-20200604
 Collection Date: 04-Jun-2020 16:55

ANALYTICAL REPORT

WorkOrder:HS20060313
 Lab ID:HS20060313-28
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270				Prep:SW3541 / 09-Jun-2020	Analyst: GEY
Pentachlorophenol		U	0.0039	0.0078	mg/Kg-dry	1	16-Jun-2020 15:38
<i>Surr: 2,4,6-Tribromophenol</i>	<i>57.8</i>			<i>36-126</i>	<i>%REC</i>	<i>1</i>	<i>16-Jun-2020 15:38</i>
<i>Surr: 2-Fluorophenol</i>	<i>56.0</i>			<i>37-125</i>	<i>%REC</i>	<i>1</i>	<i>16-Jun-2020 15:38</i>
<i>Surr: Phenol-d6</i>	<i>70.5</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>16-Jun-2020 15:38</i>
MOISTURE - ASTM D2216		Method:ASTM D2216					Analyst: KAH
Percent Moisture	16.1		0.0100	0.0100	wt%	1	12-Jun-2020 10:01

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO07R(0-2)-20200605
 Collection Date: 05-Jun-2020 11:05

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-29
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270				Prep:SW3541 / 09-Jun-2020	Analyst: GEY
Pentachlorophenol	0.45		0.039	0.078	mg/Kg-dry	10	18-Jun-2020 00:52
Surr: 2,4,6-Tribromophenol	75.9			36-126	%REC	10	18-Jun-2020 00:52
Surr: 2-Fluorophenol	109			37-125	%REC	10	18-Jun-2020 00:52
Surr: Phenol-d6	106			40-125	%REC	10	18-Jun-2020 00:52
MOISTURE - ASTM D2216		Method:ASTM D2216					Analyst: KAH
Percent Moisture	15.3		0.0100	0.0100	wt%	1	12-Jun-2020 10:01
PH SOIL BY SW9045D		Method:SW9045D					Analyst: JAC
pH	7.21	H	0.100	0.100	pH Units	1	10-Jun-2020 14:15
Temp Deg C @pH	21.4	H	0	0	°C	1	10-Jun-2020 14:15

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO07R(2-4)-20200605
 Collection Date: 05-Jun-2020 11:10

ANALYTICAL REPORT

WorkOrder:HS20060313
 Lab ID:HS20060313-30
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270				Prep:SW3541 / 09-Jun-2020	Analyst: GEY
Pentachlorophenol	0.44		0.039	0.078	mg/Kg-dry	10	18-Jun-2020 01:12
Surr: 2,4,6-Tribromophenol	81.6			36-126	%REC	10	18-Jun-2020 01:12
Surr: 2-Fluorophenol	81.2			37-125	%REC	10	18-Jun-2020 01:12
Surr: Phenol-d6	90.0			40-125	%REC	10	18-Jun-2020 01:12
MOISTURE - ASTM D2216		Method:ASTM D2216					Analyst: KAH
Percent Moisture	16.0		0.0100	0.0100	wt%	1	12-Jun-2020 10:01
PH SOIL BY SW9045D		Method:SW9045D					Analyst: JAC
pH	7.03	H	0.100	0.100	pH Units	1	10-Jun-2020 14:15
Temp Deg C @pH	21.8	H	0	0	°C	1	10-Jun-2020 14:15

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO03R(0-2)-20200605
 Collection Date: 05-Jun-2020 10:55

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-31
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
SPLP SEMIVOLATILES		Method:SW8270		Leache:SW1312 / 17-Jun-2020	Prep:SW3510 / 17-Jun-2020		Analyst: ACN
Pentachlorophenol	0.00057		0.000050	0.00020	mg/L	1	19-Jun-2020 17:58
Surr: 2,4,6-Tribromophenol	67.8			34-129	%REC	1	19-Jun-2020 17:58
Surr: 2-Fluorophenol	48.2			20-120	%REC	1	19-Jun-2020 17:58
Surr: Phenol-d6	70.0			20-120	%REC	1	19-Jun-2020 17:58
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270			Prep:SW3541 / 09-Jun-2020		Analyst: GEY
Pentachlorophenol	2.2		0.036	0.072	mg/Kg-dry	10	16-Jun-2020 14:59
Surr: 2,4,6-Tribromophenol	102			36-126	%REC	10	16-Jun-2020 14:59
Surr: 2-Fluorophenol	98.7			37-125	%REC	10	16-Jun-2020 14:59
Surr: Phenol-d6	124			40-125	%REC	10	16-Jun-2020 14:59
MOISTURE - ASTM D2216		Method:ASTM D2216					Analyst: KAH
Percent Moisture	8.97		0.0100	0.0100	wt%	1	12-Jun-2020 10:01
PH SOIL BY SW9045D		Method:SW9045D					Analyst: JAC
pH	7.61	H	0.100	0.100	pH Units	1	10-Jun-2020 14:15
Temp Deg C @pH	21.5	H	0	0	°C	1	10-Jun-2020 14:15

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO03R(2-4)-20200605
 Collection Date: 05-Jun-2020 11:00

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-32
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270				Prep:SW3541 / 09-Jun-2020	Analyst: GEY
Pentachlorophenol	0.022		0.0039	0.0078	mg/Kg-dry	1	15-Jun-2020 20:42
Surr: 2,4,6-Tribromophenol	72.2			36-126	%REC	1	15-Jun-2020 20:42
Surr: 2-Fluorophenol	77.3			37-125	%REC	1	15-Jun-2020 20:42
Surr: Phenol-d6	96.0			40-125	%REC	1	15-Jun-2020 20:42
MOISTURE - ASTM D2216		Method:ASTM D2216					Analyst: KAH
Percent Moisture	15.4		0.0100	0.0100	wt%	1	12-Jun-2020 10:01
PH SOIL BY SW9045D		Method:SW9045D					Analyst: JAC
pH	7.02	H	0.100	0.100	pH Units	1	10-Jun-2020 14:15
Temp Deg C @pH	21.4	H	0	0	°C	1	10-Jun-2020 14:15

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO08R(0-2)-20200605
 Collection Date: 05-Jun-2020 11:15

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-33
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MLL	UNITS	DILUTION FACTOR	DATE ANALYZED
SPLP SEMIVOLATILES		Method:SW8270		Leache:SW1312 / 17-Jun-2020	Prep:SW3510 / 17-Jun-2020	Analyst: ACN	
Pentachlorophenol		U	0.000050	0.00020	mg/L	1	19-Jun-2020 17:35
<i>Surr: 2,4,6-Tribromophenol</i>	83.9			34-129	%REC	1	19-Jun-2020 17:35
<i>Surr: 2-Fluorophenol</i>	56.8			20-120	%REC	1	19-Jun-2020 17:35
<i>Surr: Phenol-d6</i>	71.5			20-120	%REC	1	19-Jun-2020 17:35
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270			Prep:SW3541 / 09-Jun-2020	Analyst: GEY	
Pentachlorophenol	1.5		0.039	0.078	mg/Kg-dry	10	16-Jun-2020 15:18
<i>Surr: 2,4,6-Tribromophenol</i>	86.0			36-126	%REC	10	16-Jun-2020 15:18
<i>Surr: 2-Fluorophenol</i>	106			37-125	%REC	10	16-Jun-2020 15:18
<i>Surr: Phenol-d6</i>	114			40-125	%REC	10	16-Jun-2020 15:18
MOISTURE - ASTM D2216		Method:ASTM D2216					Analyst: KAH
Percent Moisture	15.6		0.0100	0.0100	wt%	1	12-Jun-2020 10:01
PH SOIL BY SW9045D		Method:SW9045D					Analyst: JAC
pH	7.53	H	0.100	0.100	pH Units	1	10-Jun-2020 14:15
Temp Deg C @pH	21.7	H	0	0	°C	1	10-Jun-2020 14:15

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SSO08R(2-4)-20200605
 Collection Date: 05-Jun-2020 11:20

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-34
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.13		0.0039	0.0078	mg/Kg-dry	1	15-Jun-2020 21:20
Surr: 2,4,6-Tribromophenol	90.4			36-126	%REC	1	15-Jun-2020 21:20
Surr: 2-Fluorophenol	88.4			37-125	%REC	1	15-Jun-2020 21:20
Surr: Phenol-d6	93.1			40-125	%REC	1	15-Jun-2020 21:20
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	15.3		0.0100	0.0100	wt%	1	12-Jun-2020 10:01
PH SOIL BY SW9045D		Method:SW9045D				Analyst: JAC	
pH	7.57	H	0.100	0.100	pH Units	1	10-Jun-2020 14:15
Temp Deg C @pH	22.0	H	0	0	°C	1	10-Jun-2020 14:15

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-FD03-20200605
 Collection Date: 05-Jun-2020 11:00

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-35
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 09-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.0067	J	0.0039	0.0078	mg/Kg-dry	1	15-Jun-2020 15:54
Surr: 2,4,6-Tribromophenol	74.3			36-126	%REC	1	15-Jun-2020 15:54
Surr: 2-Fluorophenol	95.7			37-125	%REC	1	15-Jun-2020 15:54
Surr: Phenol-d6	101			40-125	%REC	1	15-Jun-2020 15:54
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: KAH	
Percent Moisture	15.4		0.0100	0.0100	wt%	1	12-Jun-2020 10:01
PH SOIL BY SW9045D		Method:SW9045D				Analyst: JAC	
pH	7.08	H	0.100	0.100	pH Units	1	10-Jun-2020 14:15
Temp Deg C @pH	21.4	H	0	0	°C	1	10-Jun-2020 14:15

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WQ-1620-EB02-20200604
 Collection Date: 04-Jun-2020 08:10

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-36
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 11-Jun-2020		Analyst: ACN	
Pentachlorophenol		U	0.000079	0.00020	mg/L	1	15-Jun-2020 15:34
Surr: 2,4,6-Tribromophenol	61.2			34-129	%REC	1	15-Jun-2020 15:34
Surr: 2-Fluorophenol	46.7			20-120	%REC	1	15-Jun-2020 15:34
Surr: Phenol-d6	62.8			20-120	%REC	1	15-Jun-2020 15:34
PH BY SW9040C		Method:SW9040C				Analyst: KVL	
pH	4.95	H	0.100	0.100	pH Units	1	11-Jun-2020 11:30
Temp Deg C @pH	23.4	H	0	0	DEG C	1	11-Jun-2020 11:30

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: WQ-1620-EB03-20200605
 Collection Date: 05-Jun-2020 08:15

ANALYTICAL REPORT
 WorkOrder:HS20060313
 Lab ID:HS20060313-37
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3510 / 11-Jun-2020		Analyst: ACN	
Pentachlorophenol		U	0.000079	0.00020	mg/L	1	15-Jun-2020 15:53
<i>Surr: 2,4,6-Tribromophenol</i>	66.1			34-129	%REC	1	15-Jun-2020 15:53
<i>Surr: 2-Fluorophenol</i>	53.9			20-120	%REC	1	15-Jun-2020 15:53
<i>Surr: Phenol-d6</i>	58.7			20-120	%REC	1	15-Jun-2020 15:53
PH BY SW9040C		Method:SW9040C				Analyst: KVL	
pH	4.94	H	0.100	0.100	pH Units	1	11-Jun-2020 11:30
Temp Deg C @pH	23.4	H	0	0	DEG C	1	11-Jun-2020 11:30

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Weight / Prep Log

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060313

Batch ID: 154255 **Start Date:** 09 Jun 2020 08:17 **End Date:**
Method: SV SOXHLET EXTRACT-LOWLEVEL-SW3541 **Prep Code:** 3541_B_LOW

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS20060313-01	1	30.04 (g)	1 (mL)	0.03329
HS20060313-02	1	30.11 (g)	1 (mL)	0.03321
HS20060313-03	1	30.06 (g)	1 (mL)	0.03327
HS20060313-04	1	30.13 (g)	1 (mL)	0.03319
HS20060313-05	1	30.17 (g)	1 (mL)	0.03315
HS20060313-06	1	30.1 (g)	1 (mL)	0.03322
HS20060313-07	1	30.02 (g)	1 (mL)	0.03331
HS20060313-08	1	30.08 (g)	1 (mL)	0.03324
HS20060313-09	1	30.13 (g)	1 (mL)	0.03319
HS20060313-10	1	30.15 (g)	1 (mL)	0.03317
HS20060313-11	1	30.19 (g)	1 (mL)	0.03312
HS20060313-12	1	30.07 (g)	1 (mL)	0.03326
HS20060313-13	1	30.09 (g)	1 (mL)	0.03323
HS20060313-14	1	30.03 (g)	1 (mL)	0.0333
HS20060313-15	1	30.15 (g)	1 (mL)	0.03317
HS20060313-16	1	30.18 (g)	1 (mL)	0.03313
HS20060313-17	1	30.21 (g)	1 (mL)	0.0331
HS20060313-18	1	30.16 (g)	1 (mL)	0.03316
HS20060313-19	1	30.05 (g)	1 (mL)	0.03328
HS20060313-20	1	30.01 (g)	1 (mL)	0.03332

Batch ID: 154287 **Start Date:** 09 Jun 2020 15:30 **End Date:** 09 Jun 2020 18:00
Method: SV SOXHLET EXTRACT-LOWLEVEL-SW3541 **Prep Code:** 3541_B_LOW

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS20060313-21		30.1 (g)	1 (mL)	0.03322
HS20060313-22		30.15 (g)	1 (mL)	0.03317
HS20060313-23		30.12 (g)	1 (mL)	0.0332
HS20060313-24		30.01 (g)	1 (mL)	0.03332
HS20060313-25		30.05 (g)	1 (mL)	0.03328
HS20060313-26		30 (g)	1 (mL)	0.03333
HS20060313-27		30.03 (g)	1 (mL)	0.0333
HS20060313-28		30.11 (g)	1 (mL)	0.03321
HS20060313-29		30.07 (g)	1 (mL)	0.03326
HS20060313-30		30.14 (g)	1 (mL)	0.03318
HS20060313-31		30.09 (g)	1 (mL)	0.03323
HS20060313-32		30.04 (g)	1 (mL)	0.03329
HS20060313-33		30.01 (g)	1 (mL)	0.03332
HS20060313-34		30.11 (g)	1 (mL)	0.03321
HS20060313-35		30.16 (g)	1 (mL)	0.03316

Batch ID: 154378 **Start Date:** 11 Jun 2020 07:00 **End Date:** 11 Jun 2020 17:00
Method: SV AQ SEP FUN EXTRACT-LOWLEV - 3510C **Prep Code:** 3510_B_LOW

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS20060313-36	1	1000 (mL)	1 (mL)	0.001
HS20060313-37	1	1000 (mL)	1 (mL)	0.001

Weight / Prep Log

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060313

Batch ID: 154544 **Start Date:** 16 Jun 2020 19:00 **End Date:** 17 Jun 2020 11:00
Method: SPLP SAMPLE EXTRACTION SEMI **Prep Code:** 1312LO_SV

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS20060313-31		150 (grams)	3000 (mL)	20
HS20060313-33		100 (grams)	2000 (mL)	20

Batch ID: 154569 **Start Date:** 17 Jun 2020 11:30 **End Date:** 17 Jun 2020 15:00
Method: SV AQ SEP FUNL EXTRACT-LOWLEV-3510C **Prep Code:** 3510_B_LO_1312

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS20060313-31	1	1000 (mL)	1 (mL)	0.001
HS20060313-33	1	1000 (mL)	1 (mL)	0.001

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060313

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: 154255 (0)		Test Name : LOW-LEVEL SEMIVOLATILES BY 8270D			Matrix: Soil	
HS20060313-01	SO-1620-SSO222(0-2)-20200603	03 Jun 2020 16:10		09 Jun 2020 08:17	11 Jun 2020 21:07	5
HS20060313-02	SO-1620-SSO222(2-4)-20200603	03 Jun 2020 16:15		09 Jun 2020 08:17	10 Jun 2020 18:43	1
HS20060313-03	SO-1620-SSO221(0-2)-20200603	03 Jun 2020 16:00		09 Jun 2020 08:17	10 Jun 2020 19:03	1
HS20060313-04	SO-1620-SSO221(2-4)-20200603	03 Jun 2020 16:05		09 Jun 2020 08:17	10 Jun 2020 19:22	1
HS20060313-05	SO-1620-SSO231(0-2)-20200603	03 Jun 2020 16:20		09 Jun 2020 08:17	16 Jun 2020 14:02	5
HS20060313-06	SO-1620-SSO231(2-4)-20200603	03 Jun 2020 16:25		09 Jun 2020 08:17	10 Jun 2020 20:01	1
HS20060313-07	SO-1620-SSO232(0-2)-20200603	03 Jun 2020 16:30		09 Jun 2020 08:17	16 Jun 2020 14:21	5
HS20060313-08	SO-1620-SSO232(2-4)-20200603	03 Jun 2020 16:35		09 Jun 2020 08:17	10 Jun 2020 20:40	1
HS20060313-09	SO-1620-SSO233(0-2)-20200604	04 Jun 2020 10:30		09 Jun 2020 08:17	10 Jun 2020 20:59	1
HS20060313-10	SO-1620-SSO233(2-4)-20200604	04 Jun 2020 10:35		09 Jun 2020 08:17	10 Jun 2020 21:19	1
HS20060313-11	SO-1620-SSO241(0-2)-20200604	04 Jun 2020 10:40		09 Jun 2020 08:17	10 Jun 2020 21:38	1
HS20060313-12	SO-1620-SSO241(2-4)-20200604	04 Jun 2020 10:45		09 Jun 2020 08:17	12 Jun 2020 18:44	1
HS20060313-13	SO-1620-SSO242(0-2)-20200604	04 Jun 2020 10:50		09 Jun 2020 08:17	12 Jun 2020 19:04	1
HS20060313-14	SO-1620-SSO242(2-4)-20200604	04 Jun 2020 10:55		09 Jun 2020 08:17	16 Jun 2020 14:40	1
HS20060313-15	SO-1620-SSO243(0-2)-20200604	04 Jun 2020 11:00		09 Jun 2020 08:17	12 Jun 2020 19:43	1
HS20060313-16	SO-1620-SSO243(2-4)-20200604	04 Jun 2020 11:05		09 Jun 2020 08:17	12 Jun 2020 20:02	1
HS20060313-17	SO-1620-SSO251(0-2)-20200604	04 Jun 2020 13:00		09 Jun 2020 08:17	12 Jun 2020 20:22	1
HS20060313-18	SO-1620-SSO251(2-4)-20200604	04 Jun 2020 13:05		09 Jun 2020 08:17	12 Jun 2020 20:41	1
HS20060313-19	SO-1620-SSO252(0-2)-20200604	04 Jun 2020 13:10		09 Jun 2020 08:17	12 Jun 2020 21:01	1
HS20060313-20	SO-1620-SSO252(2-4)-20200604	04 Jun 2020 13:15		09 Jun 2020 08:17	12 Jun 2020 21:20	1

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060313

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: 154287 (0)		Test Name : LOW-LEVEL SEMIVOLATILES BY 8270D			Matrix: Soil	
HS20060313-21	SO-1620-SSO253(0-2)-20200604	04 Jun 2020 16:20		09 Jun 2020 15:30	15 Jun 2020 16:52	1
HS20060313-22	SO-1620-SSO253(2-4)-20200604	04 Jun 2020 16:25		09 Jun 2020 15:30	15 Jun 2020 17:11	1
HS20060313-23	SO-1620-SSO261(0-2)-20200604	04 Jun 2020 16:30		09 Jun 2020 15:30	15 Jun 2020 17:30	1
HS20060313-24	SO-1620-SSO261(2-4)-20200604	04 Jun 2020 16:35		09 Jun 2020 15:30	15 Jun 2020 17:49	1
HS20060313-25	SO-1620-SSO262(0-2)-20200604	04 Jun 2020 16:40		09 Jun 2020 15:30	15 Jun 2020 18:09	1
HS20060313-26	SO-1620-SSO262(2-4)-20200604	04 Jun 2020 16:45		09 Jun 2020 15:30	15 Jun 2020 18:28	1
HS20060313-27	SO-1620-SSO263(0-2)-20200604	04 Jun 2020 16:50		09 Jun 2020 15:30	15 Jun 2020 18:47	1
HS20060313-28	SO-1620-SSO263(2-4)-20200604	04 Jun 2020 16:55		09 Jun 2020 15:30	16 Jun 2020 15:38	1
HS20060313-29	SO-1620-SSO07R(0-2)-20200605	05 Jun 2020 11:05		09 Jun 2020 15:30	18 Jun 2020 00:52	10
HS20060313-30	SO-1620-SSO07R(2-4)-20200605	05 Jun 2020 11:10		09 Jun 2020 15:30	18 Jun 2020 01:12	10
HS20060313-31	SO-1620-SSO03R(0-2)-20200605	05 Jun 2020 10:55		09 Jun 2020 15:30	16 Jun 2020 14:59	10
HS20060313-32	SO-1620-SSO03R(2-4)-20200605	05 Jun 2020 11:00		09 Jun 2020 15:30	15 Jun 2020 20:42	1
HS20060313-33	SO-1620-SSO08R(0-2)-20200605	05 Jun 2020 11:15		09 Jun 2020 15:30	16 Jun 2020 15:18	10
HS20060313-34	SO-1620-SSO08R(2-4)-20200605	05 Jun 2020 11:20		09 Jun 2020 15:30	15 Jun 2020 21:20	1
HS20060313-35	SO-1620-FD03-20200605	05 Jun 2020 11:00		09 Jun 2020 15:30	15 Jun 2020 15:54	1
Batch ID: 154378 (0)		Test Name : LOW-LEVEL SEMIVOLATILES BY 8270D			Matrix: Water	
HS20060313-36	WQ-1620-EB02-20200604	04 Jun 2020 08:10		11 Jun 2020 14:47	15 Jun 2020 15:34	1
HS20060313-37	WQ-1620-EB03-20200605	05 Jun 2020 08:15		11 Jun 2020 14:47	15 Jun 2020 15:53	1
Batch ID: 154569 (0)		Test Name : SPLP SEMIVOLATILES			Matrix: Soil	
HS20060313-31	SO-1620-SSO03R(0-2)-20200605	05 Jun 2020 10:55		17 Jun 2020 13:41	19 Jun 2020 17:58	1
HS20060313-33	SO-1620-SSO08R(0-2)-20200605	05 Jun 2020 11:15		17 Jun 2020 13:41	19 Jun 2020 17:35	1
Batch ID: R362991 (0)		Test Name : PH SOIL BY SW9045D			Matrix: Soil	
HS20060313-29	SO-1620-SSO07R(0-2)-20200605	05 Jun 2020 11:05			10 Jun 2020 14:15	1
HS20060313-30	SO-1620-SSO07R(2-4)-20200605	05 Jun 2020 11:10			10 Jun 2020 14:15	1
HS20060313-31	SO-1620-SSO03R(0-2)-20200605	05 Jun 2020 10:55			10 Jun 2020 14:15	1
HS20060313-32	SO-1620-SSO03R(2-4)-20200605	05 Jun 2020 11:00			10 Jun 2020 14:15	1
HS20060313-33	SO-1620-SSO08R(0-2)-20200605	05 Jun 2020 11:15			10 Jun 2020 14:15	1
HS20060313-34	SO-1620-SSO08R(2-4)-20200605	05 Jun 2020 11:20			10 Jun 2020 14:15	1
HS20060313-35	SO-1620-FD03-20200605	05 Jun 2020 11:00			10 Jun 2020 14:15	1

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060313

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R363048 (0)		Test Name : PH BY SW9040C			Matrix: Water	
HS20060313-36	WQ-1620-EB02-20200604	04 Jun 2020 08:10			11 Jun 2020 11:30	1
HS20060313-37	WQ-1620-EB03-20200605	05 Jun 2020 08:15			11 Jun 2020 11:30	1
Batch ID: R363172 (0)		Test Name : MOISTURE - ASTM D2216			Matrix: Soil	
HS20060313-21	SO-1620-SSO253(0-2)-20200604	04 Jun 2020 16:20			12 Jun 2020 10:01	1
HS20060313-22	SO-1620-SSO253(2-4)-20200604	04 Jun 2020 16:25			12 Jun 2020 10:01	1
HS20060313-23	SO-1620-SSO261(0-2)-20200604	04 Jun 2020 16:30			12 Jun 2020 10:01	1
HS20060313-24	SO-1620-SSO261(2-4)-20200604	04 Jun 2020 16:35			12 Jun 2020 10:01	1
HS20060313-25	SO-1620-SSO262(0-2)-20200604	04 Jun 2020 16:40			12 Jun 2020 10:01	1
HS20060313-26	SO-1620-SSO262(2-4)-20200604	04 Jun 2020 16:45			12 Jun 2020 10:01	1
HS20060313-27	SO-1620-SSO263(0-2)-20200604	04 Jun 2020 16:50			12 Jun 2020 10:01	1
HS20060313-28	SO-1620-SSO263(2-4)-20200604	04 Jun 2020 16:55			12 Jun 2020 10:01	1
HS20060313-29	SO-1620-SSO07R(0-2)-20200605	05 Jun 2020 11:05			12 Jun 2020 10:01	1
HS20060313-30	SO-1620-SSO07R(2-4)-20200605	05 Jun 2020 11:10			12 Jun 2020 10:01	1
HS20060313-31	SO-1620-SSO03R(0-2)-20200605	05 Jun 2020 10:55			12 Jun 2020 10:01	1
HS20060313-32	SO-1620-SSO03R(2-4)-20200605	05 Jun 2020 11:00			12 Jun 2020 10:01	1
HS20060313-33	SO-1620-SSO08R(0-2)-20200605	05 Jun 2020 11:15			12 Jun 2020 10:01	1
HS20060313-34	SO-1620-SSO08R(2-4)-20200605	05 Jun 2020 11:20			12 Jun 2020 10:01	1
HS20060313-35	SO-1620-FD03-20200605	05 Jun 2020 11:00			12 Jun 2020 10:01	1

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060313

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R363175 (0)		Test Name : MOISTURE - ASTM D2216			Matrix: Soil	
HS20060313-01	SO-1620-SSO222(0-2)-20200603	03 Jun 2020 16:10			12 Jun 2020 08:37	1
HS20060313-02	SO-1620-SSO222(2-4)-20200603	03 Jun 2020 16:15			12 Jun 2020 08:37	1
HS20060313-03	SO-1620-SSO221(0-2)-20200603	03 Jun 2020 16:00			12 Jun 2020 08:37	1
HS20060313-04	SO-1620-SSO221(2-4)-20200603	03 Jun 2020 16:05			12 Jun 2020 08:37	1
HS20060313-05	SO-1620-SSO231(0-2)-20200603	03 Jun 2020 16:20			12 Jun 2020 08:37	1
HS20060313-06	SO-1620-SSO231(2-4)-20200603	03 Jun 2020 16:25			12 Jun 2020 08:37	1
HS20060313-07	SO-1620-SSO232(0-2)-20200603	03 Jun 2020 16:30			12 Jun 2020 08:37	1
HS20060313-08	SO-1620-SSO232(2-4)-20200603	03 Jun 2020 16:35			12 Jun 2020 08:37	1
HS20060313-09	SO-1620-SSO233(0-2)-20200604	04 Jun 2020 10:30			12 Jun 2020 08:37	1
HS20060313-10	SO-1620-SSO233(2-4)-20200604	04 Jun 2020 10:35			12 Jun 2020 08:37	1
HS20060313-11	SO-1620-SSO241(0-2)-20200604	04 Jun 2020 10:40			12 Jun 2020 08:37	1
HS20060313-12	SO-1620-SSO241(2-4)-20200604	04 Jun 2020 10:45			12 Jun 2020 08:37	1
HS20060313-13	SO-1620-SSO242(0-2)-20200604	04 Jun 2020 10:50			12 Jun 2020 08:37	1
HS20060313-14	SO-1620-SSO242(2-4)-20200604	04 Jun 2020 10:55			12 Jun 2020 08:37	1
HS20060313-15	SO-1620-SSO243(0-2)-20200604	04 Jun 2020 11:00			12 Jun 2020 08:37	1
HS20060313-16	SO-1620-SSO243(2-4)-20200604	04 Jun 2020 11:05			12 Jun 2020 08:37	1
HS20060313-17	SO-1620-SSO251(0-2)-20200604	04 Jun 2020 13:00			12 Jun 2020 08:37	1
HS20060313-18	SO-1620-SSO251(2-4)-20200604	04 Jun 2020 13:05			12 Jun 2020 08:37	1
HS20060313-19	SO-1620-SSO252(0-2)-20200604	04 Jun 2020 13:10			12 Jun 2020 08:37	1
HS20060313-20	SO-1620-SSO252(2-4)-20200604	04 Jun 2020 13:15			12 Jun 2020 08:37	1

WorkOrder: HS20060313
 InstrumentID: SV-6
 Test Code: 1312_8270_LOW
 Test Number: SW8270
 Test Name: SPLP Semivolatiles

**METHOD DETECTION /
 REPORTING LIMITS**

Matrix: Leachate **Units:** mg/L

Type	Analyte	CAS	DCS Spike	DCS	MDL	PQL
A	Pentachlorophenol	87-86-5	0.00010	0.0000050	0.000050	0.00020
S	2,4,6-Tribromophenol	118-79-6	0	0	0	0.00020
S	2-Fluorophenol	367-12-4	0	0	0	0.00020
S	Phenol-d6	13127-88-3	0	0	0	0.00020

WorkOrder: HS20060313
 InstrumentID: SV-7
 Test Code: 8270_LOW_S
 Test Number: SW8270
 Test Name: Low-Level Semivolatiles by 8270D

**METHOD DETECTION /
 REPORTING LIMITS**

Matrix: Solid

Units: mg/Kg

Type	Analyte	CAS	DCS Spike	DCS	MDL	PQL
A	Pentachlorophenol	87-86-5	0.0033	0.00025	0.0033	0.0066
S	2,4,6-Tribromophenol	118-79-6	0	0	0	0
S	2-Fluorophenol	367-12-4	0	0	0	0
S	Phenol-d6	13127-88-3	0	0	0	0

WorkOrder: HS20060313

InstrumentID: SV-6

Test Code: 8270_LOW_W

Test Number: SW8270

Test Name: Low-Level Semivolatiles by 8270D

**METHOD DETECTION /
REPORTING LIMITS**

Matrix: Aqueous

Units: mg/L

Type	Analyte	CAS	DCS Spike	DCS	MDL	PQL
A	Pentachlorophenol	87-86-5	0.00010	0.0000050	0.000079	0.00020
S	2,4,6-Tribromophenol	118-79-6	0	0	0	0.00020
S	2-Fluorophenol	367-12-4	0	0	0	0.00020
S	Phenol-d6	13127-88-3	0	0	0	0.00020

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060313

QC BATCH REPORT

Batch ID: 154255 (0) **Instrument:** SV-7 **Method:** LOW-LEVEL SEMIVOLATILES BY 8270D

MBLK		Sample ID: MBLK-154255		Units: ug/Kg		Analysis Date: 11-Jun-2020 11:43			
Client ID:		Run ID: SV-7_363077		SeqNo: 5615550		PrepDate: 09-Jun-2020		DF: 1	
Analyte	Result	MLQ	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	U	6.6							
<i>Surr: 2,4,6-Tribromophenol</i>	143.6	0	167	0	86.0	36 - 126			
<i>Surr: 2-Fluorophenol</i>	92.5	0	167	0	55.4	37 - 125			
<i>Surr: Phenol-d6</i>	161	0	167	0	96.4	40 - 125			

LCS		Sample ID: LCS-154255		Units: ug/Kg		Analysis Date: 11-Jun-2020 12:03			
Client ID:		Run ID: SV-7_363077		SeqNo: 5615551		PrepDate: 09-Jun-2020		DF: 1	
Analyte	Result	MLQ	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	107.4	6.6	167	0	64.3	23 - 136			
<i>Surr: 2,4,6-Tribromophenol</i>	144.1	0	167	0	86.3	36 - 126			
<i>Surr: 2-Fluorophenol</i>	134.4	0	167	0	80.5	37 - 125			
<i>Surr: Phenol-d6</i>	168.2	0	167	0	101	40 - 125			

MS		Sample ID: HS20060313-01MS		Units: ug/Kg		Analysis Date: 11-Jun-2020 21:27			
Client ID: SO-1620-SSO222(0-2)-20200603		Run ID: SV-7_363077		SeqNo: 5620860		PrepDate: 09-Jun-2020		DF: 5	
Analyte	Result	MLQ	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	515.4	33	166.9	340.6	105	23 - 136			
<i>Surr: 2,4,6-Tribromophenol</i>	171.3	0	166.9	0	103	36 - 126			
<i>Surr: 2-Fluorophenol</i>	136.4	0	166.9	0	81.7	37 - 125			
<i>Surr: Phenol-d6</i>	159.4	0	166.9	0	95.5	40 - 125			

MSD		Sample ID: HS20060313-01MSD		Units: ug/Kg		Analysis Date: 11-Jun-2020 21:46			
Client ID: SO-1620-SSO222(0-2)-20200603		Run ID: SV-7_363077		SeqNo: 5620861		PrepDate: 09-Jun-2020		DF: 5	
Analyte	Result	MLQ	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	337.2	33	166.5	340.6	-2.03	23 - 136	515.4	41.8	30 SR
<i>Surr: 2,4,6-Tribromophenol</i>	102.4	0	166.5	0	61.5	36 - 126	171.3	50.3	30 R
<i>Surr: 2-Fluorophenol</i>	91.8	0	166.5	0	55.1	37 - 125	136.4	39.1	30 R
<i>Surr: Phenol-d6</i>	95.82	0	166.5	0	57.6	40 - 125	159.4	49.8	30 R

The following samples were analyzed in this batch:

HS20060313-01	HS20060313-02	HS20060313-03	HS20060313-04
HS20060313-05	HS20060313-06	HS20060313-07	HS20060313-08
HS20060313-09	HS20060313-10	HS20060313-11	HS20060313-12
HS20060313-13	HS20060313-14	HS20060313-15	HS20060313-16
HS20060313-17	HS20060313-18	HS20060313-19	HS20060313-20

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060313

QC BATCH REPORT

Batch ID: 154287 (0) **Instrument:** SV-7 **Method:** LOW-LEVEL SEMIVOLATILES BY 8270D

MBLK		Sample ID: MBLK-154287		Units: ug/Kg		Analysis Date: 15-Jun-2020 15:16			
Client ID:		Run ID: SV-7_363243		SeqNo: 5621017		PrepDate: 09-Jun-2020		DF: 1	
Analyte	Result	MLQ	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	U	6.6							
<i>Surr: 2,4,6-Tribromophenol</i>	114.3	0	167	0	68.4	36 - 126			
<i>Surr: 2-Fluorophenol</i>	167.5	0	167	0	100	37 - 125			
<i>Surr: Phenol-d6</i>	196.6	0	167	0	118	40 - 125			

LCS		Sample ID: LCS-154287		Units: ug/Kg		Analysis Date: 15-Jun-2020 15:35			
Client ID:		Run ID: SV-7_363243		SeqNo: 5621018		PrepDate: 09-Jun-2020		DF: 1	
Analyte	Result	MLQ	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	79.43	6.6	167	0	47.6	23 - 136			
<i>Surr: 2,4,6-Tribromophenol</i>	111.3	0	167	0	66.7	36 - 126			
<i>Surr: 2-Fluorophenol</i>	109.2	0	167	0	65.4	37 - 125			
<i>Surr: Phenol-d6</i>	146.2	0	167	0	87.5	40 - 125			

MS		Sample ID: HS20060313-35MS		Units: ug/Kg		Analysis Date: 15-Jun-2020 16:14			
Client ID: SO-1620-FD03-20200605		Run ID: SV-7_363243		SeqNo: 5621020		PrepDate: 09-Jun-2020		DF: 1	
Analyte	Result	MLQ	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	116.6	6.6	166.4	5.652	66.7	23 - 136			
<i>Surr: 2,4,6-Tribromophenol</i>	118.8	0	166.4	0	71.4	36 - 126			
<i>Surr: 2-Fluorophenol</i>	134.2	0	166.4	0	80.6	37 - 125			
<i>Surr: Phenol-d6</i>	151.3	0	166.4	0	90.9	40 - 125			

MSD		Sample ID: HS20060313-35MSD		Units: ug/Kg		Analysis Date: 15-Jun-2020 16:33			
Client ID: SO-1620-FD03-20200605		Run ID: SV-7_363243		SeqNo: 5621021		PrepDate: 09-Jun-2020		DF: 1	
Analyte	Result	MLQ	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	95.2	6.6	166.7	5.652	53.7	23 - 136	116.6	20.2	30
<i>Surr: 2,4,6-Tribromophenol</i>	123.8	0	166.7	0	74.3	36 - 126	118.8	4.16	30
<i>Surr: 2-Fluorophenol</i>	150.3	0	166.7	0	90.2	37 - 125	134.2	11.3	30
<i>Surr: Phenol-d6</i>	169.4	0	166.7	0	102	40 - 125	151.3	11.3	30

The following samples were analyzed in this batch:

HS20060313-21	HS20060313-22	HS20060313-23	HS20060313-24
HS20060313-25	HS20060313-26	HS20060313-27	HS20060313-28
HS20060313-29	HS20060313-30	HS20060313-31	HS20060313-32
HS20060313-33	HS20060313-34	HS20060313-35	

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060313

QC BATCH REPORT

Batch ID: 154378 (0)		Instrument: SV-6		Method: LOW-LEVEL SEMIVOLATILES BY 8270D					
MBLK	Sample ID: MBLK-154378	Units: ug/L			Analysis Date: 15-Jun-2020 14:35				
Client ID:	Run ID: SV-6_363248	SeqNo: 5620389		PrepDate: 11-Jun-2020		DF: 1			
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual

Pentachlorophenol	U	0.20							
<i>Surr: 2,4,6-Tribromophenol</i>	3.655	0.20	5	0	73.1	34 - 129			
<i>Surr: 2-Fluorophenol</i>	3.199	0.20	5	0	64.0	20 - 120			
<i>Surr: Phenol-d6</i>	3.469	0.20	5	0	69.4	20 - 120			

LCS	Sample ID: LCS-154378	Units: ug/L			Analysis Date: 15-Jun-2020 14:55				
Client ID:	Run ID: SV-6_363248	SeqNo: 5620390		PrepDate: 11-Jun-2020		DF: 1			
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual

Pentachlorophenol	2.235	0.20	5	0	44.7	19 - 121			
<i>Surr: 2,4,6-Tribromophenol</i>	3.636	0.20	5	0	72.7	34 - 129			
<i>Surr: 2-Fluorophenol</i>	2.674	0.20	5	0	53.5	20 - 120			
<i>Surr: Phenol-d6</i>	3.369	0.20	5	0	67.4	20 - 120			

LCSD	Sample ID: LCSD-154378	Units: ug/L			Analysis Date: 15-Jun-2020 15:14				
Client ID:	Run ID: SV-6_363248	SeqNo: 5620391		PrepDate: 11-Jun-2020		DF: 1			
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual

Pentachlorophenol	2.292	0.20	5	0	45.8	19 - 121	2.235	2.52	20
<i>Surr: 2,4,6-Tribromophenol</i>	4.277	0.20	5	0	85.5	34 - 129	3.636	16.2	20
<i>Surr: 2-Fluorophenol</i>	3.394	0.20	5	0	67.9	20 - 120	2.674	23.7	20 R
<i>Surr: Phenol-d6</i>	4.581	0.20	5	0	91.6	20 - 120	3.369	30.5	20 R

The following samples were analyzed in this batch: HS20060313-36 HS20060313-37

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060313

QC BATCH REPORT

Batch ID: 154569 (0)		Instrument: SV-6		Method: SPLP SEMIVOLATILES					
MBLK	Sample ID: MBLK-154569	Units: ug/L			Analysis Date: 19-Jun-2020 15:37				
Client ID:	Run ID: SV-6_363605	SeqNo: 5627959		PrepDate: 17-Jun-2020		DF: 1			
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual

Pentachlorophenol	U	0.20							
Surr: 2,4,6-Tribromophenol	3.16	0.20	5	0	63.2	34 - 129			
Surr: 2-Fluorophenol	2.939	0.20	5	0	58.8	20 - 120			
Surr: Phenol-d6	3.274	0.20	5	0	65.5	20 - 120			

LCS	Sample ID: LCS-154569	Units: ug/L			Analysis Date: 19-Jun-2020 15:57				
Client ID:	Run ID: SV-6_363605	SeqNo: 5627960		PrepDate: 17-Jun-2020		DF: 1			
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual

Pentachlorophenol	2.174	0.20	5	0	43.5	20 - 140			
Surr: 2,4,6-Tribromophenol	3.774	0.20	5	0	75.5	34 - 129			
Surr: 2-Fluorophenol	2.956	0.20	5	0	59.1	20 - 125			
Surr: Phenol-d6	3.31	0.20	5	0	66.2	20 - 120			

LCSD	Sample ID: LCSD-154569	Units: ug/L			Analysis Date: 19-Jun-2020 16:17				
Client ID:	Run ID: SV-6_363605	SeqNo: 5627961		PrepDate: 17-Jun-2020		DF: 1			
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual

Pentachlorophenol	2.367	0.20	5	0	47.3	20 - 140	2.174	8.5	20
Surr: 2,4,6-Tribromophenol	4.006	0.20	5	0	80.1	34 - 129	3.774	5.96	20
Surr: 2-Fluorophenol	3.323	0.20	5	0	66.5	20 - 125	2.956	11.7	20
Surr: Phenol-d6	4.047	0.20	5	0	80.9	20 - 120	3.31	20	20 R

MS	Sample ID: HS20060313-31MS	Units: ug/L			Analysis Date: 19-Jun-2020 17:15				
Client ID: SO-1620-SSO03R(0-2)-20200605	Run ID: SV-6_363605	SeqNo: 5627962		PrepDate: 17-Jun-2020		DF: 1			
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual

Pentachlorophenol	4.044	0.20	5	0.5728	69.4	20 - 140			
Surr: 2,4,6-Tribromophenol	4.334	0.20	5	0	86.7	34 - 129			
Surr: 2-Fluorophenol	3.042	0.20	5	0	60.8	20 - 125			
Surr: Phenol-d6	4.006	0.20	5	0	80.1	20 - 120			

The following samples were analyzed in this batch: HS20060313-31 HS20060313-33

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060313

QC BATCH REPORT

Batch ID: R362991 (0)		Instrument: WetChem_HS		Method: PH SOIL BY SW9045D					
DUP	Sample ID: HS20060271-05DUP	Units: pH Units			Analysis Date: 10-Jun-2020 14:15				
Client ID:	Run ID: WetChem_HS_362991	SeqNo: 5613574		PrepDate:		DF: 1			
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual

pH	7.76	0.100					7.77	0.129	10
Temp Deg C @pH	21.5	0					21.4	0.466	10

The following samples were analyzed in this batch:

HS20060313-29	HS20060313-30	HS20060313-31	HS20060313-32
HS20060313-33	HS20060313-34	HS20060313-35	

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060313

QC BATCH REPORT

Batch ID: R363048 (0) **Instrument:** WetChem_HS **Method:** PH BY SW9040C

DUP Sample ID: **HS20060411-01DUP** Units: **pH Units** Analysis Date: **11-Jun-2020 11:30**
 Client ID: Run ID: **WetChem_HS_363048** SeqNo: **5615099** PrepDate: DF: **1**
 Analyte Result MQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

pH	7.8	0.100						7.91	1.4	10
Temp Deg C @pH	20.2	0						20.3	0.494	10

The following samples were analyzed in this batch: HS20060313-36 HS20060313-37

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060313

QC BATCH REPORT

Batch ID: R363172 (0)		Instrument: Balance1		Method: MOISTURE - ASTM D2216					
DUP	Sample ID: HS20060313-35DUP	Units: wt%		Analysis Date: 12-Jun-2020 10:01					
Client ID: SO-1620-FD03-20200605	Run ID: Balance1_363172	SeqNo: 5617802		PrepDate:		DF: 1			
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual

Percent Moisture	15.6	0.0100					15.4	1.29	20
------------------	------	--------	--	--	--	--	------	------	----

The following samples were analyzed in this batch:	HS20060313-21	HS20060313-22	HS20060313-23	HS20060313-24
	HS20060313-25	HS20060313-26	HS20060313-27	HS20060313-28
	HS20060313-29	HS20060313-30	HS20060313-31	HS20060313-32
	HS20060313-33	HS20060313-34	HS20060313-35	

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060313

QC BATCH REPORT

Batch ID: R363175 (0) **Instrument:** Balance1 **Method:** MOISTURE - ASTM D2216

DUP Sample ID: **HS20060313-20DUP** Units: **wt%** Analysis Date: **12-Jun-2020 08:37**
Client ID: **SO-1620-SSO252(2-4)-20200604** **Run ID:** **Balance1_363175** **SeqNo:** **5617857** **PrepDate:** **DF: 1**
Analyte **Result** **MQL** **SPK Val** **SPK Ref Value** **%REC** **Control Limit** **RPD Ref Value** **%RPD** **RPD Limit Qual**

Percent Moisture 16.5 0.0100 16.5 0 20

The following samples were analyzed in this batch:

HS20060313-01	HS20060313-02	HS20060313-03	HS20060313-04
HS20060313-05	HS20060313-06	HS20060313-07	HS20060313-08
HS20060313-09	HS20060313-10	HS20060313-11	HS20060313-12
HS20060313-13	HS20060313-14	HS20060313-15	HS20060313-16
HS20060313-17	HS20060313-18	HS20060313-19	HS20060313-20

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060313

**QUALIFIERS,
ACRONYMS, UNITS**

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/Kg-dry	Milligrams per Kilogram- Dry weight corrected
mg/L	Milligrams per Liter

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	20-030-0	26-Mar-2021
Dept of Defense	ANAB L2231 V009	22-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322020-4	09-May-2021
Kansas	E-10352 2019-2020	31-Jul-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2020	31-Dec-2020
Oklahoma	2019-141	31-Aug-2020
Texas	T104704231-20-26	30-Apr-2021

Sample Receipt Checklist

Work Order ID: HS20060313

Date/Time Received: 05-Jun-2020 13:20

Client Name: PBW

Received by: Nelson D. Dusara

Completed By: <u>/S/ Nilesch D. Ranchod</u>	07-Jun-2020 21:48	Reviewed by: <u>/S/ Corey Grandits</u>	09-Jun-2020 13:29
eSignature	Date/Time	eSignature	Date/Time

Matrices: **SOIL/WATER** Carrier name: **Client**

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	4 Page(s)
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	COC
	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	IDs:216941/216940/216945/ 216943

Samplers name present on COC?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container/Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	

Temperature(s)/Thermometer(s):	1.4C/1.4C, 1.2C/1.2C, 1.3C/1.3C UC/C	IR25
Cooler(s)/Kit(s):	45115,3698,45931	
Date/Time sample(s) sent to storage:	06/05/2020 19:00	

Water - VOA vials have zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>

pH adjusted by:

Login Notes: Sample Label Ids Differ
COC= SQ-1620-SS008R (2-4) Labels = SQ-1620-SS007R (2-4)
COC= WQ-1620-EB02-20200604 Labels = SQ-1620-EB02-02200604
LOGGED IN PER COC

Client Contacted: _____ Date Contacted: _____ Person Contacted: _____

Contacted By: _____ Regarding: _____

Comments:

Corrective Action:



Cincinnati, OH
+1 513 733 5336

Everett, WA
+1 425 356 2600

Fort Collins, CO
+1 970 490 1511

Holland, MI
+1 616 399 6070

Chain of Custody Form


Page 1 of 5

COC ID: 216941

HS20060313

Golder Associates Inc.
Houston TX-Wood Preserving Works

vv



Customer Information		Project Information		ALS Project Manager:	
Purchase Order	UPRR/Kevin Peterburs	Project Name	Houston TX-Wood Preserving Works	A	3270_LOW_S (5632532 SVOC Pentachlorophenol)
Work Order		Project Number	1620-13-Rev0_SR 92688	B	MOIST_ASTM (5631931 Gen.Chem. MOIST%)
Company Name	Golder Associates Inc.	Bill To Company	Union Pacific Railroad- A/P	C	PH_S (5652651 pH)
Send Report To	Eric Matzner	Invoice Attn	Accounts Payable	D	CONTINGENCY (For SPLP Pentachlorophenol)
Address	2201 Double Creek Drive Suite 4004	Address	1400 Douglas Street Stop 0750	E	
City/State/Zip	Round Rock, TX 78664	City/State/Zip	Omaha NE 681790/50	F	
Phone	(512) 671-3434	Phone		G	
Fax	(512) 671-3446	Fax		H	
e-Mail Address	Eric_Matzner@golder.com	e-Mail Address		I	
				J	

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	SO-1620-SS0222(0-2)-20200603	6-3-20	1610	Soil	8	1	X	X									
2	SS0222(2-4)		1615				X	X									
3	SS0222(0-2)		1600				X	X									
4	SS0222(2-4)		1605				X	X									
5	SS0231(0-2)		1620				X	X									
6	SS0231(2-4)		1625				X	X									
7	SS0232(0-2)		1630				X	X									
8	SS0232(2-4)		1635				X	X									
9	SS0233(0-2)-20200604	4-20	1030				X	X									
0	SS0233(2-4)-20200604		1035				X	X									

Sampler(s) Please Print & Sign: *Mike Skora, Jacqueline Engel*

Relinquished by: *Mike Skora* Date: *6-5-20* Time: *13:20*

Received by: *Wason*

QC Package: (Check One Box Below)

Level II Std OC TRRP Checklist

Level III Std QC/PAW Date TRRP Level IV

Level IV SWR-16/CLP

Other

Reservative Key: 1-HCl 2-HNO₃ 3-H₂SO₄ 4-NaOH 5-Na₂S₂O₃ 6-NaHSO₄ 7-Other 8-4°C 9-5035

Notes: UPRR HWPW 1620-13

Cooler ID: *45115* Cooler Temp: *10.4*

2698 *10.3*

45934 *10.3*

J.R. 25

Copyright 2011 by ALS Environmental



Cincinnati, OH
+1 513 733 5336

Fort Collins, CO
+1 970 490 1511

Everett, WA
+1 425 356 2600

Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 2 of 5

COC ID: 216940

HS20060313

wv

Golder Associates Inc.
Houston TX-Wood Preserving Works



Customer Information		ALS Project Manager:	
Purchase Order	UPRR/Kevin Peterburs	Project Name	Houston, TX-Wood Preserving Works
Work Order		Project Number	1620-13-Rev0 SR 92888
Company Name	Golder Associates Inc.	Bill To Company	Union Pacific Railroad- MP
Send Report To	Eric Matzner	Invoice Attn	Accounts Payable
Address	2201 Double Creek Drive Suite 4001	Address	1400 Douglas Street Stop 0750
City/State/Zip	Round Rock, TX 78664	City/State/Zip	Omaha NE 681790750
Phone	(512) 671-3434	Phone	
Fax	(512) 671-3446	Fax	
e-Mail Address	Eric_Matzner@golder.com	e-Mail Address	

A	8270_LOW_S (5632532 SVOC Pentachlorophenol)
B	MOIST_ASTM (5031931 Gen.Chem. MOIST%)
C	PH_S (5852651 pH)
D	CONTINGENCY (For SPLP Pentachlorophenol)
E	
F	
G	
H	
I	
J	

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	SO-1620-SS0241(0-2)-20200604	6/4/2020	1040	Soil	8	1	X	X	PL								
2	SS0241(2-4)		1045				X	X									
3	SS0242(0-2)		1050				X	X									
4	SS0242(2-4)		1055				X	X									
5	SS0243(0-2)		1100				X	X									
6	SS0243(2-4)		1105				X	X									
7	SS0251(0-2)		1300				X	X									
8	SS0251(2-4)		1305				X	X									
9	SS0252(0-2)		1310				X	X									
10	SS0252(2-4)		1315				X	X									

Sampler(s) Please Print & Sign
 Blake Sokora / Jacqueline Engel
 Relinquished by: [Signature] / Received by: [Signature]
 Date: 6/5/20 Time: 13:20
 Shipment Method: [] Other: [] Results Due Date: []
 Required Turnaround Time: (Check Box)
 STD 10 Wk Days 5 Wk Days 2 Wk Days 24 Hours
 Notes: UPRR HWPW 1620-13
 Cooler ID: [] Cooler Temp: [] QC Package: (Check One Box Below)
 Level II Std QC TRRP One Step
 Level III Std QC/Raw Data TRRP Level IV
 Level IV SW-846C/P

Preservative Key: 1-HCl 2-HNO₃ 3-H₂SO₄ 4-NaOH 5-Na₂S₂O₃ 6-NaHSO₄ 7-Other 8-4°C 9-5035

ote: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be accurate.

Copyright 2011 by ALS Environmental.



Cincinnati, OH
+1 513 733 5336

Fort Collins, CO
+1 970 490 1511

Everett, WA
+1 425 356 2600

Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 3 of 5

COC ID: 216945

HS20060313

Golder Associates Inc.
Houston TX-Wood Preserving Works



ALS Project Manager:

Customer Information		Project Information	
Purchase Order	UPRR/Kevin Peierburs	Project Name	Houston TX-Wood Preserving Works
Work Order		Project Number	1620-13-Rev0 SR 92588
Company Name	Golder Associates Inc.	Bill To Company	Union Pacific Railroad- A/P
Send Report To	Eric Matzner	Invoice Attn	Accounts Payable
Address	2201 Double Creek Drive	Address	1400 Douglas Street
	Suite 4004		Stop 0750
City/State/Zip	Round Rock, TX 78664	City/State/Zip	Omaha NE 68179/750
Phone	(512) 671-3434	Phone	
Fax	(512) 671-3446	Fax	
e-Mail Address	Eric_Matzner@golder.com	e-Mail Address	

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	SO-1620-SS0253(0-2)-20200604	6/4/2020	1620	Soil	8	1	X	X									
2	SS0253(2-4)		1625				X	X									
3	SS0261(0-2)		1630				X	X									
4	SS0261(2-4)		1635				X	X									
5	SS0262(0-2)		1640				X	X									
6	SS0262(2-4)		1645				X	X									
7	SS0263(0-2)		1650				X	X									
8	SS0263(2-4)		1655				X	X									
9	SS027R(0-2)-20200605	6/5/2020	1105				X	X	X	X							
10	SS028R(2-4)		1110				X	X	X	X							

Sampler(s) Please Print & Sign Blake Spokora Jacqueline Engel		Shipment Method	Required Turnaround Time: (Check Box) <input checked="" type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 6 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 3d Flow	Other	Results Due Date:
Relinquished by: Blake Spokora	Date: 6-5-20	Time: 13:20	Received by: Nelson	Notes: UPRR HWPW 1620-13	
Relinquished by:	Date:	Time:	Received by (Laboratory):	Cooler ID	Cooler Temp.
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):	QC Package: (Check One Box Below)	
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035				<input type="checkbox"/> Level II Std OC	<input checked="" type="checkbox"/> TRRP Class A/II
				<input type="checkbox"/> Level III Std OC/Ret. Date	<input type="checkbox"/> TRRP Level IV
				<input type="checkbox"/> Level IV Std OC/CLP	

ote: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.



Cincinnati, OH
+1 513 733 5336

Fort Collins, CO
+1 970 490 1511

Everett, WA
+1 425 356 2600

Holland, MI
+1 616 399 6070


Chain of Custody Form

Page 4 of 5

COC ID: 216943

HS20060313

Golder Associates Inc.
Houston TX-Wood Preserving Works



Customer Information		Project Information		ALS Project Manager:	
Purchase Order	UPRR/Kevin Peterburs	Project Name	Houston TX-Wood Preserving Works	A	8270_LOW_S (5632532 SVOC Pentachlorophenol)
Work Order		Project Number	1620-13-Rev0 SR 92668	B	MOIST_ASTM (5631931 Gen.Chem. MOIST%)
Company Name	Golder Associates Inc.	Bill To Company	Union Pacific Railroad- A/P	C	PH_S (5652651 pH)
Send Report To	Eric Matzner	Invoice Attn	Accounts Payable	D	CONTINGENCY (For SPLP Pentachlorophenol)
Address	2201 Double Creek Drive Suite 4004	Address	1400 Douglas Street Stop 0750	E	
City/State/Zip	Round Rock, TX 78664	City/State/Zip	Omaha NE 681790/750	F	
Phone	(512) 671-3434	Phone		G	
Fax	(512) 671-3446	Fax		H	
e-Mail Address	Eric_Matzner@golder.com	e-Mail Address		I	
				J	

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	SO-1620-SS003R (0-2)	6-5-20	1055	Soil	8	1	X	X	X	X							
2	SS003R (2-4)		1100				X	X	X	X							
3	SS008R (0-2)		1115				X	X	X	X							
4	SS008R (2-4)		1120				X	X	X	X							
5	FDO3		1100				X	X	X	X							
6	WQ-1620-EB02-20200604	6-4-20	0810	WQ		3	X	X	X	X							
7	WQ-1620-EB03-20200605	6-5-20	0815	WQ		3	X	X	X	X							
8																	
9																	
10																	

Sampler(s) Please Print & Sign <i>Blake S. Kora</i>		Shipment Method	Required Turnaround Time: (Check Box) <input checked="" type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 24 Hour		Results Due Date:
Relinquished by: <i>Blake S. Kora</i>	Date: 6-5-20 Time: 1:30	Received by:	Notes: UPRR HW/PW 1620-13		
Relinquished by:	Date: 06/05/20 Time: 13:20	Received by (Laboratory): <i>Nelson</i>	Cooler ID	Cooler Temp.	QC Package: (Check One Box Below)
Logged by (Laboratory):	Date:	Checked by (Laboratory):			<input type="checkbox"/> Level II Std QC <input type="checkbox"/> TFRP Checklist
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035					<input type="checkbox"/> Level III Std QC/Row Date <input type="checkbox"/> TFRP Level IV
					<input type="checkbox"/> Level IV SW/AC/CLP

ote: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be accurate.

Copyright 2011 by ALS Environmental.



10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

June 17, 2020

Eric Matzner
Golder Associates Inc.
2201 Double Creek Drive
Suite 4004
Round Rock, TX 78664

Work Order: **HS20060152**

Laboratory Results for: **Houston TX-Wood Preserving Works**

Dear Eric,

ALS Environmental received 21 sample(s) on Jun 03, 2020 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
Dane J. Wacasey

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060152

**TRRP Laboratory Data
Package Cover Page**

This data package consists of all or some of the following as applicable:

This signature page, the laboratory review checklist, and the following reportable data:

- R1 Field chain-of-custody documentation;
- R2 Sample identification cross-reference;
- R3 Test reports (analytical data sheets) for each environmental sample that includes:
 - a) Items consistent with NELAC Chapter 5,
 - b) dilution factors,
 - c) preparation methods,
 - d) cleanup methods, and
 - e) if required for the project, tentatively identified compounds (TICs).
- R4 Surrogate recovery data including:
 - a) Calculated recovery (%R), and
 - b) The laboratory's surrogate QC limits.
- R5 Test reports/summary forms for blank samples;
- R6 Test reports/summary forms for laboratory control samples (LCSs) including:
 - a) LCS spiking amounts,
 - b) Calculated %R for each analyte, and
 - c) The laboratory's LCS QC limits.
- R7 Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
 - a) Samples associated with the MS/MSD clearly identified,
 - b) MS/MSD spiking amounts,
 - c) Concentration of each MS/MSD analyte measured in the parent and spiked samples,
 - d) Calculated %Rs and relative percent differences (RPDs), and
 - e) The laboratory's MS/MSD QC limits.
- R8 Laboratory analytical duplicate (if applicable) recovery and precision:
 - a) the amount of analyte measured in the duplicate,
 - b) the calculated RPD, and
 - c) the laboratory's QC limits for analytical duplicates.
- R9 List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 Other problems or anomalies.
The Exception Report for each "No" or "Not Reviewed (NR)" item in Laboratory Review Checklist and for each analyte, matrix, and method for which the laboratory does not hold NELAC accreditation under the Texas Laboratory Accreditation Program.

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060152

**TRRP Laboratory Data
Package Cover Page**

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the attached exception reports. By my signature below, I affirm to the best of my knowledge, all problems/anomalies, observed by the laboratory have been identified by the laboratory in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Check, if applicable: [NA] This laboratory meets an exception under 30 TAC §25.6 and was last inspected by TCEQ or _____ on (enter date of last inspection). Any findings affecting the data in this laboratory data package are noted in the Exception Reports herein. The official signing the cover page of the report in which these data are used is responsible for releasing this data package and is by signature affirming the above release statement is true.



Dane J. Wacasey

Laboratory Review Checklist: Reportable Data							
Laboratory Name: ALS Laboratory Group			LRC Date: 06/17/2020				
Project Name: Houston TX-Wood Preserving Works			Laboratory Job Number: HS20060152				
Reviewer Name: Dane Wacasey			Prep Batch Number(s): 154106,154116,154141,R363062,R363063				
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?	X				
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?	X				
		Were % moisture (or solids) reported for all soil and sediment samples?	X				
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW-846 Method 5035?			X		
		If required for the project, TICs reported?			X		
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?	X				
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?		X			1
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?	X				
		Were MS/MSD RPDs within laboratory QC limits?	X				
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?	X				
		Were analytical duplicates analyzed at the appropriate frequency?	X				
		Were RPDs or relative standard deviations within the laboratory QC limits?	X				
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Were all necessary corrective actions performed for the reported data?	X				
		Was applicable and available technology used to lower the SDL and minimize the matrix interference affects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Program for the analytes, matrices and methods associated with this laboratory data package?	X				

Laboratory Review Checklist: Supporting Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 06/17/2020			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS20060152			
Reviewer Name: Dane Wacasey				Prep Batch Number(s): 154106,154116,154141,R363062,R363063			
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
S1	OI	Initial calibration (ICAL)					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB)					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?			X		
S3	O	Mass spectral tuning:					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	Internal standards (IS):					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC section 1 appendix A glossary, and section 5.12 or ISO/IEC 17025 section)					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?			X		
S7	O	Tentatively identified compounds (TICs):					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	Interference Check Sample (ICS) results:					
		Were percent recoveries within method QC limits?			X		
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	Proficiency test reports:					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5C or ISO/IEC 4?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chap 5 or ISO/IEC 17025 Section 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs):					
		Are laboratory SOPs current and on file for each method performed?	X				

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.

O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);

NA = Not Applicable;

NR = Not Reviewed;

R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Exception Reports

Laboratory Name: ALS Laboratory Group	LRC Date: 06/17/2020
Project Name: Houston TX-Wood Preserving Works	Laboratory Job Number: HS20060152
Reviewer Name: Dane Wacasey	Prep Batch Number(s): 154106,154116,154141,R363062,R363063

ER# ⁵	Description
1	Batch 154116, Semivolatile Organics Method SW8270, LCS/LCSD were analyzed and reported in lieu of an MS/MSD for this batch.

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);
NA = Not Applicable;
NR = Not Reviewed;
R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
Work Order: HS20060152

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS20060152-01	SO-1620-SS016(0-2)-20200602	Soil		02-Jun-2020 12:10	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-02	SO-1620-SS016(2-4)-20200602	Soil		02-Jun-2020 12:18	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-03	SO-1620-SS017(0-2)-20200602	Soil		02-Jun-2020 12:20	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-04	SO-1620-SS017(2-4)-20200602	Soil		02-Jun-2020 12:25	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-05	SO-1620-SS018(0-2)-20200602	Soil		02-Jun-2020 12:30	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-06	SO-1620-SS018(2-4)-20200602	Soil		02-Jun-2020 12:35	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-07	SO-1620-SS0211(0-2)-20200602	Soil		02-Jun-2020 14:55	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-08	SO-1620-SS0211(2-4)-20200602	Soil		02-Jun-2020 15:00	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-09	SO-1620-SS0212(0-2)-20200602	Soil		02-Jun-2020 15:05	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-10	SO-1620-SS0212(2-4)-20200602	Soil		02-Jun-2020 15:10	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-11	SO-1620-SS0213(0-2)-20200602	Soil		02-Jun-2020 16:45	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-12	SO-1620-SS0213(2-4)-20200602	Soil		02-Jun-2020 16:50	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-13	SO-1620-SS019(0-2)-20200603	Soil		03-Jun-2020 09:45	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-14	SO-1620-SS019(2-4)-20200603	Soil		03-Jun-2020 09:50	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-15	SO-1620-SS020(0-2)-20200603	Soil		03-Jun-2020 09:55	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-16	SO-1620-SS020(2-4)-20200603	Soil		03-Jun-2020 10:00	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-17	SO-1620-SS0223(0-2)-20200603	Soil		03-Jun-2020 10:50	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-18	SO-1620-SS0223(2-4)-20200603	Soil		03-Jun-2020 10:55	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-19	SO-1620-EB01-2020603	Water		03-Jun-2020 08:15	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-20	SO-1620-FD01-20200603	Soil		03-Jun-2020 10:10	03-Jun-2020 12:15	<input type="checkbox"/>
HS20060152-21	SO-1620-FD02-20200603	Soil		03-Jun-2020 11:00	03-Jun-2020 12:15	<input type="checkbox"/>

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS016(0-2)-20200602
 Collection Date: 02-Jun-2020 12:10

ANALYTICAL REPORT

WorkOrder:HS20060152
 Lab ID:HS20060152-01
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270				Prep:SW3541 / 04-Jun-2020	Analyst: GEY
Pentachlorophenol	0.69		0.018	0.037	mg/Kg-dry	5	11-Jun-2020 20:28
<i>Surr: 2,4,6-Tribromophenol</i>	63.4			36-126	%REC	5	11-Jun-2020 20:28
<i>Surr: 2-Fluorophenol</i>	58.1			37-125	%REC	5	11-Jun-2020 20:28
<i>Surr: Phenol-d6</i>	74.8			40-125	%REC	5	11-Jun-2020 20:28
MOISTURE - ASTM D2216		Method:ASTM D2216					Analyst: JAC
Percent Moisture	11.0		0.0100	0.0100	wt%	1	10-Jun-2020 14:20

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS016(2-4)-20200602
 Collection Date: 02-Jun-2020 12:18

ANALYTICAL REPORT
 WorkOrder:HS20060152
 Lab ID:HS20060152-02
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 04-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.060		0.0039	0.0079	mg/Kg-dry	1	10-Jun-2020 15:09
Surr: 2,4,6-Tribromophenol	90.0			36-126	%REC	1	10-Jun-2020 15:09
Surr: 2-Fluorophenol	73.6			37-125	%REC	1	10-Jun-2020 15:09
Surr: Phenol-d6	69.0			40-125	%REC	1	10-Jun-2020 15:09
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: JAC	
Percent Moisture	17.1		0.0100	0.0100	wt%	1	10-Jun-2020 14:20

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS017(0-2)-20200602
 Collection Date: 02-Jun-2020 12:20

ANALYTICAL REPORT
 WorkOrder:HS20060152
 Lab ID:HS20060152-03
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 04-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.15		0.0038	0.0077	mg/Kg-dry	1	10-Jun-2020 15:28
Surr: 2,4,6-Tribromophenol	82.4			36-126	%REC	1	10-Jun-2020 15:28
Surr: 2-Fluorophenol	89.3			37-125	%REC	1	10-Jun-2020 15:28
Surr: Phenol-d6	82.5			40-125	%REC	1	10-Jun-2020 15:28
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: JAC	
Percent Moisture	15.0		0.0100	0.0100	wt%	1	10-Jun-2020 14:20

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS017(2-4)-20200602
 Collection Date: 02-Jun-2020 12:25

ANALYTICAL REPORT
 WorkOrder:HS20060152
 Lab ID:HS20060152-04
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 04-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.019		0.0039	0.0079	mg/Kg-dry	1	11-Jun-2020 20:09
Surr: 2,4,6-Tribromophenol	93.5			36-126	%REC	1	11-Jun-2020 20:09
Surr: 2-Fluorophenol	75.1			37-125	%REC	1	11-Jun-2020 20:09
Surr: Phenol-d6	78.1			40-125	%REC	1	11-Jun-2020 20:09
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: JAC	
Percent Moisture	16.7		0.0100	0.0100	wt%	1	10-Jun-2020 14:20

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS018(0-2)-20200602
 Collection Date: 02-Jun-2020 12:30

ANALYTICAL REPORT
 WorkOrder:HS20060152
 Lab ID:HS20060152-05
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 04-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.22		0.0039	0.0078	mg/Kg-dry	1	10-Jun-2020 16:07
Surr: 2,4,6-Tribromophenol	74.1			36-126	%REC	1	10-Jun-2020 16:07
Surr: 2-Fluorophenol	63.5			37-125	%REC	1	10-Jun-2020 16:07
Surr: Phenol-d6	70.6			40-125	%REC	1	10-Jun-2020 16:07
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: JAC	
Percent Moisture	15.6		0.0100	0.0100	wt%	1	10-Jun-2020 14:20

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS018(2-4)-20200602
 Collection Date: 02-Jun-2020 12:35

ANALYTICAL REPORT
 WorkOrder:HS20060152
 Lab ID:HS20060152-06
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 04-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.046		0.0040	0.0079	mg/Kg-dry	1	10-Jun-2020 16:27
Surr: 2,4,6-Tribromophenol	103			36-126	%REC	1	10-Jun-2020 16:27
Surr: 2-Fluorophenol	75.8			37-125	%REC	1	10-Jun-2020 16:27
Surr: Phenol-d6	93.1			40-125	%REC	1	10-Jun-2020 16:27
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: JAC	
Percent Moisture	17.3		0.0100	0.0100	wt%	1	10-Jun-2020 14:20

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS0211(0-2)-20200602
 Collection Date: 02-Jun-2020 14:55

ANALYTICAL REPORT

WorkOrder:HS20060152
 Lab ID:HS20060152-07
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 04-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.086		0.0039	0.0078	mg/Kg-dry	1	10-Jun-2020 16:46
Surr: 2,4,6-Tribromophenol	91.3			36-126	%REC	1	10-Jun-2020 16:46
Surr: 2-Fluorophenol	78.2			37-125	%REC	1	10-Jun-2020 16:46
Surr: Phenol-d6	102			40-125	%REC	1	10-Jun-2020 16:46
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: JAC	
Percent Moisture	16.2		0.0100	0.0100	wt%	1	10-Jun-2020 14:20

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS0211(2-4)-20200602
 Collection Date: 02-Jun-2020 15:00

ANALYTICAL REPORT
 WorkOrder:HS20060152
 Lab ID:HS20060152-08
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 04-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.019		0.0038	0.0077	mg/Kg-dry	1	10-Jun-2020 17:06
Surr: 2,4,6-Tribromophenol	105			36-126	%REC	1	10-Jun-2020 17:06
Surr: 2-Fluorophenol	107			37-125	%REC	1	10-Jun-2020 17:06
Surr: Phenol-d6	84.4			40-125	%REC	1	10-Jun-2020 17:06
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: JAC	
Percent Moisture	15.0		0.0100	0.0100	wt%	1	10-Jun-2020 14:20

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS0212(0-2)-20200602
 Collection Date: 02-Jun-2020 15:05

ANALYTICAL REPORT

WorkOrder:HS20060152
 Lab ID:HS20060152-09
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 04-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.23		0.0040	0.0080	mg/Kg-dry	1	10-Jun-2020 17:25
<i>Surr: 2,4,6-Tribromophenol</i>	73.2			36-126	%REC	1	10-Jun-2020 17:25
<i>Surr: 2-Fluorophenol</i>	72.8			37-125	%REC	1	10-Jun-2020 17:25
<i>Surr: Phenol-d6</i>	80.9			40-125	%REC	1	10-Jun-2020 17:25
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: JAC	
Percent Moisture	17.6		0.0100	0.0100	wt%	1	10-Jun-2020 14:20

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS0212(2-4)-20200602
 Collection Date: 02-Jun-2020 15:10

ANALYTICAL REPORT

WorkOrder:HS20060152
 Lab ID:HS20060152-10
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 04-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.32		0.0040	0.0080	mg/Kg-dry	1	10-Jun-2020 17:45
<i>Surr: 2,4,6-Tribromophenol</i>	93.0			36-126	%REC	1	10-Jun-2020 17:45
<i>Surr: 2-Fluorophenol</i>	75.0			37-125	%REC	1	10-Jun-2020 17:45
<i>Surr: Phenol-d6</i>	71.0			40-125	%REC	1	10-Jun-2020 17:45
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: JAC	
Percent Moisture	17.9		0.0100	0.0100	wt%	1	10-Jun-2020 14:20

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS0213(0-2)-20200602
 Collection Date: 02-Jun-2020 16:45

ANALYTICAL REPORT
 WorkOrder:HS20060152
 Lab ID:HS20060152-11
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 04-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.044		0.0040	0.0079	mg/Kg-dry	1	10-Jun-2020 18:04
<i>Surr: 2,4,6-Tribromophenol</i>	119			36-126	%REC	1	10-Jun-2020 18:04
<i>Surr: 2-Fluorophenol</i>	80.1			37-125	%REC	1	10-Jun-2020 18:04
<i>Surr: Phenol-d6</i>	98.9			40-125	%REC	1	10-Jun-2020 18:04
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: JAC	
Percent Moisture	16.8		0.0100	0.0100	wt%	1	10-Jun-2020 14:20

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS0213(2-4)-20200602
 Collection Date: 02-Jun-2020 16:50

ANALYTICAL REPORT

WorkOrder:HS20060152
 Lab ID:HS20060152-12
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270				Prep:SW3541 / 05-Jun-2020	Analyst: ACN
Pentachlorophenol		U	0.0039	0.0078	mg/Kg-dry	1	09-Jun-2020 15:54
<i>Surr: 2,4,6-Tribromophenol</i>	76.2			36-126	%REC	1	09-Jun-2020 15:54
<i>Surr: 2-Fluorophenol</i>	66.3			37-125	%REC	1	09-Jun-2020 15:54
<i>Surr: Phenol-d6</i>	90.9			40-125	%REC	1	09-Jun-2020 15:54
MOISTURE - ASTM D2216		Method:ASTM D2216					Analyst: JAC
Percent Moisture	15.8		0.0100	0.0100	wt%	1	10-Jun-2020 14:45

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS019(0-2)-20200603
 Collection Date: 03-Jun-2020 09:45

ANALYTICAL REPORT
 WorkOrder:HS20060152
 Lab ID:HS20060152-13
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 05-Jun-2020		Analyst: ACN	
Pentachlorophenol	0.32		0.0036	0.0073	mg/Kg-dry	1	09-Jun-2020 16:14
Surr: 2,4,6-Tribromophenol	92.7			36-126	%REC	1	09-Jun-2020 16:14
Surr: 2-Fluorophenol	52.8			37-125	%REC	1	09-Jun-2020 16:14
Surr: Phenol-d6	83.9			40-125	%REC	1	09-Jun-2020 16:14
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: JAC	
Percent Moisture	9.26		0.0100	0.0100	wt%	1	10-Jun-2020 14:45

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS019(2-4)-20200603
 Collection Date: 03-Jun-2020 09:50

ANALYTICAL REPORT

WorkOrder:HS20060152
 Lab ID:HS20060152-14
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 05-Jun-2020		Analyst: ACN	
Pentachlorophenol	0.019		0.0039	0.0077	mg/Kg-dry	1	09-Jun-2020 16:33
<i>Surr: 2,4,6-Tribromophenol</i>	79.6			36-126	%REC	1	09-Jun-2020 16:33
<i>Surr: 2-Fluorophenol</i>	51.7			37-125	%REC	1	09-Jun-2020 16:33
<i>Surr: Phenol-d6</i>	83.7			40-125	%REC	1	09-Jun-2020 16:33
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: JAC	
Percent Moisture	14.9		0.0100	0.0100	wt%	1	10-Jun-2020 14:45

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS020(0-2)-20200603
 Collection Date: 03-Jun-2020 09:55

ANALYTICAL REPORT

WorkOrder:HS20060152
 Lab ID:HS20060152-15
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 05-Jun-2020		Analyst: ACN	
Pentachlorophenol	0.016		0.0039	0.0078	mg/Kg-dry	1	09-Jun-2020 16:53
<i>Surr: 2,4,6-Tribromophenol</i>	79.4			36-126	%REC	1	09-Jun-2020 16:53
<i>Surr: 2-Fluorophenol</i>	69.9			37-125	%REC	1	09-Jun-2020 16:53
<i>Surr: Phenol-d6</i>	77.5			40-125	%REC	1	09-Jun-2020 16:53
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: JAC	
Percent Moisture	16.0		0.0100	0.0100	wt%	1	10-Jun-2020 14:45

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS020(2-4)-20200603
 Collection Date: 03-Jun-2020 10:00

ANALYTICAL REPORT
 WorkOrder:HS20060152
 Lab ID:HS20060152-16
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270				Prep:SW3541 / 05-Jun-2020	Analyst: ACN
Pentachlorophenol		U	0.0039	0.0078	mg/Kg-dry	1	09-Jun-2020 17:12
<i>Surr: 2,4,6-Tribromophenol</i>	78.7			36-126	%REC	1	09-Jun-2020 17:12
<i>Surr: 2-Fluorophenol</i>	63.1			37-125	%REC	1	09-Jun-2020 17:12
<i>Surr: Phenol-d6</i>	71.1			40-125	%REC	1	09-Jun-2020 17:12
MOISTURE - ASTM D2216		Method:ASTM D2216					Analyst: JAC
Percent Moisture	16.0		0.0100	0.0100	wt%	1	10-Jun-2020 14:45

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS0223(0-2)-20200603
 Collection Date: 03-Jun-2020 10:50

ANALYTICAL REPORT
 WorkOrder:HS20060152
 Lab ID:HS20060152-17
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 05-Jun-2020		Analyst: ACN	
Pentachlorophenol	0.038		0.0039	0.0079	mg/Kg-dry	1	09-Jun-2020 17:32
<i>Surr: 2,4,6-Tribromophenol</i>	78.6			36-126	%REC	1	09-Jun-2020 17:32
<i>Surr: 2-Fluorophenol</i>	64.6			37-125	%REC	1	09-Jun-2020 17:32
<i>Surr: Phenol-d6</i>	71.3			40-125	%REC	1	09-Jun-2020 17:32
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: JAC	
Percent Moisture	16.7		0.0100	0.0100	wt%	1	10-Jun-2020 14:45

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-SS0223(2-4)-20200603
 Collection Date: 03-Jun-2020 10:55

ANALYTICAL REPORT
 WorkOrder:HS20060152
 Lab ID:HS20060152-18
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270				Prep:SW3541 / 05-Jun-2020	Analyst: ACN
Pentachlorophenol		U	0.0040	0.0080	mg/Kg-dry	1	09-Jun-2020 17:51
<i>Surr: 2,4,6-Tribromophenol</i>	72.1			36-126	%REC	1	09-Jun-2020 17:51
<i>Surr: 2-Fluorophenol</i>	68.0			37-125	%REC	1	09-Jun-2020 17:51
<i>Surr: Phenol-d6</i>	74.5			40-125	%REC	1	09-Jun-2020 17:51
MOISTURE - ASTM D2216		Method:ASTM D2216					Analyst: JAC
Percent Moisture	17.8		0.0100	0.0100	wt%	1	10-Jun-2020 14:45

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-EB01-2020603
 Collection Date: 03-Jun-2020 08:15

ANALYTICAL REPORT
 WorkOrder:HS20060152
 Lab ID:HS20060152-19
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D	Method:SW8270					Prep:SW3510 / 04-Jun-2020	Analyst: ACN
Pentachlorophenol	U		0.000079	0.00020	mg/L	1	09-Jun-2020 18:50
<i>Surr: 2,4,6-Tribromophenol</i>	49.8			34-129	%REC	1	09-Jun-2020 18:50
<i>Surr: 2-Fluorophenol</i>	42.4			20-120	%REC	1	09-Jun-2020 18:50
<i>Surr: Phenol-d6</i>	49.0			20-120	%REC	1	09-Jun-2020 18:50

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-FD01-20200603
 Collection Date: 03-Jun-2020 10:10

ANALYTICAL REPORT

WorkOrder:HS20060152
 Lab ID:HS20060152-20
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 05-Jun-2020		Analyst: ACN	
Pentachlorophenol	0.030		0.0040	0.0079	mg/Kg-dry	1	09-Jun-2020 18:11
Surr: 2,4,6-Tribromophenol	79.9			36-126	%REC	1	09-Jun-2020 18:11
Surr: 2-Fluorophenol	69.2			37-125	%REC	1	09-Jun-2020 18:11
Surr: Phenol-d6	87.1			40-125	%REC	1	09-Jun-2020 18:11
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: JAC	
Percent Moisture	16.8		0.0100	0.0100	wt%	1	10-Jun-2020 14:45

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Golder Associates Inc.
 Project: Houston TX-Wood Preserving Works
 Sample ID: SO-1620-FD02-20200603
 Collection Date: 03-Jun-2020 11:00

ANALYTICAL REPORT
 WorkOrder:HS20060152
 Lab ID:HS20060152-21
 Matrix:Soil

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW-LEVEL SEMIVOLATILES BY 8270D		Method:SW8270		Prep:SW3541 / 05-Jun-2020		Analyst: GEY	
Pentachlorophenol	0.57		0.015	0.031	mg/Kg-dry	4	11-Jun-2020 20:48
<i>Surr: 2,4,6-Tribromophenol</i>	120			36-126	%REC	4	11-Jun-2020 20:48
<i>Surr: 2-Fluorophenol</i>	88.3			37-125	%REC	4	11-Jun-2020 20:48
<i>Surr: Phenol-d6</i>	92.5			40-125	%REC	4	11-Jun-2020 20:48
MOISTURE - ASTM D2216		Method:ASTM D2216				Analyst: JAC	
Percent Moisture	14.1		0.0100	0.0100	wt%	1	10-Jun-2020 14:45

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Weight / Prep Log

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060152

Batch ID: 154106 **Start Date:** 04 Jun 2020 09:00 **End Date:** 04 Jun 2020 14:30
Method: SV SOXHLET EXTRACT-LOWLEVEL-SW3541 **Prep Code:** 3541_B_LOW

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS20060152-01		30.4 (g)	1 (mL)	0.03289
HS20060152-02		30.29 (g)	1 (mL)	0.03301
HS20060152-03		30.33 (g)	1 (mL)	0.03297
HS20060152-04		30.14 (g)	1 (mL)	0.03318
HS20060152-05		30.22 (g)	1 (mL)	0.03309
HS20060152-06		30.17 (g)	1 (mL)	0.03315
HS20060152-07		30.27 (g)	1 (mL)	0.03304
HS20060152-08		30.39 (g)	1 (mL)	0.03291
HS20060152-09		30.1 (g)	1 (mL)	0.03322
HS20060152-10		30.01 (g)	1 (mL)	0.03332
HS20060152-11		30.07 (g)	1 (mL)	0.03326

Batch ID: 154116 **Start Date:** 04 Jun 2020 07:00 **End Date:** 04 Jun 2020 16:30
Method: SV AQ SEP FUN EXTRACT-LOWLEV - 3510C **Prep Code:** 3510_B_LOW

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS20060152-19	1	1000 (mL)	1 (mL)	0.001

Batch ID: 154141 **Start Date:** 05 Jun 2020 08:00 **End Date:** 05 Jun 2020 13:00
Method: SV SOXHLET EXTRACT-LOWLEVEL-SW3541 **Prep Code:** 3541_B_LOW

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS20060152-12		30.08 (g)	1 (mL)	0.03324
HS20060152-13		30.01 (g)	1 (mL)	0.03332
HS20060152-14		30.09 (g)	1 (mL)	0.03323
HS20060152-15		30.12 (g)	1 (mL)	0.0332
HS20060152-16		30.03 (g)	1 (mL)	0.0333
HS20060152-17		30.19 (g)	1 (mL)	0.03312
HS20060152-18		30.07 (g)	1 (mL)	0.03326
HS20060152-20		30.02 (g)	1 (mL)	0.03331
HS20060152-21		30.15 (g)	1 (mL)	0.03317

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060152

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: 154106 (0)		Test Name : LOW-LEVEL SEMIVOLATILES BY 8270D			Matrix: Soil	
HS20060152-01	SO-1620-SS016(0-2)-20200602	02 Jun 2020 12:10		04 Jun 2020 09:00	11 Jun 2020 20:28	5
HS20060152-02	SO-1620-SS016(2-4)-20200602	02 Jun 2020 12:18		04 Jun 2020 09:00	10 Jun 2020 15:09	1
HS20060152-03	SO-1620-SS017(0-2)-20200602	02 Jun 2020 12:20		04 Jun 2020 09:00	10 Jun 2020 15:28	1
HS20060152-04	SO-1620-SS017(2-4)-20200602	02 Jun 2020 12:25		04 Jun 2020 09:00	11 Jun 2020 20:09	1
HS20060152-05	SO-1620-SS018(0-2)-20200602	02 Jun 2020 12:30		04 Jun 2020 09:00	10 Jun 2020 16:07	1
HS20060152-06	SO-1620-SS018(2-4)-20200602	02 Jun 2020 12:35		04 Jun 2020 09:00	10 Jun 2020 16:27	1
HS20060152-07	SO-1620-SS0211(0-2)-20200602	02 Jun 2020 14:55		04 Jun 2020 09:00	10 Jun 2020 16:46	1
HS20060152-08	SO-1620-SS0211(2-4)-20200602	02 Jun 2020 15:00		04 Jun 2020 09:00	10 Jun 2020 17:06	1
HS20060152-09	SO-1620-SS0212(0-2)-20200602	02 Jun 2020 15:05		04 Jun 2020 09:00	10 Jun 2020 17:25	1
HS20060152-10	SO-1620-SS0212(2-4)-20200602	02 Jun 2020 15:10		04 Jun 2020 09:00	10 Jun 2020 17:45	1
HS20060152-11	SO-1620-SS0213(0-2)-20200602	02 Jun 2020 16:45		04 Jun 2020 09:00	10 Jun 2020 18:04	1
Batch ID: 154116 (0)		Test Name : LOW-LEVEL SEMIVOLATILES BY 8270D			Matrix: Water	
HS20060152-19	SO-1620-EB01-2020603	03 Jun 2020 08:15		04 Jun 2020 07:00	09 Jun 2020 18:50	1
Batch ID: 154141 (0)		Test Name : LOW-LEVEL SEMIVOLATILES BY 8270D			Matrix: Soil	
HS20060152-12	SO-1620-SS0213(2-4)-20200602	02 Jun 2020 16:50		05 Jun 2020 08:00	09 Jun 2020 15:54	1
HS20060152-13	SO-1620-SS019(0-2)-20200603	03 Jun 2020 09:45		05 Jun 2020 08:00	09 Jun 2020 16:14	1
HS20060152-14	SO-1620-SS019(2-4)-20200603	03 Jun 2020 09:50		05 Jun 2020 08:00	09 Jun 2020 16:33	1
HS20060152-15	SO-1620-SS020(0-2)-20200603	03 Jun 2020 09:55		05 Jun 2020 08:00	09 Jun 2020 16:53	1
HS20060152-16	SO-1620-SS020(2-4)-20200603	03 Jun 2020 10:00		05 Jun 2020 08:00	09 Jun 2020 17:12	1
HS20060152-17	SO-1620-SS0223(0-2)-20200603	03 Jun 2020 10:50		05 Jun 2020 08:00	09 Jun 2020 17:32	1
HS20060152-18	SO-1620-SS0223(2-4)-20200603	03 Jun 2020 10:55		05 Jun 2020 08:00	09 Jun 2020 17:51	1
HS20060152-20	SO-1620-FD01-20200603	03 Jun 2020 10:10		05 Jun 2020 08:00	09 Jun 2020 18:11	1
HS20060152-21	SO-1620-FD02-20200603	03 Jun 2020 11:00		05 Jun 2020 08:00	11 Jun 2020 20:48	4

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060152

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R363062 (0)		Test Name : MOISTURE - ASTM D2216			Matrix: Soil	
HS20060152-01	SO-1620-SS016(0-2)-20200602	02 Jun 2020 12:10			10 Jun 2020 14:20	1
HS20060152-02	SO-1620-SS016(2-4)-20200602	02 Jun 2020 12:18			10 Jun 2020 14:20	1
HS20060152-03	SO-1620-SS017(0-2)-20200602	02 Jun 2020 12:20			10 Jun 2020 14:20	1
HS20060152-04	SO-1620-SS017(2-4)-20200602	02 Jun 2020 12:25			10 Jun 2020 14:20	1
HS20060152-05	SO-1620-SS018(0-2)-20200602	02 Jun 2020 12:30			10 Jun 2020 14:20	1
HS20060152-06	SO-1620-SS018(2-4)-20200602	02 Jun 2020 12:35			10 Jun 2020 14:20	1
HS20060152-07	SO-1620-SS0211(0-2)-20200602	02 Jun 2020 14:55			10 Jun 2020 14:20	1
HS20060152-08	SO-1620-SS0211(2-4)-20200602	02 Jun 2020 15:00			10 Jun 2020 14:20	1
HS20060152-09	SO-1620-SS0212(0-2)-20200602	02 Jun 2020 15:05			10 Jun 2020 14:20	1
HS20060152-10	SO-1620-SS0212(2-4)-20200602	02 Jun 2020 15:10			10 Jun 2020 14:20	1
HS20060152-11	SO-1620-SS0213(0-2)-20200602	02 Jun 2020 16:45			10 Jun 2020 14:20	1
Batch ID: R363063 (0)		Test Name : MOISTURE - ASTM D2216			Matrix: Soil	
HS20060152-12	SO-1620-SS0213(2-4)-20200602	02 Jun 2020 16:50			10 Jun 2020 14:45	1
HS20060152-13	SO-1620-SS019(0-2)-20200603	03 Jun 2020 09:45			10 Jun 2020 14:45	1
HS20060152-14	SO-1620-SS019(2-4)-20200603	03 Jun 2020 09:50			10 Jun 2020 14:45	1
HS20060152-15	SO-1620-SS020(0-2)-20200603	03 Jun 2020 09:55			10 Jun 2020 14:45	1
HS20060152-16	SO-1620-SS020(2-4)-20200603	03 Jun 2020 10:00			10 Jun 2020 14:45	1
HS20060152-17	SO-1620-SS0223(0-2)-20200603	03 Jun 2020 10:50			10 Jun 2020 14:45	1
HS20060152-18	SO-1620-SS0223(2-4)-20200603	03 Jun 2020 10:55			10 Jun 2020 14:45	1
HS20060152-20	SO-1620-FD01-20200603	03 Jun 2020 10:10			10 Jun 2020 14:45	1
HS20060152-21	SO-1620-FD02-20200603	03 Jun 2020 11:00			10 Jun 2020 14:45	1

WorkOrder: HS20060152
 InstrumentID: SV-7
 Test Code: 8270_LOW_S
 Test Number: SW8270
 Test Name: Low-Level Semivolatiles by 8270D

**METHOD DETECTION /
 REPORTING LIMITS**

Matrix: Solid

Units: mg/Kg

Type	Analyte	CAS	DCS Spike	DCS	MDL	PQL
A	Pentachlorophenol	87-86-5	0.0033	0.00025	0.0033	0.0066
S	2,4,6-Tribromophenol	118-79-6	0	0	0	0
S	2-Fluorophenol	367-12-4	0	0	0	0
S	Phenol-d6	13127-88-3	0	0	0	0

WorkOrder: HS20060152
 InstrumentID: SV-6
 Test Code: 8270_LOW_S
 Test Number: SW8270
 Test Name: Low-Level Semivolatiles by 8270D

**METHOD DETECTION /
 REPORTING LIMITS**

Matrix: Solid

Units: mg/Kg

Type	Analyte	CAS	DCS Spike	DCS	MDL	PQL
A	Pentachlorophenol	87-86-5	0.0033	0.00036	0.0033	0.0066
S	2,4,6-Tribromophenol	118-79-6	0	0	0	0
S	2-Fluorophenol	367-12-4	0	0	0	0
S	Phenol-d6	13127-88-3	0	0	0	0

WorkOrder: HS20060152
 InstrumentID: SV-6
 Test Code: 8270_LOW_W
 Test Number: SW8270
 Test Name: Low-Level Semivolatiles by 8270D

**METHOD DETECTION /
 REPORTING LIMITS**

Matrix: Aqueous **Units:** mg/L

Type	Analyte	CAS	DCS Spike	DCS	MDL	PQL
A	Pentachlorophenol	87-86-5	0.00010	0.0000050	0.000079	0.00020
S	2,4,6-Tribromophenol	118-79-6	0	0	0	0.00020
S	2-Fluorophenol	367-12-4	0	0	0	0.00020
S	Phenol-d6	13127-88-3	0	0	0	0.00020

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060152

QC BATCH REPORT

Batch ID: 154106 (0) **Instrument:** SV-7 **Method:** LOW-LEVEL SEMIVOLATILES BY 8270D

MBLK		Sample ID: MBLK-154106		Units: ug/Kg		Analysis Date: 08-Jun-2020 15:52			
Client ID:		Run ID: SV-7_362890		SeqNo: 5611492		PrepDate: 04-Jun-2020		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	U	6.6							
<i>Surr: 2,4,6-Tribromophenol</i>	125.6	0	167	0	75.2	36 - 126			
<i>Surr: 2-Fluorophenol</i>	134.8	0	167	0	80.7	37 - 125			
<i>Surr: Phenol-d6</i>	150.1	0	167	0	89.9	40 - 125			

LCS		Sample ID: LCS-154106		Units: ug/Kg		Analysis Date: 08-Jun-2020 16:12			
Client ID:		Run ID: SV-7_362890		SeqNo: 5611493		PrepDate: 04-Jun-2020		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	120.2	6.6	167	0	72.0	23 - 136			
<i>Surr: 2,4,6-Tribromophenol</i>	140.1	0	167	0	83.9	36 - 126			
<i>Surr: 2-Fluorophenol</i>	116.2	0	167	0	69.6	37 - 125			
<i>Surr: Phenol-d6</i>	132.6	0	167	0	79.4	40 - 125			

MS		Sample ID: HS20060075-01MS		Units: ug/Kg		Analysis Date: 08-Jun-2020 18:48			
Client ID:		Run ID: SV-7_362890		SeqNo: 5611495		PrepDate: 04-Jun-2020		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	121.6	6.6	166.7	0	72.9	23 - 136			
<i>Surr: 2,4,6-Tribromophenol</i>	144.9	0	166.7	0	86.9	36 - 126			
<i>Surr: 2-Fluorophenol</i>	89.91	0	166.7	0	53.9	37 - 125			
<i>Surr: Phenol-d6</i>	118.6	0	166.7	0	71.2	40 - 125			

MSD		Sample ID: HS20060075-01MSD		Units: ug/Kg		Analysis Date: 08-Jun-2020 19:07			
Client ID:		Run ID: SV-7_362890		SeqNo: 5611496		PrepDate: 04-Jun-2020		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	95.93	6.6	166.4	0	57.6	23 - 136	121.6	23.6	30
<i>Surr: 2,4,6-Tribromophenol</i>	112.8	0	166.4	0	67.8	36 - 126	144.9	24.9	30
<i>Surr: 2-Fluorophenol</i>	87.46	0	166.4	0	52.5	37 - 125	89.91	2.76	30
<i>Surr: Phenol-d6</i>	103.3	0	166.4	0	62.1	40 - 125	118.6	13.8	30

The following samples were analyzed in this batch:

HS20060152-01	HS20060152-02	HS20060152-03	HS20060152-04
HS20060152-05	HS20060152-06	HS20060152-07	HS20060152-08
HS20060152-09	HS20060152-10	HS20060152-11	

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060152

QC BATCH REPORT

Batch ID: 154116 (0) **Instrument:** SV-7 **Method:** LOW-LEVEL SEMIVOLATILES BY 8270D

MBLK		Sample ID: MBLK-154116		Units: ug/L		Analysis Date: 10-Jun-2020 11:54			
Client ID:		Run ID: SV-7_363058		SeqNo: 5615213		PrepDate: 04-Jun-2020		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	U	0.20							
<i>Surr: 2,4,6-Tribromophenol</i>	3.567	0.20	5	0	71.3	34 - 129			
<i>Surr: 2-Fluorophenol</i>	4.652	0.20	5	0	93.0	20 - 120			
<i>Surr: Phenol-d6</i>	5.206	0.20	5	0	104	20 - 120			

LCS		Sample ID: LCS-154116		Units: ug/L		Analysis Date: 10-Jun-2020 12:14			
Client ID:		Run ID: SV-7_363058		SeqNo: 5615214		PrepDate: 04-Jun-2020		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	3.496	0.20	5	0	69.9	19 - 121			
<i>Surr: 2,4,6-Tribromophenol</i>	4.219	0.20	5	0	84.4	34 - 129			
<i>Surr: 2-Fluorophenol</i>	4.557	0.20	5	0	91.1	20 - 120			
<i>Surr: Phenol-d6</i>	5.445	0.20	5	0	109	20 - 120			

LCSD		Sample ID: LCSD-154116		Units: ug/L		Analysis Date: 10-Jun-2020 12:33			
Client ID:		Run ID: SV-7_363058		SeqNo: 5615215		PrepDate: 04-Jun-2020		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	3.623	0.20	5	0	72.5	19 - 121	3.496	3.59	20
<i>Surr: 2,4,6-Tribromophenol</i>	3.859	0.20	5	0	77.2	34 - 129	4.219	8.92	20
<i>Surr: 2-Fluorophenol</i>	4.482	0.20	5	0	89.6	20 - 120	4.557	1.66	20
<i>Surr: Phenol-d6</i>	5.22	0.20	5	0	104	20 - 120	5.445	4.22	20

The following samples were analyzed in this batch: HS20060152-19

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060152

QC BATCH REPORT

Batch ID: 154141 (0) **Instrument:** SV-6 **Method:** LOW-LEVEL SEMIVOLATILES BY 8270D

MBLK		Sample ID: MBLK-154141		Units: ug/Kg		Analysis Date: 05-Jun-2020 13:27			
Client ID:		Run ID: SV-6_362737		SeqNo: 5608343		PrepDate: 05-Jun-2020		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	U	6.6							
<i>Surr: 2,4,6-Tribromophenol</i>	99.49	0	167	0	59.6	36 - 126			
<i>Surr: 2-Fluorophenol</i>	91.2	0	167	0	54.6	37 - 125			
<i>Surr: Phenol-d6</i>	137.9	0	167	0	82.6	40 - 125			

LCS		Sample ID: LCS-154141		Units: ug/Kg		Analysis Date: 05-Jun-2020 13:47			
Client ID:		Run ID: SV-6_362737		SeqNo: 5608344		PrepDate: 05-Jun-2020		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	108.4	6.6	167	0	64.9	23 - 136			
<i>Surr: 2,4,6-Tribromophenol</i>	127.1	0	167	0	76.1	36 - 126			
<i>Surr: 2-Fluorophenol</i>	111.2	0	167	0	66.6	37 - 125			
<i>Surr: Phenol-d6</i>	133.8	0	167	0	80.1	40 - 125			

MS		Sample ID: HS20060149-02MS		Units: ug/Kg		Analysis Date: 05-Jun-2020 15:04			
Client ID:		Run ID: SV-6_362737		SeqNo: 5608347		PrepDate: 05-Jun-2020		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	186.4	13	330.3	0	56.5	23 - 136			
<i>Surr: 2,4,6-Tribromophenol</i>	233.2	0	330.3	0	70.6	36 - 126			
<i>Surr: 2-Fluorophenol</i>	201	0	330.3	0	60.9	37 - 125			
<i>Surr: Phenol-d6</i>	241	0	330.3	0	73.0	40 - 125			

MSD		Sample ID: HS20060149-02MSD		Units: ug/Kg		Analysis Date: 05-Jun-2020 15:24			
Client ID:		Run ID: SV-6_362737		SeqNo: 5608348		PrepDate: 05-Jun-2020		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Pentachlorophenol	202.9	13	333.6	0	60.8	23 - 136	186.4	8.45	30
<i>Surr: 2,4,6-Tribromophenol</i>	217.6	0	333.6	0	65.2	36 - 126	233.2	6.93	30
<i>Surr: 2-Fluorophenol</i>	167.2	0	333.6	0	50.1	37 - 125	201	18.3	30
<i>Surr: Phenol-d6</i>	223.2	0	333.6	0	66.9	40 - 125	241	7.67	30

The following samples were analyzed in this batch:

HS20060152-12	HS20060152-13	HS20060152-14	HS20060152-15
HS20060152-16	HS20060152-17	HS20060152-18	HS20060152-20
HS20060152-21			

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060152

QC BATCH REPORT

Batch ID: R363062 (0)		Instrument: Balance1		Method: MOISTURE - ASTM D2216					
DUP	Sample ID: HS20060152-10DUP	Units: wt%		Analysis Date: 10-Jun-2020 14:20					
Client ID: SO-1620-SS0212(2-4)-20200602	Run ID: Balance1_363062	SeqNo: 5615285		PrepDate:		DF: 1			
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual

Percent Moisture	18.1	0.0100					17.9	1.11	20
------------------	------	--------	--	--	--	--	------	------	----

The following samples were analyzed in this batch:

HS20060152-01	HS20060152-02	HS20060152-03	HS20060152-04
HS20060152-05	HS20060152-06	HS20060152-07	HS20060152-08
HS20060152-09	HS20060152-10	HS20060152-11	

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060152

QC BATCH REPORT

Batch ID: R363063 (0) Instrument: Balance1 Method: MOISTURE - ASTM D2216

DUP Sample ID: HS20060152-20DUP Units: wt% Analysis Date: 10-Jun-2020 14:45
Client ID: SO-1620-FD01-20200603 Run ID: Balance1_363063 SeqNo: 5615295 PrepDate: DF: 1
Analyte Result MQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

Percent Moisture 17.3 0.0100 16.8 2.93 20

The following samples were analyzed in this batch: HS20060152-12 HS20060152-13 HS20060152-14 HS20060152-15
HS20060152-16 HS20060152-17 HS20060152-18 HS20060152-20
HS20060152-21

Client: Golder Associates Inc.
Project: Houston TX-Wood Preserving Works
WorkOrder: HS20060152

**QUALIFIERS,
ACRONYMS, UNITS**

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/Kg-dry	Milligrams per Kilogram- Dry weight corrected
mg/L	Milligrams per Liter

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	20-030-0	26-Mar-2021
Dept of Defense	ANAB L2231 V009	22-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322020-4	09-May-2021
Kansas	E-10352 2019-2020	31-Jul-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2020	31-Dec-2020
Oklahoma	2019-141	31-Aug-2020
Texas	T104704231-20-26	30-Apr-2021

Sample Receipt Checklist

Work Order ID: HS20060152

Date/Time Received: 03-Jun-2020 12:15

Client Name: PBW

Received by: Patrick Salome

Completed By: /S/ Jared R. Makan	03-Jun-2020 19:56	Reviewed by: /S/ Dane J. Wacasey	04-Jun-2020 13:43
eSignature	Date/Time	eSignature	Date/Time

Matrices: **Water, Soil**

Carrier name: **ALS Courier**

- Shipping container/cooler in good condition? Yes No Not Present
- Custody seals intact on shipping container/cooler? Yes No Not Present
- Custody seals intact on sample bottles? Yes No Not Present
- VOA/TX1005/TX1006 Solids in hermetically sealed vials? Yes No Not Present
- Chain of custody present? Yes No 2 Page(s)
- Chain of custody signed when relinquished and received? Yes No COC IDs:216939, 216938, 216942
- Samplers name present on COC? Yes No
- Chain of custody agrees with sample labels? Yes No
- Samples in proper container/bottle? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No
- All samples received within holding time? Yes No
- Container/Temp Blank temperature in compliance? Yes No

Temperature(s)/Thermometer(s):	1.6°C, 3.8° UC/C	IR25
Cooler(s)/Kit(s):	43535, 25487	
Date/Time sample(s) sent to storage:	06/03/2020 19:57	

- Water - VOA vials have zero headspace? Yes No No VOA vials submitted
- Water - pH acceptable upon receipt? Yes No N/A
- pH adjusted? Yes No N/A

pH adjusted by:

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:



Cincinnati, OH
+1 513 733 5336

Fort Collins, CO
+1 970 490 1511

Everett, WA
+1 425 356 2600

Holland, MI
+1 616 399 6070

Chain of Custody Form

HS20060152

IV

Golder Associates Inc.
Houston TX-Wood Preserving Works

Page 1 of 2

COC ID: 216939



ALS Project Manager:

Customer Information		Project Information		
Purchase Order	UPRR/Kevin Peterburs	Project Name	Houston TX-Wood Preserving Works	A
Work Order		Project Number	1620-13-Rev0 SR 92688	B
Company Name	Golder Associates Inc.	Bill To Company	Union Pacific Railroad- A/P	C
Send Report To	Eric Matzner	Invoice Attn	Accounts Payable	D
Address	2201 Double Creek Drive Suite 4004	Address	1400 Douglas Street Stop 0750	E
City/State/Zip	Round Rock, TX 78664	City/State/Zip	Omaha NE 681790750	F
Phone	(512) 671-3434	Phone		G
Fax	(512) 671-3448	Fax		H
e-Mail Address	Eric_Matzner@golder.com	e-Mail Address		I
				J

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	SO-1620-SSO 16(0-2)-20200602	6-2-20	12:10	Soil	8	1	X	X									
2	" - SSO 16(2-4) - "		12:18														
3	" - SSO 17(0-2) - "		12:20														
4	" - SSO 17(2-4) - "		12:25														
5	" - SSO 18(0-2) - "		12:30														
6	" - SSO 18(2-4) - "		12:35														
7	" - SSO 211(0-2) - "		14:55														
8	" - SSO 211(2-4) - "		15:00														
9	" - SSO 212(0-2) - "		15:05														
10	" - SSO 212(2-4) - "		15:10														

Sampler(s) Please Print & Sign <i>Sarah Baker, Blake Skon</i>		Shipment Method <i>Cowley</i>		Required Turnaround Time: (Check Box)			Results Due Date:	
Relinquished by: <i>Sarah Baker</i>		Date: 6-3-20	Time: 11:40	<input checked="" type="checkbox"/> STD 10-Wk Days <input type="checkbox"/> 6 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 24 Hrs				
Relinquished by: <i>Blake Skon</i>		Date: 6-3-20	Time: 12:15	Received by (Laboratory): <i>Blake Skon</i>		Notes: UPRR HWPW 1620-13		
Logged by (Laboratory):		Date:	Time:	Checked by (Laboratory):		QC Package: (Check One Box Below)		
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035				Cooler ID: 43535 25487		Cooler Temp: 1-6 3-8		<input type="checkbox"/> Level II Std/OC <input type="checkbox"/> Level III Std/GCR/Date <input type="checkbox"/> Level IV SW/6/CLP <input checked="" type="checkbox"/> TRRP Complies <input type="checkbox"/> TRRP Level IV

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.



Cincinnati, OH
+1 513 733 5336

Everett, WA
+1 425 356 2600

Fort Collins, CO
+1 970 490 1511

Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 2 of 3

COC ID: 216938

HS20060152

Golder Associates Inc.
Houston TX-Wood Preserving Works



Customer Information		Project Information		ALS Project Manager:	
Purchase Order	UPRR/Kevin Peterburs	Project Name	Houston TX-Wood Preserving Works	A	8270_LOW_S (5632532 SVOC Pentachlorophenol)
Work Order		Project Number	1620-13-Rev0 SR 92688	B	MOIST_ASTM (5631931 Gen.Chem. MOIST%)
Company Name	Golder Associates Inc.	Bill To Company	Union Pacific Railroad- A/P	C	PH_S (5652651 pH)
Send Report To	Eric Malzner	Invoice Attn	Accounts Payable	D	CONTINGENCY (For SPLP Pentachlorophenol)
Address	2201 Double Creek Drive Suite 4004	Address	1400 Douglas Street Stop 0750	E	
City/State/Zip	Round Rock, TX 78664	City/State/Zip	Omaha NE 681790750	F	
Phone	(512) 671-3434	Phone		G	
Fax	(512) 671-3446	Fax		H	
e-Mail Address	Eric_Malzner@golder.com	e-Mail Address		I	
				J	

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	SO-1620-SSO 213(0-2)-20200602	6.2.20	16:45	Soil	s	1	X	X									
2	" - SSO 213(2-4) - "	6.2.20	16:50														
3	" - SSO 19(0-2)-20200603	6.3.20	9:45														
4	" - SSO 19(2-4) - "		9:50														
5	" - SSO 20(0-2) - "		9:55														
6	" - SSO 20(2-4) - "		10:00														
7	" - SSO 223(0-2) - "		10:50														
8	" - SSO 223(2-4) - "		10:55														
9	" - EB01 - "		8:15														
10	" - FD 01 - "		10:10														

Sampler(s) Please Print & Sign <i>Sarah Balke</i>		Shipment Method <i>Carrier</i>		Required Turnaround Time: (Check Box) <input checked="" type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 24 Hour			Results Due Date:			
Relinquished by: <i>Sarah Balke</i>	Date: 6.3.20	Time: 11:40	Received by: <i>Frank Malone</i>	Notes: UPRR HWPW 1620-13					QC Package: (Check One Box Below)	
Relinquished by: <i>Frank Malone</i>	Date: 6.3.20	Time: 12:15	Received by (Laboratory): <i>Frank Malone</i>	Cooler ID:	Cooler Temp.:	<input type="checkbox"/> Level II Std OC <input checked="" type="checkbox"/> TRRP Complete		<input type="checkbox"/> TRRP Low LTV		
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):			<input type="checkbox"/> Level III Std OC/Raw Data		<input type="checkbox"/> Level IV DW/40CLP		

Preservative Key: 1-HCl 2-HNO₃ 3-H₂SO₄ 4-NaOH 5-Na₂S₂O₃ 6-NaHSO₄ 7-Other 8-4°C 9-5035

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.



Cincinnati, OH
+1 513 733 5336

Everett, WA
+1 425 356 2600

Fort Collins, CO
+1 970 490 1511

Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 3 of 3

COC ID: 216942

HS20060152

Golder Associates Inc.
Houston TX-Wood Preserving Works



Customer Information		Project Information		ALS Project Manager:	
Purchase Order	UPRR/Kevin Peterburs	Project Name	Houston TX-Wood Preserving Works	A	0270_LOW_S (5632532 SVOC Pentachlorophenol)
Work Order		Project Number	1620-13-Rev0 SR 92688	B	MOIST_ASTM (503193.1 Gen.Chem. MOIST%)
Company Name	Golder Associates Inc.	Bill To Company	Union Pacific Railroad- A/P	C	PHLS (5652651 pH)
Send Report To	Eric Matzner	Invoice Attn	Accounts Payable	D	CONTINGENCY (For SPLP Pentachlorophenol)
Address	2201 Double Creek Drive Suite 4004	Address	1400 Douglas Street Stop 0750	E	
City/State/Zip	Round Rock, TX 78664	City/State/Zip	Omaha NE 681790750	F	
Phone	(512) 671-3434	Phone		G	
Fax	(512) 671-3446	Fax		H	
e-Mail Address	Eric_Matzner@golder.com	e-Mail Address		I	
				J	

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	SO-1620-FD02-20200603	6.3.20	11.00	Soil	0	1	X	X									
2																	
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	

Sampler(s) Please Print & Sign <i>Sarah Balke</i>		Shipment Method <i>Carrier</i>		Required Turnaround Time: (Check Box) <input checked="" type="checkbox"/> STD 12 Wk Days <input type="checkbox"/> 6 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 2d Hold			Results Due Date:		
Relinquished by: <i>Sarah Balke</i>	Date: 6.3.20	Time: 11:40	Received by: <i>Michelle Moore</i>	Notes: UPRR HWPW 1620-13					
Relinquished by: <i>Michelle Moore</i>	Date: 6.3.20	Time: 12:15	Received by (Laboratory): <i>Michelle Moore</i>	Cooler ID	Cooler Temp.	QC Package: (Check One Box Below)			
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):			<input type="checkbox"/> Level II Std OC	<input checked="" type="checkbox"/> TRRP Cont. Mfr		
						<input type="checkbox"/> Level III Std OC/Raw Data	<input type="checkbox"/> TRRP Level IV		
						<input type="checkbox"/> Level IV SW340CLP			

Preservative Key: 1-HCl 2-HNO₃ 3-H₂SO₄ 4-NaOH 5-Na₂S₂O₃ 6-NaHSO₄ 7-Other 8-4°C 9-5035

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.