

## Public Meeting Series to Inform Potential Revisions to Microbial and Disinfection Byproducts Rules

**November 18, 2021** 

\*\*\* All times in Eastern Time \*\*\*

1:00 – 1:10 PM	Welcome Eric Burneson, Director, Standards and Risk Management Divisions, Office of Ground Water and Drinking Water (OGWDW), United States Environmental Protection Agency (U.S. EPA)
1:10 – 2:15 PM	<ul> <li>MDBP Public Meeting Series Key Highlights</li> <li>Topic Area 1: Disinfectant Residual Levels and Opportunistic Pathogens (20 mins)         <ul> <li>EPA presentation on key highlights from public input (5 mins)</li> <li>Participant interactive polling, observations, and feedback (15 mins)</li> </ul> </li> <li>Topic Area 2: Disinfection Byproducts (DBPs) and Consecutive Systems         <ul> <li>Considerations (20 mins)</li> <li>EPA presentation on key highlights from public input (5 mins)</li> <li>Participant interactive polling, observations, and feedback (15 mins)</li> </ul> </li> <li>Topic Area 3: Distribution System Water Quality and Finished Water Storage (20 mins)         <ul> <li>EPA presentation on key highlights from public input (5 mins)</li> <li>Participant interactive polling, observations, and feedback (15 mins)</li> <li>Page Page Page Page Page Page Page Page</li></ul></li></ul>
2:15 – 2:30 PM	Break
2:30 – 3:30 PM	<ul> <li>MDBP Public Meeting Series Key Highlights and Additional Topics</li> <li>Topic Area 4: Source Water Considerations and Precursor Removal (20 mins)</li> <li>EPA presentation on key highlights from public input (5 mins)</li> <li>Participant interactive polling, observations, and feedback (15 mins)</li> </ul>

	<ul> <li>Topic Area 5: Sanitary Surveys and Water Safety Plans (20 mins)</li> <li>EPA presentation on key highlights from public input (5 mins)</li> <li>Participant interactive polling, observations, and feedback (15 mins)</li> <li>Additional MDBP Topics for Consideration (20 mins)</li> <li>EPA presentation on additional MDBP topics for considerations (5 mins)</li> <li>Participant interactive polling, observations, and feedback (15 mins)</li> </ul>
3:30 – 3:45 PM	Next Steps on Stakeholder Engagement and Potential MDBP Rule Revisions Ryan Albert, Chief, Standards and Risk Reduction Branch, OGWDW, U.S. EPA
3:45 PM	Adjourn