#### **CHAPTER 7009**

# MINNESOTA POLLUTION CONTROL AGENCY AMBIENT AIR QUALITY STANDARDS

#### AMBIENT AIR QUALITY STANDARDS

AMBIENT AIR QUALITY STANDARDS				
7009.0010	DEFINITIONS.			
7009.0020	PROHIBITED EMISSIONS.			
7009.0030	ENFORCEMENT.			
7009.0040	ENFORCEMENT; OPTIONS.			
7009.0050	INTERPRETATION AND MEASUREMENT METHODOLOGY, EXCEPT FOR HYDROGEN			
	SULFIDE.			
7009.0060	MEASUREMENT METHODOLOGY FOR HYDROGEN SULFIDE.			
7009.0070	[Repealed, 41 SR 763]			
7009.0080	MINNESOTA AMBIENT AIR QUALITY STANDARDS.			
7009.0090	NATIONAL AMBIENT AIR QUALITY STANDARDS.			
AIR POLLUTION EPISODES				
7009.1000	AIR POLLUTION EPISODES.			
7009.1010	DEFINITIONS.			
7009.1020	EPISODE LEVELS.			
7009.1030	EPISODE DECLARATION.			
7009.1040	CONTROL ACTIONS.			
7009.1050	EMERGENCY POWERS.			
7009.1060	TABLE 1.			
7009.1070	TABLE 2: EMISSION REDUCTION OBJECTIVES FOR PARTICULATE MATTER.			
7009.1080	TABLE 3: EMISSION OBJECTIVES FOR SULFUR OXIDES.			
7009.1090	TABLE 4: EMISSION REDUCTION OBJECTIVES FOR NITROGEN OXIDES.			
7009.1100	TABLE 5: EMISSION REDUCTION OBJECTIVES FOR HYDROCARBONS.			
7009.1110	TABLE 6: EMISSION REDUCTION OBJECTIVES FOR CARBON MONOXIDE.			

#### ADOPTION OF FEDERAL REGULATIONS

7009.9000 DETERMINING CONFORMITY OF GENERAL FEDERAL ACTIONS TO STATE OR FEDERAL IMPLEMENTATION PLANS.

#### **7009.0010 DEFINITIONS.**

Subpart 1. **Scope.** For the purpose of parts 7009.0010 to 7009.0080, the following terms have the meanings given them.

Subp. 1a. **Averaging time.** "Averaging time" means the time period specified in part 7009.0080 over which air pollution concentration data are averaged in preparation for comparison to the ambient air quality standard.

Subp. 1b. **Form of the standard.** "Form of the standard" means the method used to determine whether ambient air quality pollutant concentrations exceed the numeric level of the applicable primary or secondary ambient air quality standard.

Subp. 2. **Primary ambient air quality standards; primary standards.** "Primary ambient air quality standards" or "primary standards" mean levels established to protect the public health from adverse effects. The adverse effects that the standards should protect against include acute or chronic subjective symptoms and physiological changes that are likely to interfere with normal activity in healthy or sensitive individuals or to interfere unreasonably with the enjoyment of life or property.

Subp. 3. **Secondary ambient air quality standards; secondary standards.** "Secondary ambient air quality standards" or "secondary standards" mean levels established to protect the public welfare from any known or anticipated adverse effects, such as injury to agricultural crops and livestock, damage to or deterioration of property, annoyance and nuisance of persons, or hazards to air and ground transportation.

Subp. 4. **Total suspended particulate.** "Total suspended particulate" has the meaning given in Code of Federal Regulations, title 40, section 51.100 (ss), as amended.

Statutory Authority: MS s 115.03; 116.07

History: 18 SR 614; 41 SR 763

**Published Electronically:** January 27, 2017

#### 7009.0020 PROHIBITED EMISSIONS.

No person shall emit any pollutant in such an amount or in such a manner as to cause or contribute to a violation of any Minnesota ambient air quality standard under part 7009.0080 beyond the person's property line, provided however, that in the event the general public has access to the person's property or portion thereof, the ambient air quality standards apply in those locations. The general public does not include employees or other categories of people who have been directly authorized by the property owner to enter or remain on the property for a limited period of time and for a specific purpose.

Statutory Authority: MS s 115.03; 116.07

History: 18 SR 614; 41 SR 763

Published Electronically: January 27, 2017

## 7009.0050 INTERPRETATION AND MEASUREMENT METHODOLOGY, EXCEPT FOR HYDROGEN SULFIDE.

For all ambient air quality standards except hydrogen sulfide, interpretation of the standards and measurements made to determine compliance with the standards shall be performed as set forth in:

- A. Code of Federal Regulations, title 40, part 50, National Primary and Secondary Ambient Air Quality Standards, as amended; or
- B. Code of Federal Regulations, title 40, part 53-Ambient Air Monitoring Reference and Equivalent Methods, as amended; and
- C. Code of Federal Regulations, title 40, part 58, Ambient Air Quality Surveillance, as amended.

**Statutory Authority:** MS s 116.07

History: 18 SR 614; 19 SR 550; 23 SR 2224

#### 7009.0090 NATIONAL AMBIENT AIR QUALITY STANDARDS.

The following national ambient air quality standards, established pursuant to section 109 of the Clean Air Act, are adopted and incorporated by reference. Interpretation of the standards and measurements made to determine compliance with these standards must be performed as specified in part 7009.0050:

- A. sulfur dioxide (SO<sub>2</sub>), Code of Federal Regulations, title 40, sections 50.4, 50.5, and 50.17, as amended;
  - B. PM-10, Code of Federal Regulations, title 40, section 50.6, as amended;
- C. PM-2.5, Code of Federal Regulations, title 40, sections 50.13 and 50.18, as amended;
- D. carbon monoxide (CO), Code of Federal Regulations, title 40, section 50.8, as amended;
- E. ozone  $(O_3)$ , Code of Federal Regulations, title 40, sections 50.9 and 50.19, as amended;
- F. nitrogen dioxide  $(NO_2)$ , Code of Federal Regulations, title 40, section 50.11, as amended; and
  - G. lead (Pb), Code of Federal Regulations, title 40, section 50.16, as amended.

**Statutory Authority:** *MS s* 115.03; 116.07

**History:** 41 SR 763

Published Electronically: January 27, 2017

#### 7009.1000 AIR POLLUTION EPISODES.

Parts 7009.1000 to 7009.1110 apply to any owner or operator of any emission facility or stationary source having allowable emissions of any single air pollutant of 250 or more tons per year located within or having air pollutant emissions affecting any area within Minnesota for which an air pollution alert, air pollution warning, air pollution emergency, or air pollution significant harm episode has been declared by the commissioner.

**Statutory Authority:** MS s 116.07

**History:** L 1987 c 186 s 15; 13 SR 2154; 18 SR 614; 20 SR 2316

#### **7009.1010 DEFINITIONS.**

- Subpart 1. **Scope.** As used in parts 7009.1000 to 7009.1110, the following words shall have the meanings defined herein.
- Subp. 2. **Air pollutant.** "Air pollutant" means particulate matter, sulfur dioxide, nitrogen oxides, ozone, carbon monoxide, or nonmethane hydrocarbons.
- Subp. 3. **Alert level.** "Alert level" means the concentration of pollutants, as specified in part 7009.1020, at which first stage control actions are to be taken.
- Subp. 4. **Allowable emission.** "Allowable emission" means the emission rate calculated using the maximum rated capacity of the emission facility or stationary source, unless the emission facility or stationary source is subject to enforceable permit conditions which limit the operating rate or hours of operation or both, and the applicable standard of performance in agency rules or the standard in the permit, whichever is more stringent.
- Subp. 4a. **Commissioner.** "Commissioner" means the commissioner of the Minnesota Pollution Control Agency or the commissioner's designee.
- Subp. 5. **Declaration.** "Declaration" means the formal public notification of an episode made by the commissioner.
  - Subp. 6. [Repealed by amendment, L 1987 c 186 s 15]
- Subp. 7. **Emergency level.** "Emergency level" means that concentration of pollutants, as specified in part 7009.1020, at which third stage control actions are to be taken.
- Subp. 8. **Episode.** "Episode" means that period of time during which ambient air concentrations of air pollutants equal or exceed the alert level and meteorological conditions are such that the air pollutant concentrations can be expected to persist or to increase in the absence of control actions.
- Subp. 9. **Significant harm level.** "Significant harm level" means that concentration of pollutants, as specified in part 7009.1020, at which fourth stage control actions are to be taken.
- Subp. 10. **Warning level.** "Warning level" means that concentration of pollutants, as specified in part 7009.1020, at which second stage control actions are to be taken.

**Statutory Authority:** MS s 116.07

History: L 1987 c 186 s 15; 13 SR 2154; 18 SR 614

#### 7009.1020 EPISODE LEVELS.

The level at which the commissioner shall declare an air pollutant alert, warning, emergency, or significant harm episode shall be determined by table 1 in part 7009.1060.

**Statutory Authority:** MS s 116.07

History: L 1987 c 186 s 15; 18 SR 614

#### 7009.1030 EPISODE DECLARATION.

Subpart 1. **Alert.** An air pollution alert shall be declared by the commissioner when the commissioner finds that the concentration of any air pollutant has reached the alert level at any monitoring site and meteorological conditions are such that the air pollutant concentration can be expected to remain at, or exceed, the alert level for 12 or more hours or, in the case of ozone, to recur the following day at the same or higher levels unless control actions are taken.

- Subp. 2. **Warning.** An air pollution warning shall be declared by the commissioner when the commissioner finds that the concentration of any air pollutant has reached the warning level at any monitoring site and meteorological conditions are such that the air pollutant concentration can be expected to remain at, or exceed, the warning level for 12 or more hours or, in the case of ozone, to recur the following day at the same or higher levels unless control actions are taken. An air pollution warning shall also be declared by the commissioner when the commissioner finds that the alert level concentrations for any air pollutant have persisted in the area for 48 hours and are expected to continue for the subsequent 12 hours.
- Subp. 3. **Emergency.** An air pollution emergency shall be declared by the commissioner when the concentration of any air pollutant has reached the emergency level at any monitoring site and meteorological conditions are such that the air pollutant concentration can be expected to remain at, or exceed, the emergency level for 12 or more hours or, in the case of ozone, to recur the following day at the same or higher levels unless control actions are taken. An air pollution emergency shall also be declared by the commissioner when the commissioner finds that the warning level concentrations for any air pollutant have persisted in the area for 48 hours and are expected to continue for the subsequent 12 hours.
- Subp. 4. **Significant harm episode.** An air pollution significant harm episode shall be declared by the commissioner when the concentration of any air pollutant has reached the significant harm level at any monitoring site and meteorological conditions are such that the air pollutant concentration can be expected to remain at, or exceed, the significant harmlevel for 12 or more hours or, in the case of ozone, to recur the following day at the same or higher levels unless control actions are taken.
- Subp. 5. **Geographical area.** The geographical area subject to episode levels of any air pollutant shall be delineated to the extent feasible and shall be identified in the commissioner's declaration.

- Subp. 6. **End of episode.** The commissioner shall terminate the episode by declaration when:
- A. the measured air pollutant concentrations no longer satisfy the criteria specified in part 7009.1020; and
- B. the meteorological conditions indicate that there will not be a recurrence of episode levels of air pollutants within 24 hours of control actions are reduced or eliminated.

**Statutory Authority:** MS s 116.07

**History:** L 1987 c 186 s 15; 18 SR 614

#### 7009.1040 CONTROL ACTIONS.

- Subpart 1. **Compliance required.** Notwithstanding the provisions of other rules or of any installation permit, operating permit, stipulation agreement, variances, or order of the agency, all persons shall, upon notification by the commissioner or the commissioner's designee, comply with episode control directives issued by the commissioner.
- Subp. 2. **Control directive.** Control directives issued to any owner or operatorof an emission facility shall be based on the emission reduction plan submitted to the commissioner pursuant to subpart 3; provided, however, that in the event that no emission reduction plan has been approved for such facility, the episode control directives shall be based upon the emission reduction objectives set forth at subpart 4.
- Subp. 3. **Episode emission reduction plan.** The owner or operator of each emission facility or stationary source located in an area of the state designated by the commissioner as having exceeded the alert levels in part 7009.1060, table 1, within the last ten years and having allowable emissions of greater than or equal to 250 tons per year of the pollutant causing the episode, shall submit to the commissioner an episode emission reduction plan to be implemented at the facility or stationary source in the event of a declaration by the commissioner of an air pollution episode. The plan shall be submitted to the commissioner within 90 days of the designation of the area or by September 1, 1995, whichever is later. The plan shall be consistent with the emission reduction objectives in subpart 4 and shall designate at least two individuals to be notified in the event of the declaration of an air pollution episode. The plan shall be subject to the approval of the commissioner. If the commissioner finds that the plan is inconsistent with such emission reduction objectives, the plan shall be returned to the owner or operator along with a written statement of the reason(s) for disapproval. The owner or operator shall correct the deficiency within 30 days of notification of disapproval and shall resubmit the plan to the commissioner.
- Subp. 4. **Emission reduction objectives.** For the purpose of these parts, emission reduction objectives shall be as indicated in tables 2 through 6 in parts 7009.1070 to 7009.1110. In the event of episode levels of both particulate matter and sulfur dioxide the commissioner shall direct coal fired electric power generating facilities which pollutant is to be reduced at each facility.
- Subp. 5. **Right to enter.** During the time that an air pollution episode declaration is in effect and has not been terminated, the owner or operator of any emission facility who has been directed to implement any portion of the facility's emission reduction plan shall allow the agency, or any authorized employee or agent of the agency, when authorized by law and upon the presentation of proper credentials to enter upon the property of the owner or operator for the purpose of obtaining information or examining records or conducting surveys or investigations pertaining to the operation of the emission facilities and the control equipment. The owner or operator shall make available on the premises to such agency

employee a copy of the episode emission reduction plan for the emission facility and shall, upon request of the agency employee, demonstrate that the control directives issued to the owner or operator are being implemented.

**Statutory Authority:** MS s 116.07

**History:** L 1987 c 186 s 15; 13 SR 2154; 18 SR 614; 20 SR 2316; 22 SR 1237

#### 7009.1050 EMERGENCY POWERS.

Nothing in these parts shall be interpreted to preempt the agency's emergency powers as provided in Minnesota Statutes, section 116.11 or to preclude appropriate actions from being taken by the agency to protect the public health.

**Statutory Authority:** MS s 116.07

**History:** 18 SR 614

#### 7009.1060 TABLE 1.

	Alert	Warning	Emergency	Significant Harm
SO <sub>2</sub> 24 hr. avg. PM-10 24 hr. avg.	300 ppb	600 ppb	800 ppb	1000 ppb
	800 μg/m <sup>3</sup>	1600 μg/m <sup>3</sup>	2100 μg/m <sup>3</sup>	2620 μg/m <sup>3</sup>
	350 μg/m <sup>3</sup>	420 μg/m <sup>3</sup>	500 μg/m <sup>3</sup>	600 μg/m <sup>3</sup>
CO 8 hr. avg. 4 hr. avg. 1 hr. avg.	15 ppm 17 mg/m <sup>3</sup>	30 ppm 34 mg/m <sup>3</sup>	40 ppm 46 mg/m <sup>3</sup>	50 ppm 57.5 mg/m <sup>3</sup> 86.3 mg/m <sup>3</sup> 75 ppm 144 mg/m <sup>3</sup> 125 ppm
NO <sub>2</sub> 24 hr. avg.	$150 \text{ ppb}$ $282  \mu\text{g/m}^3$	300 ppb $565 \mu g/m^3$	400 ppb 750 μg/m <sup>3</sup>	500 ppb 938 μg/m <sup>3</sup>
NO <sub>2</sub>	600 ppb	1200 ppb	1600 ppb	2000 ppb
1 hr. avg.	1130 μg/m <sup>3</sup>	2260 μg/m <sup>3</sup>	3000 μg/m <sup>3</sup>	3750 μg/m <sup>3</sup>
Ozone	$200 \text{ ppb}$ $400  \mu\text{g/m}^3$	400 ppb	500 ppb	600 ppb
2 hr. avg.		800 μg/m <sup>3</sup>	1000 μg/m <sup>3</sup>	1200 μg/m <sup>3</sup>

**Statutory Authority:** *MS s 115.03; 116.07* 

**History:** 18 SR 614; 41 SR 763

**Published Electronically:** January 27, 2017

#### 7009.1070 TABLE **EMISSION** REDUCTION **OBJECTIVES FOR** 2: PARTICULATE MATTER.

**EMISSION** AIR POLLUTION AIR POLLUTION AIR POLLUTION **FACILITY ALERT** WARNING **EMERGENCY** 

oil-fired electric reduction by utilization by utilization of fuels by utilization of fuels

a. Substantial

a. Maximum reduction a. Maximum reduction

power generating of fuels having lowest facilities. available ash content.

- b. Maximum utilization of midday (12:00 noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing
- c. Substantial reduction by diverting by diverting electric electric power generation to facilities facilities outside of outside of Alert Area.

- having lowest available having lowest available ash content. ash content.
- b. Maximum utilization of midday (12:00 noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.
- power generation to Warning Area.
- b. Maximum utilization of midday (12:00 noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.
- c. Maximum reduction c. Maximum reduction by diverting electric power generation to facilities outside of Emergency Area.

2. Coal or

1. Coal or

- a. Substantial
- a. Maximum reduction a. Maximum reduction

oil-fired process reduction by utilization by utilization of fuels by reducing heat and

steam generating of fuels having lowest having lowest available steam demands to

facilities

available ash content.

lancing and soot blowing.

ash content.

b. Maximum utilization of midday (12:00 noon to 4:00 p.m.) atmospheric turbulence for boiler

b. Maximum utilization of midday(12:00 noon to 4:00 p.m). atmospheric turbulence for boilerlancing and soot blowing

e

necessi

ties

consist

ent

with

prevent

ing

equipm

ent

damag

e.

b. M

aximu

m

utiliza

tion of

midda

y

(12:00

noon

to

4:00

p.m.)

atmos

pheric

turbul

ence

for

boiler

landin

g and

soot

blowi

ng.

- c. Reduction of steam load demands consistent with continuing plant operation.
- c. Reduction of steam load demands consistent with continuing plant operations.

d. Making ready for use a plan of

action to be taken if an emergency develops.

c. Taking the action called for in the emergency plan.

- 3. A-Manufacturing, processing, and mining industries. **AND**
- Substantial reduction of air contaminants from manufacturing operations by curtailing, postponing,
- a. Maximum reduction a. Elimination of of air contaminants from manufacturing operations by, if necessary, assuming reasonable economic
  - air contaminants from manufacturing operations by ceasing, curtailing, postponing or deferring production

required by this rule to prepare standby plans.

B-Other persons or deferring production hardship by postponing and allied operations and allied operations.

production and allied operations.

- to the extent possible without causing injury to persons or damage to equipment.
- b. Maximum reduction b. Maximum reduction b. Elimination of air by deferring trade waste disposal operations which emit operations which emit processes which emit particles.
- c. Reduction of particulate producing heat load demands for processing consistent with continuing plant operations.
- by deferring trade waste disposal particles.
- c. Reduction of particulate producing heat load demands for processing consistent with continuing plant operations.
- contaminants from trade waste disposal particles.
- c. Maximum reduction of particulate producing heat load demands for processing.

4. Refuse disposal operations.

burning.

b. Substantial reduction by limiting burning of refuse in incinerators to the hours between 12:00 noon and 4:00 p.m.

by prevention of open by prevention of open by prevention of open burning.

> b. Complete elimination of the use of incinerators.

a. Maximum reduction a. Maximum reduction burning.

> b. Complete elimination of the use of incinerators.

**Statutory Authority:** MS s 116.07

History: 18 SR 614

### 7009.1080 TABLE 3: EMISSION OBJECTIVES FOR SULFUR OXIDES.

EMISSION FACILITY	AIR POLLUTION ALERT	AIR POLLUTION WARNING	AIR POLLUTION EMERGENCY
1. Coal or	a. Substantial	a. Maximum reduction	a. Maximum reduction
oil-fired electric	reduction by utilization	by utilization of	by utilization of
power generating facilities.	of fuels having lowest available sulfur content.	fuels having lowest available sulfur content.	fuels having lowest available sulfur content.
	b. Substantial reduction by diverting electric power generation to facilities outside of Alert Area.	by diverting electric power generation to facilities outside of	b. Maximum reduction by diverting electric power generation to facilities outside of Emergency Area.
2. Coal or	a. Substantial	a. Maximum reduction	a. Maximum reduction
oil-fired process	reduction by utilization	by utilization of fuels	by reducing heat and
steam generating facilities.	of fuels having lowest available sulfur content.	having the lowest available sulfur content.	steam demands to absolute necessities consistent with preventing equipment damage.
	b. Reduction of steam load demands consistent with continuing plant operations.	b. Reduction of steam load demands consistent with continuing plant operations.	b. Taking the action called for in the emergency plan.
		c. Making ready for use a plan of action to be taken if an emergency develops.	

3. A-Manufac-Substantial a. Maximum reduction a. Elimination of reduction of air of air contaminants air contaminants turing and from manufacturing processing contaminants from from manufacturing industries manufacturing operations by, operations by ceasing, **AND** operations by if curtailing, postponing necessary, curtailing, postponing, assuming reasonable or deferring production B-Other persons required by this or deferring production economic hardship by and allied operations and allied operations. postponing production to the extent possible rule to prepare standby plans. and allied operations. without causing injury to persons or damage to equipment. b. Maximum reduction b. Maximum reduction b. Elimination of air by deferring trade by deferring trade contaminants from waste disposal waste disposal trade waste disposal operations which emit operations which emit processes which emit sulfur dioxide. sulfur dioxide. sulfur dioxide. c. Reduction of sulfur c. Reduction of sulfur c. Maximum dioxide producing dioxide producing reduction of sulfur heat load demands for heat load demands for dioxide producing load demands for processing consistent processing consistent with continuing plant with continuing plant processing. operations operations.

**Statutory Authority:** MS s 116.07

**History:** 18 SR 614

# 7009.1090 TABLE 4: EMISSION REDUCTION OBJECTIVES FOR NITROGEN OXIDES.

EMISSION FACILITY

AIR POLLUTION ALERT

AIR POLLUTION WARNING

AIR POLLUTION EMERGENCY

1. Steam-electric power generating facilities.

- a. Substantial reduction by utilization of fuel which results in the formation of less air contaminant.
- b. Substantial reduction by diverting electric power generation to facilities outside of Alert Area.
- a. Maximum reduction by utilization of fuel which results in the formation of less air contaminant.
- b. Maximum reduction by diverting electric power generation facilities outside of Warning Area.
- a. Maximum reduction by diverting electric power generation to facilities outside of Emergency Area.

- 2. Process steam generating facilities.
- a. Substantial reduction by utilization of fuel which results in the formation of less air contaminant.
- b. Reduction of steam load demands consistent with continuing plant operations.
- a. Maximum reduction by utilization of fuel which results in the formation of less air contaminant.
- b. Reduction of steam load demands consistent with continuing plant operations.
- c. Making ready for use a plan of action to be taken if an emergency develops.

a. Maximum reduction by reducing heat and steam demands to absolute necessities consistent with preventing equipment damage.

- 3. A-Manufacturing and processing industries. **AND** B-Other persons required by this rule to prepare standby plans.
- Substantial reduction of air contaminants from manufacturing operations by curtailing, postponing, or deferring production and allied operations. by postponing

b. Maximum

disposal operations

which emit nitrogen

c. Reduction of

nitrogen oxide

producing heat

operations.

load demands for

reduction by

oxides.

- a. Maximum reduction of air contaminants from manufacturing operations by, if necessary, assuming reasonable economic hardship production and allied without causing operations.
- b. Maximum reduction by disposal operations which emit nitrogen oxides.
- c. Reduction of nitrogen oxide producing heat load demands for processing consistent processing consistent processing. with continuing plant with continuing plant operations.

- a. Elimination of air contaminants from manufacturing operations by ceasing, curtailing, postponing or deferring production and allied operations to the extent possible injury to persons or damage to equipment.
- b. Elimination of air contaminants from deferring trade waste deferring trade waste trade waste disposal processes which emit nitrogen oxides.
  - c. Maximum reduction of nitrogen oxide producing heat load demands for

- 4. Stationary internal a. Reduction of combustion engines. power demands
- consistent with continuing operations.
- a. Reduction of power demands consistent with continuing operations.
- Maximum reduction by reducing power demands to absolute necessities consistent with personnel safety and preventing equipment damage.

- b. Maximum reduction by utilization of fuels or power source which results in the formation of less air contaminants.
- b. Maximum reduction by utilization of fuels or power source which results in the formation of less air contaminants.

- 5. Refuse disposal operations.
- a. Maximum reduction by prevention of open burning.
- b. Substantial reduction by limiting elimination of the burning of refuse in incinerators to the hours between 12:00 noon and 4:00 p.m.
- a. Maximum reduction by prevention of open burning.
  - b. Complete use of incinerators.
- a. Maximum reduction by prevention of open burning.
- b. Complete elimination of the use of incinerators.

**Statutory Authority:** MS s 116.07

**History:** 18 SR 614

# 7009.1100 TABLE 5: EMISSION REDUCTION OBJECTIVES FOR HYDROCARBONS.

EMISSION FACILITY	AIR POLLUTION ALERT	AIR POLLUTION WARNING	AIR POLLUTION EMERGENCY
1. Petroleum products storage and distribution.	a. Substantial reduction of air contaminants by curtailing,	a. Maximum reduction of air contaminants by assuming reasonable	a. Elimination of air contaminants by curtailing, postponing, or
	postponing, or deferring transfer operations.	economic hardship by postponing transfer operations.	deferring transfer operations to the extent possible without causing damage to equipment.
2. Surface coating and preparation.	<ul><li>a. Substantial reduction of air contaminants</li><li>by curtailing,</li></ul>	a. Maximum reduction of air contaminants by assuming reasonable	a. Elimination of air contaminants by curtailing, postponing, or
	postponing, or deferring transfer operations.	economic hardship by postponing transfer operations.	deferring transfer operations to the extent possible without causing damage to equipment.
3. A-Manufacturing and processing industries. AND B-Other persons required by this rule to prepare standby plans.		•	a. Elimination of air contaminants from manufacturing operations by ceasing, curtailing, postponing or deferring production and allied operations to the extent possible without causing injury to persons or

damage to equipment.

4. Mobile sources. a. Voluntary

reduction in

a. Voluntary

a. Maximum

reduction in vehicle reduction by banning

unnecessary vehicle

use in response to Agency advisory.

use of public

use through increased vehicle use except for

emergencies.

isory. transport, car pools,

and van pools.

**Statutory Authority:** MS s 116.07

**History:** 18 SR 614

# 7009.1110 TABLE 6: EMISSION REDUCTION OBJECTIVES FOR CARBON MONOXIDE.

EMISSION FACILITY	AIR POLLUTION ALERT	AIR POLLUTION WARNING	AIR POLLUTION EMERGENCY
1. A-Manufacturing industries. AND B-Other persons required by this rule to prepare standby plans.	a. Substantial reduction of air contaminants from manufacturing operations by curtailing, postponing, or deferring production and allied operations.	a. Maximum reduction of air contaminants from manufacturing operations by, if necessary, assuming reasonable economic hardship by postponing production and allied operations.	a. Elimination of air contaminants from manufacturing operations by ceasing, curtailing, postponing or deferring production and allied operations to the extent possible without injury to persons or damage to equipment.
2. Refuse disposal operations.	a. Maximum reduction by prevention of open burning.	a. Maximum reduction by prevention of open burning.	a. Maximum reduction by prevention of open burning.
3. Mobile Sources.	a. Voluntary reduction in	a. Voluntary reduction in vehicle	a. Maximum reduction by banning
	unnecessary vehicle use in response to Agency advisory.	use through increased use of public transport, car pools, and van pools.	vehicle use except for emergencies.

**Statutory Authority:** MS s 116.07

**History:** 18 SR 614

# 7009.9000 DETERMINING CONFORMITY OF GENERAL FEDERAL ACTIONS TO STATE OR FEDERAL IMPLEMENTATION PLANS.

Code of Federal Regulations, title 40, part 51, subpart W, as amended, entitled "Determining Conformity of General Federal Actions to State or Federal Implementation Plans," is adopted and incorporated by reference, with the exception of Code of Federal Regulations, title 40, part 51, subpart W, section 51.851(a).

**Statutory Authority:** MS s 116.07

**History:** 20 SR 1167