



UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION III

STATEMENT OF BASIS

**Chemtrade Solutions LLC
(Formerly General Chemical Corp.)
Delaware Valley Works Facility
Claymont, Delaware**

EPA ID NO. DED154576698

Prepared by

RCRA Corrective Action Section West
Land, Chemicals and Redevelopment Division

February 2024

Table of Contents

Section 1: Introduction	1
Section 2: Facility Background.....	2
Section 3: Conceptual Site Model	3
Section 4: Summary of Environmental Investigations	4
Section 5: Risk Assessment.....	8
Section 6: Interim Measures	8
Section 7: Corrective Action Objectives	9
Section 8: Proposed Remedy.....	13
Section 9: Evaluation of Proposed Remedy	16
Section 10: Financial Assurance	20
Section 11: Public Participation.....	20
Section 12: Signature.....	21
Section 13: Index to Administrative Record.....	22
Section 14: Attachments	22

List of Acronyms

ACO	Administrative Order on Consent
amsl	Above mean sea level
AOC	Area of Concern
AR	Administrative Record
BERA	Baseline Ecological Risk Assessment
BF3	Boron trifluoride
BHC	Benzene hexachlorides
bgs	Below ground surface
CAO	Corrective Action Objective
CMP	Cap Management Plan
COC	Constituent of Concern
COPC	Chemical of Potential Concern
DDD	Dichlorodiphenyl dichloroethane
DDE	Dichlorodiphenyl dichloroethylene
DDT	Dichlorodiphenyl trichloroethane

DMA	Dimethylarsinic acid
DNREC	Department of Natural Resources and Environmental Control
DVW	Delaware Valley Works
EC	Environmental Covenant
EJ	Environmental Justice
EPA	Environmental Protection Agency
FSA	Fluorosulfonic acid
GCC	General Chemical Corporation
HHRA	Human Health Risk Assessment
HSWA	Hazardous and Solid Waste Amendments
IC	Institutional Control
IM	Interim Measure
MCL	Maximum Contaminant Level
MMA	Monomethylarsonic acid
NPDES	National Pollutant Discharge Elimination System
PAH	Polycyclic aromatic hydrocarbons
RBC	Risk-Based Concentration
RCRA	Resource Conservation and Recovery Act
RFI	RCRA Facility Investigation
RG	Remediation Goal
RSL	Regional Screening Level
SB	Statement of Basis
SPSP	South Plant South Parcel
SVOC	Semi-Volatile Organic Compound
SWMU	Solid Waste Management Unit
TAL	Target Analyte List
TI	Technical Impracticability
TOC	Total Organic Carbon
UECA	Uniform Environmental Covenants Act
VOC	Volatile Organic Compound

Section 1: Introduction

The United States Environmental Protection Agency (EPA) has prepared this Statement of Basis (SB) to solicit public comment on its proposed remedy for the Delaware River shoreline and nearshore sediments and porewater, Solid Waste Management Unit (SWMU) 9 soil and groundwater, and the South Plant South Parcel (SPSP) groundwater at the Honeywell Delaware Valley Works Facility, also known as the former General Chemical Facility, located at 6300 Philadelphia Pike, Claymont, New Castle County, Delaware (Facility or DVW Facility). The EPA issued a Final Decision and Response to Comments (Final Decision) in 2016 in which it selected a Final Remedy for soils (only) at the SPSP. That Final Remedy consists of installation and maintenance of a low permeability cap.

The EPA's proposed remedy in this SB consists of the implementation of engineering controls described in detail below; land and groundwater use restrictions implemented by an enforceable document such as an order and/or an Environmental Covenant to control exposure to contaminated pore water/sediment, soil/waste, and groundwater; a Technical Impracticability Waiver; and long-term groundwater monitoring. This SB highlights key information relied upon by the EPA in proposing its remedy.

The Facility is subject to the EPA's Corrective Action Program under the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act (RCRA) of 1976, and the Hazardous and Solid Waste Amendments (HSWA) of 1984, 42 U.S.C. §§ 6901 et seq. The Corrective Action Program requires that owners and/or operators of facilities subject to certain provisions of RCRA investigate and address releases of hazardous waste and hazardous constituents, usually in the form of soil or groundwater contamination, that have occurred at or from their property. This Facility is considered a concern for Environmental Justice (EJ) and Climate Adaptation; therefore, EJ and Climate Adaptation information were considered during the RCRA Corrective Action decision-making process.

The EPA is providing a thirty (30) day public comment period on the EPA's proposed remedy described in this SB. The EPA will evaluate comments received after the public comment period has ended and may modify its proposed remedy based on such comments. If the final remedy is substantially unchanged from the one proposed, the EPA will issue a Final Decision and inform all persons who submitted written comments or requested notice of the EPA's final determination. If the final remedy is significantly different from the one proposed, the EPA will issue a public notice explaining the new remedy and will reopen the comment period. The EPA will respond in writing to all relevant comments received during the comment period.

Information on the Corrective Action program and the Government Performance and Results Act Environmental Indicator Determinations for the Facility can be found by navigating to <https://www.epa.gov/hwcorrectiveactioncleanups/hazardous-waste-cleanup-chemtrade-solutions-llc-formerly-general>.

The EPA has compiled an Administrative Record (AR) containing all documents, including data and quality assurance information, upon which the EPA's proposed remedy is based. See Section 11, Public Participation, below, for information on how you may review the AR.

Statement of Basis

Section 2: Facility Background

The DVW Facility was a chemical manufacturing plant located along the Delaware-Pennsylvania border between Claymont, Delaware and Marcus Hook, Pennsylvania as shown on **Figure 1**. The Facility consists of approximately one hundred acres divided by Philadelphia Pike (U.S. Route 13). The portion north of Philadelphia Pike is referred to as the “North Plant,” and the portion south of Philadelphia Pike, historically known as the “South Plant,” is further divided into northern and southern parcels (**Figure 2**).

The two plants were previously owned by Allied Chemical Corporation, which became Allied-Signal Inc., then AlliedSignal Inc. (AlliedSignal), and now Honeywell International, Inc. (Honeywell). General Chemical Corporation (GCC) acquired the Facility from Allied Signal in 1986. Allied Signal retained ownership of several contiguous parcels of property upon which chemical operations were conducted and continue today and SWMU 9 in the South Plant. In 2004, Honeywell re-acquired the North Plant from GCC. In 2014, Chemtrade acquired GCC and later sold the South Plant to Drawbridge Claymont, LLC (Drawbridge). Drawbridge currently owns and operates the South Plant. The North Plant remains owned by Honeywell and is currently vacant. The South Plant is currently owned and operated by Drawbridge Claymont, LLC (Drawbridge). SWMU 9 is located adjacent to the SPSP along the Delaware River and is owned by Honeywell.

The Facility began operations in 1913. Over its history, the DVW Facility manufactured various chemical products including pesticides (dichlorodiphenyltrichloroethane [DDT] and dichlorodiphenyldichloroethane [DDD]), organic and inorganic acids, and specialty chemicals including boron trifluoride (BF₃), a reaction catalyst used in a variety of process applications, and fluorosulfonic acid (FSA). Manufacturing operations ceased at the South Plant in 2004, and the South Plant North Parcel is currently being used by a trucking operation with on-site offices on a portion of the North Parcel. The northern portion of the SPSP was redeveloped as an active rail yard.

SWMU 9 is a former settling pond that encompasses 14.56 acres and is situated on the Delaware River. SWMU 9 was created by infilling marsh area and the near shore area of the Delaware River. Beginning in 1966, it was used for storage and dewatering of alum mud sludge. Alum mud was placed within containment berms and bulkheads, and water entrained in the mud was allowed to decant into the Delaware River. This practice continued into the 1980s, with air photos from 1982 and 1987 showing that SWMU 9 had reached its current configuration.

The shoreline and nearshore sediment areas along the Delaware River consist of the shoreline riverbank and shallow-water sediment cove area adjacent to the SPSP, and a shallow-water sediment area adjacent to the SWMU 9 parcel (**Figure 2**). A wooden bulkhead is present along the SWMU 9 shoreline fronting the Delaware River, and the cove area along the southern side of the South Plant has a steel sheetpile containment wall fronting it. The nearshore remedy area is defined by sediment sampling conducted to delineate to the established project remediation goals and by the limits of sediments not disturbed by previous or anticipated dredging (i.e., inward of the pierhead line).

In September 2000, the EPA issued an Administrative Order (Order) to GCC pursuant to Section 3008(h)

Statement of Basis

of RCRA which required a Facility-wide investigation and cleanup of the Facility. In addition, in 2000 Honeywell entered into a Facility Lead Corrective Action Agreement with the EPA, and on September 14, 2011, Honeywell entered into an Administrative Order on Consent (ACO) with the EPA.

Section 3: Conceptual Site Model

Topography

The topography of the SPSP varies between 9.6 feet above mean sea level (amsl) and 17.8 feet amsl in the northeast corner adjacent to the Marcus Hook Industrial Complex (formerly Sunoco) (located west of the SPSP and SWMU 9) and north of SWMU 9. The topography in this area has some mounds of soil and slopes to the southwest toward the sluiceway where the topography is between 10 feet to 11 feet amsl. The SPSP is generally flat west of the sluiceway and has decreased elevations from approximately 10 feet amsl down to zero amsl at the shoreline of the Delaware River. SWMU 9 topography varies greatly from the surrounding land (SPSP and Sunoco property) and is a discernable mound when viewed from a distance. SWMU 9 can be defined as having steep slopes on all sides of the area where the elevations of SWMU 9 vary from approximately 11 feet amsl in the northern area, increasing to approximately 45 feet amsl in the center of SWMU 9 and then decreasing to zero amsl on the eastern (Middle Creek), western (sluiceway) and southern (Delaware River) boundaries of SWMU 9.

Geology

The Facility is situated within the Coastal Plain Physiographic Province. The Coastal Plain consists of unconsolidated sediments from the Cretaceous, Tertiary, and Quaternary ages overlying pre-Cambrian bedrock. These unconsolidated sediments consist of gravel, sand, silt, and clay deposits. The DVW Facility lies approximately 1 mile east of the Fall Line, which marks the beginning of the Piedmont Physiographic Province. Local subsurface geology is known from boring logs provided by the RCRA Facility Investigation (RFI). The surficial unit over the majority of the DVW Facility consists of an historic fill material used to create grades for building and to level the Facility property. The historic fill typically ranges from 0 to 7 feet below ground surface (bgs). It is underlain by unconsolidated fluvial deposits of silty clay, which are in turn underlain by sand and gravel deposits of varying thickness. These unconsolidated overburden units extend downward to a saprolite/weathered bedrock (Wissahickon Schist). The bedrock dips downward and is reportedly encountered at depths ranging from approximately 16 feet bgs along Philadelphia Pike to as deep as 54 feet bgs along the Delaware River. Saprolitic materials have been identified at depths of 35 feet bgs and greater.

Hydrogeology

The principal water-bearing zone consists of unconsolidated sand and gravel units of the Coastal Plain Sediments. Characteristic of the Coastal Plain sediments of the region, the principal water-bearing zone at the DVW Facility consists of an unconsolidated sand and gravel which underlies historical fill materials and discontinuous silty-clay units. Groundwater occurs in these units under water table conditions and was encountered generally between 7 and 13 feet bgs during well installations. Where present, silty-clay units may create locally semi-confined conditions. Shallow water level data collected

Statement of Basis

in synoptic water level measurements during the prior RFI investigation work indicate groundwater flow direction to the south-southwest toward the Delaware River discharge boundary and deep water level data indicate flow to the east-northeast.

Section 4: Summary of Environmental Investigations

On November 11, 1980, Allied Chemical Corporation submitted a RCRA Part A Hazardous Waste Permit Application to the EPA for the DVW Facility. In June 1986, AlliedSignal completed a RCRA Facility Assessment (RFA) in which 14 SWMUs and one Area of Concern (AOC) were identified on what is now DVW Facility property. In 1999, the EPA Region 3 issued an ACO to GCC to conduct an RFI at the Facility which included land later sold to Honeywell.

SWMU 9

During the 2003 Phase I RFI, a total of 18 soil borings were installed throughout the SWMU. Soil samples were collected from three depth intervals and analyzed for Target Analyte List (TAL) metals. The analytical results were compared to the EPA Residential Risk-Based Concentrations (RBCs), Industrial RBCs, and Ecological Screening Values. Exceedances of the Residential RBCs and/or Ecological Screening Levels were observed throughout the SWMU for aluminum, antimony, arsenic, and iron.

In 2010 as part of the offshore sediment investigation, surface soil samples from the 0 to 0.5-foot depth interval were collected over much of the surface of SWMU 9 and analyzed for pesticides (benzene hexachlorides [BHCs], DDT, DDD, dichlorodiphenylchloroethylene [DDE] (collectively referred to as DDx)), arsenic, and lead. Generally, DDx soil concentrations greater than 1 milligram per kilogram (mg/kg) were limited to immediately along the shoreline. The arsenic concentration distribution generally was similar to that of DDx (i.e., areas of elevated arsenic concentrations also had elevated DDx concentrations). During the 2010 investigation, groundwater samples were also collected from the monitoring wells along the Delaware River and analyzed for DDx, lead, and arsenic (dissolved and total).

A 2014-2015 RFI included the installation and sampling of one new groundwater monitoring well at SWMU 9. The 2015 RFI also included a geotechnical investigation.

In 2016, an additional investigation was conducted to supplement the previous investigations and to assess the impact of arsenic in groundwater. The 2016 additional investigation included the installation of one groundwater monitoring well at SWMU 9. Groundwater samples were collected for arsenic speciation analysis and slug tests were performed to evaluate hydraulic conductivity at the Facility.

In 2018, a geotechnical investigation was conducted to collect supplemental geotechnical and other data necessary to support the design of a corrective measure including a slope stability analysis. Six soil borings were advanced and one monitoring well was installed. Soil samples were analyzed for physical and engineering properties to support the corrective measure at the Facility.

In 2019, six soil borings were advanced in the southeastern portion of the Facility for the collection of Statement of Basis

soil samples and four monitoring wells (two shallow and two deep) were installed between the Facility and the Sunoco property to the northeast.

Soil boring locations are shown on **Figure 3** and results are provided in **Appendix A**. Monitoring well locations are shown on **Figure 4** and results are provided in **Appendix B**.

South Plant South Parcel Groundwater

The following phases of groundwater investigation have been conducted at the South Plant which included investigations at the SPSP:

- 2003 Phase I RFI;
- 2007 Phase II RFI;
- 2010 Pathway Investigation; and
- 2016 Supplemental Pathway Investigation.

The 2003 Phase I RFI included sampling of 32 shallow groundwater monitoring wells (15 existing and 17 new) located in both the North and South Plants. Based upon review of the Phase I RFI results, a subsequent groundwater sampling effort was conducted under the 2007 Phase II RFI.

The presence of volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs) in groundwater at the South Plant appears to be localized and limited in extent. While certain VOCs and SVOCs were detected at concentrations exceeding corresponding Maximum Contaminant Levels (MCLs) or the EPA Region 3 Tap Water RBCs in limited locations, VOCs and SVOCs (to the extent detected) were generally found at low concentrations. Chlorinated VOCs appear to be locally limited to the extreme northwest corner of the South Plant North Parcel near monitoring well MW-106. DDx compounds were present at three scattered locations and generally detected at concentrations of less than 1 microgram per liter ($\mu\text{g}/\text{L}$). BHC compounds were locally present at six locations investigated; however, BHC compounds generally were present at only trace levels (less than 1 $\mu\text{g}/\text{L}$).

Dissolved arsenic, cadmium, chromium, copper, lead, nickel, thallium, vanadium, and zinc were detected at concentrations exceeding their respective MCLs in groundwater in the South Plant. With the exception of dissolved arsenic, all of the detected compounds exceeding screening levels were found to be localized and limited in extent. Dissolved arsenic was found in groundwater beneath several areas of the South Plant, including in groundwater near the Delaware River at the southern boundary of the South Plant.

In 2010, a pathway investigation was conducted to assess the potential impacts of arsenic in groundwater on adjacent Delaware River water quality. To further assess possible cross-media migration of arsenic from soils to groundwater, and subsequently to the Delaware River, calculations (originally developed in 2004) were updated to assess concentrations of dissolved arsenic in monitoring wells. Based on the designated uses for the Delaware River, which are listed as primary contact recreation, secondary contact recreation, and fish, aquatic life, and wildlife under Title 7 Delaware Administrative Code 7401 § 3, the water quality criteria for protection of human health (fish and water ingestion) are not applicable because the designated uses for the Delaware River do not include use as a public water supply source. Accordingly, the relevant water quality standard for arsenic is the Saltwater Continuous Chronic Criterion of 36 $\mu\text{g}/\text{L}$ (found in Title 7 Delaware Statement of Basis

Administrative Code 7401 § 4.5.9.3, Table 1). Based on this cross-media assessment, it was estimated that concentrations of dissolved arsenic migrating to the Delaware River from the diffuse discharge of groundwater from beneath the South Plant will result in concentrations of arsenic in surface water that are two orders of magnitude below the relevant water quality standard of 36 µg/L.

Monitoring well locations are shown on **Figure 4** and results are provided in **Appendix B**.

Shoreline and Nearshore Sediment Area

On September 19, 2008, the EPA collected Delaware River sediment samples within the tidal mudflats adjacent to the South Plant and SWMU 9. Sampling data indicated the presence of DDx, arsenic, and lead. Re-sampling of the sediment (0- to 6-inch depth interval [bioactive zone only]) in the vicinity of the previously sampled sediment locations was conducted on June 11, 2009.

Additional sampling of shoreline sediment, the stormwater sluiceway, groundwater, and surface soils was conducted in July 2010. During that event, 29 sediment samples were collected from the confluence box and down the sluiceway into the area between the dock and cove area. This investigation identified the presence of DDx, lead, and arsenic in the confluence box, sluiceway, and shoreline river sediment.

A series of six additional sediment sampling events were conducted from July 2012 through February 2015 to characterize and delineate DDx, lead, and arsenic in river sediments within the on-site nearshore study area extending outward (south/southeast) toward the pierhead line that defines the outer limit of the nearshore environment and west/southwest toward the existing facility pier. The corrective measures would extend to the pierhead line. These sediment sampling efforts also completed the on-site nearshore sediment delineation to the upstream property boundary. In addition to delineation of DDx, arsenic, and lead in sediments, additional sediment investigations were conducted to assess bathymetry and geotechnical properties of nearshore river sediments and shoreline soils.

In January 2016, the EPA requested that a supplemental sediment investigation be performed to complete the delineation of impacted surface sediments to the east (off-site) of the DVW Facility adjacent to the Sunoco Site. The supplemental study area extended approximately 1,000 feet eastward and adjacent to the Sunoco Site (**Figure 1**). A total of 30 surface sediment samples (0-6 inches) were collected; 15 primary samples were analyzed for DDT and its isomers, as well as Total Organic Carbon (TOC). Four sediment samples exhibited concentrations of DDx in excess of the sediment remedial goal.

A supplemental pathway investigation was also conducted in 2016 to evaluate groundwater impacts and potential nearshore discharge in the southern portion of the Facility to support the design for subsequent capping of the nearshore sediments. The purpose of the sampling and analysis was to collect data to assess the fate of arsenic in groundwater potentially discharging from the Facility to the nearshore sediments of the Delaware River. Results of the sampling for groundwater, porewater, sediment, and surface water were reported as follows:

- Dissolved arsenic concentrations in the sampled wells ranged from 1.15 to 154,000 µg/L. Total arsenic concentrations were consistent with dissolved concentrations in the sampled wells,

Statement of Basis

indicating arsenic in groundwater is present in the dissolved phase. The highest groundwater dissolved arsenic concentrations were detected in monitoring wells immediately upgradient of the cove, including MW-108R, MW-119, and MW-120. Dissolved arsenic concentrations in groundwater within SWMU 9 (MW-16, MW-17, and MW-122) were generally low (less than 27 µg/L) and characterized by a greater proportion of As(V).

- Porewater dissolved arsenic concentrations ranged from 40 to 417,000 µg/L and were generally highest in the cove sampling locations. Arsenic in porewater consists predominantly of As(III), which typically accounts for more than 80% of the dissolved arsenic in any given sample, with minor to trace amounts of As(V). Monomethylarsonic acid (MMA) and dimethylarsinic acid (DMA) were not detected in porewater. At three of the four in-water sampling locations in the cove (DVW-16-01, DVW-16-03, and DVW-16-08), deep porewater dissolved arsenic concentrations were higher than concentrations in co-located shallow porewater. The lower concentrations in shallow porewater compared to the deeper samples at most locations in the cove indicate dissolved arsenic is attenuated within the sediment. In contrast, at most of the porewater sampling locations offshore of SWMU 9 (DVW-16-04, DVW-16-05, DVW-16-06, DVW-16-07, DVW-16-08, DVW-16-09, and DVW-16-10), dissolved arsenic concentrations were much greater than those detected in the upland SWMU-9 wells. Deep porewater dissolved arsenic concentrations were also lower, by up to one to two orders of magnitude, than those observed in the cove. Arsenic speciation in shallow porewater in this area was generally more than 90% As(III). The elevated porewater arsenic concentrations compared to upland groundwater and the predominance of reduced As(III) indicate porewater arsenic concentrations are influenced by the presence of arsenic in the local sediments and local redox conditions rather than by migration of upland groundwater.
- Total arsenic concentrations in surface water ranged between 3.45 and 19.5 µg/L, and dissolved arsenic concentrations ranged between 1.67 and 5.98 µg/L. All surface water concentrations were below the chronic water quality standard of 36 µg/L.
- Total arsenic concentrations in sediment samples ranged from 48.7 to 1,830 mg/kg and were highest at sample locations located within the cove. These locations coincide with highest dissolved arsenic concentrations in pore water samples and are downgradient of monitoring wells which also have higher dissolved arsenic concentrations relative to other areas of the Facility.

In October 2018, additional nearshore data was collected, including along the Sunoco property to characterize sediment pore water for select pesticides and arsenic. These sampling results indicated elevated arsenic concentrations in pore water along the Sunoco property and the SPSP cove shoreline.

Spatial and depth distributions of arsenic concentrations and major ion chemistry of groundwater and porewater confirmed that groundwater discharge as a source of elevated arsenic to sediments is limited to the nearshore in the cove area adjacent to the SPSP south of the sluiceway discharge.

Sediment and pore water sample locations are shown on **Figures 5 through 10** and results are provided in **Appendix C**. Results specific to the 2016 Supplemental Pathway investigation are provided in **Appendix D**.

Statement of Basis

Section 5: Risk Assessment

A Human Health Risk Assessment (HHRA) was conducted for SWMU 9 as part of the North Plant RFI. SWMU 9 soil samples were collected and analyzed for VOCs, SVOCs, pesticides, and metals. Detected concentrations were screened against the EPA Regional Screening Levels (RSLs) (November 2021) to determine chemicals of potential concern (COPCs). COPCs identified include VOCs, polycyclic aromatic hydrocarbons (PAHs), chlorinated and nitrogenated benzenes, DDx, and metals (in particular arsenic, mercury, and thallium). The HHRA examined site construction workers and adult and child trespassers as potential receptors. The results of the HHRA indicated that carcinogenic risk estimates exceeded the EPA risk threshold for current and for future construction workers at SWMU 9. Noncarcinogenic risk estimates exceeded the EPA threshold for future construction workers at SWMU 9. The risk drivers are arsenic and thallium. Residential exposure to soil and groundwater, and exposure to groundwater as a drinking water source was eliminated due to current and foreseeable future industrial land use conditions.

A baseline ecological risk assessment (BERA) was conducted only at SWMU 9 since there is little or no area of the remainder of the Facility that serves or could serve as habitat. Three potential ecological receptors were identified as having complete exposures to surficial soil contaminants: the short-tailed shrew, the American robin, and the raccoon.

Section 6: Interim Measures

The potential source of DDx, arsenic, and lead in nearshore river sediments was suspected to be impacted sediment in the storm water sewer system at both the North Plant and the South Plant. Stormwater is collected by a stormwater sewer collection system, which conveys stormwater by gravity beneath U.S. Highway 13 and into the stormwater sewer system that serves the former South Plant facility. From the storm sewer, stormwater is discharged to the Delaware River outfall via a sluiceway. The stormwater outfall is permitted under a National Pollutant Discharge Elimination System (NPDES) discharge permit.

Stormwater Sewer System

Honeywell completed a maintenance storm sewer cleaning project in August 2011 to remove accumulated sediment from the DVW Facility storm sewer system and a main trunk line leading from the North Plant across the South Plant North Parcel to the confluence box discharge point at the upper end of the sluiceway located on the Facility property. Approximately 10,480 linear feet of storm sewer lines were jet cleaned and video inspected. During the jetting process, approximately 254 tons of accumulated sediment and debris were removed. All solids collected from the cleaning operations were dewatered and mixed with a polymer to ensure passing a paint filter test for transportation and disposal. Solids characterized as hazardous based on TCLP analytical testing were transported to an approved disposal facility for incineration. Non-RCRA hazardous materials were transported and disposed of at an approved landfill between October 27, 2011 and April 3, 2012.

Statement of Basis

Upper Sluiceway

The upper sluiceway is defined as the portion of the Facility storm water conveyance system from the storm water confluence box to the existing weir structure (**Figure 2**). The IMs for the upper sluiceway were completed between December 2012 and June 2013. The scope of interim measures work consisted of removing soft sediment from the upper sluiceway and the subsequent installation of a cover system over the sluiceway base. The tasks completed included dewatering and flow control/diversion of the upper sluiceway, debris removal, removal and solidification of sediment from the subsurface concrete pipeline and subsequent video inspection, removal and solidification of soft sediment from the remaining portions of the upper sluiceway, and the placement of a geotextile fabric and minimum 6-inch thick AquaBlok® layer throughout the open channel portion of the upper sluiceway. The excavation of the soft sediment was considered complete once competent material was encountered that provided a suitable, stable base for the placement of the cover system.

Lower Sluiceway

The IM for the uppermost 500 feet of the lower sluiceway was completed in 2022. Sediment excavation from the lower sluiceway consisted of approximately 0.5 to 2.5 feet of soft sediment excavation within the limits of sluiceway work with an additional over-excavation allowance of 0.5 feet. The weir box and road crossing culvert within the lower sluiceway were cleared of visible sediment and debris. Following sediment removal, the sediment cover was placed consisting of an initial sand layer, geotextile layer, and a layer of AquaBlok® material. A geotextile layer was placed over the AquaBlok® material and armor stone was installed over the geotextile. In addition, the culvert within the lower sluiceway was removed and replaced with a layer of riprap stone to line the channel; the culvert will be replaced at a later date in coordination with current owner. The remediation of the remaining 335-foot portion of the Lower Sluiceway (“Segment 3” as shown on **Figure 2**) will be coordinated with the implementation of the shoreline and nearshore sediment corrective measures.

Section 7: Corrective Action Objectives

The EPA's Corrective Action Objectives (CAOs) are as follows:

SWMU 9 Soils

The EPA's CAOs for SWMU 9 soils are to prevent uncontrolled exposure due to direct contact of constituents of concern (COCs), mitigate particulate transport to Delaware River and sluiceway, and minimize cross media transfer from potential inhalation and ingestion of airborne particles from disturbance of COC-impacted soils.

The EPA's Direct Contact Industrial Soil RSL and Protection of Groundwater RSLs apply to all soils that could leach contaminants to groundwater.

Statement of Basis

			Protection of GW SSL	
Parameter Group	COPC	Direct Contact Industrial Soil RSL (mg/kg)	Risk Based Soil Screening Level (SSL) (mg/kg)	MCL Based Soil Screening Level (SSL) (mg/kg)
VOCs	Methylcyclohexane	NS	NS	NS
Metals	Aluminum	1100000	30000	NS
	Arsenic	3	0.0015	0.29
	Lead	800	NS	14
	Thallium	12	0.014	0.14
	Vanadium	5800	86	NS
	Aldrin	0.18	0.00015	NS
Pesticides	alpha-BHC	0.36	0.000042	NS
	beta-BHC	1.3	0.00015	NS
	gamma-BHC	2.5	0.00024	0.0012
	4,4'-DDD	9.6	0.0075	NS
	4,4'-DDE	9.3	0.011	NS
	4,4'-DDT	8.5	0.077	NS
	Dieldrin	0.14	0.000071	NS

Note: NS – No Standard

SWMU 9 and South Plant South Parcel Groundwater

The EPA expects final remedies to return usable groundwater to its maximum beneficial use, where practicable, within a timeframe that is reasonable. For projects where aquifers are either currently used for water supply or have the potential to be used for water supply, EPA will use the National Primary Drinking Water Standard Maximum Contaminant Levels (MCLs) promulgated pursuant to Section 42 U.S.C. §§ 300f et seq. of the Safe Drinking Water Act and codified at 40 C.F.R. Part 141.

The EPA has determined that restoration of groundwater to MCLs is technically impracticable at SWMU 9 and SPSP. Technical impracticability (TI) for contaminated groundwater refers to a situation where achieving groundwater cleanup standards associated with final cleanup standards is not practicable from an engineering perspective. The term “engineering perspective” refers to factors such as feasibility, reliability, scale or magnitude of a project, and safety. Restoration of groundwater at SWMU 9 and SPSP to MCLs has been deemed technically impracticable for the following reasons:

1. The large volume of the contaminated fill material. The distribution of arsenic in groundwater at the Facility does not appear to be from a release or particular unit but appears to be associated with the historical fill used along the Delaware River shoreline.
2. Hydrogeologic factors such as heterogeneous soil conditions consisting of fill material and low permeability materials with low groundwater seepage velocities, such as silts and clays.
3. Site-setting factors such as:

Statement of Basis

- a. The highly industrialized environment with significant surficial and subsurface infrastructure and
- b. The presence of offsite sources and regional characteristics that could render any restoration within the SPSP and SWMU 9 temporary, as these offsite sources could recontaminate the area.

Therefore, the standard in this proposed remedy is the levels established by DNREC's surface water criteria to protect the Delaware River from groundwater discharging from the Facility. EPA's Corrective Action Objectives for Facility groundwater are to control exposure to the hazardous constituents remaining in the groundwater; protect the current existing receptors, namely site workers, construction workers, trespassers and wildlife, from unacceptable concentrations from COC impacts; ensure that the dissolved groundwater plume is contained and will not migrate beyond the extent of the current groundwater plume; and ensure that no groundwater discharge concentrations would result in surface water concentrations that are above the Delaware surface water criteria. The TI Zone applies to the entirety of the SPSP and SWMU 9, and applies to COPCs including VOCs, SVOCs, metals, and pesticides.

Relevant groundwater-specific goals are provided by the EPA's MCLs and, if an MCL does not exist for a specific compound, the EPA's May 2023 RSLs for tap water would apply. The following groundwater MCLs and RSLs will be used as groundwater specific goals for the Facility COPCs at the point of compliance (shoreline monitoring wells):

Parameter Group	Constituent	May 2020 EPA MCL (µg/L)	May 2023 RSL (µg/L)
VOCs	1,1-Dichloroethane	NS	2.8
	1,2-Dichloroethane	5	0.17
	1,2-Dichloropropane	5	0.85
	1,4-Dichlorobenzene	75	0.48
	Benzene	5	0.46
	Chlorobenzene	100	78
	Chloroform	80	0.22
	cis-1,2-Dichloroethene	70	25
	Ethylbenzene	700	1.5
	Methylene Chloride	5	11
	Tetrachloroethene	5	11
	Trichloroethene	5	0.49
	Vinyl Chloride	2	0.019
	Xylenes	10000	190
SVOCs	2-Methylnaphthalene	NS	36
	Benzo(a)anthracene	NS	0.03
	Benzo(a)pyrene	NS	0.025

Statement of Basis

Parameter Group	Constituent	May 2020 EPA MCL (µg/L)	May 2023 RSL (µg/L)
SVOCs	Benzo(b)fluoranthene	NS	0.25
	Naphthalene	NS	0.12
	n-Nitrodiphenylamine	NS	12
Metals	Antimony	6	7.8
	Aluminum	NS	20000
	Barium	2000	3800
	Beryllium	4	25
	Cadmium	5	1.8
Metals	Cobalt	NS	6
	Copper	1300	800
	Iron	NS	14000
	Lead	15	15
	Manganese	NS	430
	Mercury	2	0.63
	Nickel	NS	390
	Selenium	50	100
	Silver	NS	94
	Thallium	2	0.2
	Vanadium	NS	86
	Zinc	NS	6000
Pesticides	4,4'-DDD	NS	0.032
	4,4'-DDE	NS	0.046
	4,4'-DDT	NS	0.23
Pesticides	Aldrin	NS	0.00092
	alpha-BHC	NS	0.0072
	beta-BHC	NS	0.025
	gamma-BHC	0.2	0.042
	Dieldrin	NS	0.0018
	Heptachlor	0.4	0.0014
	Heptachlor Epoxide	0.2	0.0014

Note: NS – No Standard

Pore Water and Sediment

The CAO for pore water/sediment is to achieve risk-based remediation goals for arsenic in pore water and DDx, arsenic, and lead in sediments. Site-specific sediment remediation goals were developed to be protective of potential human and ecological receptors that could be present in the Delaware River adjacent to the Facility. The risk-based remediation goals for total DDx, arsenic, and lead are:

Statement of Basis

Chemical	RG Range	Controlling Endpoint(s)
Total DDX ($\mu\text{g/gOC}$)	40-60	Benthic invertebrates, fish, humans
Arsenic (mg/kg)	130-170	Benthic invertebrates
Lead (mg/kg)	150	Fish

A risk-based screening level was developed to assess the potential significance of arsenic concentrations detected in sediment pore water in the nearshore area of the Delaware River. The risk-based remediation goal for arsenic in pore water is 1,253 ug/L, designed to be protective of the benthic community in surface sediment.

Section 8: Proposed Remedy

The EPA's proposed remedy includes an engineered cover system at SWMU 9; establishing a Technical Impracticability Zone and long-term groundwater monitoring for SWMU 9 and South Plant South Parcel groundwater; implementing use restrictions through Institutional Controls; and constructing and maintaining a sediment cap for the shoreline and nearshore sediment. Additional details are provided below. A description and analysis of the other alternatives considered by the EPA can be found in the Corrective Measures Study Reports prepared by Honeywell. EPA approved the SWMU 9 and SPSP Groundwater CMS on December 21, 2023 and approved the Nearshore Sediment CMS on June 26, 2023.

SWMU 9

The EPA's proposed remedy for SWMU 9 is to install and maintain a cover system (soil cap with marker fabric above the alum mud) that controls, minimizes, or eliminates post remedial action escape of hazardous waste, hazardous constituents, leachate, contaminated run-off, or hazardous waste decomposition products to the ground or surface waters or to the atmosphere, to the extent necessary to protect human health and the environment. The cap shall be designed and constructed to prevent infiltration to mitigate potential cross-media migration (soil to groundwater) of COCs. The cap shall be functionally equivalent to the performance standards documented in 40 CFR Section 265.310.

A Cap Management Plan (CMP) shall be submitted for EPA and the state of Delaware's Department of Natural Resources and Environmental Control's (DNREC) review and approval and, at a minimum will include the following: the procedures to maintain the cap over the contaminated soil; a schedule for inspections to be performed as part of cap maintenance, no less frequent than once a year; physical maintenance requirements of the capped areas to prevent degradation of the cap and unacceptable exposure to the underlying soil.

In addition to the cover system, stabilization of SWMU 9 soil and construction of other necessary erosion and stormwater control components will also be completed.

Statement of Basis

SWMU 9 and South Plant South Parcel Groundwater

EPA's proposed remedy for SWMU 9 and SPSP groundwater consists of establishing a Technical Impracticability (TI) Zone. The TI Zone is defined as groundwater within the area depicted on Figure 11 of this SB. The distribution of arsenic in groundwater at the Facility does not appear to be from a release or particular unit but appears to be associated with the historical fill used along the Delaware River shoreline. Further, as characterized during the RFI, the low hydraulic conductivity of the fill material results in low groundwater seepage velocities which, combined with the volume of fill present on the Facility, supports the conclusion that groundwater restoration is technically impracticable.

Further, the findings of the previous investigations characterized the extensive nature of the heterogeneous and contaminated fill in contact with groundwater, and estimates to achieve RSLs indicate that it is technically impracticable from an engineering perspective to restore groundwater at the Facility. Therefore, the following alternative remedial approach has been developed in consideration of the potential for exposure to groundwater and the means available with which to control it:

- Prevent/minimize potential exposure by contact or ingestion that presents unacceptable risk.
- Prevent migration and preferential flow of COCs to the Delaware River at levels resulting in risk above acceptable levels to human health or ecological receptors. Specifically, a remedy is proposed that combines:
 - Capping of SWMU 9 and SPSP soils to reduce infiltration into the underlying fill material (capping of SPSP soils is addressed by the remedy selected in the EPA's 2016 FDRTC for SPSP soils);
 - Treatment of groundwater via a reactive cap over the area of sediment where groundwater discharges to the Delaware River;
 - Conducting long-term groundwater monitoring; and
 - Implementing land and groundwater use restrictions through institutional controls to preclude use of groundwater at the Facility.

Delaware River Shoreline and Nearshore Sediment Area

The proposed shoreline (cove and SWMU 9) and nearshore sediment remedy consists of a multi-layer capping system consisting of an isolation layer, filter layer, and armor layer. A total of 12.4 acres of nearshore sediments would be capped (**Figure 2**) including an approximately 10.2-acre on-site area and an approximately 2.2-acre off-site area (i.e., the supplemental study area). This off-site portion of the cap may extend east of the DVW Facility property adjacent to the Sunoco property. Additionally, approximately 1.8 acres of shoreline fronting the South Plant and SWMU 9 will be regraded, capped, and armored. The sediment cap will generally consist of a base isolation layer of sand overlying the existing sediment surface. An intermediate gravel filter layer has been designated for certain cap types, depending on the size of the overlying erosion protection armor stone for a given area where the cap is to be placed. The erosion protection armor layer varies across the cap types, depending upon the modeled erosive forces for certain areas and inclinations of the sediment surface. In areas where dissolved arsenic has the potential to migrate up through the cap, the capping systems will include a

Statement of Basis

chemical isolation layer (e.g., zero valent iron amendment). It is currently estimated that the shoreline cap will be approximately 30 to 39-inches thick in the cove area and 33- to 42-inches for SWMU 9. It is currently estimated that the nearshore sediment cap thickness may range from approximately 18 to 66 inches thick, depending on the armor layer requirements.

These limits of impacted sediments were defined by delineation of COC concentrations to the established site-specific risk-based remediation goals and limits of the shallow nearshore environment. Arsenic and DDx have been delineated in the western and eastern portions of the study area, and to the limits of nearshore area defined by the pierhead line. This delineated area consists of the shoreline banks of the cove area and the SWMU 9 parcel, which are separated by the Facility sluiceway and discharge conveyance.

Remediation of Segment 3 of the Lower Sluiceway will be completed as part of the shoreline and sediment remedy implementation.

Data demonstrate that the Sunoco property may be contributing to sediment arsenic and lead in the nearshore remedy area. Therefore, EPA proposes that for any portion of the cap that may extend beyond the DVW Facility property, Honeywell will maintain cap integrity, but not conduct chemical monitoring or address lead or arsenic that may recontaminate the portions of the cap that lie beyond the DVW property.

Institutional Controls

The 2016 Baseline HHRA identified unacceptable risk regarding residential and non-residential exposure to groundwater, and therefore the exposure pathway will be eliminated for residents and non-residents using Institutional Controls (ICs), as well as health and safety controls for any potential construction worker exposure. Because contaminants remain in the soil and groundwater at the SPSP and SWMU 9 above levels appropriate for residential use, the EPA's proposed remedy requires land use restrictions to restrict activities that may result in exposure to those contaminants. The EPA proposes that the restrictions be implemented and maintained through ICs. ICs are non-engineered instruments such as administrative and/or legal controls that minimize the potential for human exposure to contamination and/or protect the integrity of the remedy by limiting land or resource use.

The EPA is proposing the following land and groundwater use restrictions be implemented:

- a. The SPSP and SWMU 9 shall be restricted to commercial and/or industrial purposes and shall not be used for residential purposes unless it is demonstrated to EPA, in consultation with DNREC, that such use will not pose a threat to human health or the environment or adversely affect or interfere with the selected remedy and the EPA, in consultation with DNREC, provides prior written approval for such use.
- b. All monitoring, maintenance and inspections of the SWMU 9 engineered cover system shall be conducted in compliance with an EPA/DNREC approved CMP.
- c. Groundwater at the Facility shall not be used for any purpose other than the operation, maintenance, and monitoring activities required by the EPA, unless it is demonstrated to the EPA that such use will not pose a threat to human health or the environment or adversely affect or interfere with the final remedy and the EPA provides prior written approval for such use.

Statement of Basis

- d. No new wells shall be installed on Facility property unless it is demonstrated to the EPA that such wells are necessary to implement the final remedy and the EPA provides prior written approval to install such wells.

The land and groundwater use restrictions necessary to prevent human exposure to contaminants at the Facility will be implemented through enforceable ICs such as an order and/or an Environmental Covenant pursuant to 7 Del. C. ch. 79, subchapter II, Uniform Environmental Covenants Act to be recorded with the deed for the Facility property. If the EPA determines that additional monitoring activities, institutional controls, or other corrective actions are necessary to protect human health or the environment, the EPA has the authority to require and enforce such additional corrective actions through an enforceable mechanism which may include an order or Environmental Covenant, provided any necessary public participation requirements are met. If any individual with an interest in the Facility property believes that information shows that any use restrictions proposed and later selected by the EPA are no longer necessary to protect public health and the environment, the individual may submit such information to the EPA for consideration. The EPA can change any such restriction if it determines it is no longer necessary, after any required public comment period.

Section 9: Evaluation of Proposed Remedy

This section provides a description of the criteria the EPA used to evaluate the proposed remedy consistent with the EPA guidance. The criteria are applied in two phases. In the first phase, the EPA evaluates three decision threshold criteria as general goals. In the second phase, for those remedies which meet the threshold criteria, the EPA then evaluates seven balancing criteria.

Threshold Criteria	Evaluation
1) Protect human health and the environment	<p><u>SWMU 9</u></p> <p>The engineered cover system at SWMU 9 will protect human health and environmental exposure by preventing direct contact.</p> <p><u>Groundwater</u></p> <p>Human health and environmental exposure for groundwater will be protected through restrictions on potable groundwater use. In addition, data demonstrate that groundwater discharge to surface water will not cause exceedances of DNREC's surface water criteria, and therefore does not pose an unacceptable risk to the Delaware River.</p> <p><u>Sediments</u></p> <p>The proposed sediment remedy protects current and reasonably anticipated future receptors by isolating sediments and eliminating the exposure pathway for human and</p>

Statement of Basis

	ecological receptors. The sediment capping achieves overall risk reduction objectives by reducing contaminant flux to the overlying water and reducing concentrations in pore-water and bulk solids at the sediment-water interface.
2) Achieve media cleanup objectives	<p>The proposed remedies meet the media cleanup objectives based on assumptions regarding current and reasonably anticipated land and water resource use(s).</p> <p><u>SWMU 9</u> The engineered cover system at SWMU 9 will prevent direct contact to impacted soils and will reduce stormwater infiltration to impacted groundwater and prevent receptor direct contact exposure.</p> <p><u>Groundwater</u> The proposed remedy does not meet MCLs. Achieving groundwater MCLs is technically impracticable due to various contaminant-related, hydrogeologic, and site-setting factors. The proposed use restrictions at the Facility will eliminate future unacceptable exposures to groundwater. Groundwater monitoring of the onsite wells will continue long-term.</p> <p><u>Sediments</u> The proposed sediment remedy will achieve the site-specific risk-based remediation goals for arsenic in pore water (1,253 ug/L) and DDx, arsenic and lead in sediments (160 ug/gOC, 170 mg/kg and 150 mg/kg, respectively) to be protective of human health and ecological receptors.</p>
3) Remediating the Source of Releases	<p>In all proposed remedies, the EPA seeks to eliminate or reduce further releases of hazardous wastes and hazardous constituents that may pose a threat to human health and the environment. Controlling the sources of contamination relates to the ability of the proposed remedy to reduce or eliminate, to the maximum extent practicable, further releases.</p> <p><u>SWMU 9</u> The engineered cover system at SWMU 9 will reduce stormwater infiltration to impacted groundwater and prevent releases of particulates.</p>

Statement of Basis

	<p><u>Groundwater</u></p> <p>The proposed use restrictions at the Facility will eliminate future unacceptable exposures to groundwater.</p> <p><u>Sediments</u></p> <p>The completed sewer system and sluiceway IMs eliminated a source of the contamination entering the nearshore area via the sluiceway. The proposed sediment remedy will prevent exposure of human and ecological receptors to impacted sediments and prevent migration of dissolved phase arsenic through the sediment cap.</p>
Balancing Criteria	Evaluation
1) Long-term effectiveness	<p><u>SWMU 9</u></p> <p>The long-term effectiveness of the engineered cover system will be maintained by the implementation of engineering controls.</p> <p><u>Groundwater</u></p> <p>The proposed use restrictions at the Facility will eliminate future unacceptable exposures to groundwater.</p> <p><u>Sediments</u></p> <p>The sediment cap will be designed to permanently establish a clean sediment surface and to withstand potential erosive forces that could disturb the surface of the cap. Long-term monitoring and maintenance will identify and address any disturbances to the cap.</p>
2) Reduction of toxicity, mobility, or volume of the Hazardous Constituents	<p><u>SWMU 9</u></p> <p>The engineered cover system at SWMU 9 will reduce the mobility of soil contaminants.</p> <p><u>Groundwater</u></p> <p>Groundwater use will be restricted to prevent exposure.</p> <p><u>Sediments</u></p> <p>The completed IMs reduced the volume and mass of COCs representing a source to the nearshore sediments. The proposed sediment remedy will reduce the mobility of the COCs within the nearshore sediments through containment using isolation and reactive media to prevent migration to the sediment surface. The cap will provide long-term and</p>

Statement of Basis

	permanent risk reduction by protecting humans and ecological receptors from exposure to contaminants in underlying sediments.
3) Short-term effectiveness	<p><u>SWMU 9</u></p> <p>The engineered cover system at SWMU 9 would provide immediate risk reduction. Exposure potential is increased in the short-term during construction.</p> <p><u>Groundwater</u></p> <p>The use restrictions would become effective immediately upon implementation an enforceable mechanism such as an EC or order.</p> <p><u>Sediments</u></p> <p>The short-term effects of capping are generally minimal. Resuspension of sediment or turbidity generated by the capping material during installation is limited and can be controlled by appropriate cap placement techniques. Short-term impacts to the river can be mitigated by well-established best management practices for turbidity control during cap placement. Given its location, it is expected that the short-term risks to the community associated with the on-site construction activities will be minimal.</p>
4) Implementability	The remedy is readily implementable at the Facility. The proposed capping remedies will use conventional techniques and readily available marine construction services. It is expected that federal and state permits will be required for construction. The proposed remedy also includes implementation of use restrictions through the enforceable mechanism.
5) Cost	The costs associated with this proposed remedy are associated with construction of the cover system at SWMU 9, construction of the cap for the shoreline and nearshore sediments and lower sluiceway segment 3, cap maintenance and monitoring and continued sampling and maintenance of the monitoring wells.
6) Community Acceptance	The EPA will evaluate community acceptance based on comments received during the public comment period and will address any comments in the Final Decision.
7) State/Support Agency Acceptance	State involvement has been solicited throughout the RCRA corrective action process and DNREC concurred with the proposed remedy.

Statement of Basis

Overall, based on the evaluation criteria, the EPA has determined the proposed remedy meets the threshold criteria and provides the best balance of tradeoffs with respect to the evaluation criteria.

Section 10: Financial Assurance

EPA will require Honeywell to provide financial assurance. The estimated cost of the for the nearshore sediment, shoreline, and lower sluiceway remedy is \$15,500,200. The estimated cost of the engineered cover system at SWMU 9 is \$7,075,000 with annual OM&M costs projected at \$167,500 through 30 years. The estimated total costs associated with the ICs is \$25,000. Long-term groundwater monitoring for 30 years is estimated at \$97,500. The financial assurance will be maintained in an instrument acceptable to the EPA and renewed annually. The amount of financial assurance is based on design, construction, permitting, and OM&M costs.

Section 11: Public Participation

The public may participate in the remedy selection process by reviewing this SB and documents contained in the AR for the Facility and providing comments. The AR contains all information considered by the EPA when proposing this remedy. The AR documents are available for public review at the location below:

U.S. EPA Region III
4 Penn Center
1600 JFK Boulevard
Philadelphia, PA 19103
Contact: Christine Kimak (3LD11)
Phone: 215-814-2798
Fax: (215) 814-3113
Email: kimak.christine@epa.gov

The public comment period will last thirty (30) calendar days from the date that the notice is published in a local newspaper. You may submit comments by mail, fax, or e-mail to Christine Kimak. The EPA will hold a public meeting to discuss this proposed remedy upon request. If you would like to request a public meeting, please contact Christine Kimak.

The EPA will respond to all relevant comments received during the comment period. If the EPA determines that new information warrants a modification to the proposed remedy, the EPA will modify the proposed remedy or select an alternative based on the new information and/or public comments. In the Final Decision, the EPA will announce the selection of its final remedy, respond to all relevant comments received, and explain the rationale for any changes to the proposed remedy. All persons who comment on this proposed remedy will receive a copy of the Final Decision. Others may obtain a copy by contacting Christine Kimak at the address listed above. The Final Decision will also be made publicly available on the EPA's website for the Facility.

Statement of Basis

Section 12: Signature

DANA
AUNKST

Digitally signed
by DANA AUNKST
Date: 2024.02.26
09:28:32 -05'00'

Date: _____

Dana Aunkst, Director
Land, Chemicals, and Redevelopment Division
US EPA, Region III

Statement of Basis

Chemtrade Solutions LLC
Claymont, DE

February 2024
Page 21

Section 13: Index to Administrative Record

RCRA Facility Assessment for Delaware Valley Works South Plant, 1986
Initial Administrative Order General Chemical Corporation, 2000
RCRA Facility Investigation Phase I Report, 2003
RCRA Facility Investigation Phase II Report, 2007
RFI Summary and Presumptive Remedy for Proposed Industrial Redevelopment Area, 2016
Corrective Measures Study, SWMU 9 and South Plant South Parcel Groundwater, 2022
Corrective Measures Study for Nearshore Sediments, 2023
Technical Guidance Document: Final Covers on Hazardous Waste Landfills and Surface Impoundments, 1989



Section 14: Attachments

Figure 1 – Site Location Map
Figure 2 – Nearshore Sediment Remedy Areas
Figure 3 – SWMU 9 Soil Boring Location Map
Figure 4 – South Plant South Parcel and SWMU 9 Monitoring Wells
Figure 5 – Surface Sediment Arsenic Concentrations
Figure 6 – Surface Sediment Lead Concentrations
Figure 7 – Surface Sediment Total DDx Concentrations – OC-Normalized
Figure 8 – Surface Sediment Total DDx Concentrations
Figure 9 – Surface Sediment Total Organic Carbon (TOC) Concentrations
Figure 10 – Sample Locations and Sampling Results – Supplemental Study Area Sediment Sampling
Figure 11 – Technical Impracticability Zones

Appendix A – SWMU 9 Soil Results
Appendix B – SWMU 9 and South Plant South Parcel Results
Appendix C – Sediment and Pore Water Results
Appendix D – 2016 Supplemental Pathway Investigation Results

Statement of Basis

Figures



Map Scale: 1:124,000
Map Center: 75°26'2" W 39°48'31" N

SITE LOCATION MAP

DELAWARE VALLEY WORKS

CLAYMONT, DELAWARE

FIGURE 1

RAMBOLL US CONSULTING, INC.
A RAMBOLL COMPANY



**LEGEND**

— — BOUNDARY BETWEEN COMMONWEALTH OF PENNSYLVANIA AND STATE OF DELAWARE

■ APPROXIMATE UPPER SLUICEWAY REMEDIATION AREA

■ APPROXIMATE SHORELINE CAP AREA

■ APPROXIMATE PLANT BOUNDARY

■ APPROXIMATE LOWER SLUICEWAY REMEDIATION AREA



■ APPROXIMATE NEARSHORE SEDIMENT CAP AREA

■ APPROXIMATE SWMU 9 BOUNDARY

— PIERHEAD LINE

NEARSHORE SEDIMENT REMEDY AREAS

FIGURE 2

**LEGEND**

- APPROXIMATE SWMU 9 BOUNDARY
- ◆ EXISTING MONITORING WELL LOCATION
- HISTORICAL BORING LOCATION
PERFORMED BY MWH/CUMMINGS RITTER
- 2010 SOIL POINT LOCATION
- 2014 RFI SOIL BORING LOCATION
- 2015 RFI CPT BORING LOCATION
- 2018 SOIL BORING LOCATION
- 2019 SOIL BORING LOCATION

PROJECTION / DATUM:
DE83F
0 75' 150'
SCALE: 1" = 150'


Honeywell
DELAWARE VALLEY WORKS
CLAYMONT, DELAWARE

WSP
WSP USA
Environment & Infrastructure Inc.
751 Arbor Way, Suite 180
Blue Bell, PA 19422
Tel: 610-828-8100
www.wsp.com

PREPARED BY:
PJC
CHECKED BY:
JPM
REVIEWED BY:
JPM

FIGURE 3
SWMU 9 SOIL BORING LOCATION MAP
CORRECTIVE MEASURES STUDY
HONEYWELL DELAWARE VALLEY WORKS, CLAYMONT, DELAWARE

PROJECT NO.:
3482230886
REVISION NO.:
0
DATE:
JUNE 2023

LEGEND

- APPROXIMATE SOUTH PLANT SOUTH PARCEL BOUNDARY
- APPROXIMATE SWMU 9 BOUNDARY
- EXISTING MONITORING WELL LOCATION
- WELL DESTROYED OR COVERED
- WELL DECOMMISSIONED
- WELL NOT LOCATED

PROJECTION / DATUM:
DE83F
0 100' 200'
SCALE: 1" = 200'


Honeywell
DELAWARE VALLEY WORKS
CLAYMONT, DELAWARE

WSP
WSP USA
Environment & Infrastructure Inc.
751 Arbor Way, Suite 180
Blue Bell, PA 19422
Tel: 610-828-8100
www.wsp.com

PREPARED BY:
PJC
CHECKED BY:
JPM
REVIEWED BY:
JPM

FIGURE 4
SOUTH PLANT SOUTH PARCEL AND SWMU 9
MONITORING WELLS
CORRECTIVE MEASURES STUDY
HONEYWELL DELAWARE VALLEY WORKS, CLAYMONT, DELAWARE

PROJECT NO.:
3482230886
REVISION NO.:
0
DATE:
JUNE 2023



**SURFACE SEDIMENT ARSENIC CONCENTRATIONS
DELaware RIVER**


**DELAWARE VALLEY WORKS
CLAYMONT, DELAWARE**

FIGURE 5

RAMBOLL US CONSULTING, INC.
A RAMBOLL COMPANY

0 50 100
Feet

RAMBOLL



**SURFACE SEDIMENT LEAD CONCENTRATIONS
DELAWARE RIVER**


DELaware VALLEY WORKS
CLAYMONT, DELAWARE

RAMBOLL US CONSULTING, INC.
A RAMBOLL COMPANY

RAMBOLL

FIGURE 6

0 50 100 Feet




**SURFACE SEDIMENT TOTAL DDX CONCENTRATIONS - OC-NORMALIZED
DELaware RIVER**


FIGURE 7

DELAWARE VALLEY WORKS
CLAYMONT, DELAWARE

RAMBOLL US CONSULTING, INC.
A RAMBOLL COMPANY

RAMBOLL





**SURFACE SEDIMENT TOTAL ORGANIC CARBON (TOC)
CONCENTRATIONS
DELAWARE RIVER**

**DELaware VALley WORKS
CLAYMONT, DELAWARE**

FIGURE 9

RAMBOLL US CONSULTING, INC.
A RAMBOLL COMPANY

RAMBOLL



**SAMPLE LOCATIONS & SAMPLING RESULTS -
SUPPLEMENTAL STUDY AREA SEDIMENT SAMPLING**


FIGURE 10

RAMBOLL US CONSULTING, INC.
A RAMBOLL COMPANY

DELAWARE VALLEY WORKS

CLAYMONT, DELAWARE

RAMBOLL



PROJECTION / DATUM: DE
0 100' 200'
SCALE: 1" = 200'

Honeywell
DELAWARE VALLEY WORKS
CLAYMONT, DELAWARE


WSP
 USA
 Environment & Infrastructure Inc.
 751 Arbor Way, Suite 180
 Tel. 425.453.2000

	PREPARED BY: PJC
	CHECKED BY: JPM
0-828-8100	REVIEWED BY:

FIGURE 11
**TECHNICAL IMPRACTICABILITY ZONES,
SWMU 9 AND SOUTH PLANT SOUTH PARCEL**

PROJECT NO.:	3482230886
REVISION NO.:	0
DATE:	

Appendix A

**ble 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886**

**Table 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886**

Table 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

Location				SM09-SB01-01		SM09-SB01-02		SM09-SB01-02		SM09-SB01-03		SM09-SB02-01		SM09-SB02-02		SM09-SB02-03		SM09-SB03-01		SM09-SB03-02		SM09-SB03-03		SM09-SB04-01		
				Sample ID	SM09-SB01-010529031	5/29/2003	SM09-SB01-020529031	5/29/2003	SM09-SB01-020604031I	6/4/2003	SM09-SB01-030529031	5/29/2003	SM09-SB02-010530031	5/30/2003	SM09-SB02-020530031	5/30/2003	SM09-SB02-030530031	5/30/2003	SM09-SB03-010530031	5/30/2003	SM09-SB03-020530031	5/30/2003	SM09-SB03-030530031	5/30/2003	SM09-SB04-010620231	6/2/2003
Parameter	Industrial SSL	Risk-Based SSL DAF-20	MCL-Based SSL DAF-20	Units	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Acetophenone	120000	11.6	mg/kg																							
Anthracene	230000	1160	mg/kg																							
Atrazine	10	0.004	0.038	mg/kg																						
Benzaldehyde	820	0.082	mg/kg																							
Benzo(A)Anthracene	21	0.22	mg/kg																							
Benzo(A)Pyrene	2.1	0.58	4.8	mg/kg																						
Benzo(B)Fluoranthene	21	6	mg/kg																							
Benzo(G,H,I)perylene			mg/kg																							
Benzo(K)Fluoranthene	210	58	mg/kg																							
bis-(2-Chloroethoxy)Methane	2500	0.26	mg/kg																							
bis-(2-Chloroethyl)Ether	1	0.000072	mg/kg																							
bis(2-Chloroisopropyl)Ether			mg/kg																							
bis-(2-Ethylhexyl)Phthalate	160	26	28	mg/kg																						
Butylbenzyl Phthalate	1200	4.8	mg/kg																							
Caprolactam	400000	50	mg/kg																							
Carbazole			mg/kg																							
Chrysene	2100	180	mg/kg																							
Dibenzo(a,h)Anthracene	2.1	1.92	mg/kg																							
Dibenzofuran	1200	3	mg/kg																							
Diethyl Phthalate	660000	122	mg/kg																							
Dimethyl Phthalate			mg/kg																							
Di-n-Butyl Phthalate	82000	46	mg/kg																							
Di-n-Octyl Phthalate	8200	1140	mg/kg																							
Fluoranthene	30000	1780	mg/kg																							
Fluorene	30000	108	mg/kg																							
Hexachlorobenzene	0.96	0.0024	0.26	mg/kg																						
Hexachlorobutadiene	5.3	0.0054	mg/kg																							
Hexachlorocyclopentadiene	7.5	0.026	3.2	mg/kg																						
Hexachloroethane	8	0.004	mg/kg																							
Indeno(1,2,3-Cd)Pyrene	21	19.6	mg/kg																							
Isophorone	2400	0.52	mg/kg																							
Naphthalene	8.6	0.0076	mg/kg																							
Nitrobenzene	22	0.00184	mg/kg																							
n-Nitroso-di-n-Propylamine	0.33	0.000162	mg/kg																							
n-Nitrosodiphenylamine	470	1.34	mg/kg																							
Pentachlorophenol	4	0.00114	0.028	mg/kg																						
Phenanthrene			mg/kg																							
Phenol	250000	66	mg/kg																							
Pyrene	23000	260	mg/kg																							

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Industrial Soil Screening Level (SSL) (May 2023)

Exceeds the EPA RSL, Risk-Based SSL assuming a dilution attenuation factor (DAF) of 20

Exceeds the EPA RSL, Maximum Contaminant Level (MCL) SSL assuming a DAF of 20

Blanks indicate RSL not established or constituent not analyzed

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

Table 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

			Location		SM09-SB04-02		SM09-SB04-03		SM09-SB05-01		SM09-SB05-02		SM09-SB05-02		SM09-SB06-01		SM09-SB06-02		SM09-SB03		SM09-SB05		SP-1		SP-10	
			Sample ID		SM09-SB04-020602031		SM09-SB04-030602031		SM09-SB05-010604031		SM09-SB05-020604031		SM09-SB05-020604031I		SM09-SB06-010604031		SM09-SB06-020604031		M9-SB3 (7.0-8.0)_07171		M9-SB5 (1.5-2.0)_07151		7/7/2010		7/7/2010	
			Sample Date		6/2/2003		6/2/2003		6/4/2003		6/4/2003		6/4/2003		6/4/2003		6/4/2003		7/17/2015		7/15/2015		SP-1		SP-10	
Parameter	Industrial SSL	Risk-Based SSL DAF-20	MCL-Based SSL DAF-20	Units	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Metals																										
Aluminum	1100000	600000		mg/kg	81000		19100		8710		30200		26900		50700		17200									
Antimony	470	7	5.4	mg/kg	6.4	U	24.8	B	5.5	B	5.6	U	5.7	U	8.2	B	21.8	B								
Arsenic	3	0.03	5.8	mg/kg	6.3	U	176		205		16.7		25.1		700		324		18.5		13.2		973		0.24	JB
Barium	220000	3200	1640	mg/kg	47.4	B	308		319		122	B	80.9	B	1060		607		56		74.2					
Beryllium	2300	380	64	mg/kg	0.5	B	0.5	B	0.7	B	0.5	B	0.6	B	0.8	B	0.7	B								
Boron	230000	260		mg/kg	5.3	B	0.8	U	0.8	U	0.9	U	0.9	U	2	B	0.8	U								
Cadmium	100	2.8	7.6	mg/kg	0.5	U	5.5		0.5	B	0.5	U	0.5	U	5.1	B	4	B	0.62	J	0.288	J				
Calcium				mg/kg	182000		125000		221000		241000		236000		125000		150000									
Chromium			3600000	mg/kg	96.2		48.9		20.9		29.9		31.4		74.7		40.1		160		103					
Cobalt	350	5.4		mg/kg	4.1	B	140		16.5	B	5.3	B	5.8	B	11.9	B	60.3									
Copper	47000	560	920	mg/kg	25.8	B	447		89.9		38.7		90.4		229		521									
Iron	820000	7000		mg/kg	5920		184000		24500		13000		14500		21500		97200									
Lead	800		280	mg/kg	57.3		421		238		93.2		118		969		2010		88.6		139		3400		39.1	
Magnesium				mg/kg	498	B	707	B	9200		4260	B	4440	B	775	B	2040	B								
Manganese	26000	560		mg/kg	24.5		61		73.1		25.8		27		56.9		80									
Nickel	22000	520		mg/kg	3.5	U	15.6	B	6	B	3.5	B	3.1	U	8	B	10.6	B								
Potassium				mg/kg	436	U	361	U	883	B	380	U	390	U	402	U	494	B								
Selenium	5800	10.4	5.2	mg/kg	5.2	U	271		15.2		7.8		10		26		117		4.23	U	16.4	U				
Silver	5800	16		mg/kg	2.3	U	8.8	B	1.9	U	2	U	2	U	2.1	U	3.2	B	5.29	U	0.818	U				
Sodium				mg/kg	682	U	565	U	580	U	595	U	610	U	1290	B	783	B								
Thallium	12	0.28	2.8	mg/kg	0.5	U	4		0.5	B	0.4	U	0.4	U	2.1		3.6									
Vanadium	5800	1720		mg/kg	77		31.1	B	15.9	B	27.1	B	30.5	B	60.9	B	37.6	B								
Zinc	350000	7400		mg/kg	85.4		1030		141		49.1		59.9		951		1460									
Mercury	46	0.66	2	mg/kg	0.7		3.6		2.3		2.1		2		17.5		19.9		0.108	J	0.228					
Pesticides																										
4,4'-DDD	9.6	0.15		mg/kg																				22		0.0019
4,4'-DDE	9.3	0.22		mg/kg																				9.3		0.0016
4,4'-DDT	8.5	1.54		mg/kg																				55		0.0055
Aldrin	0.18	0.003		mg/kg																				0.86	U	0.00093
Alpha-BHC	0.36	0.00084		mg/kg																				2.4		0.00093
Beta-BHC	1.3	0.003		mg/kg																				2.2		0.00093
cis-Chlordane	500	9.8		mg/kg																				0.86	U	0.00093
Delta-BHC				mg/kg			</																			

Table 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

Location				SM09-SB04-02		SM09-SB04-03		SM09-SB05-01		SM09-SB05-02		SM09-SB05-02		SM09-SB06-01		SM09-SB06-02		SM09-SB03		SM09-SB05		SP-1		SP-10			
				Sample ID		SM09-SB04-020602031		SM09-SB04-030602031		SM09-SB05-010604031		SM09-SB05-020604031		SM09-SB05-020604031I		SM09-SB06-010604031		SM09-SB06-020604031		M9-SB3 (7.0-8.0)_07171		M9-SB5 (1.5-2.0)_07151		SP-1 7/7/10		SP-10 7/7/10	
				Sample Date		6/2/2003		6/2/2003		6/4/2003		6/4/2003		6/4/2003		6/4/2003		6/4/2003		7/17/2015		7/15/2015		7/7/2010		7/7/2010	
Parameter	Industrial SSL	Risk-Based SSL DAF-20	MCL-Based SSL DAF-20	Units	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual									
2-Hexanone	1300	0.176	mg/kg																								
4-Methyl-2-Pentanone	140000	28	mg/kg																								
Acetone	1100000	74	mg/kg																								
Benzene	5.1	0.0046	0.052	mg/kg																							
Bromo-chloromethane	630	0.42	mg/kg																								
Bromo-dichloromethane	1.3	0.00072	0.44	mg/kg																							
Bromoform	86	0.0174	0.42	mg/kg																							
Bromo-methane	30	0.038	mg/kg																								
Carbon Disulfide	3500	4.8	mg/kg																								
Carbon Tetrachloride	2.9	0.0036	0.038	mg/kg																							
Chlorobenzene	1300	1.06	1.36	mg/kg																							
Chloroethane	23000	48	mg/kg																								
Chloroform	1.4	0.00122	0.44	mg/kg																							
Chloro-methane	460	0.98	mg/kg																								
cis-1,2-Dichloroethene	2300	0.22	0.42	mg/kg																							
cis-1,3-Dichloropropene			mg/kg																								
Cyclohexane	27000	260	mg/kg																								
Dibromo-chloromethane	39	0.0046	0.42	mg/kg																							
Dichloro-difluoromethane	370	6	mg/kg																								
Ethylbenzene	25	0.034	15.6	mg/kg																							
Isopropylbenzene	9900	14.8	mg/kg																								
m&p-Xylenes			mg/kg																								
Methyl Acetate	1200000	82	mg/kg																								
Methyl Tert-Butyl Ether	210	0.064	mg/kg																								
Methylcyclohexane			mg/kg																								
Methylene Chloride	1000	0.058	0.026	mg/kg																							
o-Xylene	2800	3.8	mg/kg																								
Styrene	35000	26	2.2	mg/kg																							
Tetrachloroethene	100	0.102	0.046	mg/kg																							
Toluene	47000	15.2	13.8	mg/kg																							
Total Xylenes	2500	3.8	198	mg/kg																							
trans-1,2-Dichloroethene	300	0.42	0.62	mg/kg																							
trans-1,3-Dichloropropene			mg/kg																								
Trichloroethene	6	0.0036	0.036	mg/kg																							
Trichlorofluoromethane	350000	66	mg/kg																								
Vinyl Chloride	1.7	0.00013	0.0138	mg/kg																							
Semi-Volatile Organic Compounds																											
1,1-Biphenyl	200	0.174	mg/kg																								
1,2,4,5-Tetrachlorobenzene	35	0.0158	mg/kg					</																			

Table 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

Location				SM09-SB04-02	SM09-SB04-03	SM09-SB05-01	SM09-SB05-02	SM09-SB05-02	SM09-SB06-01	SM09-SB06-02	SM09-SB03	SM09-SB05	SP-1	SP-10
Sample ID				SM09-SB04-020602031	SM09-SB04-030602031	SM09-SB05-010604031	SM09-SB05-020604031	SM09-SB05-020604031I	SM09-SB06-010604031	SM09-SB06-020604031	M9-SB3 (7.0-8.0)_07171	M9-SB5 (1.5-2.0)_07151	SP-1 7/7/10	SP-10 7/7/10
Sample Date				6/2/2003	6/2/2003	6/4/2003	6/4/2003	6/4/2003	6/4/2003	6/4/2003	7/17/2015	7/15/2015	7/7/2010	7/7/2010
Parameter	Industrial SSL	Risk-Based SSL DAF-20	MCL-Based SSL DAF-20	Units	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Acetophenone	120000	11.6		mg/kg										
Anthracene	230000	1160		mg/kg										
Atrazine	10	0.004	0.038	mg/kg										
Benzaldehyde	820	0.082		mg/kg										
Benzo(A)Anthracene	21	0.22		mg/kg										
Benzo(A)Pyrene	2.1	0.58	4.8	mg/kg										
Benzo(B)Fluoranthene	21	6		mg/kg										
Benzo(G,H,I)perylene				mg/kg										
Benzo(K)Fluoranthene	210	58		mg/kg										
bis-(2-Chloroethoxy)Methane	2500	0.26		mg/kg										
bis-(2-Chloroethyl)Ether	1	0.000072		mg/kg										
bis(2-Chloroisopropyl)Ether				mg/kg										
bis-(2-Ethylhexyl)Phthalate	160	26	28	mg/kg										
Butylbenzyl Phthalate	1200	4.8		mg/kg										
Caprolactam	400000	50		mg/kg										
Carbazole				mg/kg										
Chrysene	2100	180		mg/kg										
Dibenzo(a,h)Anthracene	2.1	1.92		mg/kg										
Dibenzofuran	1200	3		mg/kg										
Diethyl Phthalate	660000	122		mg/kg										
Dimethyl Phthalate				mg/kg										
Di-n-Butyl Phthalate	82000	46		mg/kg										
Di-n-Octyl Phthalate	8200	1140		mg/kg										
Fluoranthene	30000	1780		mg/kg										
Fluorene	30000	108		mg/kg										
Hexachlorobenzene	0.96	0.0024	0.26	mg/kg										
Hexachlorobutadiene	5.3	0.0054		mg/kg										
Hexachlorocyclopentadiene	7.5	0.026	3.2	mg/kg										
Hexachloroethane	8	0.004		mg/kg										
Indeno(1,2,3-Cd)Pyrene	21	19.6		mg/kg										
Isophorone	2400	0.52		mg/kg										
Naphthalene	8.6	0.0076		mg/kg										
Nitrobenzene	22	0.00184		mg/kg										
n-Nitroso-di-n-Propylamine	0.33	0.000162		mg/kg										
n-Nitrosodiphenylamine	470	1.34		mg/kg										
Pentachlorophenol	4	0.00114	0.028	mg/kg										
Phenanthrene				mg/kg										
Phenol	250000	66		mg/kg										
Pyrene	23000	260		mg/kg										

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Industrial Soil Screening Level (SSL) (May 2023)

Exceeds the EPA RSL, Risk-Based SSL assuming a dilution attenuation factor (DAF) of 20

Exceeds the EPA RSL, Maximum Contaminant Level (MCL) SSL assuming a DAF of 20

Blanks indicate RSL not established or constituent not analyzed

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

MG/KG - milligram per kilogram

Sample depth shown in Sample ID (e.g., SBBF3-04_6-8 indicates 6 to 8-foot sample)

DUP = Duplicate sample

Exceedances shown may exceed one or more criteria if available

Table 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

Location					SP-11		SP-12		SP-13		SP-14		SP-15		SP-16		SP-17		SP-18		SP-19		SP-20			
					SP-11 7/7/10 7/7/2010		SP-12 7/7/10 7/7/2010		SP-13 7/8/10 7/8/2010		SP-14 7/8/10 7/8/2010		SP-15 7/8/10 7/8/2010		SP-16 7/8/10		SP-16 7/8/10 DUP 7/8/2010		SP-17 7/8/10 7/8/2010		SP-18 7/8/10 7/8/2010		SP-19 7/8/10 7/8/2010		SP-20 7/7/10 7/7/2010	
Parameter	Industrial SSL	Risk-Based SSL DAF-20	MCL-Based SSL DAF-20	Units	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual										
Metals																										
Aluminum	1100000	600000		mg/kg																						
Antimony	470	7	5.4	mg/kg																						
Arsenic	3	0.03	5.8	mg/kg	11.5		0.98		0.44	JB	6.1		8.7		1.1		1		540		703		526		123	
Barium	220000	3200	1640	mg/kg																						
Beryllium	2300	380	64	mg/kg																						
Boron	230000	260		mg/kg																						
Cadmium	100	2.8	7.6	mg/kg																						
Calcium				mg/kg																						
Chromium				3600000	mg/kg																					
Cobalt	350	5.4		mg/kg																						
Copper	47000	560	920	mg/kg																						
Iron	820000	7000		mg/kg																						
Lead	800		280	mg/kg	128		60.9		77.7		248		108		89.4		86.9		740		1280		753		382	
Magnesium				mg/kg																						
Manganese	26000	560		mg/kg																						
Nickel	22000	520		mg/kg																						
Potassium				mg/kg																						
Selenium	5800	10.4	5.2	mg/kg																						
Silver	5800	16		mg/kg																						
Sodium				mg/kg																						
Thallium	12	0.28	2.8	mg/kg																						
Vanadium	5800	1720		mg/kg																						
Zinc	350000	7400		mg/kg																						
Mercury	46	0.66	2	mg/kg																						
Pesticides																										
4,4'-DDD	9.6	0.15		mg/kg	0.0081		0.0061		0.034		0.014		0.11		0.0099		0.0066		0.8		0.35		1.2		5.7	
4,4'-DDE	9.3	0.22		mg/kg	0.0068		0.0089		0.029		0.015	J	0.075		0.0095		0.011		0.75		0.24		0.057		2.2	
4,4'-DDT	8.5	1.54		mg/kg	0.023		0.028		0.087		0.038		0.38		0.041	J	0.02	J	1.8		0.9		1.2		10	
Aldrin	0.18	0.003		mg/kg	0.0011		0.001	U	0.00051	J	0.022		0.011	U	0.0011	U	0.0021		0.034	U	0.017	U	0.0066	JPG	0.2	
Alpha-BHC	0.36	0.00084		mg/kg	0.00044	J	0.001	U	0.0019	U	0.0018	U	0.0026	J	0.0011	U	0.00046	U	0.034	U	0.017	U	0.017	U	0.2	
Beta-BHC	1.3	0.003		mg/kg	0.0011	U	0.001	U	0.0011	J	0.0018	U	0.011	U	0.0011	U	0.001		0.034	U	0.017	U	0.017	U	0.2	
cis-Chlordane	500	9.8		mg/kg	0.0011	U	0.001	U	0.0019	U	0.0018	U	0.011	U	0.0011	U	0.00046	U	0.034	U	0.017	U	0.017	U	0.2	
Delta-BHC				mg/kg	0.00011	U	0.00022	J	0.00035	J	0.0068	J	0.011	U	0.00011	U	0.00046	U	0.034	U	0.017	U	0.017	U	0.2	
Dieldrin	0.14	0.00142		mg/kg	0.00098	J	0.00069	J	0.0006	J	0.0018	U	0.026		0.0023	J	0.0024	J	0.23		0.1		0.27		0.2	
Endosulfan I				mg/kg	0.0011	U	0.001	U	0.0019	U	0.0018	U	0.011	U	0.0011	U	0.00046	U	0.034	U	0.017	U	0.017	U	0.2	
Endosulfan II				mg/kg	0.0011	U	0.001	U	0.0019	U	0.0018	U	0.011	U	0.0011	U	0.00046	U	0.034	U	0.017	U	0.017	U	0.2	
Endosulfan Sulfate	4900	42		mg/kg	0.001	J	0.001	U	0.0019	U	0.0018	U	0.011	U	0.0011	U										

**Table 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886**

Table 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

Location Sample ID Sample Date					SP-11 SP-11 7/7/10 7/7/2010		SP-12 SP-12 7/7/10 7/7/2010		SP-13 SP-13 7/8/10 7/8/2010		SP-14 SP-14 7/8/10 7/8/2010		SP-15 SP-15 7/8/10 7/8/2010		SP-16 SP-16 7/8/10 7/8/2010		SP-16 SP-16 7/8/10 DUP 7/8/2010		SP-17 SP-17 7/8/10 7/8/2010		SP-18 SP-18 7/8/10 7/8/2010		SP-19 SP-19 7/8/10 7/8/2010		SP-2 SP-2 7/7/10 7/7/2010	
Parameter	Industrial SSL	Risk-Based SSL DAF-20	MCL-Based SSL DAF-20	Units	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual										
Acetophenone	120000	11.6		mg/kg																						
Anthracene	230000	1160		mg/kg																						
Atrazine	10	0.004	0.038	mg/kg																						
Benzaldehyde	820	0.082		mg/kg																						
Benzo(A)Anthracene	21	0.22		mg/kg																						
Benzo(A)Pyrene	2.1	0.58	4.8	mg/kg																						
Benzo(B)Fluoranthene	21	6		mg/kg																						
Benzo(G,H,I)perylene				mg/kg																						
Benzo(K)Fluoranthene	210	58		mg/kg																						
bis-(2-Chloroethoxy)Methane	2500	0.26		mg/kg																						
bis-(2-Chloroethyl)Ether	1	0.000072		mg/kg																						
bis(2-Chloroisopropyl)Ether				mg/kg																						
bis-(2-Ethylhexyl)Phthalate	160	26	28	mg/kg																						
Butylbenzyl Phthalate	1200	4.8		mg/kg																						
Caprolactam	400000	50		mg/kg																						
Carbazole				mg/kg																						
Chrysene	2100	180		mg/kg																						
Dibenzo(a,h)Anthracene	2.1	1.92		mg/kg																						
Dibenzofuran	1200	3		mg/kg																						
Diethyl Phthalate	660000	122		mg/kg																						
Dimethyl Phthalate				mg/kg																						
Di-n-Butyl Phthalate	82000	46		mg/kg																						
Di-n-Octyl Phthalate	8200	1140		mg/kg																						
Fluoranthene	30000	1780		mg/kg																						
Fluorene	30000	108		mg/kg																						
Hexachlorobenzene	0.96	0.0024	0.26	mg/kg																						
Hexachlorobutadiene	5.3	0.0054		mg/kg																						
Hexachlorocyclopentadiene	7.5	0.026	3.2	mg/kg																						
Hexachloroethane	8	0.004		mg/kg																						
Indeno(1,2,3-Cd)Pyrene	21	19.6		mg/kg																						
Isophorone	2400	0.52		mg/kg																						
Naphthalene	8.6	0.0076		mg/kg																						
Nitrobenzene	22	0.00184		mg/kg																						
n-Nitroso-di-n-Propylamine	0.33	0.000162		mg/kg																						
n-Nitrosodiphenylamine	470	1.34		mg/kg																						
Pentachlorophenol	4	0.00114	0.028	mg/kg																						
Phenanthrene				mg/kg																						
Phenol	250000	66		mg/kg																						
Pyrene	23000	260		mg/kg																						

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Industrial Soil Screening Level (SSL) (May 2023)

Exceeds the EPA RSL, Risk-Based SSL assuming a dilution attenuation factor (DAF) of 20

Exceeds the EPA RSL, Maximum Contaminant Level (MCL) SSL assuming a DAF of 20

Blanks indicate RSL not established or constituent not analyzed

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

MG/KG - milligram per kilogram

Sample depth shown in Sample ID (e.g., SBBF3-04_6-8 indicates 6 to 8-foot sample)

DUP = Duplicate sample

Exceedances shown may exceed one or more criteria if available

Table 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

Location			SP-20		SP-21		SP-3		SP-4		SP-5		SP-6		SP-7		SP-8		SP-9		B-1				
Sample ID			SP-20 7/8/10 7/8/2010		SP-21 7/8/10 7/8/2010		SP-3 7/7/10 7/7/2010		SP-4 7/7/10 7/7/2010		SP-5 7/7/10 7/7/2010		SP-6 7/7/10 7/7/2010		SP-7 7/7/10 7/7/2010		SP-8 7/7/10 7/7/2010		SP-9 7/7/10 7/7/2010		B-1 SBB1100119-01 10/1/2019				
Parameter	Industrial SSL	Risk-Based SSL DAF-20	MCL-Based SSL DAF-20	Units	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual			
Metals																									
Aluminum	1100000	600000		mg/kg																24700		34100			
Antimony	470	7	5.4	mg/kg																4.46	J	12.5	J		
Arsenic	3	0.03	5.8	mg/kg	5520		102		84		179		159		94.1		37.5		50.2		8.9	168	1050		
Barium	220000	3200	1640	mg/kg																485		1800			
Beryllium	2300	380	64	mg/kg																0.319	J	0.958			
Boron	230000	260		mg/kg																					
Cadmium	100	2.8	7.6	mg/kg																0.417	J	7.29			
Calcium				mg/kg																45800		29300			
Chromium			3600000	mg/kg																54.4		122			
Cobalt	350	5.4		mg/kg																23.8		32.6			
Copper	47000	560	920	mg/kg																130		309			
Iron	820000	7000		mg/kg																43700		51700			
Lead	800		280	mg/kg	3590		2410		314		1230		250		323		477		244		143	430	1370		
Magnesium				mg/kg																8500		4280			
Manganese	26000	560		mg/kg																356		168			
Nickel	22000	520		mg/kg																20.7		27.8			
Potassium				mg/kg																12200		3230			
Selenium	5800	10.4	5.2	mg/kg																13.7		72.1			
Silver	5800	16		mg/kg																1.92		5.51			
Sodium				mg/kg																292		3610			
Thallium	12	0.28	2.8	mg/kg																8.15		18.3	U		
Vanadium	5800	1720		mg/kg																91.1		84.3			
Zinc	350000	7400		mg/kg																254		789			
Mercury	46	0.66	2	mg/kg																4.73		13.5			
Pesticides																									
4,4'-DDD	9.6	0.15		mg/kg	0.012		0.094		1.6		0.062		0.37		0.55		0.31		0.3		0.017	7.8	J 20	J-	
4,4'-DDE	9.3	0.22		mg/kg	0.0036	U		0.11		1.4		0.087		0.14		0.74		0.79		0.31		0.021	2	18	J-
4,4'-DDT	8.5	1.54		mg/kg	0.096		0.5		4.5		0.25		0.85		1		1.1		0.5		0.063	14		0.047 J-	
Aldrin	0.18	0.003		mg/kg	0.05		0.034		0.096	U	0.0092	U	0.021	U	0.019	U	0.23		0.019	U	0.00097	U	0.0042	U	
Alpha-BHC	0.36	0.00084		mg/kg	0.0036	U	0.0095	U	0.096	U	0.0017	J	0.021	U	0.019	U	0.017	U	0.019	U	0.00097	U	0.069	UJ	
Beta-BHC	1.3	0.003		mg/kg	0.0028	JPG	0.0095	U	0.096	U	0.0092	U	0.021	U	0.0056	J	0.017	U	0.019	U	0.00097	U	0.08	0.0064 UJ	
cis-Chlordane	500	9.8		mg/kg	0.036	U	0.0095	U	0.096	U	0.0092	U	0.021	U	0.019	U	0.009	J	0.019	U	0.00097	U	0.0042	U	
Delta-BHC				mg/kg	0.011		0.0062	JPG	0.096	U	0.0092	U	0.021	U	0.019	U	0.017	U	0.019	U	0.00097	U	0.021	0.0064 UJ	
Dieldrin	0.14	0.00142		mg/kg	0.0057		0.013		0.49		0.0092	U	0.0064	J	0.09		0.017	U	0.092		0.0044		0.0042	U	
Endosulfan I				mg/kg	0.0012	JPG	0.0095	U	0.096	U	0.0092	U	0.021	U	0.019	U	0.017	U	0.019	U	0.00097	U	0.0042	U	
Endosulfan II				mg/kg	0.0036	U	0.0095	U	0.096	U	0.0092	U	0.021	U	0.019	U	0.017	U	0.019	U	0.00097	U	0.0042	U	
Endosulfan Sulfate	4900	42		mg/kg	0.0034	J	0.0038	JPG	0.096	U	0.0092	U	0.021	U	0.019	U	0.017	U	0.019	U	0.00097	U	0.0042	U	
Endrin	250																								

Table 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

Location Sample ID Sample Date				SP-20 SP-20 7/8/10 7/8/2010		SP-21 SP-21 7/8/10 7/8/2010		SP-3 SP-3 7/7/10 7/7/2010		SP-4 SP-4 7/7/10 7/7/2010		SP-5 SP-5 7/7/10 7/7/2010		SP-6 SP-6 7/7/10 7/7/2010		SP-7 SP-7 7/7/10 7/7/2010		SP-8 SP-8 7/7/10 7/7/2010		SP-9 SP-9 7/7/10 7/7/2010		B-1 SBB1100119-01 10/1/2019		B-1 SBB1100119-1416 10/1/2019	
Parameter	Industrial SSL	Risk-Based SSL DAF-20	MCL-Based SSL DAF-20	Units	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	
2-Hexanone	1300	0.176	mg/kg																		0.012	U	21	U	
4-Methyl-2-Pentanone	140000	28	mg/kg																		0.012	U	21	U	
Acetone	1100000	74	mg/kg																		0.064		41	U	
Benzene	5.1	0.0046	0.052	mg/kg																	0.004	J	10	U	
Bromochloromethane	630	0.42	mg/kg																		0.006	U	10	U	
Bromodichloromethane	1.3	0.00072	0.44	mg/kg																	0.006	U	10	U	
Bromoform	86	0.0174	0.42	mg/kg																	0.012	U	21	U	
Bromomethane	30	0.038	mg/kg																		0.006	U	10	U	
Carbon Disulfide	3500	4.8	mg/kg																		0.002	J	10	U	
Carbon Tetrachloride	2.9	0.0036	0.038	mg/kg																	0.006	U	10	U	
Chlorobenzene	1300	1.06	1.36	mg/kg																	0.015		1.7	J	
Chloroethane	23000	48	mg/kg																		0.006	U	10	U	
Chloroform	1.4	0.00122	0.44	mg/kg																	0.003	J	10	U	
Chloromethane	460	0.98	mg/kg																		0.006	U	10	U	
cis-1,2-Dichloroethene	2300	0.22	0.42	mg/kg																	0.0007	J	10	U	
cis-1,3-Dichloropropene			mg/kg																		0.006	U	10	U	
Cyclohexane	27000	260	mg/kg																		0.006	U	10	U	
Dibromochloromethane	39	0.0046	0.42	mg/kg																	0.006	U	10	U	
Dichlorodifluoromethane	370	6	mg/kg																		0.006	U	10	UJ	
Ethylbenzene	25	0.034	15.6	mg/kg																	0.006	U	10	U	
Isopropylbenzene	9900	14.8	mg/kg																		0.006	U	10	U	
m&p-Xylenes			mg/kg																		0.006	U	10	U	
Methyl Acetate	1200000	82	mg/kg																		0.006	U	10	U	
Methyl Tert-Butyl Ether	210	0.064	mg/kg																		0.006	U	10	U	
Methylcyclohexane			mg/kg																		0.006	U	10	U	
Methylene Chloride	1000	0.058	0.026	mg/kg																	0.006	U	10	U	
o-Xylene	2800	3.8	mg/kg																		0.006	U	10	U	
Styrene	35000	26	2.2	mg/kg																	0.006	U	10	U	
Tetrachloroethene	100	0.102	0.046	mg/kg																	0.01		10	U	
Toluene	47000	15.2	13.8	mg/kg																	0.001	J	10	U	
Total Xylenes	2500	3.8	198	mg/kg																	0.012	U	21	U	
trans-1,2-Dichloroethene	300	0.42	0.62	mg/kg																	0.006	U	10	U	
trans-1,3-Dichloropropene			mg/kg																		0.006	U	10	U	
Trichloroethene	6	0.0036	0.036	mg/kg																	0.003	J	10	U	
Trichlorofluoromethane	350000	66	mg/kg																		0.006	U	10	UJ	
Vinyl Chloride	1.7	0.00013	0.0138	mg/kg																	0.006	U	10	U	
Semi-Volatile Organic Compounds																									
1,1'-Biphenyl	200	0.174	mg/kg																		0.21	U	0.31	U	
1,2,4,5-Tetrachlorobenzene	35	0.0158	mg/kg																		0.21	U	0.53		
2,3,4,6-Tetrachlorophenol	25000	3.6	mg/kg																		0.93	U	1.4	U	
2,4,5-Trichlorophenol	82000	80	mg/kg																		0.37	U	0.56	U	
2,4,6-Trichlorophenol	210	0.08	mg/kg																		0.32	U	0.48	U	
2,4-Dichlorophenol	2500	0.46	mg/kg																		0.24	U	0.37	U	

Table 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

Location Sample ID Sample Date					SP-20 SP-20 7/8/10 7/8/2010		SP-21 SP-21 7/8/10 7/8/2010		SP-3 SP-3 7/7/10 7/7/2010		SP-4 SP-4 7/7/10 7/7/2010		SP-5 SP-5 7/7/10 7/7/2010		SP-6 SP-6 7/7/10 7/7/2010		SP-7 SP-7 7/7/10 7/7/2010		SP-8 SP-8 7/7/10 7/7/2010		SP-9 SP-9 7/7/10 7/7/2010		B-1 SBB1100119-01 10/1/2019		B-1 SBB1100119-1416 10/1/2019	
Parameter	Industrial SSL	Risk-Based SSL DAF-20	MCL-Based SSL DAF-20	Units	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual		
Acetophenone	120000	11.6	mg/kg																		0.28	U	0.42	U		
Anthracene	230000	1160	mg/kg																		0.31		0.17			
Atrazine	10	0.004	0.038	mg/kg																	2.4	U	3.7	U		
Benzaldehyde	820	0.082	mg/kg																		0.93	U	1.4	U		
Benzo(A)Anthracene	21	0.22	mg/kg																		0.93		0.2			
Benzo(A)Pyrene	2.1	0.58	4.8	mg/kg																	0.82		0.21			
Benzo(B)Fluoranthene	21	6	mg/kg																		1.3		0.27			
Benzo(G,H,I)Perylene			mg/kg																		0.57		0.18			
Benzo(K)Fluoranthene	210	58	mg/kg																		0.44		0.083	J		
bis-(2-Chloroethoxy)Methane	2500	0.26	mg/kg																		0.21	U	0.31	U		
bis-(2-Chloroethyl)Ether	1	0.000072	mg/kg																		0.28	U	0.42	U		
bis(2-Chloroisopropyl)Ether			mg/kg																		0.24	U	0.37	U		
bis-(2-Ethylhexyl)Phthalate	160	26	28	mg/kg																	0.4	J	1.4	U		
Butylbenzyl Phthalate	1200	4.8	mg/kg																		0.93	U	1.4	U		
Caprolactam	400000	50	mg/kg																		0.93	U	1.4	U		
Carbazole			mg/kg																		0.17	J	0.31	U		
Chrysene	2100	180	mg/kg																		0.96		0.32			
Dibenzo(a,h)Anthracene	2.1	1.92	mg/kg																		0.17		0.14	U		
Dibenzofuran	1200	3	mg/kg																		0.1	J	0.31	U		
Diethyl Phthalate	660000	122	mg/kg																		0.93	U	1.4	U		
Dimethyl Phthalate			mg/kg																		0.93	U	1.4	U		
Di-n-Butyl Phthalate	82000	46	mg/kg																		0.93	U	1.4	U		
Di-n-Octyl Phthalate	8200	1140	mg/kg																		0.93	U	1.4	U		
Fluoranthene	30000	1780	mg/kg																		2.1		0.43			
Fluorene	30000	108	mg/kg																		0.14		0.24			
Hexachlorobenzene	0.96	0.0024	0.26	mg/kg																	0.093	U	0.14	U		
Hexachlorobutadiene	5.3	0.0054	mg/kg																		0.43	U	0.65	UJ		
Hexachlorocyclopentadiene	7.5	0.026	3.2	mg/kg																	2.8	U	4.2	U		
Hexachloroethane	8	0.004	mg/kg																		0.93	U	1.4	U		
Indeno(1,2,3-Cd)Pyrene	21	19.6	mg/kg																		0.5		0.1	J		
Isophorone	2400	0.52	mg/kg																		0.21	U	0.31	U		
Naphthalene	8.6	0.0076	mg/kg																		0.099		0.15	J		
Nitrobenzene	22	0.00184	mg/kg																		0.37	U	0.56	U		
n-Nitroso-di-n-Propylamine	0.33	0.000162	mg/kg																		0.28	U	0.42	U		
n-Nitrosodiphenylamine	470	1.34	mg/kg																		0.21	U	0.31	U		
Pentachlorophenol	4	0.00114	0.028	mg/kg																	0.93	U	1.4	U		
Phenanthrene			mg/kg																		1.4		0.3			
Phenol	250000	66	mg/kg																		0.21	U	0.31	U		
Pyrene	23000	260	mg/kg																		1.6		0.61			

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Industrial Soil Screening Level (SSL) (May 2023)

Exceeds the EPA RSL, Risk-Based SSL assuming a dilution attenuation factor (DAF) of 20

Exceeds the EPA RSL, Maximum Contaminant Level (MCL) SSL assuming a DAF of 20

Blanks indicate RSL not established or constituent not analyzed

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

MG/KG - milligram per kilogram

Sample depth shown in Sample ID (e.g., SBBF3-04_6-8 indicates 6 to 8-foot sample)

DUP = Duplicate sample

Exceedances shown may exceed one or more criteria if available

Table 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

			Location		B-1		B-2		B-2		B-3		B-3		B-3		B-4		B-4		B-4					
			Sample ID		SBB1100119-68 10/1/2019		SBB2100119-01 10/1/2019		SBB2100119-1416 10/1/2019		SBB2100119-810 10/1/2019		SBB3100319-01 10/3/2019		SBB3100319-0810 10/3/2019		SBB3100319-1416 10/3/2019		FDI00319 10/3/2019		SBB4100319-01 10/3/2019		SBB4100319-0608 10/3/2019		SBB4100319-1416 10/3/2019	
Parameter	Industrial SSL	Risk-Based SSL DAF-20	MCL-Based SSL DAF-20	Units	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual		
Metals																										
Aluminum	1100000	600000		mg/kg	13000		58700		27800		5450		128000		477		42200		36700		7810		14200		29800	J
Antimony	470	7	5.4	mg/kg	3.48	J	5.21	U	23.2	J-	7.38	U	3.79	U	27.6	U	202		211		5.58	U	5.77	U	60	
Arsenic	3	0.03	5.8	mg/kg	146		48		1630		35.4		2.27	U	16.5	U	7280		8060		24.6		7.48		12200	
Barium	220000	3200	1640	mg/kg	179		87.6		671	J	99.8		11		321		2260	J	4000	J	25.9		28		6940	J
Beryllium	2300	380	64	mg/kg	0.316	J	0.324	J	0.865	J-	0.419	J	0.379	U	2.76	U	0.757		0.747		0.187	J	0.159	J	1.43	
Boron	230000	260		mg/kg																						
Cadmium	100	2.8	7.6	mg/kg	1.67		0.132	J	6.24		0.583	J	0.284	J	2.76	U	5.94		5.18		0.223	J	0.218	J	13.4	J
Calcium				mg/kg	35500		156000		47500	J	296000		4950		224000		13800		15400		263000		183000		17900	J
Chromium			3600000	mg/kg	42		61.8		155	J	33.1		143		8.27	J+	73.6		75.7		8.36		16.4		126	J
Cobalt	350	5.4		mg/kg	67.9		24.3		32.3	J	10.1		1.76		1.72	J	8.13		5.33		2.58		2.11		7.9	
Copper	47000	560	920	mg/kg	333		118		465		75.8		10.8		4.42	J	641		550		13.8		12.6		686	
Iron	820000	7000		mg/kg	62100		24400		64100		12200		4620		1820		33700		29600		3100		4630		40000	
Lead	800		280	mg/kg	487		173		1950	J	68.7		18.2		71.1		18500		14200		29.7		27.5		4570	
Magnesium				mg/kg	4940		12000		4780		11300		656		24.4	J	2650		2280		129		204		5080	J
Manganese	26000	560		mg/kg	166		74.9		202	J	74		28.5		8.67		278		256		49.9		22.6		368	
Nickel	22000	520		mg/kg	23.3		9.39		29.5	J	11.2		2.87		5.51	U	25.3		25.3		2.82		2.71		31.2	
Potassium				mg/kg	2280		750		3720		990		139		81.3		1900		2010		128		208		3760	
Selenium	5800	10.4	5.2	mg/kg	11.1		10.3		116		8.4		3.79	U	27.6	U	300		227		2.98	J	4.49	J	48.7	
Silver	5800	16		mg/kg	2.65		2.04		9.03	J-	1.48	U	0.758	U	5.51	U	10.1		8.08		1.12	U	1.15	U	4.54	
Sodium				mg/kg	441		305		11900		6590		75.8	U	551	J+	11200		12500		155		397		4470	
Thallium	12	0.28	2.8	mg/kg	2.41	U	3.13	U	4.76	J-	4.43	U	2.27	U	16.5	U	4.21	UJ	14.8	J	3.35	U	3.46	U	14.7	J
Vanadium	5800	1720		mg/kg	38.7		44.5		65	J	13.7		67.1		5.51	U	78		73.7		4.89		10.4		72.9	J
Zinc	350000	7400		mg/kg	519		178		918	J	113		21.5		18.3		420		477		33.9		41.1		1370	
Mercury	46	0.66	2	mg/kg	1.51		1.05		29.4		0.739		0.21		0.449		152		140		2.48		2.19		72.7	
Pesticides																										
4,4'-DDD	9.6	0.15		mg/kg	10	J	1.6	J	4.7	J	2.1	J	0.047		0.61		0.2	J	0.24		0.047		0.55		0.0061	UJ
4,4'-DDE	9.3	0.22		mg/kg	2.4		1.3		1.5		1		0.037		0.077	J	0.17	J	0.44	J	0.055		0.57		0.0061	UJ
4,4'-DDT	8.5	1.54		mg/kg	5.1		3.3		0.95		1.5		0.067		1		0.056	U	0.056	U	0.025		0.54		0.0061	UJ
Aldrin	0.18	0.003		mg/kg	0.0038	U	0.0039	U	0.0056	U	0.0045	U	0.00073	U	0.00079	U	0.0056	U	0.0056	U	0.0008	U	0.0061	UJ		
Alpha-BHC	0.36	0.00084		mg/kg	0.026		0.008	J	0.0071	J-	0.0025	J	0.00073	U	0.0081		0.0056	U	0.0056	U</td						

Table 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

Location				B-1		B-2		B-2		B-3		B-3		B-3		B-4		B-4		B-4							
				Sample ID		SBB1100119-68 10/1/2019		SBB2100119-01 10/1/2019		SBB2100119-1416 10/1/2019		SBB2100119-810 10/1/2019		SBB3100319-01 10/3/2019		SBB3100319-0810 10/3/2019		SBB3100319-1416 10/3/2019		FDI00319 10/3/2019		SBB4100319-01 10/3/2019		SBB4100319-0608 10/3/2019		SBB4100319-1416 10/3/2019	
Parameter	Industrial SSL	Risk-Based SSL DAF-20	MCL-Based SSL DAF-20	Units	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual					
2-Hexanone	1300	0.176	mg/kg	0.007	U	0.012	U	39	U	0.017	U	0.011	U	0.014	U	18	U	0.014	U	0.012	U	0.012	U				
4-Methyl-2-Pentanone	140000	28	mg/kg	0.007	U	0.012	U	39	U	0.017	U	0.011	U	0.014	U	18	U	0.014	U	0.012	U	0.012	U				
Acetone	1100000	74	mg/kg	0.042	—	0.07	J	77	U	0.043	—	0.15	—	0.01	J	35	U	0.1	—	0.009	J	0.058	—				
Benzene	5.1	0.0046	0.052	mg/kg	0.003	J	0.006	U	19	U	0.001	J	0.0008	J	0.007	U	8.8	U	0.015	—	0.006	U	0.006	U			
Bromo-chloromethane	630	0.42	mg/kg	0.004	U	0.006	U	19	U	0.009	U	0.005	U	0.007	U	8.8	U	0.007	U	0.006	U	0.006	U				
Bromodichloromethane	1.3	0.00072	0.44	mg/kg	0.004	U	0.006	U	19	U	0.009	U	0.005	U	0.007	U	8.8	U	0.007	U	0.006	U	0.006	U			
Bromoform	86	0.0174	0.42	mg/kg	0.007	U	0.012	U	39	U	0.017	U	0.011	U	0.014	U	18	U	0.014	U	0.012	U	0.012	U			
Bromomethane	30	0.038	mg/kg	0.004	U	0.006	U	19	U	0.009	U	0.005	UJ	0.007	UJ	8.8	U	0.007	UJ	0.006	UJ	0.006	UJ				
Carbon Disulfide	3500	4.8	mg/kg	0.011	—	0.004	J	19	U	0.011	—	0.0009	J	0.001	J	8.8	U	0.002	J	0.006	U	0.001	J				
Carbon Tetrachloride	2.9	0.0036	0.038	mg/kg	0.004	U	0.006	U	19	U	0.009	U	0.005	U	0.007	U	8.8	U	0.007	U	0.006	U	0.006	U			
Chlorobenzene	1300	1.06	1.36	mg/kg	0.065	—	0.004	J	19	U	0.005	J	0.005	U	0.008	J	8.8	U	0.007	U	0.006	U	0.006	U			
Chloroethane	23000	48	mg/kg	0.004	U	0.006	U	19	U	0.009	U	0.005	UJ	0.007	UJ	8.8	U	0.007	UJ	0.006	UJ	0.006	UJ				
Chloroform	1.4	0.00122	0.44	mg/kg	0.0008	J	0.006	U	19	U	0.009	U	0.005	U	0.007	U	8.8	U	0.007	U	0.006	U	0.006	U			
Chloromethane	460	0.98	mg/kg	0.004	U	0.006	U	19	U	0.009	U	0.005	UJ	0.007	UJ	8.8	U	0.007	UJ	0.006	UJ	0.006	UJ				
cis-1,2-Dichloroethene	2300	0.22	0.42	mg/kg	0.01	—	0.006	U	19	U	0.009	U	0.005	U	0.007	U	8.8	U	0.007	U	0.006	U	0.006	U			
cis-1,3-Dichloropropene			mg/kg	0.004	U	0.006	U	19	U	0.009	U	0.005	U	0.007	U	8.8	U	0.007	U	0.006	U	0.006	U				
Cyclohexane	27000	260	mg/kg	0.004	U	0.006	U	19	U	0.009	U	0.005	UJ	0.007	UJ	8.8	U	0.007	UJ	0.006	UJ	0.006	UJ				
Dibromo-chloromethane	39	0.0046	0.42	mg/kg	0.004	U	0.006	U	19	U	0.009	U	0.005	U	0.007	U	8.8	U	0.007	U	0.006	U	0.006	U			
Dichlorodifluoromethane	370	6	mg/kg	0.004	U	0.006	UJ	19	UJ	0.009	U	0.005	UJ	0.007	UJ	8.8	UJ	0.007	UJ	0.006	UJ	0.006	UJ				
Ethylbenzene	25	0.034	15.6	mg/kg	0.007	J	0.006	U	19	U	0.008	J	0.005	U	0.007	U	8.8	U	0.007	U	0.006	U	0.006	U			
Isopropylbenzene	9900	14.8	mg/kg	0.005	J	0.006	U	19	U	0.002	J	0.005	U	0.007	U	8.8	U	0.069	—	0.006	U	0.005	J				
m&p-Xylenes			mg/kg	0.001	J	0.006	U	19	U	0.002	J	0.005	U	0.007	U	8.8	U	0.13	—	0.006	U	0.001	J				
Methyl Acetate	1200000	82	mg/kg	0.039	—	0.006	U	19	U	0.009	U	0.005	U	0.007	U	8.8	U	0.007	U	0.006	U	0.046	5.1				
Methyl Tert-Butyl Ether	210	0.064	mg/kg	0.004	U	0.006	U	19	U	0.009	U	0.005	U	0.007	U	8.8	U	0.007	U	0.006	U	0.006	U				
Methylcyclohexane			mg/kg	0.007	—	0.006	J	5.4	J	0.019	—	0.0007	J	0.007	U	8.8	U	1.1	J	0.002	J	0.017	5.1				
Methylene Chloride	1000	0.058	0.026	mg/kg	0.004	U	0.006	U	19	U	0.009	U	0.005	U	0.007	U	8.8	U	0.007	U	0.006	U	0.006	U			
o-Xylene	2800	3.8	mg/kg	0.001	J	0.006	U	1.8	J	0.008	J	0.005	U	0.007	U	8.8	U	0.11	—	0.006	U	0.0007	J				
Styrene	35000	26	2.2	mg/kg	0.004	U	0.006	U	19	U	0.009	U	0.005	U	0.007	U	8.8	U	0.007	U	0.006	U	0.006	U			
Tetrachloroethene	100	0.102	0.046	mg/kg	0.0006	J	0.006	U	19	U	0.009	U	0.005	U	0.007	U	8.8	U	0.007	U	0.006	U	0.006	U			
Toluene	47000	15.2	13.8																								

Table 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

Location Sample ID Sample Date				B-1 SBB1100119-68 10/1/2019		B-2 SBB2100119-01 10/1/2019		B-2 SBB2100119-1416 10/1/2019		B-3 SBB3100319-810 10/3/2019		B-3 SBB3100319-1416 10/3/2019		B-3 FDI100319 10/3/2019		B-4 SBB4100319-01 10/3/2019		B-4 SBB4100319-0608 10/3/2019		B-4 SBB4100319-1416 10/3/2019		
Parameter	Industrial SSL	Risk-Based SSL DAF-20	MCL-Based SSL DAF-20	Units	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Acetophenone	120000	11.6		mg/kg	0.28	U	0.3	U	0.47	U	0.43	U	0.28	U	0.064	U	0.4	U	0.41	U	0.058	U
Anthracene	230000	1160		mg/kg	0.3		0.055	J	1.6		0.12	J	0.092	U	0.021	U	0.23		0.14	J	0.013	J
Atrazine	10	0.004	0.038	mg/kg	2.4	U	2.6	U	4	U	3.7	U	2.4	U	0.55	U	3.5	U	3.6	U	0.51	U
Benzaldehyde	820	0.082		mg/kg	0.93	U	0.99	U	1.6	U	1.4	U	0.92	U	0.21	U	1.3	U	1.4	U	0.19	U
Benzo(A)Anthracene	21	0.22		mg/kg	1.2		0.16		1.5		0.16		0.092	U	0.011	J	0.34		0.21		0.022	
Benzo(A)Pyrene	2.1	0.58	4.8	mg/kg	0.97		0.15		2.1		0.16		0.053	J	0.021	U	0.21		0.095	J	0.021	
Benzo(B)Fluoranthene	21	6		mg/kg	1.5		0.26		1		0.19		0.049	J	0.012	J	0.34		0.13	J	0.028	
Benzo(G,H,I)perylene				mg/kg	0.67		0.14		2.9		0.13	J	0.038	J	0.021	U	0.13	J	0.076	J	0.017	J
Benzo(K)Fluoranthene	210	58		mg/kg	0.59		0.095	J	0.24		0.1	J	0.092	U	0.008	J	0.13	J	0.072	J	0.015	J
bis-(2-Chloroethoxy)Methane	2500	0.26		mg/kg	0.21	U	0.22	U	0.34	U	0.31	U	0.2	U	0.047	U	0.29	U	0.3	U	0.043	U
bis-(2-Chloroethyl)Ether	1	0.000072		mg/kg	0.28	U	0.3	U	0.47	U	0.43	U	0.28	U	0.064	U	0.4	U	0.41	U	0.058	U
bis(2-Chloroisopropyl)Ether				mg/kg	0.24	U	0.26	U	0.4	U	0.37	U	0.24	U	0.055	U	0.35	U	0.36	U	0.051	U
bis-(2-Ethylhexyl)Phthalate	160	26		mg/kg	0.93	U	0.99	U	1.6	U	1.4	U	0.92	U	0.21	U	1.3	U	1.4	U	0.19	U
Butylbenzyl Phthalate	1200	4.8		mg/kg	0.93	U	0.99	U	1.6	U	1.4	U	0.92	U	0.21	U	1.3	U	1.4	U	0.19	U
Caprolactam	400000	50		mg/kg	0.93	U	0.99	U	1.6	U	1.4	U	0.92	U	0.21	U	1.3	U	1.4	U	0.19	U
Carbazole				mg/kg	0.11	J	0.22	U	0.34	U	0.31	U	0.2	U	0.047	U	0.29	U	0.3	U	0.043	U
Chrysene	2100	180		mg/kg	1.4		0.2		2.8		0.26		0.046	J	0.014	J	0.38		0.19		0.02	
Dibenzo(a,h)Anthracene	2.1	1.92		mg/kg	0.13		0.099	U	0.16	U	0.14	U	0.092	U	0.021	U	0.13	U	0.14	U	0.019	U
Dibenzofuran	1200	3		mg/kg	0.21	U	0.22	U	1		0.31	U	0.2	U	0.047	U	0.29	U	0.3	U	0.043	U
Diethyl Phthalate	660000	122		mg/kg	0.93	U	0.99	U	1.6	U	1.4	U	0.92	U	0.21	U	1.3	U	1.4	U	0.19	U
Dimethyl Phthalate				mg/kg	0.93	U	0.99	U	1.6	U	1.4	U	0.92	U	0.21	U	1.3	U	1.4	U	0.19	U
Di-n-Butyl Phthalate	82000	46		mg/kg	0.93	U	0.99	U	1.6	U	1.4	U	0.92	U	0.21	U	1.3	U	1.4	U	0.19	U
Di-n-Octyl Phthalate	8200	1140		mg/kg	0.93	U	0.99	U	1.6	U	1.4	U	0.92	U	0.21	U	1.3	U	1.4	U	0.19	U
Fluoranthene	30000	1780		mg/kg	2.6		0.26		1.9		0.34		0.047	J	0.016	J	0.58		0.34		0.047	
Fluorene	30000	108		mg/kg	0.11		0.099	U	3.4		0.062	J	0.092	U	0.005	J	0.39		0.15		0.012	J
Hexachlorobenzene	0.96	0.0024	0.26	mg/kg	0.093	U	0.099	U	0.16	U	0.14	U	0.092	U	0.021	U	0.13	U	0.14	U	0.019	U
Hexachlorobutadiene	5.3	0.0054		mg/kg	0.43	U	0.45	UJ	0.71	UJ	0.66	U	0.42	U	0.098	U	0.62	U	0.63	U	0.09	U
Hexachlorocyclopentadiene	7.5	0.026	3.2	mg/kg	2.8	U	3	U	4.7	U	4.3	U	2.8	U	0.64	U	4	U	4.1	U	0.58	U
Hexachloroethane	8	0.004		mg/kg	0.93	U	0.99	U	1.6	U	1.4	U	0.92	U	0.21	U	1.3	U	1.4	U	0.19	U
Indeno(1,2,3-Cd)Pyrene	21	19.6		mg/kg	0.57		0.1		0.53		0.095	J	0.028	J	0.021	U	0.12	J	0.058	J	0.011	J
Isophorone	2400	0.52		mg/kg	0.21	U	0.22	U	0.34	U	0.31	U	0.2	U	0.047	U	0.29	U	0.3	U	0.043	U
Naphthalene	8.6	0.0076		mg/kg	0.068	J	0.099	UJ	0.16	UJ	0.096	J	0.092	U	0.021	U	0.32		0.32		0.019	U
Nitrobenzene	22	0.00184		mg/kg	0.37	U	0.39	U	0.62	U	0.57	U	0.37	U	0.085	U	0.54	U	0.55	U	0.078	U
n-Nitroso-di-n-Propylamine	0.33	0.000162		mg/kg	0.28	U	0.3	U	0.47	U	0.43	U	0.28	U	0.064	U	0.4	U	0.41	U	0.058	U
n-Nitrosodiphenylamine	470	1.34		mg/kg	0.21	U	0.22	U	0.34	U	0.31	U	0.2	U	0.047	U	0.33	U	0.3	U	0.043	U
Pentachlorophenol	4	0.00114	0.028	mg/kg	0.93	U	0.99	U	1.6	U	1.4	U	0.92	U	0.21	U</td						

Table 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

Location			MW-123S	MW-123S	MW-123S	MW-123S	MW-124S	MW-124S	MW-124S
	Sample ID	Sample Date	SBMW123S-01	SBMW123S-1012	SBMW123S-1416	FD10011901	SBMW124S-01	SBMW124S-1012	SBMW124S-1416
Parameter	Industrial SSL	Risk-Based SSL DAF-20	MCL-Based SSL DAF-20	Units	Result Qual	Result Qual	Result Qual	Result Qual	Result Qual
Metals									
Aluminum	1100000	600000		mg/kg	29600	14300	38500	J	13100
Antimony	470	7	5.4	mg/kg	3.62	J	3.46	J	126
Arsenic	3	0.03	5.8	mg/kg	46.6	14.4	9200	J	301
Barium	220000	3200	1640	mg/kg	55.4	175	2480	J	302
Beryllium	2300	380	64	mg/kg	0.419	J	0.584	U	0.965
Boron	230000	260		mg/kg					
Cadmium	100	2.8	7.6	mg/kg	0.333	J	0.584	U	4.7
Calcium				mg/kg	203000		242000		37300
Chromium			3600000	mg/kg	41.7		15.3		79.8
Cobalt	350	5.4		mg/kg	12.9		10.8		7.11
Copper	47000	560	920	mg/kg	72.8		37.4		681
Iron	820000	7000		mg/kg	17600		18400		24900
Lead	800		280	mg/kg	126		64.7		14000
Magnesium				mg/kg	862		373		2800
Manganese	26000	560		mg/kg	71.9		28.6		190
Nickel	22000	520		mg/kg	9.13		2.72		22.3
Potassium				mg/kg	606		269		2000
Selenium	5800	10.4	5.2	mg/kg	7.64		7.9		208
Silver	5800	16		mg/kg	1.26		0.955	J	9.81
Sodium				mg/kg	233		1230		8830
Thallium	12	0.28	2.8	mg/kg	1.18	J	3.51	U	51.3
Vanadium	5800	1720		mg/kg	27.7		7.52		79.1
Zinc	350000	7400		mg/kg	186		38.1		620
Mercury	46	0.66	2	mg/kg	0.846		0.502		106
Pesticides									
4,4'-DDD	9.6	0.15		mg/kg	0.37	J	0.46	J	6.4
4,4'-DDE	9.3	0.22		mg/kg	0.36		0.13		2.8
4,4'-DDT	8.5	1.54		mg/kg	0.66		0.16		0.05
Aldrin	0.18	0.003		mg/kg	0.004	U	0.0044	U	0.039
Alpha-BHC	0.36	0.00084		mg/kg	0.0094	J	0.0055	J	0.08
Beta-BHC	1.3	0.003		mg/kg	0.004	U	0.0044	U	0.039
cis-Chlordane	500	9.8		mg/kg	0.004	U	0.0044	U	0.0039
Delta-BHC				mg/kg	0.004	U	0.0039	U	0.005
Dieldrin	0.14	0.00142		mg/kg	0.004	U	0.0044	U	0.0039
Endosulfan I				mg/kg	0.004	U	0.0044	U	0.0039
Endosulfan II				mg/kg	0.004	U	0.0044	U	0.011
Endosulfan Sulfate	4900	42		mg/kg	0.004	U	0.0044	U	0.0039
Endrin	250	1.84	1.62	mg/kg	0.004	U	0.0044	U	0.0039
Endrin Aldehyde				mg/kg	0.004	U	0.0044	U	0.0039
Endrin Ketone				mg/kg	0.004	U	0.0044	U	0.0039
Gamma-BHC (Lindane)	2.5	0.0048	0.024	mg/kg	0.004	U	0.0044	U	0.0039
Heptachlor	0.63	0.0024	0.66	mg/kg	0.004	U	0.0044	U	0.0039
Heptachlor Epoxide	0.33	0.00056	0.082	mg/kg	0.004	U	0.0044	U	0.0039
Methoxychlor	4100	40	44	mg/kg	0.0078	U	0.0085	U	0.0076
Toxaphene	2.1	0.22	9.2	mg/kg	0.1	U	0.11	U	0.099
trans-Chlordane	500	28		mg/kg	0.004	U	0.0044	U	0.0039
Volatile Organic Compounds									
1,1,1-Trichloroethane	36000	56	1.4	mg/kg	0.007	U	0.005	U	15
1,1,2,2-Tetrachloroethane	2.7	0.0006		mg/kg	0.007	U	0.005	U	15
1,1,2-Trichloro-1,2,2-Trifluoroethane	28000	520		mg/kg	0.014	U	0.009	U	31
1,1,2-Trichloroethane	5	0.00178	0.032	mg/kg	0.007	U	0.005	U	15
1,1-Dichloroethane	16	0.0156		mg/kg	0.007	U	0.005	U	15
1,1-Dichloroethene	1000	2	0.05	mg/kg	0.007	U	0.005	U	15
1,2,3-Trichlorobenzene	930	0.42		mg/kg	0.014	U	0.009	U	31
1,2,4-Trichlorobenzene	110	0.068	4	mg/kg	0.014	U	0.009	U	31
1,2-Dibromo-3-Chloropropane	0.064	0.0000028	0.00172	mg/kg	0.007	U	0.005	U	15
1,2-Dibromoethane	0.16	0.000042	0.00028	mg/kg	0.007	U	0.005	U	15
1,2-Dichlorobenzene	9300	6	11.6	mg/kg	0.007	U	0.011	U	15
1,2-Dichloroethane	2	0.00096	0.028	mg/kg	0.007	U	0.005	U	15
1,2-Dichloropropane	11	0.0056	0.034	mg/kg	0.007	U	0.005	U	15
1,3-Dichlorobenzene				mg/kg	0.007	U	0.005	U	15
1,4-Dichlorobenzene	11	0.0092	1.44	mg/kg	0.007	U	0.008	U	15
1,4-Dioxane	24	0.00188		mg/kg	0.35	U	0.24	U	770
2-Butanone	190000	24		mg/kg	0.01	J	0.011		31

Table 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

Location Sample ID Sample Date				MW-123S SBMW123S-01 10/1/2019		MW-123S SBMW123S-1012 10/1/2019		MW-123S SBMW123S-1416 10/1/2019		MW-123S FD10011901 10/1/2019		MW-124S SBMW124S-01 9/30/2019		MW-124S SBMW124S-1012 9/30/2019		MW-124S SBMW124S-1416 9/30/2019		
Parameter	Industrial SSL	Risk-Based SSL DAF-20	MCL-Based SSL DAF-20	Units	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
2-Hexanone	1300	0.176	mg/kg	0.014	U	0.009	U	31	U	8	U	0.009	U	0.01	U	9.5	U	
4-Methyl-2-Pentanone	140000	28	mg/kg	0.014	U	0.009	U	31	U	8	U	0.009	U	0.01	U	9.5	U	
Acetone	1100000	74	mg/kg	0.064	—	0.11	—	62	U	16	U	0.09	—	0.019	U	19	U	
Benzene	5.1	0.0046	0.052	mg/kg	0.007	U	0.021	—	15	U	4	U	0.0008	J	0.005	U	4.8	U
Bromo-chloromethane	630	0.42	mg/kg	0.007	U	0.005	U	15	U	4	U	0.004	U	0.005	U	4.8	U	
Bromodichloromethane	1.3	0.00072	0.44	mg/kg	0.007	U	0.005	U	15	U	4	U	0.004	U	0.005	U	4.8	U
Bromoform	86	0.0174	0.42	mg/kg	0.014	U	0.009	U	31	U	8	U	0.009	U	0.01	U	9.5	U
Bromomethane	30	0.038	mg/kg	0.007	U	0.005	UJ	15	U	4	U	0.004	U	0.005	U	4.8	U	
Carbon Disulfide	3500	4.8	mg/kg	0.001	J	0.006	—	15	U	4	U	0.008	—	0.005	U	4.8	U	
Carbon Tetrachloride	2.9	0.0036	0.038	mg/kg	0.007	U	0.005	U	15	U	4	U	0.004	U	0.005	U	4.8	U
Chlorobenzene	1300	1.06	1.36	mg/kg	0.007	U	0.016	—	15	U	4	U	0.004	U	0.004	J	4.8	U
Chloroethane	23000	48	mg/kg	0.007	U	0.005	U	15	U	4	U	0.004	U	0.005	U	4.8	U	
Chloroform	1.4	0.00122	0.44	mg/kg	0.007	U	0.005	U	15	U	4	U	0.001	J	0.005	U	4.8	U
Chloromethane	460	0.98	mg/kg	0.007	U	0.005	UJ	15	U	4	U	0.004	U	0.005	U	4.8	U	
cis-1,2-Dichloroethene	2300	0.22	0.42	mg/kg	0.007	U	0.005	U	15	U	4	U	0.004	U	0.005	U	4.8	U
cis-1,3-Dichloropropene			mg/kg	0.007	U	0.005	U	15	U	4	U	0.004	U	0.005	U	4.8	U	
Cyclohexane	27000	260	mg/kg	0.007	U	0.002	J	15	U	4	U	0.004	U	0.005	U	4.8	U	
Dibromo-chloromethane	39	0.0046	0.42	mg/kg	0.007	U	0.005	UJ	15	U	4	U	0.004	U	0.005	U	4.8	U
Dichlorodifluoromethane	370	6	mg/kg	0.007	U	0.001	J	15	UJ	4	UJ	0.004	U	0.005	U	4.8	UJ	
Ethylbenzene	25	0.034	15.6	mg/kg	0.0009	J	0.0008	J	15	U	0.43	J	0.004	U	0.005	U	4.8	U
Isopropylbenzene	9900	14.8	mg/kg	0.0007	J	0.005	U	15	U	0.36	J	0.004	U	0.005	U	4.8	U	
m&p-Xylenes			mg/kg	0.002	J	0.001	J	15	U	0.85	J	0.004	U	0.005	U	4.8	U	
Methyl Acetate	1200000	82	mg/kg	0.006	J	0.005	U	15	U	1	J	0.004	U	0.005	U	4.8	U	
Methyl Tert-Butyl Ether	210	0.064	mg/kg	0.007	U	0.005	U	15	U	4	U	0.004	U	0.005	U	4.8	U	
Methylcyclohexane			mg/kg	0.037		0.004	J	15	U	3.6	J	0.004	U	0.005	U	2	J	
Methylene Chloride	1000	0.058	0.026	mg/kg	0.007	U	0.005	U	15	U	4	U	0.004	U	0.005	U	4.8	U
o-Xylene	2800	3.8	mg/kg	0.001	J	0.0006	J	15	U	0.39	J	0.004	U	0.005	U	4.8	U	
Styrene	35000	26	2.2 mg/kg	0.007	U	0.005	U	15	U	4	U	0.004	U	0.005	U	4.8	U	
Tetrachloroethene	100	0.102	0.046	mg/kg	0.007	U	0.005	U	15	U	4	U	0.004	U	0.005	U	4.8	U
Toluene	47000	15.2	13.8 mg/kg	0.001	J	0.002	J	15	U	0.59	J	0.0007	J	0.0006	J	4.8	U	
Total Xylenes	2500	3.8	198 mg/kg	0.003	J	0.002	J	31	U	1.2	J	0.009	U	0.01	U	9.5	U	
trans-1,2-Dichloroethene	300	0.42	0.62	mg/kg	0.007	U	0.005	U	15	U	4	U	0.004	U	0.005	U	4.8	U
trans-1,3-Dichloropropene			mg/kg	0.007	U	0.005	U	15	U	4	U	0.004	U	0.005	U	4.8	U	
Trichloroethene	6	0.0036	0.036	mg/kg	0.007	U	0.005	U	15	U	4	U	0.004	U	0.005	U	4.8	U
Trichlorofluoromethane	350000	66	mg/kg	0.007	U	0.005	U	15	UJ	4	U	0.004	U	0.005	U	4.8	UJ	
Vinyl Chloride	1.7	0.00013	0.0138	mg/kg	0.007	U	0.005	U	15	U	4	U	0.004	U	0.005	U	4.8	U
Semi-Volatile Organic Compounds																		
1,1'-Biphenyl	200	0.174	mg/kg	0.22	U	0.24	U	0.23	J	0.097	J	0.21	U	0.05	U	0.34		
1,2,4,5-Tetrachlorobenzene	35	0.0158	mg/kg	0.22	U	0.24	U	0.28	U	0.056	U	0.21	U	0.05	U	0.069	U	
2,3,4,6-Tetrachlorophenol	25000	3.6	mg/kg	1	U	1.1	U	1.3	U	0.25	U	0.95	U	0.23	U	0.31	U	
2,4,5-Trichlorophenol	82000	80	mg/kg	0.4	U	0.43	U	0.51	U	0.1	U	0.38	U	0.091	U	0.13	U	
2,4,6-Trichlorophenol	210	0.08	mg/kg	0.34	U	0.37	U	0.43	U	0.087	U	0.32	U	0.077	U	0.11	U	
2,4-Dichlorophenol	2500	0.46	mg/kg	0.26	U	0.28	U	0.33	U	0.066	U	0.25	U	0.059	U	0.52		
2,4-Dimethylphenol	16000	8.4	mg/kg	0.4	U	0.43	U	0.51	U	0.1	U	0						

Table 1. SWMU 9 Soil Analytical Results
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

Location Sample ID Sample Date			MW-123S SBMW123S-01 10/1/2019		MW-123S SBMW123S-1012 10/1/2019		MW-123S SBMW123S-1416 10/1/2019		MW-123S FD10011901 10/1/2019		MW-124S SBMW124S-01 9/30/2019		MW-124S SBMW124S-1012 9/30/2019		MW-124S SBMW124S-1416 9/30/2019			
Parameter	Industrial SSL	Risk-Based SSL DAF-20	MCL-Based SSL DAF-20	Units	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual		
Acetophenone	120000	11.6		mg/kg	0.3	U	0.32	U	0.38	U	0.076	U	0.29	U	0.068	U	0.094	U
Anthracene	230000	1160		mg/kg	0.039	J	0.11	U	0.51	J	0.13	J	0.21		0.023	U	0.68	
Atrazine	10	0.004	0.038	mg/kg	2.6	U	2.8	U	3.3	U	0.66	U	2.5	U	0.59	U	0.82	U
Benzaldehyde	820	0.082		mg/kg	1	U	1.1	U	1.3	U	0.25	U	0.95	U	0.23	U	0.31	U
Benzo(A)Anthracene	21	0.22		mg/kg	0.13		0.046	J	0.57	J	0.14	J	0.62		0.023	U	0.64	
Benzo(A)Pyrene	2.1	0.58	4.8	mg/kg	0.15		0.053	J	0.36	J	0.16	J	0.59		0.023	U	0.57	
Benzo(B)Fluoranthene	21	6		mg/kg	0.18		0.075	J	0.54	J	0.091	J	1.1		0.023	U	0.45	
Benzo(G,H,I)perylene				mg/kg	0.12		0.11	U	0.22		0.16		0.54		0.023	U	0.81	
Benzo(K)Fluoranthene	210	58		mg/kg	0.076	J	0.11	U	0.2	J	0.024	J	0.3		0.023	U	0.11	
bis-(2-Chloroethoxy)Methane	2500	0.26		mg/kg	0.22	U	0.24	U	0.28	U	0.056	U	0.21	U	0.05	U	0.069	U
bis-(2-Chloroethyl)Ether	1	0.000072		mg/kg	0.3	U	0.32	U	0.38	U	0.076	U	0.29	U	0.068	U	0.094	U
bis(2-Chloroisopropyl)Ether				mg/kg	0.26	U	0.28	U	0.33	U	0.066	U	0.25	U	0.059	U	0.082	U
bis-(2-Ethylhexyl)Phthalate	160	26	28	mg/kg	1	U	1.1	U	1.3	U	0.25	U	0.95	U	0.23	U	0.31	U
Butylbenzyl Phthalate	1200	4.8		mg/kg	1	U	1.1	U	1.3	U	0.25	U	0.95	U	0.23	U	0.31	U
Caprolactam	400000	50		mg/kg	1	U	1.1	U	1.3	U	0.25	U	0.95	U	0.23	U	0.31	U
Carbazole				mg/kg	0.22	U	0.24	U	0.28	U	0.056	U	0.21	U	0.05	U	0.069	U
Chrysene	2100	180		mg/kg	0.15		0.056	J	0.78	J	0.22	J	0.64		0.023	U	1.1	
Dibenzo(a,h)Anthracene	2.1	1.92		mg/kg	0.1	U	0.11	U	0.13	UJ	0.027	J	0.15		0.023	U	0.11	
Dibenzofuran	1200	3		mg/kg	0.22	U	0.24	U	0.21	J	0.087	J	0.21	U	0.05	U	0.42	
Diethyl Phthalate	660000	122		mg/kg	1	U	1.1	U	1.3	U	0.25	U	0.95	U	0.23	U	0.31	U
Dimethyl Phthalate				mg/kg	1	U	1.1	U	1.3	U	0.25	U	0.95	U	0.23	U	0.31	U
Di-n-Butyl Phthalate	82000	46		mg/kg	1	U	1.1	U	1.3	U	0.25	U	0.95	U	0.23	U	0.31	U
Di-n-Octyl Phthalate	8200	1140		mg/kg	1	U	1.1	U	1.3	U	0.25	U	0.95	U	0.23	U	0.31	U
Fluoranthene	30000	1780		mg/kg	0.18		0.071	J	1.3	J	0.15	J	1.2		0.023	U	1.3	
Fluorene	30000	108		mg/kg	0.1	U	0.11	U	0.74	J	0.23	J	0.055	J	0.023	U	1.3	
Hexachlorobenzene	0.96	0.0024	0.26	mg/kg	0.1	U	0.11	U	0.13	U	0.025	U	0.095	U	0.023	U	0.031	U
Hexachlorobutadiene	5.3	0.0054		mg/kg	0.46	U	0.5	U	0.58	UJ	0.12	U	0.44	U	0.1	U	0.14	UJ
Hexachlorocyclopentadiene	7.5	0.026	3.2	mg/kg	3	U	3.2	U	3.8	U	0.76	U	2.9	U	0.68	U	0.94	U
Hexachloroethane	8	0.004		mg/kg	1	U	1.1	U	1.3	U	0.25	U	0.95	U	0.23	U	0.31	U
Indeno(1,2,3-Cd)Pyrene	21	19.6		mg/kg	0.097	J	0.032	J	0.15	J	0.042	J	0.43		0.023	U	0.2	
Isophorone	2400	0.52		mg/kg	0.22	U	0.24	U	0.28	U	0.056	U	0.21	U	0.05	U	0.069	U
Naphthalene	8.6	0.0076		mg/kg	0.1	U	0.11	U	0.85	J	0.15	J	0.095	U	0.023	U	0.57	J
Nitrobenzene	22	0.00184		mg/kg	0.4	U	0.43	U	0.51	U	0.1	U	0.38	U	0.091	U	0.13	U
n-Nitroso-di-n-Propylamine	0.33	0.000162		mg/kg	0.3	U	0.32	U	0.38	U	0.076	U	0.29	U	0.068	U	0.094	U
n-Nitrosodiphenylamine	470	1.34		mg/kg	0.22	U	0.24	U	0.28	U	0.056	U	0.21	U	0.05	U	0.069	U
Pentachlorophenol	4	0.00114	0.028	mg/kg	1	U	1.1	U	1.3	U	0.25	U	0.95	U	0.23	U	0.31	U
Phenanthrene				mg/kg	0.15		0.047	J	2.1	J	0.61	J	0.66		0.006	J	1.8	
Phenol	250000	66		mg/kg	0.22	U	0.24	U	0.28	U	0.056	U	0.21	U	0.05	U	0.069	U
Pyrene	23000	260		mg/kg	0.21		0.057	J	1.2	J	0.37	J	0.91		0.023	U	2.5	

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Industrial Soil Screening Level (SSL) (May 2023)

Exceeds the EPA RSL, Risk-Based SSL assuming a dilution attenuation factor (DAF) of 20

Exceeds the EPA RSL, Maximum Contaminant Level (MCL) SSL assuming a DAF of 20

Blanks indicate RSL not established or constituent not analyzed

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

MG/KG - milligram per kilogram

Sample depth shown in Sample ID (e.g., SBBF3-04_6-8 indicates 6 to 8-foot sample)

DUP = Duplicate sample

Exceedances shown may exceed one or more criteria if available

Appendix B

Table 2. 2003 Groundwater Analytical Results
SWMU 9 and South Plant South Parcel
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

Location ID				B-1	B-1	B-1	B-1	B-2	B-2	B-2	B-2	B-2D	B-2D	B-2D		
Sample ID				B-1020603	B-1020603	B-1071403	B-1071403	B-2020503	B-2020503	B-2071603	B-2071603	B-2D020603	B-2D020603	B-2D020603		
Sample Date				2/6/2003	2/6/2003	7/14/2003	7/14/2003	2/5/2003	2/5/2003	7/16/2003	7/16/2003	2/6/2003	2/6/2003	7/16/2003		
Parameter	Units	MAY 2023 RSL	MAY 2023 RSL	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual							
Metals																
Aluminum	ug/l		20000													
Antimony	ug/l	6	7.8	80		80		100		150		80		120		
Arsenic	ug/l	10	0.052	16000		17000		15100		17700		11000	K	12000		
Barium	ug/l	2000	3800	10	J	10	J	10	J	30		10	J	30		
Beryllium	ug/l	4	25	0.82	B	0.39	B	0.29	B	0.28		0.35	B	0.24	B	
Boron	ug/l		4000										0.73	B	0.44	B
Cadmium	ug/l	5	1.8	6		4.8		4.2	B	3.8		3.1	B	3.3	B	
Calcium	ug/l															
Chromium	ug/l	100		6.1		5.2		6.1		40		7.9	B	10		
Cobalt	ug/l		6	30		30		30		40	K	40	K	40		
Copper	ug/l	1300	800	210		220		290		330		40		150		
Iron	ug/l		14000											70	300	
Lead	ug/l	15	15	10		50		20		350		50		220		
Magnesium	ug/l															
Manganese	ug/l		430													
Nickel	ug/l		390	40		50		60		90		60		60		
Potassium	ug/l															
Selenium	ug/l	50	100	9.9	B	10	B	1.8	U	2.3	J	5	B	4.4	B	
Silver	ug/l		94	1	U	1	U	0.3	U	0.3	U	1	U	1	U	
Sodium	ug/l															
Thallium	ug/l	2	0.2	30	L	30	L	40	L	40	L	10	L	10	L	
Tin	ug/l		12000	2.6	U	1.2	U	3.9	U	3.9	U	2.4	U	5.4	J	
Vanadium	ug/l		86	10		10		9.4	J	10		8.2	J	10	J	
Zinc	ug/l		6000	990		1000		860		870		1200	K	1200	K	
Mercury	ug/l	2	0.63	0.13	U	0.15	U	0.2	UL	0.68		0.2	UL	0.7	L	
Pesticides																
4,4'-DDD	ug/l		0.032									0.1	U		0.11	U
4,4'-DDE	ug/l		0.046									0.1	U		0.11	U
4,4'-DDT	ug/l		0.23									0.1	U		0.11	U
Aldrin	ug/l		0.00092									0.05	U		0.05	U
Alpha-BHC	ug/l		0.0072									0.04	J		0.05	UL
Beta-BHC	ug/l		0.025									0.02	J		0.05	UL
Chlordane	ug/l											0.51	U		0.5	UL
cis-Chlordane	ug/l		3.6									0.1	U		0.1	UL
Delta-BHC	ug/l											0.05	U		0.05	UL
Dieldrin	ug/l		0.0018									0.1	U		0.1	UL
Endosulfan I	ug/l											0.05	U		0.05	UL
Endosulfan II	ug/l											0.1	U		0.11	U
Endosulfan Sulfate	ug/l		110									0.1	U		0.1	UL
Endrin	ug/l	2	2.3									0.1	U		0.1	UL
Endrin Aldehyde	ug/l											0.1	U		0.11	U
Endrin Ketone	ug/l											0.1	U		0.1	UL
Gamma-BHC (Lindane)	ug/l	0.2	0.042									0.05	U		0.05	U
Heptachlor	ug/l	0.4	0.0014									0.05	U		0.05	UL
Heptachlor Epoxide	ug/l	0.2	0.0014									0.05	U		0.05	UL
Methoxychlor	ug/l	40	37									0.51	U		0.5	UL
Toxaphene	ug/l	3	0.071									1	U		1	UL
trans-Chlordane	ug/l		10									0.1	U		0.1	UL
Herbicides																
2,4,5-T	ug/l		160									0.08	U		0.08	UJ
2,4,5-TP (Silvex)	ug/l	50	110									0.08	U		0.04	J
2,4-D	ug/l	70	170									0.22	U		0.2	UJ
Volatile Organic Compounds																
1,1,1,2-Tetrachloroethane	ug/l		0.57									5	U		5	U
1,1,1-Trichloroethane	ug/l	200	8000									5	U		5	U
1,1,2,2-Tetrachloroethane	ug/l		0.076									5	U		5	U
1,1,2-Trichloroethane	ug/l	5	0.28									5	U		5	U
1,1-Dichloroethane	ug/l		2.8									5	U		5	U
1,1-Dichloroethene	ug/l	7	280									5	U		5	J
1,2,3-Trichloropropane	ug/l		0.00075									5	U		5	U
1,2-Dibromo-3-Chloropropane	ug/l	0.2	0.00033									5	U		5	U
1,2-Dibromoethane	ug/l	0.05	0.0075									5	U		5	U
1,2-Dichloroethane	ug/l	5	0.17									4.3	J		3	J

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID Sample ID Sample Date Fraction			B-1 B-1020603 2/6/2003 D	B-1 B-1020603 2/6/2003 T	B-1 B-1071403 7/14/2003 D	B-1 B-1071403 7/14/2003 T	B-2 B-2020503 2/5/2003 D	B-2 B-2020503 2/5/2003 T	B-2 B-2071603 7/16/2003 D	B-2 B-2071603 7/16/2003 T	B-2D B-2D020603 2/6/2003 D	B-2D B-2D020603 2/6/2003 T	B-2D B-2D020603 7/16/2003 D				
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual
1,2-Dichloropropane	ug/l	5	0.85							5	U			5	U	5	U
1,4-Dioxane	ug/l		0.46						100	R			100	R	100	R	
2-Butanone	ug/l		5600						10	U			10	U	10	U	
2-Hexanone	ug/l		38						10	U			10	U	10	U	
4-Methyl-2-Pentanone	ug/l		6300						10	U			10	U	10	U	
Acetone	ug/l		18000						10	U			10	U	10	U	
Acetonitrile	ug/l		130						50	U			10	U	50	U	
Acrolein	ug/l		0.042						50	R			50	R	50	R	
Acrylonitrile	ug/l		0.052						10	U			50	R	10	U	
Allyl Chloride	ug/l		0.73						5	U			5	U	5	U	
Benzene	ug/l	5	0.46						5	J			5	J	11		
Bromodichloromethane	ug/l	80	0.13						5	U			5	U	5	U	
Bromoform	ug/l	80	3.3						5	U			5	U	5	U	
Bromomethane	ug/l		7.5						5	UJ			5	U	5	UJ	
Carbon Disulfide	ug/l		810						5	U			5	U	5	U	
Carbon Tetrachloride	ug/l	5	0.46						5	U			5	U	5	U	
Chlorobenzene	ug/l	100	78						5	U			5	U	5	U	
Chloroethane	ug/l		8300						5	U			5	U	5	U	
Chloroform	ug/l	80	0.22						9.7				7		5	B	
Chloromethane	ug/l		190						5	U			5	U	5	U	
Chloroprene	ug/l		0.019						5	U			5	U	5	U	
cis-1,2-Dichloroethene	ug/l	70	36						5	U			5	U	5	U	
cis-1,3-Dichloropropene	ug/l								5	U			5	U	5	U	
Dibromochloromethane	ug/l	80	0.87						5	U			5	U	5	U	
Dibromomethane	ug/l		8.3						5	U			5	U	5	U	
Dichlorodifluoromethane	ug/l		200						5	U			5	U	5	U	
Ethyl Cyanide	ug/l								10	R			10	R	10	R	
Ethyl Methacrylate	ug/l		630						5	U			5	U	5	U	
Ethylbenzene	ug/l	700	1.5						5	U			5	U	5	U	
Iodomethane	ug/l								25	U			25	U	25	U	
Isobutanol	ug/l		5900						5	U			5	R	5	U	
m&p-Xylenes	ug/l								10	U			10	U	10	U	
Methacrylonitrile	ug/l		1.9						5	U			5	U	5	U	
Methyl Methacrylate	ug/l		1400						5	U			5	U	5	U	
Methylene Chloride	ug/l	5	11						6.4	B			45		5	J	
o-Xylene	ug/l		190						5	U			5	U	5	U	
Styrene	ug/l	100	1200						5	U			5	U	5	U	
Tetrachloroethene	ug/l	5	11						5	U			5	U	5	U	
Toluene	ug/l	1000	1100						5	J			5	J	5	J	
trans-1,2-Dichloroethene	ug/l	100	68						5	U			5	U	5	U	
trans-1,3-Dichloropropene	ug/l								5	U			5	U	5	U	
trans-1,4-Dichloro-2-Butene	ug/l		0.0013						5	U			5	U	5	U	
Trichloroethene	ug/l	5	0.49						5	U			5	U	5	U	
Trichlorofluoromethane	ug/l		5200						5	U			5	U	5	U	
Vinyl Acetate	ug/l		410						5	U			5	U	5	U	
Vinyl Chloride	ug/l	2	0.019						5	U			5	U	5	U	
Semi-Volatile Organic Compounds																	
1,2,4,5-Tetrachlorobenzene	ug/l		0.17						10	UJ			10	U	10	U	
1,2,4-Trichlorobenzene	ug/l	70	1.2						10	UJ			10	U	10	U	
1,2-Dichlorobenzene	ug/l	600	300						10	UJ			10	U	10	U	
1,3,5-Trinitrobenzene	ug/l		590						10	UJ			10	U	10	U	
1,3-Dichlorobenzene	ug/l								10	UJ			10	U	10	U	
1,3-Dinitrobenzene	ug/l		2						10	UJ			10	U	10	U	
1,4-Dichlorobenzene	ug/l	75	0.48						10	UJ			10	U	10	U	
1,4-Naphthoquinone	ug/l								10	UJ			10	U	10	U	
1-Naphthylamine	ug/l								10	UJ			10	U	10	U	
2,2'-Oxybis(1-Chloropropane)	ug/l		710						10	UJ			10	U	10	U	
2,3,4,6-Tetrachlorophenol	ug/l		240						10	UJ			10	U	10	U	
2,4,5-Trichlorophenol	ug/l		1200						25	UJ			25	U	25	U	
2,4,6-Trichlorophenol	ug/l		4.1						10	UJ			10	U	10	U	
2,4-Dichlorophenol	ug/l		46						10	UJ			10	U	10	U	
2,4-Dimethylphenol	ug/l		360						10	UJ			10	U	10	U	
2,4-Dinitrophenol	ug/l		39														

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID Sample ID Sample Date Fraction				B-1 B-1020603 2/6/2003 D		B-1 B-1020603 2/6/2003 T		B-1 B-1071403 7/14/2003 D		B-1 B-1071403 7/14/2003 T		B-2 B-2020503 2/5/2003 D		B-2 B-2020503 2/5/2003 T		B-2 B-2071603 7/16/2003 D		B-2 B-2071603 7/16/2003 T		B-2D B-2D020603 2/6/2003 D		B-2D B-2D020603 2/6/2003 T		B-2D B-2D020603 7/16/2003 D	
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual
2,6-Dichlorophenol	ug/l													10	UJ			10	U			10	U		
2,6-Dinitrotoluene	ug/l		0.049											10	UJ			10	U			10	U		
2-Acetylaminofluorene (TIC)	ug/l		0.016											10	UJ			10	U			10	U		
2-Chloronaphthalene	ug/l		750											10	UJ			10	U			10	U		
2-Chlorophenol	ug/l		91											10	UJ			10	U			10	U		
2-Methylnaphthalene	ug/l		36											10	UJ			10	U			10	U		
2-Methylphenol	ug/l		930											10	UJ			10	U			10	U		
2-Naphthylamine	ug/l		0.039											10	UJ			10	U			10	U		
2-Nitroaniline	ug/l		190											25	UJ			25	U			25	U		
2-Nitrophenol	ug/l													10	UJ			10	U			10	U		
2-Picoline	ug/l													10	UJ			10	U			10	U		
3&4-Methylphenol	ug/l													10	UJ			10	U			10	U		
3,3'-Dichlorobenzidine	ug/l		0.13											10	UJ			10	U			10	U		
3,3'-Dimethylbenzidine	ug/l		0.0065											10	UJ			10	UJ			10	U		
3-Methylcholanthrene	ug/l		0.0011											10	UJ			10	U			10	U		
3-Nitroaniline	ug/l													25	UJ			25	U			25	U		
4,6-Dinitro-2-Methylphenol	ug/l		1.5											25	UJ			25	U			25	U		
4-Aminobiphenyl	ug/l		0.003											10	UJ			10	U			10	U		
4-Bromophenyl Phenyl Ether	ug/l													10	UJ			10	U			10	U		
4-Chloro-3-Methylphenol	ug/l		1400											10	UJ			10	U			10	U		
4-Chloroaniline	ug/l		0.37											10	UJ			10	U			10	U		
4-Chlorophenyl Phenyl Ether	ug/l													10	UJ			10	U			10	U		
4-Nitroaniline	ug/l		3.8											25	UJ			25	U			25	U		
4-Nitrophenol	ug/l													25	UJ			25	U			25	U		
5-Nitro-o-Toluidine	ug/l		8.2											10	UJ			10	U			10	U		
7,12-Dimethylbenz(A)Anthracene	ug/l		0.0001											10	UJ			10	U			10	U		
Acenaphthene	ug/l		530											10	UJ			10	U			10	U		
Acenaphthylene	ug/l													10	UJ			10	U			10	U		
Acetophenone	ug/l		1900											10	UJ			10	U			10	U		
Aniline	ug/l		13											10	UJ			10	U			10	U		
Anthracene	ug/l		1800											10	UJ			10	U			10	U		
Benzanine, N,N-Dimethyl-4-(Pheylazo)-	ug/l		0.005											10	UJ			10	U			10	U		
Benzeneethanamine, Alpha, Alpha-Dimethyl-	ug/l													10	UJ			10	U			10	U		
Benzo(A)Anthracene	ug/l		0.03											10	UJ			10	U			10	U		
Benzo(A)Pyrene	ug/l	0.2	0.025											10	UJ			10	U			10	U		
Benzo(B)Fluoranthene	ug/l		0.25											10	UJ			10	U			10	U		
Benzo(G,H,I)Perylene	ug/l													10	UJ			10	U			10	U		
Benzo(K)Fluoranthene	ug/l		2.5											10	UJ			10	U			10	U		
Benzoic Acid	ug/l		75000											25	UJ			25	U			25	U		
Benzyl Alcohol	ug/l		2000											10	UJ			10	U			10	U		
bis-(2-Chloroethoxy)Methane	ug/l		59											10	UJ			10	U			10	U		
bis-(2-Chloroethyl)Ether	ug/l		0.014											10	UJ			10	U			10	U		
bis-(2-Ethylhexyl)Phthalate	ug/l	6	5.6											10	UJ			10	U			10	U		

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

				Location ID Sample ID Sample Date Fraction	B-1 B-1020603 2/6/2003 D		B-1 B-1020603 2/6/2003 T		B-1 B-1071403 7/14/2003 D		B-1 B-1071403 7/14/2003 T		B-2 B-2020503 2/5/2003 D		B-2 B-2020503 2/5/2003 T		B-2 B-2071603 7/16/2003 D		B-2 B-2071603 7/16/2003 T		B-2D B-2D020603 2/6/2003 D		B-2D B-2D020603 2/6/2003 T		B-2D B-2D01603 7/16/2003 D		
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual
Hexachlorocyclopentadiene	ug/l	50	0.41									10	UJ			10	U			10	U			10	U		
Hexachloroethane	ug/l		0.33									10	UJ			10	U			10	U			10	U		
Hexachlorophene	ug/l		6									80	UJ			81	R			80	U						
Hexachloropropene	ug/l											10	UJ			10	U			10	U						
Indeno(1,2,3-Cd)Pyrene	ug/l		0.25									10	UJ			10	U			10	U						
Isodrin	ug/l											10	UJ			10	U			10	U			10	U		
Isophorone	ug/l		78									10	UJ			10	U			10	U			10	U		
Isosafrole	ug/l											10	UJ			10	U			10	U						
Kepone	ug/l		0.0035									10	R			10	U			10	R						
Methanesulfonic Acid, Ethyl Ester	ug/l											10	UJ			10	U			10	U						
Methapyrylene	ug/l											10	UJ			10	U			10	U			10	U		
Methyl Methanesulfonate	ug/l		0.79									10	UJ			10	U			10	U						
Methyl Parathion	ug/l		4.5									10	UJ			10	U			10	U						
Naphthalene	ug/l		0.12									10	UJ			10	U			10	U			3	J		
Nitrobenzene	ug/l		0.14									10	UJ			10	U			10	U						
n-Nitrosodiethylamine	ug/l		0.00017									10	UJ			10	U			10	U						
n-Nitrosodimethylamine	ug/l		0.00011									10	UJ			10	U			10	U						
n-Nitrosodi-n-Butylamine	ug/l		0.0027									10	UJ			10	U			10	U						
n-Nitroso-di-n-Propylamine	ug/l		0.011									10	UJ			10	U			10	U						
n-Nitrosodiphenylamine	ug/l		12									10	UJ			10	U			10	U						
n-Nitrosomethylamine	ug/l		0.00071									10	UJ			10	U			10	U						
n-Nitrosomorpholine	ug/l		0.012									10	UJ			10	U			10	U			10	U		
n-Nitrosopiperidine	ug/l		0.0082									10	UJ			10	U			10	U			10	U		
n-Nitrosopyrrolidine	ug/l		0.037									10	UJ			10	U			10	U			10	U		
O,O,O-Triethyl Phosphorothioate	ug/l											10	UJ			10	U			10	U						
o-Toluidine	ug/l		4.7									10	UJ			10	U			10	U			10	U		
Pentachlorobenzene	ug/l		3.2									10	UJ			10	U			10	U			10	U		
Pentachloronitrobenzene	ug/l		0.12									25	UJ			25	U			25	U			25	U		
Pentachlorophenol	ug/l	1	0.041									25	UJ			25	U			25	U						
Phenacetin	ug/l		34									10	UJ			10	U			10	U			10	U		
Phenanthrene	ug/l											10	UJ			10	U			10	U			10	U		
Phenol	ug/l		5800									10	UJ			10	U			10	U			10	U		
Phorate	ug/l		3									10	UJ			10	U			10	U			10	U		
p-Phenylenediamine	ug/l		20									10	UJ			10	U			10	U			10	U		
Pronamide	ug/l		1200									10	UJ			10	U			10	U			10	U		
Pyrene	ug/l		120									10	UJ			10	U			10	U			10	U		
Pyridine	ug/l		20									10	UJ			10	U			10	U			10	U		
Quinoline, 4-Nitro-1-Oxide-	ug/l											10	R			10	R			10	R			10	R		
Safrole	ug/l		0.096									10	UJ			10	U			10	U			10	U		
Thionazine	ug/l											10	UJ			10	U			10	U			10	U		
Thiopyrophosphoric Acid ((H ₂ O) ₂ P(S)] ₂ O), Tet																											

Table 2. 2003 Groundwater Analytical Results
SWMU 9 and South Plant South Parcel
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

Location ID Sample ID Sample Date Fraction				B-2D B-2D071603 7/16/2003 T	B-3 B-3020503 2/5/2003 D	B-3 B-3020503 2/5/2003 T	B-3 B-3071403 7/14/2003 D	B-3 B-3071403 7/14/2003 T	B-4 B-4020503 2/5/2003 D	B-4 B-4020503 2/5/2003 T	B-4 B-4071403 7/14/2003 D	B-4 B-4071403 7/14/2003 T	B-5 B-5020403 2/4/2003 D	B-5 B-5020403 2/4/2003 T			
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.
Metals																	
Aluminum	ug/l		20000														
Antimony	ug/l	6	7.8	10		170		1000		140		310		20		20	
Arsenic	ug/l	10	0.052	52400		24000		30000		29900		31700		3800		4600	
Barium	ug/l	2000	3800	10	J	20		40		20		20		6.3	J	10	
Beryllium	ug/l	4	25	0.97	B	0.38	J	1.3		0.31	B	0.33	B	1	U	0.25	J
Boron	ug/l		4000														
Cadmium	ug/l	5	1.8	5.6		5		6.4		4.1	B	4.5		0.2	J	0.75	J
Calcium	ug/l																
Chromium	ug/l	100		5	J	6.9		10		2.4	B	6.1		0.35	J	4.2	J
Cobalt	ug/l		6	200		70		70		100		100		5.7		5.6	
Copper	ug/l	1300	800	250		10		50		10		20		10		50	
Iron	ug/l		14000														
Lead	ug/l	15	15	10	B	160		5000		170		1180		2	U	10	
Magnesium	ug/l																
Manganese	ug/l		430														
Nickel	ug/l		390	130		80		80		100		100		10		10	
Potassium	ug/l																
Selenium	ug/l	50	100	1.8	U	1.3	J	7		1.8	U	1.8		5	U	4.8	J
Silver	ug/l		94	0.3	U	1	U	1	U	0.3	U	0.3	U	1	U	0.02	J
Sodium	ug/l																
Thallium	ug/l	2	0.2	100		280	L	340	L	240	L	7.48	L	2.58	L	2.7	L
Tin	ug/l		12000	3.9	U	1.2	J	2.2	J	4.2	J	5.6	J	50	U	2.5	J
Vanadium	ug/l		86	20		7.2		10		7.6	J	8.6	J	1.6	J	3.2	J
Zinc	ug/l		6000	6980		2700		2700		3530		3610		160		140	
Mercury	ug/l	2	0.63	0.2	U	0.2	U	0.74		0.2	UL	0.2	U	0.001	J	0.072	J
Pesticides																	
4,4'-DDD	ug/l		0.032	0.11	UL												
4,4'-DDE	ug/l		0.046	0.11	UL												
4,4'-DDT	ug/l		0.23	0.11	UL												
Aldrin	ug/l		0.00092	0.05	UL												
Alpha-BHC	ug/l		0.0072	0.05	UL												
Beta-BHC	ug/l		0.025	0.05	UL												
Chlordane	ug/l			0.51	UL												
cis-Chlordane	ug/l		3.6	0.1	UL												
Delta-BHC	ug/l			0.05	UL												
Dieldrin	ug/l		0.0018	0.1	UL												
Endosulfan I	ug/l			0.05	UL												
Endosulfan II	ug/l			0.1	UL												
Endosulfan Sulfate	ug/l		110	0.1	UL												
Endrin	ug/l	2	2.3	0.1	UL												
Endrin Aldehyde	ug/l			0.1	UL												
Endrin Ketone	ug/l			0.1	UL												
Gamma-BHC (Lindane)	ug/l	0.2	0.042	0.05	UL												
Heptachlor	ug/l	0.4	0.0014	0.05	UL												
Heptachlor Epoxide	ug/l	0.2	0.0014	0.11	L												
Methoxychlor	ug/l	40	37	0.51	UL												
Toxaphene	ug/l	3	0.071	1.02	UL												
trans-Chlordane	ug/l		10	0.1	UL												
Herbicides																	
2,4,5-T	ug/l		160	0.08	UJ												
2,4,5-TP (Silvex)	ug/l	50	110	0.08	UJ												
2,4-D	ug/l	70	170	0.21	UJ												
Volatile Organic Compounds																	
1,1,1,2-Tetrachloroethane	ug/l		0.57	5	U												
1,1,1-Trichloroethane	ug/l	200	8000	5	U												
1,1,2,2-Tetrachloroethane	ug/l		0.076	5	U												
1,1,2-Trichloroethane	ug/l	5	0.28	5	U												
1,1-Dichloroethane	ug/l		2.8	5	U												
1,1-Dichloroethene	ug/l	7	280	5	U												
1,2,3-Trichloropropane	ug/l		0.00075	5	U												
1,2-Dibromo-3-Chloropropane	ug/l	0.2	0.00033	5	U												
1,2-Dibromoethane	ug/l	0.05	0.0075	5													

ble 2. 2003 Groundwater Analytical Results
SWMU 9 and South Plant South Parcel
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

le 2. 2003 Groundwater Analytical Results
SWMU 9 and South Plant South Parcel
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID Sample ID Sample Date Fraction	B-2D B-2D071603 7/16/2003 T		B-3 B-3020503 2/5/2003 D		B-3 B-3020503 2/5/2003 T		B-3 B-3071403 7/14/2003 D		B-3 B-3071403 7/14/2003 T		B-4 B-4020503 2/5/2003 D		B-4 B-4020503 2/5/2003 T		B-4 B-4071403 7/14/2003 D		B-4 B-4071403 7/14/2003 T		B-5 B-5020403 2/4/2003 D		B-5 B-5020403 2/4/2003 T	
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual
Hexachlorocyclopentadiene	ug/l	50	0.41	10	U																				
Hexachloroethane	ug/l		0.33	10	U																				
Hexachlorophene	ug/l		6	82	R																				
Hexachloropropene	ug/l			10	U																				
Indeno(1,2,3-Cd)Pyrene	ug/l		0.25	10	U																				
Isodrin	ug/l			10	U																				
Isophorone	ug/l		78	10	U																				
Isosafrole	ug/l			10	U																				
Kepone	ug/l		0.0035	10	U																				
Methanesulfonic Acid, Ethyl Ester	ug/l			10	U																				
Methapyrilene	ug/l			10	U																				
Methyl Methanesulfonate	ug/l		0.79	10	U																				
Methyl Parathion	ug/l		4.5	10	U																				
Naphthalene	ug/l		0.12	10	U																				
Nitrobenzene	ug/l		0.14	10	U																				
n-Nitrosodiethylamine	ug/l		0.00017	10	U																				
n-Nitrosodimethylamine	ug/l		0.00011	10	U																				
n-Nitrosodi-n-Butylamine	ug/l		0.0027	10	U																				
n-Nitroso-di-n-Propylamine	ug/l		0.011	10	U																				
n-Nitrosodiphenylamine	ug/l		12	10	U																				
n-Nitrosomethylmethyamine	ug/l		0.00071	10	U																				
n-Nitrosomorpholine	ug/l		0.012	10	U																				
n-Nitrosopiperidine	ug/l		0.0082	10	U																				
n-Nitrosopyrrolidine	ug/l		0.037	10	U																				
O,O,O-Triethyl Phosphorothioate	ug/l			10	U																				
o-Toluidine	ug/l		4.7	10	U																				
Pentachlorobenzene	ug/l		3.2	10	U																				
Pentachloronitrobenzene	ug/l		0.12	25	U																				
Pentachlorophenol	ug/l	1	0.041	25	U																				
Phenacetin	ug/l		34	10	U																				
Phenanthrene	ug/l			10	U																				
Phenol	ug/l		5800	10	U																				
Phorate	ug/l		3	10	U																				
p-Phenylenediamine	ug/l		20	10	U																				
Pronamide	ug/l		1200	10	U																				
Pyrene	ug/l		120	10	U																				
Pyridine	ug/l		20	10	U																				
Quinoline, 4-Nitro-1-Oxide-	ug/l			10	R																				
Safrole	ug/l		0.096	10	U																				
Thionazine	ug/l			10	U																				
Thiopyrophosphoric Acid ((H ₂ O) ₂ P(S) ₂ O), Tetraethyl	ug/l		7.1	10	U																				
Total Aramite	ug/l			1.3	10	U																			
Cyanide, Total	ug/l	200	1.5	5	U																				

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

FD = Duplicate

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID Sample ID Sample Date Fraction				B-5 B-5071403 7/14/2003 D	B-5 B-5071403 7/14/2003 T	B-5D B-5D020403 2/4/2003 D	B-5D B-5D020403 2/4/2003 T	B-5D B-5D071403 7/14/2003 D	B-5D B-5D071403 7/14/2003 T	MW-105 MW-105020603 2/6/2003 D	MW-105 MW-105020603 2/6/2003 T	MW-105 MW-105070803 7/8/2003 D	MW-105 MW-105070803 7/8/2003 T	MW-105 MW-105070803FD 7/8/2003 D			
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.
Metals																	
Aluminum	ug/l		20000														
Antimony	ug/l	6	7.8	280		300		8.6		30		70		7		2.7	J
Arsenic	ug/l	10	0.052	25500		27000		50		220		550		50		2.7	B
Barium	ug/l	2000	3800	9.9	J	10	J	70		250		390		70		30	
Beryllium	ug/l	4	25	1.4	B	1.3	B	0.05	U	0.52	B	0.64	B	0.07	U	6.3	
Boron	ug/l		4000														
Cadmium	ug/l	5	1.8	30		30		2.2	B	2.9		1.5	B	1	B	10	
Calcium	ug/l																
Chromium	ug/l	100		20		30		1.2	B	30		110		3.3	J	2.4	B
Cobalt	ug/l		6	70		70		10		10		2		10		200	
Copper	ug/l	1300	800	4810		4860		6.6	J	80		230		2.2	J	350	
Iron	ug/l		14000														
Lead	ug/l	15	15	2190		2430		2	U	790		2290		2.3	B	3.6	J
Magnesium	ug/l																
Manganese	ug/l		430														
Nickel	ug/l		390	250		260		4.7	B	20		60		3.9	B	130	
Potassium	ug/l															150	
Selenium	ug/l	50	100	20		20		3.4	B	10		10		1.8	U	4.6	B
Silver	ug/l		94	0.3	U	0.3	U	1	U	0.61	J	2	J	1.1	B	0.24	U
Sodium	ug/l																
Thallium	ug/l	2	0.2	170	L	190	L	2	UL	2	UL	0	R	0	R	2	UL
Tin	ug/l		12000	3.9	U	3.9	U	50	U	5.8	J	10	J	3.9	U	1.4	U
Vanadium	ug/l		86	40		40		3.1	J	10	J	30		3.9	J	1.9	B
Zinc	ug/l		6000	5340		5450		10		30		80		0.4	U	2900	
Mercury	ug/l	2	0.63	0.29	L	1.2		0.056	UL	3.3	L	0.2	UL	20		0.2	U
Pesticides																	
4,4'-DDD	ug/l		0.032														
4,4'-DDE	ug/l		0.046														
4,4'-DDT	ug/l		0.23														
Aldrin	ug/l		0.00092														
Alpha-BHC	ug/l		0.0072														
Beta-BHC	ug/l		0.025														
Chlordane	ug/l																
cis-Chlordane	ug/l		3.6														
Delta-BHC	ug/l																
Dieldrin	ug/l		0.0018														
Endosulfan I	ug/l																
Endosulfan II	ug/l																
Endosulfan Sulfate	ug/l			110													
Endrin	ug/l	2	2.3														
Endrin Aldehyde	ug/l																
Endrin Ketone	ug/l																
Gamma-BHC (Lindane)	ug/l	0.2	0.042														
Heptachlor	ug/l	0.4	0.0014														
Heptachlor Epoxide	ug/l		0.2	0.0014													
Methoxychlor	ug/l	40	37														
Toxaphene	ug/l	3	0.071														
trans-Chlordane	ug/l		10														
Herbicides																	
2,4,5-T	ug/l			160													
2,4,5-TP (Silvex)	ug/l	50	110														
2,4-D	ug/l	70	170														
Volatile Organic Compounds																	
1,1,1,2-Tetrachloroethane	ug/l		0.57														
1,1,1-Trichloroethane	ug/l	200	8000														
1,1,2,2-Tetrachloroethane	ug/l		0.076														
1,1,2-Trichloroethane	ug/l	5	0.28														
1,1-Dichloroethane	ug/l		2.8														
1,1-Dichloroethene	ug/l	7	280														
1,2,3-Trichloropropene	ug/l			0.00075													
1,2-Dibromo-3-Chloropropane	ug/l	0.2	0.00033														
1,2-Dibromoethane	ug/l	0.05	0														

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID Sample ID Sample Date Fraction			B-5 B-5071403 7/14/2003 D	B-5 B-5071403 7/14/2003 T	B-5D B-5D020403 2/4/2003 D	B-5D B-5D020403 2/4/2003 T	B-5D B-5D071403 7/14/2003 D	B-5D B-5D071403 7/14/2003 T	MW-105 MW-105020603 2/6/2003 D	MW-105 MW-105020603 2/6/2003 T	MW-105 MW-105070803 7/8/2003 D	MW-105 MW-105070803 7/8/2003 T	MW-105 MW-105070803FD 7/8/2003 D				
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual
1,2-Dichloropropane	ug/l	5	0.85							5	U					5	U
1,4-Dioxane	ug/l		0.46							100	R					100	R
2-Butanone	ug/l		5600							10	U					2	J
2-Hexanone	ug/l		38							10	U					10	U
4-Methyl-2-Pentanone	ug/l		6300							10	U					10	U
Acetone	ug/l		18000							10	U					10	U
Acetonitrile	ug/l		130							50	R					50	R
Acrolein	ug/l		0.042							50	R					50	R
Acrylonitrile	ug/l		0.052							10	U					10	U
Allyl Chloride	ug/l		0.73							5	U					5	U
Benzene	ug/l	5	0.46							5	U					2	J
Bromodichloromethane	ug/l	80	0.13							5	U					5	U
Bromoform	ug/l	80	3.3							5	U					5	U
Bromomethane	ug/l		7.5							5	U					5	U
Carbon Disulfide	ug/l		810							5	U					5	U
Carbon Tetrachloride	ug/l	5	0.46							5	U					5	U
Chlorobenzene	ug/l	100	78							5	U					5	U
Chloroethane	ug/l		8300							5	U					5	U
Chloroform	ug/l	80	0.22							5	U					5	U
Chloromethane	ug/l		190							5	U					5	U
Chloroprene	ug/l		0.019							5	U					5	U
cis-1,2-Dichloroethene	ug/l	70	36							5	U					5	U
cis-1,3-Dichloropropene	ug/l									5	U					5	U
Dibromochloromethane	ug/l	80	0.87							5	U					5	U
Dibromomethane	ug/l		8.3							5	U					5	U
Dichlorodifluoromethane	ug/l		200							5	U					5	U
Ethyl Cyanide	ug/l									10	U					10	U
Ethyl Methacrylate	ug/l		630							5	U					5	U
Ethylbenzene	ug/l	700	1.5							5	U					35	
Iodomethane	ug/l									25	U					25	U
Isobutanol	ug/l		5900							5	R					5	R
m&p-Xylenes	ug/l									10	U					65	
Methacrylonitrile	ug/l		1.9							5	U					5	U
Methyl Methacrylate	ug/l		1400							5	U					5	U
Methylene Chloride	ug/l	5	11							5	U					5	U
o-Xylene	ug/l		190							5	U					21	
Styrene	ug/l	100	1200							5	U					5	U
Tetrachloroethene	ug/l	5	11							5	U					5	J
Toluene	ug/l	1000	1100							5	U					7.5	
trans-1,2-Dichloroethene	ug/l	100	68							5	U					5	U
trans-1,3-Dichloropropene	ug/l									5	U					5	U
trans-1,4-Dichloro-2-Butene	ug/l		0.0013							5	U					5	U
Trichloroethene	ug/l	5	0.49							5	U					5	U
Trichlorofluoromethane	ug/l		5200							5	U					5	U
Vinyl Acetate	ug/l		410							5	U					5	U
Vinyl Chloride	ug/l	2	0.019							5	U					5	U
Semi-Volatile Organic Compounds																	
1,2,4,5-Tetrachlorobenzene	ug/l		0.17							10	U					10	U
1,2,4-Trichlorobenzene	ug/l	70	1.2							10	U					10	U
1,2-Dichlorobenzene	ug/l	600	300							10	U					10	U
1,3,5-Trinitrobenzene	ug/l		590							10	U					10	U
1,3-Dichlorobenzene	ug/l									10	U					10	U
1,3-Dinitrobenzene	ug/l		2							10	U					10	U
1,4-Dichlorobenzene	ug/l	75	0.48							10	U					10	U
1,4-Naphthoquinone	ug/l									10	U					10	U
1-Naphthylamine	ug/l									10	U					10	U
2,2'-Oxybis(1-Chloropropane)	ug/l		710							10	U					10	U
2,3,4,6-Tetrachlorophenol	ug/l		240							10	U					10	U
2,4,5-Trichlorophenol	ug/l		1200							25	U					25	U
2,4,6-Trichlorophenol	ug/l		4.1							10	U					10	U
2,4-Dichlorophenol	ug/l		46							10	U					10	U
2,4-Dimethylphenol	ug/l		360							10	U					10	U
2,4-Dinitrophenol	ug/l																

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID Sample ID Sample Date Fraction				B-5 B-5071403 7/14/2003 D	B-5 B-5071403 7/14/2003 T	B-5D B-5D020403 2/4/2003 D	B-5D B-5D020403 2/4/2003 T	B-5D B-5D071403 7/14/2003 D	B-5D B-5D071403 7/14/2003 T	MW-105 MW-105020603 2/6/2003 D	MW-105 MW-105020603 2/6/2003 T	MW-105 MW-105070803 7/8/2003 D	MW-105 MW-105070803 7/8/2003 T	MW-105 MW-105070803FD 7/8/2003 D				
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	
2,6-Dichlorophenol	ug/l									10	U			10	U		10	U
2,6-Dinitrotoluene	ug/l		0.049							10	U			10	U		10	U
2-Acetylaminofluorene (TIC)	ug/l		0.016							10	U			10	U		10	U
2-Chloronaphthalene	ug/l		750							10	U			10	U		10	U
2-Chlorophenol	ug/l		91							10	U			10	U		10	U
2-Methylnaphthalene	ug/l		36							10	U			16			21	
2-Methylphenol	ug/l		930							10	U			10	U		10	U
2-Naphthylamine	ug/l		0.039							10	U			10	U		10	U
2-Nitroaniline	ug/l		190							25	U			25	U		25	U
2-Nitrophenol	ug/l									10	U			10	U		10	U
2-Picoline	ug/l									10	U			10	U		10	U
3&4-Methylphenol	ug/l									10	U			10	U		10	U
3,3'-Dichlorobenzidine	ug/l		0.13							10	U			10	U		10	U
3,3'-Dimethylbenzidine	ug/l		0.0065							10	UJ			10	U		10	U
3-Methylcholanthrene	ug/l		0.0011							10	U			10	U		10	U
3-Nitroaniline	ug/l									25	U			25	U		25	U
4,6-Dinitro-2-Methylphenol	ug/l		1.5							25	U			25	U		25	U
4-Aminobiphenyl	ug/l		0.003							10	U			10	U		10	U
4-Bromophenyl Phenyl Ether	ug/l									10	U			10	U		10	U
4-Chloro-3-Methylphenol	ug/l		1400							10	U			10	U		10	U
4-Chloroaniline	ug/l		0.37							10	U			10	U		10	U
4-Chlorophenyl Phenyl Ether	ug/l									10	U			10	U		10	U
4-Nitroaniline	ug/l		3.8							25	U			25	U		25	U
4-Nitrophenol	ug/l									25	U			25	U		25	U
5-Nitro-o-Toluidine	ug/l		8.2							10	U			10	U		10	U
7,12-Dimethylbenz(A)Anthracene	ug/l		0.0001							10	U			10	U		10	U
Acenaphthene	ug/l		530							10	U			10	U		10	U
Acenaphthylene	ug/l									10	U			10	U		10	U
Acetophenone	ug/l		1900							10	U			10	U		10	U
Aniline	ug/l		13							10	U			10	U		10	U
Anthracene	ug/l		1800							10	U			10	U		10	U
Benzanamine, N,N-Dimethyl-4-(Phehyazo)-	ug/l		0.005							10	U			10	U		10	U
Benzeneethanamine, Alpha, Alpha-Dimethyl-	ug/l									10	U			10	U		10	U
Benzo(A)Anthracene	ug/l		0.03							10	U			10	U		10	U
Benzo(A)Pyrene	ug/l	0.2	0.025							10	U			10	U		10	U
Benzo(B)Fluoranthene	ug/l		0.25							10	U			10	U		10	U
Benzo(G,H,I)Perylene	ug/l									10	U			10	U		10	U
Benzo(K)Fluoranthene	ug/l		2.5							10	U			10	U		10	U
Benzoic Acid	ug/l		75000							25	U			25	U		25	U
Benzyl Alcohol	ug/l		2000							10	U			10	U		10	U
bis-(2-Chloroethoxy)Methane	ug/l		59							10	U			10	U		10	U
bis-(2-Chloroethyl)Ether	ug/l		0.014							10	U			10	U		10	U
bis-(2-Ethylhexyl)Phthalate	ug/l	6	5.6							10	U			10	U		10	U
Butylbenzyl Phthalate	ug/l		16							10	U			10	U		10	U
Chlorobenzilate	ug/l		0.31							10	U			10	U		10	U
Chrysene	ug/l		25							10	U			10	U		10	U
Diallate	ug/l		0.54							10	U			10	U		10	U
Dibenzo(a,h)Anthracene	ug/l		0.025							10	U			10	U		10	U
Dibenzofuran	ug/l		7.9							10	U			10	U		10	U
Diethyl Phthalate	ug/l		15000							10	U			10	U		10	U
Dimethoate	ug/l		44							10	U			10	U		10	U
Dimethyl Phthalate	ug/l									10	U			10	U		10	U
Di-n-Butyl Phthalate	ug/l		900							10	U			10	U		10	U
Di-n-Octyl Phthalate	ug/l		200							10	U			10	U		10	U
Dinoseb	ug/l	7	15							10	U			10	U		10	U
Diphenylamine	ug/l									10	U			10	U		10	U
Disulfoton	ug/l		0.5							10	U			10	U		10	U
Ethane, Pentachloro-	ug/l		0.65		</													

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID Sample ID Sample Date Fraction				B-5 B-5071403 7/14/2003 D	B-5 B-5071403 7/14/2003 T	B-5D B-5D020403 2/4/2003 D	B-5D B-5D020403 2/4/2003 T	B-5D B-5D071403 7/14/2003 D	B-5D B-5D071403 7/14/2003 T	MW-105 MW-105020603 2/6/2003 D	MW-105 MW-105020603 2/6/2003 T	MW-105 MW-105070803 7/8/2003 D	MW-105 MW-105070803 7/8/2003 T	MW-105 MW-105070803FD 7/8/2003 D				
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	
Hexachlorocyclopentadiene	ug/l	50	0.41							10	U			10	U		10	U
Hexachloroethane	ug/l		0.33							10	U			10	U		10	U
Hexachlorophene	ug/l		6							80	R			80	U		81	R
Hexachloropropene	ug/l									10	U			10	U		10	U
Indeno(1,2,3-Cd)Pyrene	ug/l		0.25							10	U			10	U		10	U
Isodrin	ug/l									10	U			10	U		10	U
Isophorone	ug/l		78							10	U			10	U		10	U
Isosafrole	ug/l									10	U			10	U		10	U
Kepone	ug/l		0.0035							10	U			10	R		10	U
Methanesulfonic Acid, Ethyl Ester	ug/l									10	U			10	U		10	U
Methapyrilene	ug/l									10	U			10	U		10	U
Methyl Methanesulfonate	ug/l		0.79							10	U			10	U		10	U
Methyl Parathion	ug/l		4.5							10	U			10	U		10	U
Naphthalene	ug/l		0.12							10	U			15			16	
Nitrobenzene	ug/l		0.14							10	U			10	U		10	U
n-Nitrosodiethylamine	ug/l		0.00017							10	U			10	U		10	U
n-Nitrosodimethylamine	ug/l		0.00011							10	U			10	U		10	U
n-Nitrosodi-n-Butylamine	ug/l		0.0027							10	U			10	U		10	U
n-Nitroso-di-n-Propylamine	ug/l		0.011							10	U			10	U		10	U
n-Nitrosodiphenylamine	ug/l		12							10	U			10	U		10	U
n-Nitrosomethylamine	ug/l		0.00071							10	U			10	U		10	U
n-Nitrosomorpholine	ug/l		0.012							10	U			10	U		10	U
n-Nitrosopiperidine	ug/l		0.0082							10	U			10	U		10	U
n-Nitrosopyrrolidine	ug/l		0.037							10	U			10	U		10	U
O,O,O-Triethyl Phosphorothioate	ug/l									10	U			10	U		10	U
o-Toluidine	ug/l		4.7							10	U			10	U		10	U
Pentachlorobenzene	ug/l		3.2							10	U			10	U		10	U
Pentachloronitrobenzene	ug/l		0.12							10	U			25	U		25	U
Pentachlorophenol	ug/l	1	0.041							25	U			25	U		25	U
Phenacetin	ug/l		34							10	U			10	U		10	U
Phenanthrene	ug/l									10	U			10	U		10	U
Phenol	ug/l		5800							10	U			10	U		10	U
Phorate	ug/l		3							10	U			10	U		10	U
p-Phenylenediamine	ug/l		20							10	UJ			10	U		10	U
Pronamide	ug/l		1200							10	U			10	U		10	U
Pyrene	ug/l		120							10	U			10	U		10	U
Pyridine	ug/l		20							10	U			10	U		10	U
Quinoline, 4-Nitro-1-Oxide-	ug/l									10	R			10	R		10	R
Safrole	ug/l		0.096							10	U			10	U		10	U
Thionazine	ug/l									10	U			10	U		10	U
Thiopyrophosphoric Acid ((H ₂ O) ₂ P(S)] ₂ O), Tetraethyl	ug/l		7.1							10	U			10	U		10	U
Total Aramite	ug/l		1.3							10	U			10	U		10	U
Cyanide, Total	ug/l	200	1.5							5	U			5.4			5	U

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

FD = Duplicate sample

Exceedances shown may exceed one or more criteria if available

T = Total

D = Dissolved

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			MW-105 MW-105070803FD 7/8/2003	MW-106 MW-106020603 2/6/2003		MW-106 MW-106020603 2/6/2003	MW-106 MW-106071603 7/16/2003	MW-106 MW-106071603 7/16/2003	MW-107 MW-107020703 2/7/2003	MW-107 MW-107020703 2/7/2003	MW-107 MW-107071603 7/16/2003	MW-107 MW-107071603 7/16/2003	MW-108 MW-108020603 2/6/2003	MW-108 MW-108020603 2/6/2003			
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.
Metals																	
Aluminum	ug/l		20000														
Antimony	ug/l	6	7.8	2.3	U	1.1	J	2.2	UJ	2.3	U	9.1		30	J	5.6	
Arsenic	ug/l	10	0.052	8.9	B	110		50	L	3.5	B	10	B	860	L	10	B
Barium	ug/l	2000	3800	20		20		90	J	10	J	40		1500	J	20	
Beryllium	ug/l	4	25	7.5		1.1		2.3	B	0.65	B	1.3	B	8.4		10	
Boron	ug/l		4000														
Cadmium	ug/l	5	1.8	10		9.9		10		6.8		10		20		40	
Calcium	ug/l																
Chromium	ug/l	100		9.3	J	6.4		60	J	2.1	B	20		50	J	20	
Cobalt	ug/l	6	220	220		140		150		70		90		150		310	
Copper	ug/l	1300	800	590		190		280	J	120		180		3100		9300	J
Iron	ug/l		14000														
Lead	ug/l	15	15	4.4	J	20		30	L	3.7	B	10		5.4	B	660	L
Magnesium	ug/l																
Manganese	ug/l		430														
Nickel	ug/l		390	140		60		100	J	70		80		320		690	J
Potassium	ug/l																
Selenium	ug/l	50	100	1.8	U	1.7	J	8.8	B	1.8	U	1.8	U	10		20	
Silver	ug/l		94	0.3	U	0.52	J	0.18	U	0.46	B	0.33	B	0.6	B	4.1	
Sodium	ug/l																
Thallium	ug/l	2	0.2	0	UL	2	U	2	UL	0	UL	0	U	2	U	2	UL
Tin	ug/l		12000	3.9	U	0.22	J	3.8	U	3.9	U	3.9	U	3.5	U	10	B
Vanadium	ug/l		86	4.1	B	2.7	J	50		0.4	U	20		40		830	
Zinc	ug/l		6000	3070		1600		1700	J	700	K	1050		4300		5500	J
Mercury	ug/l	2	0.63	0.2	U	0.44		0.82	J	0.2	U	0.22		0.2	U	1.1	J
Pesticides																	
4,4'-DDD	ug/l		0.032	0.1	UL			0.12	U			0.1	UJ		1.1		
4,4'-DDE	ug/l		0.046	0.1	UL			0.12	U			0.1	UJ		0.23		
4,4'-DDT	ug/l		0.23	0.1	UL			0.12	U			0.1	UJ		1.1		
Aldrin	ug/l			0.00092	0.05	UL		0.05	U			0.05	UJ		0.05	U	0.04
Alpha-BHC	ug/l			0.0072	0.05	UL		0.54	D			0.15	J		0.1		0.05
Beta-BHC	ug/l			0.025	0.05	UL		0.18	J			0.17	J		0.06		0.05
Chlordane	ug/l			0.51	UL			0.58	U			0.5	UJ		0.58		0.5
cis-Chlordane	ug/l			3.6	0.1	UL		0.11	U			0.1	UJ		0.11		0.1
Delta-BHC	ug/l			0.05	UL			0.25	B			0.11	J		0.05		0.04
Dieldrin	ug/l			0.0018	0.1	UL		0.12	U			0.1	UJ		0.12		0.11
Endosulfan I	ug/l			0.05	UL			0.05	U			0.05	UJ		0.05		0.05
Endosulfan II	ug/l			0.1	UL			0.12	U			0.1	UJ		0.12		0.11
Endosulfan Sulfate	ug/l			110	0.1	UL		0.12	U			0.1	UJ		0.12		0.11
Endrin	ug/l	2	2.3	0.1	UL			0.13	J			0.1	UJ		0.12		0.11
Endrin Aldehyde	ug/l			0.1	UL			0.11	U			0.1	UJ		0.11		0.1
Endrin Ketone	ug/l			0.1	UL			0.12	U			0.1	UJ		0.12		0.11
Gamma-BHC (Lindane)	ug/l	0.2	0.042	0.05	UL			0.09	R			0.08	J		0.04	J	
Heptachlor	ug/l	0.4	0.0014	0.05	UL			0.05	U			0.05	UJ		0.05	U	0.05
Heptachlor Epoxide	ug/l			0.2	0.0014	0.05	UL		0.05	U		0.04	J		0.05	U	0.05
Methoxychlor	ug/l	40	37	0.51	UL			0.58	U			0.5	UJ		0.58	U	0.5
Toxaphene	ug/l	3	0.071	1.03	UL			1.2	U			1	UJ		1.2	U	1
trans-Chlordane	ug/l			10	0.1	UL		0.11	U			0.1	UJ		0.11	U	0.1
Herbicides																	
2,4,5-T	ug/l			160	0.08	U		0.08	U			0.07	R		0.08	U	0.08
2,4,5-TP (Silvex)	ug/l	50	110	0.11	J			0.04	J			0.08	UJ		0.08	U	0.05
2,4-D	ug/l	70	170	0.42				0.22	U			0.12	J		0.25	B	0.32
Volatile Organic Compounds																	
1,1,1,2-Tetrachloroethane	ug/l		</td														

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID Sample ID Sample Date Fraction	MW-105 MW-105070803FD 7/8/2003 T		MW-106 MW-106020603 2/6/2003 D		MW-106 MW-106020603 2/6/2003 T		MW-106 MW-106071603 7/16/2003 D		MW-107 MW-107020703 2/7/2003 T		MW-107 MW-107020703 2/7/2003 D		MW-107 MW-107071603 7/16/2003 T		MW-108 MW-108020603 2/6/2003 D		MW-108 MW-108020603 2/6/2003 T					
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.		
1,2-Dichloropropane	ug/l	5	0.85	5	U			5	U			5	U			5	U			5	U			5	U
1,4-Dioxane	ug/l		0.46	100	R			100	R			100	R			100	R			100	R			100	R
2-Butanone	ug/l		5600	2	J			10	U			10	U			10	U			10	U			10	U
2-Hexanone	ug/l		38	0.9	J			10	U			10	U			10	U			10	U			10	U
4-Methyl-2-Pentanone	ug/l		6300	10	U			10	U			10	U			10	U			10	U			10	U
Acetone	ug/l		18000	10	U			10	U			10	U			7	J			6	B			5	J
Acetonitrile	ug/l		130	50	R			50	U			50	R			50	U			50	R			50	U
Acrolein	ug/l		0.042	50	R			50	R			50	R			50	R			50	R			50	R
Acrylonitrile	ug/l		0.052	10	U			10	U			10	U			10	U			10	U			10	U
Allyl Chloride	ug/l		0.73	5	U			5	U			5	U			5	U			5	U			5	U
Benzene	ug/l	5	0.46	2	J			3	J			0.8	J			2	J			5	U			48	
Bromodichloromethane	ug/l	80	0.13	5	U			5	U			5	U			5	U			5	U			5	U
Bromoform	ug/l	80	3.3	5	U			5	U			5	U			5	U			5	U			5	U
Bromomethane	ug/l		7.5	5	U			5	UJ			5	U			5	UJ			5	U			5	UJ
Carbon Disulfide	ug/l		810	5	U			5	U			5	U			5	U			5	U			0.8	J
Carbon Tetrachloride	ug/l	5	0.46	5	U			5	U			5	U			5	U			5	U			5	U
Chlorobenzene	ug/l	100	78	5	U			30				5	U			5	U			5	U			0.6	J
Chloroethane	ug/l		8300	5	U			5	U			5	U			5	U			5	U			5	U
Chloroform	ug/l	80	0.22	5	U			3	B			0.9	J			5	U			5	U			1	B
Chloromethane	ug/l		190	5	U			5	U			5	U			5	U			5	U			5	U
Chloroprene	ug/l		0.019	5	U			5	U			5	U			5	U			5	U			5	U
cis-1,2-Dichloroethene	ug/l	70	36	5	U			0.8	J			96				5	U			5	U			5	U
cis-1,3-Dichloropropene	ug/l			5	U			5	U			5	U			5	U			5	U			5	U
Dibromochloromethane	ug/l	80	0.87	5	U			5	U			5	U			5	U			5	U			5	U
Dibromomethane	ug/l		8.3	5	U			5	U			5	U			5	U			5	U			5	U
Dichlorodifluoromethane	ug/l		200	5	U			5	U			5	U			5	U			5	U			5	U
Ethyl Cyanide	ug/l			10	U			10	R			10	R			10	R			10	R			10	R
Ethyl Methacrylate	ug/l		630	5	U			5	U			5	U			5	U			5	U			5	U
Ethylbenzene	ug/l	700	1.5	29				5	U			5	U			2	J			10				6.9	
Iodomethane	ug/l			25	U			25	U			25	U			25	U			25	U			25	U
Isobutanol	ug/l		5900	5	R			5	U			5	R			5	U			5	R			5	U
m&p-Xylenes	ug/l			35				10	U			10	U			2	J			2	J			17	
Methacrylonitrile	ug/l		1.9	5	R			5	U			5	U			5	U			5	U			5	U
Methyl Methacrylate	ug/l		1400	5	U			5	U			5	U			5	U			5	U			5	U
Methylene Chloride	ug/l	5	11	5	U			5	U			5	U			5	U			5	U			0.7	J
o-Xylene	ug/l		190	13				5	U			5	U			1	J			0.8	J			13	
Styrene	ug/l	100	1200	5	U			5	U			5	U			5	U			5	U			3	J
Tetrachloroethene	ug/l	5	11	0.7	J			3600				2500				5	U			1	J			0.7	J
Toluene	ug/l	1000	1100	5	J			5	U			5	U			5	U			5	U			13	
trans-1,2-Dichloroethene	ug/l	100	68	5	U			1	J			1	J			5	U			5	U			5	U
trans-1,3-Dichloropropene	ug/l			5	U			5	U			5	U			5	U			5	U			5	U
trans-1,4-Dichloro-2-Butene	ug/l		0.0013	5	U			5	U			5	U		</td										

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID Sample ID Sample Date Fraction			MW-105 MW-105070803FD 7/8/2003 T	MW-106 MW-106020603 2/6/2003 D	MW-106 MW-106020603 2/6/2003 T	MW-106 MW-106071603 7/16/2003 D	MW-106 MW-106071603 7/16/2003 T	MW-107 MW-107020703 2/7/2003 D	MW-107 MW-107020703 2/7/2003 T	MW-107 MW-107071603 7/16/2003 D	MW-107 MW-107071603 7/16/2003 T	MW-108 MW-108020603 2/6/2003 D	MW-108 MW-108020603 2/6/2003 T						
Parameter	Units	MAY 2023 RSL MCL TAPW	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	
2,6-Dichlorophenol	ug/l		10	U			10	U			10	R			10	U		10	U
2,6-Dinitrotoluene	ug/l	0.049	10	U			10	U			10	U			10	U		10	U
2-Acetylaminofluorene (TIC)	ug/l	0.016	10	U			10	U			10	U			10	U		10	U
2-Chloronaphthalene	ug/l	750	10	U			10	U			10	U			10	U		10	U
2-Chlorophenol	ug/l	91	10	U			10	U			10	U			10	U		10	U
2-Methylnaphthalene	ug/l	36	19				3	J			10	U			10	U		130	
2-Methylphenol	ug/l	930	10	U			10	U			10	U			10	U		10	U
2-Naphthylamine	ug/l	0.039	10	U			10	U			10	U			10	U		10	U
2-Nitroaniline	ug/l	190	25	U			25	U			25	U			25	U		25	U
2-Nitrophenol	ug/l		10	U			10	U			10	U			10	U		10	U
2-Picoline	ug/l		10	U			10	U			10	U			10	U		10	U
3&4-Methylphenol	ug/l		10	U			10	U			10	R			10	U		10	U
3,3'-Dichlorobenzidine	ug/l	0.13	10	U			10	U			10	U			10	U		10	U
3,3'-Dimethylbenzidine	ug/l	0.0065	10	U			10	U			10	UJ			10	UJ		10	U
3-Methylcholanthrene	ug/l	0.0011	10	U			10	U			10	U			10	U		10	U
3-Nitroaniline	ug/l		25	U			25	U			25	U			25	U		25	U
4,6-Dinitro-2-Methylphenol	ug/l	1.5	25	U			25	U			25	R			25	U		25	U
4-Aminobiphenyl	ug/l	0.003	10	U			10	U			10	U			10	U		10	U
4-Bromophenyl Phenyl Ether	ug/l		10	U			10	U			10	U			10	U		10	U
4-Chloro-3-Methylphenol	ug/l	1400	10	U			10	U			10	U			10	U		10	U
4-Chloroaniline	ug/l	0.37	10	U			10	U			10	U			10	U		10	U
4-Chlorophenyl Phenyl Ether	ug/l		10	U			10	U			10	U			10	U		10	U
4-Nitroaniline	ug/l	3.8	25	U			25	U			25	U			25	U		25	U
4-Nitrophenol	ug/l		25	U			25	U			25	R			25	U		25	U
5-Nitro-o-Toluidine	ug/l	8.2	10	U			10	U			10	U			10	U		10	U
7,12-Dimethylbenz(A)Anthracene	ug/l	0.0001	10	U			10	U			10	U			10	U		10	U
Acenaphthene	ug/l	530	10	U			5.8				10	U			10	U		10	U
Acenaphthylene	ug/l		10	U			10	U			10	U			10	U		10	U
Acetophenone	ug/l	1900	10	U			10	U			10	U			10	U		10	U
Aniline	ug/l	13	10	U			10	U			10	U			10	U		10	U
Anthracene	ug/l	1800	10	U			10	U			10	U			10	U		10	U
Benzanamine, N,N-Dimethyl-4-(Pheylazo)-	ug/l	0.005	10	U			10	U			10	U			10	U		10	U
Benzeneethanamine, Alpha, Alpha-Dimethyl-	ug/l		10	U			10	U			10	U			10	U		10	U
Benzo(A)Anthracene	ug/l	0.03	10	U			10	U			10	U			10	U		10	U
Benzo(A)Pyrene	ug/l	0.2	0.025	10	U		10	U			10	U			10	U		10	U
Benzo(B)Fluoranthene	ug/l		0.25	10	U		10	U			10	U			10	U		10	U
Benzo(G,H,I)Perylene	ug/l		10	U			10	U			10	U			10	U		10	U
Benzo(K)Fluoranthene	ug/l	2.5	10	U			10	U			10	U			10	U		10	U
Benzoic Acid	ug/l	75000	25	U			25	U			25	U			25	U		25	U
Benzyl Alcohol	ug/l	2000	10	U			10	U			10	U			10	U		10	U
bis-(2-Chloroethoxy)Methane	ug/l	59	10	U			10	U			10	U			10	U		10	U
bis-(2-Chloroethyl)Ether	ug/l	0.014	10	U			10	U			10	U			10	U		10	U
bis-(2-Ethylhexyl)Phthalate	ug/l	6	5.6	10	U		10	U			10	U			4	J		10	U
Butylbenzyl Phthalate	ug/l		16	10	U		10	U			10	U			10	U		10	U
Chlorobenzilate	ug/l		0.31	10	U		10	U			10	U			10	U		10	U
Chrysene	ug/l		25	10	U		10	U			10	U			10	U		10	U
Diallate	ug/l		0.54	10	U		10	U			10	U			10	U		10	U
Dibenzo(a,h)Anthracene	ug/l		0.025	10	U		10	U			10	U			10	U		10	U
Dibenzofuran	ug/l		7.9	10	U		10	U			10	U			10	U		10	U
Diethyl Phthalate	ug/l		15000	10	U		10	U			10	U			10	U		10	U
Dimethoate	ug/l		44	10	U		10	U</											

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID Sample ID Sample Date Fraction			MW-105 MW-105070803FD 7/8/2003 T	MW-106 MW-106020603 2/6/2003 D	MW-106 MW-106020603 2/6/2003 T	MW-106 MW-106071603 7/16/2003 D	MW-106 MW-106071603 7/16/2003 T	MW-107 MW-107020703 2/7/2003 D	MW-107 MW-107020703 2/7/2003 T	MW-107 MW-107071603 7/16/2003 D	MW-107 MW-107071603 7/16/2003 T	MW-108 MW-108020603 2/6/2003 D	MW-108 MW-108020603 2/6/2003 T							
Parameter	Units	MAY 2023 RSL MCL TAPW	MAY 2023 RSL MCL TAPW	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	
Hexachlorocyclopentadiene	ug/l	50	0.41	10	U			10	U			10	U			10	U		10	U
Hexachloroethane	ug/l		0.33	10	U			10	U			10	U			10	U		10	U
Hexachlorophene	ug/l		6	80	R			80	U			80	R			80	R		80	U
Hexachloropropene	ug/l			10	U			10	U			10	U			10	U		10	U
Indeno(1,2,3-Cd)Pyrene	ug/l		0.25	10	U			10	U			10	U			10	U		10	U
Isodrin	ug/l			10	U			10	U			10	U			10	U		10	U
Isophorone	ug/l		78	10	U			10	U			10	U			10	U		10	U
Isosafrole	ug/l			10	U			10	U			10	U			10	U		10	U
Kepone	ug/l		0.0035	10	U			10	R			10	U			10	U		10	R
Methanesulfonic Acid, Ethyl Ester	ug/l			10	U			10	U			10	U			10	U		10	U
Methapyrilene	ug/l			10	U			10	U			10	U			10	U		10	U
Methyl Methanesulfonate	ug/l		0.79	10	U			10	U			10	U			10	U		10	U
Methyl Parathion	ug/l		4.5	10	U			10	U			10	U			10	U		10	U
Naphthalene	ug/l		0.12	16				10	U			10	U			10	U		10	U
Nitrobenzene	ug/l		0.14	10	U			10	U			10	U			10	U		10	U
n-Nitrosodiethylamine	ug/l		0.00017	10	U			10	U			10	U			10	U		10	U
n-Nitrosodimethylamine	ug/l		0.00011	10	U			10	U			10	U			10	U		10	U
n-Nitrosodi-n-Butylamine	ug/l		0.0027	10	U			10	U			10	U			10	U		10	U
n-Nitroso-di-n-Propylamine	ug/l		0.011	10	U			10	U			10	U			10	U		10	U
n-Nitrosodiphenylamine	ug/l		12	10	U			10	U			10	U			10	U		10	U
n-Nitrosomethylmethyamine	ug/l		0.00071	10	U			10	U			10	U			10	U		10	U
n-Nitrosomorpholine	ug/l		0.012	10	U			10	U			10	U			10	U		10	U
n-Nitrosopiperidine	ug/l		0.0082	10	U			10	U			10	U			10	U		10	U
n-Nitrosopyrrolidine	ug/l		0.037	10	U			10	U			10	U			10	U		10	U
O,O,O-Triethyl Phosphorothioate	ug/l			10	U			10	U			10	U			10	U		10	U
o-Toluidine	ug/l		4.7	10	U			10	U			10	U			10	U		10	U
Pentachlorobenzene	ug/l		3.2	10	U			10	U			10	U			10	U		10	U
Pentachloronitrobenzene	ug/l		0.12	25	U			25	U			25	U			25	U		25	U
Pentachlorophenol	ug/l	1	0.041	25	U			25	U			25	U			25	R		25	U
Phenacetin	ug/l		34	10	U			10	U			10	U			10	U		10	U
Phenanthere	ug/l			10	U			9.1				10	U			10	U		6	J
Phenol	ug/l		5800	10	U			10	U			10	U			10	R		10	U
Phorate	ug/l		3	10	U			10	U			10	U			10	U		10	U
p-Phenylenediamine	ug/l		20	10	U			10	U			10	UJ			10	U		10	U
Pronamide	ug/l		1200	10	U			10	U			10	U			10	U		10	U
Pyrene	ug/l		120	10	U			3	J			10	U			10	U		10	U
Pyridine	ug/l		20	10	U			10	U			10	U			10	U		10	U
Quinoline, 4-Nitro-1-Oxide-	ug/l			10	U			10	R			10	R			10	R		10	R
Safrole	ug/l		0.096	10	U			10	U			10	U			10	U		10	U
Thionazine	ug/l			10	U			10	U			10	U			10	U		10	U
Thiopyrophosphoric Acid ((H ₂ O) ₂ P(S) ₂ O), Tetraethyl	ug/l		7.1	10	U			10	U			10	U			10	U		10	U
Total Aramite	ug/l		1.3	10	U			10	U			10	U			10	U		10	U
Cyanide, Total	ug/l	200	1.5	5	U			5	U			5	U			5	U		5	U

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

FD = Duplicate sample

Exceedances shown may exceed one or more criteria if available

T = Total

D = Dissolved

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID MW-108 MW-108071403 7/14/2003	MW-108 MW-108071403 7/14/2003		MW-108 MW-108071403FD 7/14/2003		MW-108 MW-108071403FD 7/14/2003	MW-109 MW-109020603 2/6/2003		MW-109 MW-109020603 2/6/2003	MW-109 MW-109071403 7/14/2003	MW-109 MW-109071403 7/14/2003		MW-110 MW-110020603 2/6/2003	MW-110 MW-110020603 2/6/2003	MW-110 MW-110020603 2/6/2003		
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual
Metals																			
Aluminum	ug/l		20000																
Antimony	ug/l	6	7.8	140		220	J	160		220	40	50	40	40	180	180	180	180	
Arsenic	ug/l	10	0.052	49400		51600		50500		50300	10000	10000	5400	5520	1700	1700	1400	1500	
Barium	ug/l	2000	3800	8.4	J	100		9	J	90	10	J	40	10	J	20	J	20	
Beryllium	ug/l	4	25	0.96	B	90	B	0.85	B	0.82	B	0.22	B	0.35	B	0.17	B	0.18	
Boron	ug/l		4000																
Cadmium	ug/l	5	1.8	9.7		10		10		10	4.2	B	5.2		4.6		5.1		
Calcium	ug/l																		
Chromium	ug/l	100		5.9		9.7		3.1	B	10	5.5		10		4.3	J	10	4.4	
Cobalt	ug/l	6		110		120		110		110	20		20		20		50	50	
Copper	ug/l	1300	800	20		170		30		160	0.89	B	90		1.4	J	40	4.4	
Iron	ug/l		14000																
Lead	ug/l	15	15	20		870		20		820	2	U	30		0.9	B	10	10	
Magnesium	ug/l																		
Manganese	ug/l		430																
Nickel	ug/l		390	160		180		170		170	80		80		80	90	10	J	
Potassium	ug/l																		
Selenium	ug/l	50	100	1.8		1.8	U	1.8	U	1.8	U	8.3	B	10	B	10	8.4	0.18	
Silver	ug/l		94	0.3	U	0.83	B	0.3	U	0.33	B	1	U	1	U	0.3	U	1	
Sodium	ug/l																		
Thallium	ug/l	2	0.2	240	L	180	L	240	L	200	L	3.9	L	4.8	L	5.83	L	5.44	
Tin	ug/l		12000	3.9	U	10	J	3.9	U	10	J	3.2	U	7.4	J	3.9	U	2	
Vanadium	ug/l		86	10		20		10		20		7.9	J	20		7.7	J	10	
Zinc	ug/l		6000	8040		8330		8150		8080		690		700		750		760	
Mercury	ug/l	2	0.63	0.2	UL	1.2		0.2	UL	0.95		0.012	U	0.094	U	0.2	UL	0.2	
Pesticides																			
4,4'-DDD	ug/l		0.032					0.1	U		0.1	U				0.1	U	0.1	
4,4'-DDE	ug/l		0.046					0.1	U		0.1	U				0.1	U	0.1	
4,4'-DDT	ug/l		0.23					0.1	U		0.1	U				0.1	U	0.1	
Aldrin	ug/l		0.00092					0.05	U		0.05	U				0.05	U	0.05	
Alpha-BHC	ug/l		0.0072					0.05	U		0.05	U				0.02	J	0.04	
Beta-BHC	ug/l		0.025					0.05	U		0.05	U				0.05	U	0.05	
Chlordane	ug/l							0.51	U		0.51	U				0.5	U	0.51	
cis-Chlordane	ug/l		3.6					0.1	U		0.13	U				0.1	U	0.1	
Delta-BHC	ug/l							0.05	U		0.05	U				0.05	U	0.05	
Dieldrin	ug/l		0.0018					0.1	U		0.1	U				0.1	U	0.1	
Endosulfan I	ug/l							0.05	U		0.05	U				0.05	U	0.05	
Endosulfan II	ug/l							0.1	U		0.1	U				0.1	U	0.1	
Endosulfan Sulfate	ug/l		110					0.1	U		0.1	U				0.1	U	0.1	
Endrin	ug/l	2	2.3					0.1	U		0.1	U				0.1	U	0.1	
Endrin Aldehyde	ug/l							0.1	U		0.1	U				0.1	U	0.1	
Endrin Ketone	ug/l							0.1	U		0.1	U				0.1	U	0.1	
Gamma-BHC (Lindane)	ug/l	0.2	0.042					0.05	U		0.05	U				0.05	U	0.05	
Heptachlor	ug/l	0.4	0.0014					0.05	U		0.05	U				0.05	U	0.05	
Heptachlor Epoxide	ug/l		0.2	0.0014				0.86			0.87					0.09		0.05	
Methoxychlor	ug/l	40	37					0.51	U		0.51	U				0.5	U	0.51	
Toxaphene	ug/l	3	0.071					1.04	U		1.03	U				1	U	1	
trans-Chlordane	ug/l		10					0.1	U		0.13	U				0.1	U	0.1	
Herbicides																			
2,4,5-T	ug/l		160					0.08	U		0.08	U				0.08	U	0.08	
2,4,5-TP (Silvex)	ug/l	50	110					0.08	U		0.08	U				0.08	U	0.08	
2,4-D	ug/l	70	170					0.2	J		0.23					0.2	U	0.21	
Volatile Organic Compounds																			
1,1,1,2-Tetrachloroethane	ug/l	</																	

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID Sample ID Sample Date Fraction			MW-108 MW-108071403 7/14/2003 D	MW-108 MW-108071403 7/14/2003 T	MW-108 MW-108071403FD 7/14/2003 D	MW-108 MW-108071403FD 7/14/2003 T	MW-109 MW-109020603 2/6/2003 D	MW-109 MW-109020603 2/6/2003 T	MW-109 MW-109071403 7/14/2003 D	MW-109 MW-109071403 7/14/2003 T	MW-110 MW-110020603 2/6/2003 D	MW-110 MW-110020603 2/6/2003 T	MW-110 MW-110020603FD 2/6/2003 D						
Parameter	Units	MAY 2023 RSL MCL TAPW	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	
1,2-Dichloropropane	ug/l	5	0.85		5	U	5	U	5	U	5	U	5	U	5	U	5	U	
1,4-Dioxane	ug/l		0.46		100	R		100	R		100	U		100	R		100	R	
2-Butanone	ug/l		5600		10	U		10	U		10	U		10	U		10	U	
2-Hexanone	ug/l		38		10	U		10	U		10	U		10	U		10	U	
4-Methyl-2-Pentanone	ug/l		6300		10	U		10	U		10	U		10	U		10	U	
Acetone	ug/l		18000		6	B		5	B		10	U		10	U		10	U	
Acetonitrile	ug/l		130		50	R		50	R		50	U		50	R		50	U	
Acrolein	ug/l		0.042		50	R		50	R		50	U		50	R		50	R	
Acrylonitrile	ug/l		0.052		10	U		10	U		10	U		10	U		10	U	
Allyl Chloride	ug/l		0.73		5	U		5	U		5	U		5	U		5	U	
Benzene	ug/l	5	0.46		44			43			5	U		0.9	J		5	U	
Bromodichloromethane	ug/l	80	0.13		5	U		5	U		5	U		5	U		5	U	
Bromoform	ug/l	80	3.3		5	U		5	U		5	U		5	U		5	U	
Bromomethane	ug/l		7.5		5	U		5	U		5	U		5	U		5	UJ	
Carbon Disulfide	ug/l		810		5	U		5	U		5	U		5	U		5	U	
Carbon Tetrachloride	ug/l	5	0.46		5	U		5	U		5	U		5	U		5	U	
Chlorobenzene	ug/l	100	78		5	U		5	U		5	U		5	U		5	U	
Chloroethane	ug/l		8300		5	U		5	U		5	U		5	U		5	U	
Chloroform	ug/l		80	0.22		1	B		1	B		5	U		0.9	B		5	U
Chloromethane	ug/l		190		5	U		5	U		5	U		5	U		5	U	
Chloroprene	ug/l		0.019		5	U		5	U		5	U		5	U		5	U	
cis-1,2-Dichloroethene	ug/l	70	36		5	U		5	U		5	U		5	U		5	U	
cis-1,3-Dichloropropene	ug/l				5	U		5	U		5	U		5	U		5	U	
Dibromochloromethane	ug/l	80	0.87		5	U		5	U		5	U		5	U		5	U	
Dibromomethane	ug/l		8.3		5	U		5	U		5	U		5	U		5	U	
Dichlorodifluoromethane	ug/l		200		5	U		5	U		5	U		5	U		5	U	
Ethyl Cyanide	ug/l				10	U		10	U		10	R		10	U		10	R	
Ethyl Methacrylate	ug/l		630		5	U		5	U		5	U		5	U		5	U	
Ethylbenzene	ug/l	700	1.5		5	J		5	J		5	U		5	U		5	U	
Iodomethane	ug/l				25	U		25	U		25	U		25	U		25	U	
Isobutanol	ug/l		5900		5	R		5	R		5	U		5	R		5	U	
m&p-Xylenes	ug/l				13			13			10	U		10	U		10	U	
Methacrylonitrile	ug/l		1.9		5	U		5	U		5	U		5	U		5	U	
Methyl Methacrylate	ug/l		1400		5	U		5	U		5	U		5	U		5	U	
Methylene Chloride	ug/l	5	11		0.7	B		0.7	B		5	U		5	U		5	U	
o-Xylene	ug/l		190		10			10			5	U		5	U		5	U	
Styrene	ug/l	100	1200		5	U		5	U		5	U		5	U		5	U	
Tetrachloroethene	ug/l	5	11		5	U		5	U		5	U		5	U		5	U	
Toluene	ug/l	1000	1100		6			6			5	U		5	U		5	U	
trans-1,2-Dichloroethene	ug/l	100	68		5	U		5	U		5	U		5	U		5	U	
trans-1,3-Dichloropropene	ug/l				5	U		5	U		5	U		5	U		5	U	
trans-1,4-Dichloro-2-Butene	ug/l		0.0013		5	U		5	U		5	U		5	U		5	U	
Trichloroethene	ug/l	5	0.49		5	U		5	U		5	U		5	U		5	U	
Trichlorofluoromethane	ug/l		5200		5	U		5	U		5	U		5	U		5	U	
Vinyl Acetate	ug/l		410		5	U		5	U		5	U		5	U		5	U	
Vinyl Chloride	ug/l	2	0.019		5	U		5	U		5	U		5	U		5	U	
Semi-Volatile Organic Compounds																			
1,2,4,5-Tetrachlorobenzene	ug/l		0.17		10	U		10	U		10	U		10	U		10	U	
1,2,4-Trichlorobenzene	ug/l	70	1.2		10	U		10	U		10	U		10	U		10	U	
1,2-Dichlorobenzene	ug/l	600	300		10	U		10	U		10	U		10	U		10	U	
1,3,5-Trinitrobenzene	ug/l		590		10	U		10	U		10	U		10	U		10	U	
1,3-Dichlorobenzene	ug/l				10	U		10	U		10	U		10	U		10	U	
1,3-Dinitrobenzene	ug/l		2		10	U		10	U		10	U		10	U		10	U	
1,4-Dichlorobenz																			

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID Sample ID Sample Date Fraction			MW-108 MW-108071403 7/14/2003 D	MW-108 MW-108071403 7/14/2003 T	MW-108 MW-108071403FD 7/14/2003 D	MW-108 MW-108071403FD 7/14/2003 T	MW-109 MW-109020603 2/6/2003 D	MW-109 MW-109020603 2/6/2003 T	MW-109 MW-109071403 7/14/2003 D	MW-109 MW-109071403 7/14/2003 T	MW-110 MW-109071403 7/14/2003 D	MW-110 MW-110020603 2/6/2003 T	MW-110 MW-110020603 2/6/2003 D					
Parameter	Units	MAY 2023 RSL MCL TAPW	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual
2,6-Dichlorophenol	ug/l				10	U			10	U			10	U			10	U
2,6-Dinitrotoluene	ug/l	0.049			10	U			10	U			10	U			10	U
2-Acetylaminofluorene (TIC)	ug/l	0.016			10	U			10	U			10	U			10	U
2-Chloronaphthalene	ug/l	750			10	U			10	U			10	U			10	U
2-Chlorophenol	ug/l	91			10	U			10	U			10	U			10	U
2-Methylnaphthalene	ug/l	36			7	J			6	J			10	U			10	U
2-Methylphenol	ug/l	930			10	U			10	U			10	U			10	U
2-Naphthylamine	ug/l	0.039			10	U			10	U			10	U			10	U
2-Nitroaniline	ug/l	190			25	U			25	U			25	U			25	U
2-Nitrophenol	ug/l				10	U			10	U			10	U			10	U
2-Picoline	ug/l				10	U			10	U			10	U			10	U
3&4-Methylphenol	ug/l				10	U			10	U			10	U			10	U
3,3'-Dichlorobenzidine	ug/l	0.13			10	U			10	U			10	U			10	U
3,3'-Dimethylbenzidine	ug/l	0.0065			10	UJ			10	U			10	U			10	U
3-Methylcholanthrene	ug/l	0.0011			10	U			10	U			10	U			10	U
3-Nitroaniline	ug/l				25	U			25	U			25	U			25	U
4,6-Dinitro-2-Methylphenol	ug/l	1.5			25	U			25	U			25	U			25	U
4-Aminobiphenyl	ug/l	0.003			10	U			10	U			10	U			10	U
4-Bromophenyl Phenyl Ether	ug/l				10	U			10	U			10	U			10	U
4-Chloro-3-Methylphenol	ug/l	1400			10	U			10	U			10	U			10	U
4-Chloroaniline	ug/l	0.37			10	U			10	U			10	U			10	U
4-Chlorophenyl Phenyl Ether	ug/l				10	U			10	U			10	U			10	U
4-Nitroaniline	ug/l	3.8			25	U			25	U			25	U			25	U
4-Nitrophenol	ug/l				25	U			25	U			25	U			25	U
5-Nitro-o-Toluidine	ug/l	8.2			10	U			10	U			10	U			10	U
7,12-Dimethylbenz(A)Anthracene	ug/l	0.0001			10	U			10	U			10	U			10	U
Acenaphthene	ug/l	530			10	U			10	U			10	U			10	U
Acenaphthylene	ug/l				10	U			10	U			10	U			10	U
Acetophenone	ug/l	1900			10	U			10	U			10	U			10	U
Aniline	ug/l	13			10	U			10	U			10	U			10	U
Anthracene	ug/l	1800			10	U			10	U			10	U			10	U
Benzanine, N,N-Dimethyl-4-(Pheylazo)-	ug/l	0.005			10	U			10	U			10	U			10	U
Benzeneethanamine, Alpha, Alpha-Dimethyl-	ug/l				10	U			10	U			10	U			10	U
Benzo(A)Anthracene	ug/l	0.03			10	U			10	U			10	U			10	U
Benzo(A)Pyrene	ug/l	0.2	0.025		10	U			10	U			10	U			10	U
Benzo(B)Fluoranthene	ug/l		0.25		10	U			10	U			10	U			10	U
Benzo(G,H,I)Perylene	ug/l				10	U			10	U			10	U			10	U
Benzo(K)Fluoranthene	ug/l	2.5			10	U			10	U			10	U			10	U
Benzoic Acid	ug/l	75000			25	U			25	U			25	U			25	U
Benzyl Alcohol	ug/l	2000			10	U			10	U			10	U			10	U
bis-(2-Chloroethoxy)Methane	ug/l	59			10	U			10	U			10	U			10	U
bis-(2-Chloroethyl)Ether	ug/l	0.014			10	U			10	U			10	U			10	U
bis-(2-Ethylhexyl)Phthalate	ug/l	6	5.6		10	U			10	U			10	U			10	U
Butylbenzyl Phthalate	ug/l		16		10	U			10	U			10	U			10	U
Chlorobenzilate	ug/l		0.31		10	U			10	U			10	U			10	U
Chrysene	ug/l		25		10	U			10	U			10	U			10	U
Diallate	ug/l		0.54		10	U			10	U			10	U			10	U
Dibenzo(a,h)Anthracene	ug/l		0.025		10	U			10	U			10	U			10	U
Dibenzofuran	ug/l		7.9		10	U			10	U			10	U			10	U
Diethyl Phthalate	ug/l		15000		10	U			10	U			10	U			10	U
Dimethoate	ug/l		44		10	U			10	U			10	U			10	U
Dimethyl Phthalate	ug/l				10	U			10	U			10	U			10	U
Di-n-Butyl Phthalate	ug/l		900		10	U			10	U			10	U			10	U
Di-n-Octyl Phthalate	ug/l		200		10	U			10	U			10	U			10	U
Dinoseb	ug/l	7	15		10													

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID Sample ID Sample Date Fraction			MW-108 MW-108071403 7/14/2003 D		MW-108 MW-108071403 7/14/2003 T		MW-108 MW-108071403FD 7/14/2003 D		MW-108 MW-108071403FD 7/14/2003 T		MW-109 MW-109020603 2/6/2003 D		MW-109 MW-109020603 2/6/2003 T		MW-109 MW-109071403 7/14/2003 D		MW-109 MW-109071403 7/14/2003 T		MW-110 MW-110020603 2/6/2003 D		MW-110 MW-110020603 2/6/2003 T		MW-110 MW-110020603FD 2/6/2003 D				
Parameter	Units	MAY 2023 RSL MCL TAPW	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	
Hexachlorocyclopentadiene	ug/l	50	0.41		10	U			10	U			10	U			10	U			10	U			10	U	
Hexachloroethane	ug/l		0.33		10	U			10	U			10	U			10	U			10	U			10	U	
Hexachlorophene	ug/l		6		80	R			80	R			80	U			80	R			80	U			80	U	
Hexachloropropene	ug/l				10	U			10	U			10	U			10	U			10	U			10	U	
Indeno(1,2,3-Cd)Pyrene	ug/l		0.25			10	U			10	U			10	U			10	U			10	U			10	U
Isodrin	ug/l				10	U			10	U			10	U			10	U			10	U			10	U	
Isophorone	ug/l		78		10	U			10	U			10	U			10	U			10	U			10	U	
Isosafrole	ug/l				10	U			10	U			10	U			10	U			10	U			10	U	
Kepone	ug/l		0.0035		10	U			10	U			10	R			10	U			10	R			10	U	
Methanesulfonic Acid, Ethyl Ester	ug/l				10	U			10	U			10	U			10	U			10	U			10	U	
Methapyrilene	ug/l				10	U			10	U			10	U			10	U			10	U			10	U	
Methyl Methanesulfonate	ug/l		0.79			10	U			10	U			10	U			10	U			10	U			10	U
Methyl Parathion	ug/l		4.5		10	U			10	U			10	U			10	U			10	U			10	U	
Naphthalene	ug/l		0.12		20				19				10	U			10	U			10	U			10	U	
Nitrobenzene	ug/l		0.14		10	U			10	U			10	U			10	U			10	U			10	U	
n-Nitrosodiethylamine	ug/l		0.00017		10	U			10	U			10	U			10	U			10	U			10	U	
n-Nitrosodimethylamine	ug/l		0.00011		10	U			10	U			10	U			10	U			10	U			10	U	
n-Nitrosodi-n-Butylamine	ug/l		0.0027		10	U			10	U			10	U			10	U			10	U			10	U	
n-Nitroso-di-n-Propylamine	ug/l		0.011		10	U			10	U			10	U			10	U			10	U			10	U	
n-Nitrosodiphenylamine	ug/l		12		10	U			10	U			10	U			10	U			10	U			10	U	
n-Nitrosomethylamine	ug/l		0.00071		10	U			10	U			10	U			10	U			10	U			10	U	
n-Nitrosomorpholine	ug/l		0.012		10	U			10	U			10	U			10	U			10	U			10	U	
n-Nitrosopiperidine	ug/l		0.0082		10	U			10	U			10	U			10	U			10	U			10	U	
n-Nitrosopyrrolidine	ug/l		0.037		10	U			10	U			10	U			10	U			10	U			10	U	
O,O,O-Triethyl Phosphorothioate	ug/l				10	U			10	U			10	U			10	U			10	U			10	U	
o-Toluidine	ug/l		4.7		10	U			10	U			10	U			10	U			10	U			10	U	
Pentachlorobenzene	ug/l		3.2			10	U			10	U			10	U			10	U			10	U			10	U
Pentachloronitrobenzene	ug/l		0.12			25	U			25	U			25	U			25	U			25	U			25	U
Pentachlorophenol	ug/l	1	0.041			25	U			25	U			25	U			25	U			25	U			25	U
Phenacetin	ug/l		34			10	U			10	U			10	U			10	U			10	U			10	U
Phenanthrene	ug/l				7	J			6	J			10	U			10	U			10	U			10	U	
Phenol	ug/l		5800			10	U			10	U			10	U			10	U			10	U			10	U
Phorate	ug/l		3			10	U			10	U			10	U			10	U			10	U			10	U
p-Phenylenediamine	ug/l		20			10	UJ			10	U			10	U			10	U			10	U			10	U
Pronamide	ug/l		1200			10	U			10	U			10	U			10	U			10	U			10	U
Pyrene	ug/l		120			10	U			10	U			10	U			10	U			10	U			10	U
Pyridine	ug/l		20			10	U			10	U			10	U			10	U			10	U			10	U
Quinoline, 4-Nitro-1-Oxide-	ug/l					10	R			10	R			10	R			10	R								

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			MW-110 MW-110020603FD 2/6/2003	MW-110 MW-110071403 7/14/2003		MW-110 MW-110071403 7/14/2003		MW-111 MW-111020403 2/4/2003	MW-111 MW-111020403 2/4/2003		MW-111 MW-111071603 7/16/2003	MW-111 MW-111071603 7/16/2003	MW-111 MW-111071603FD 7/16/2003	MW-111 MW-111071603FD 7/16/2003	MW-113 MW-113020503 2/5/2003	MW-113 MW-113020503 2/5/2003		
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	
Metals																		
Aluminum	ug/l		20000															
Antimony	ug/l	6	7.8	180		300		290		5.9	8.8	5.5	B	8.5	6.5	B	20	
Arsenic	ug/l	10	0.052	1500		1960		2220		490	540	500		510	J	490	530	
Barium	ug/l	2000	3800	20		20		20		10	J	20		9.8	J	10	J	
Beryllium	ug/l	4	25	1	U	0.07	U	0.07	U	1	U	0.18	B	0.08	U	0.07	U	
Boron	ug/l		4000															
Cadmium	ug/l	5	1.8	3	B	2.3	B	2.2	B	1.9	B	2.3	B	1	B	0.77	B	
Calcium	ug/l																	
Chromium	ug/l	100		0.87	B	10		5.1		0.75	B	6.4		4.8	J	10		
Cobalt	ug/l	6	50	50		50		50		10	10	10		10	10	10	150	
Copper	ug/l	1300	800	9.8	J	6	J	10		1.7	B	20		1.3	J	10	7.9	
Iron	ug/l		14000															
Lead	ug/l	15	15	40		10		80		2	U	60		1.4	B	40	1.7	
Magnesium	ug/l																	
Manganese	ug/l		430															
Nickel	ug/l	390		10	J	40		10	J	8.4	J	10	J	10	J	9.8	J	
Potassium	ug/l																	
Selenium	ug/l	50	100	3	B	7.3		5.6	U	2.6	B	7.8	B	1.8	U	1.8	U	
Silver	ug/l		94	1	U	0.3	U	0.48	B	1	U	1	U	0.38	B	0.3	U	
Sodium	ug/l																	
Thallium	ug/l	2	0.2	40	L	70	L	50	L	2	UL	2	UL	0	UL	0	UL	
Tin	ug/l		12000	3.7	U	3.9	U	3.9	U	1.7	U	2.8	U	5.9	J	3.9	U	
Vanadium	ug/l		86	1.1	B	0.73	B	1.3	B	2.8	B	3.9	J	2.7	B	3.4	B	
Zinc	ug/l	6000	960			940		940		80		120		60	K	80		
Mercury	ug/l	2	0.63	0.17	U	0.2	UL	0.2	U	0.2	UL	0.15	UL	0.2	U	0.2	UL	
Pesticides																		
4,4'-DDD	ug/l		0.032	0.1	UJ			0.1	U			0.39	U		0.2	UL		
4,4'-DDE	ug/l		0.046	0.1	UJ			0.1	U			0.39	U		0.2	UL		
4,4'-DDT	ug/l		0.23	0.1	UJ			0.1	U			0.39	U		0.2	UL		
Aldrin	ug/l		0.00092	0.05	UJ			0.05	U			0.2	U		0.1	UL		
Alpha-BHC	ug/l		0.0072	0.05	B			0.03	J			1.4		1.62	L	1.64	J	
Beta-BHC	ug/l		0.025	0.02	J			0.05	U			0.36		0.33	L	0.34	J	
Chlordane	ug/l			0.52	UJ			0.5	U			2	UD		1.02	UL	1	
cis-Chlordane	ug/l			3.6	0.1	UJ		0.1	U			0.39	U		0.2	UL	0.1	
Delta-BHC	ug/l			0.05	UJ			0.05	U			0.19	B		0.09	L	0.08	
Dieldrin	ug/l			0.0018	0.1	UJ		0.1	U			0.39	U		0.2	UL	0.05	
Endosulfan I	ug/l			0.05	UJ			0.05	U			0.2	U		0.1	UL	0.05	
Endosulfan II	ug/l			0.1	UJ			0.1	U			0.39	U		0.2	UL	0.11	
Endosulfan Sulfate	ug/l			110	0.1	UJ		0.1	U			0.39	U		0.2	UL	0.11	
Endrin	ug/l			2	2.3	0.1	UJ		0.1	U			0.39	U		0.2	UL	0.11
Endrin Aldehyde	ug/l			0.1	UJ			0.1	U			0.39	U		0.2	UL	0.11	
Endrin Ketone	ug/l			0.1	UJ			0.1	U			0.39	U		0.2	UL	0.1	
Gamma-BHC (Lindane)	ug/l		0.2	0.042	0.05	UJ		0.05	U			0.2	U		0.06	L	0.06	
Heptachlor	ug/l		0.4	0.0014	0.05	UJ		0.05	U			0.2	U		0.1	UL	0.05	
Heptachlor Epoxide	ug/l		0.2	0.0014	0.05	UJ		0.05	U			0.2	U		0.1	UL	0.05	
Methoxychlor	ug/l		40	37	0.52	UJ		0.5	U			2	U		1.02	UL	1	
Toxaphene	ug/l		3	0.071	1	UJ		1	U			3.9	U		2.04	UL	2	
trans-Chlordane	ug/l			10	0.1	UJ		0.1	U			0.39	U		0.2	UL	0.1	
Herbicides																		
2,4,5-T	ug/l			160	0.08	U		0.08	U			0.05	J		0.08	UJ	0.08	
2,4,5-TP (Silvex)	ug/l			50	110	0.08	U	0.08	U			0.21	J		0.08	UJ	0.08	
2,4-D	ug/l			70	170	0.21	U		0.2	U			0.23	J		0.16	R	0.39
Volatile Organic Compounds																		
1,1,1,2-Tetrachloroethane	ug/l			0.57	5	U		5	U			5	U		5	U	5	
1,1,1-Trichloroethane	ug/l			200	8000	5	U		5	U			5	U				

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID Sample ID Sample Date Fraction			MW-110 MW-110020603FD 2/6/2003 T	MW-110 MW-110071403 7/14/2003 D	MW-110 MW-110071403 7/14/2003 T	MW-111 MW-111020403 2/4/2003 D	MW-111 MW-111020403 2/4/2003 T	MW-111 MW-111071603 7/16/2003 D	MW-111 MW-111071603 7/16/2003 T	MW-111 MW-111071603FD 7/16/2003 D	MW-113 MW-113020503 2/5/2003 D	MW-113 MW-113020503 2/5/2003 T	
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result Lab Qual	Result Lab Qual	Result Lab Qual	Result Lab Qual	Result Lab Qual	Result Lab Qual	Result Lab Qual	Result Lab Qual	Result Lab Qual	Result Lab Qual
1,2-Dichloropropane	ug/l	5	0.85	5 U		5 U		5 U		5 U		5 U	
1,4-Dioxane	ug/l		0.46	100 R		100 R		100 R		100 R		100 R	
2-Butanone	ug/l		5600	10 U		10 U		10 U		10 U		10 U	
2-Hexanone	ug/l		38	10 U		10 U		10 U		10 U		10 U	
4-Methyl-2-Pentanone	ug/l		6300	10 U		10 U		10 U		10 U		10 U	
Acetone	ug/l		18000	10 U		10 U		10 U		10 U		10 U	
Acetonitrile	ug/l		130	50 U		50 R		50 U		50 R		50 R	
Acrolein	ug/l		0.042	50 R		50 R		50 R		50 R		50 R	
Acrylonitrile	ug/l		0.052	10 U		10 U		10 U		10 U		10 U	
Allyl Chloride	ug/l		0.73	5 U		5 U		5 U		5 U		5 U	
Benzene	ug/l	5	0.46	5 U		5 U		5 U		5 U		5 U	
Bromodichloromethane	ug/l	80	0.13	5 U		5 U		5 U		5 U		5 U	
Bromoform	ug/l	80	3.3	5 U		5 U		5 U		5 U		5 U	
Bromomethane	ug/l		7.5	5 UJ		5 U		5 UJ		5 U		5 U	
Carbon Disulfide	ug/l		810	5 U		5 U		5 U		5 U		5 U	
Carbon Tetrachloride	ug/l	5	0.46	5 U		5 U		5 U		5 U		5 U	
Chlorobenzene	ug/l	100	78	5 U		5 U		5 U		5 U		5 U	
Chloroethane	ug/l		8300	5 U		5 U		5 U		5 U		5 U	
Chloroform	ug/l		80	0.22	5 U		5 U		5 U		5 U		5 U
Chloromethane	ug/l		190	5 U		5 U		5 U		5 U		0.6 J	
Chloroprene	ug/l		0.019	5 U		5 U		5 U		5 U		5 U	
cis-1,2-Dichloroethene	ug/l	70	36	5 U		5 U		5 U		5 U		5 U	
cis-1,3-Dichloropropene	ug/l			5 U		5 U		5 U		5 U		5 U	
Dibromochloromethane	ug/l	80	0.87	5 U		5 U		5 U		5 U		5 U	
Dibromomethane	ug/l		8.3	5 U		5 U		5 U		5 U		5 U	
Dichlorodifluoromethane	ug/l		200	5 U		5 U		5 U		5 U		5 U	
Ethyl Cyanide	ug/l			10 R		10 U		10 R		10 R		10 R	
Ethyl Methacrylate	ug/l		630	5 U		5 U		5 U		5 U		5 U	
Ethylbenzene	ug/l	700	1.5	5 U		5 U		5 U		5 U		5 U	
Iodomethane	ug/l			25 U		25 U		25 U		25 U		25 U	
Isobutanol	ug/l		5900	5 U		5 R		5 U		5 R		5 R	
m&p-Xylenes	ug/l			10 U		10 U		10 U		10 U		10 U	
Methacrylonitrile	ug/l		1.9	5 U		5 U		5 U		5 U		5 U	
Methyl Methacrylate	ug/l		1400	5 U		5 U		5 U		5 U		5 U	
Methylene Chloride	ug/l	5	11	5 U		5 U		5 U		5 U		5 U	
o-Xylene	ug/l		190	5 U		5 U		5 U		5 U		5 U	
Styrene	ug/l	100	1200	5 U		5 U		5 U		5 U		5 U	
Tetrachloroethene	ug/l	5	11	5 U		5 U		5 U		1 J		5 U	
Toluene	ug/l	1000	1100	5 U		5 U		5 U		5 U		5 U	
trans-1,2-Dichloroethene	ug/l	100	68	5 U		5 U		5 U		5 U		5 U	
trans-1,3-Dichloropropene	ug/l			5 U		5 U		5 U		5 U		5 U	
trans-1,4-Dichloro-2-Butene	ug/l		0.0013	5 U		5 U		5 U		5 U		5 U	
Trichloroethene	ug/l	5	0.49	5 U		5 U		5 U		5 U		5 U	
Trichlorofluoromethane	ug/l		5200	5 U		5 U		5 U		5 U		5 U	
Vinyl Acetate	ug/l		410	5 U		5 U		5 U		5 U		5 U	
Vinyl Chloride	ug/l	2	0.019	5 U		5 U		5 U		5 U		5 J	
Semi-Volatile Organic Compounds													
1,2,4,5-Tetrachlorobenzene	ug/l		0.17	10 U		10 U		10 U		10 U		10 U	
1,2,4-Trichlorobenzene	ug/l	70	1.2	10 U		10 U		10 U		10 U		10 U	
1,2-Dichlorobenzene	ug/l	600	300	10 U		10 U		10 U		10 U		10 U	
1,3,5-Trinitrobenzene	ug/l		590	10 U		10 U		10 U		10 U		10 U	
1,3-Dichlorobenzene	ug/l			10 U		10 U		10 U		10 U		10 U	
1,3-Dinitrobenzene	ug/l		2	10 U		10 U		10 U		10 U		10 U	
1,4-Dichlorobenzene	ug/l	75	0.48	10 U		10 U		10 U		10 U		10 U	
1,4-Naphthoquinone	ug/l			10 U		10 U		10 U		10 U		10 U	
1-Naphthylamine	ug/l			10 U		10 U		10 U		10 U		10 U	
2,2'-Oxybis(1-Chloropropane)	ug/l		710	10 U		10 U		10 U		10 U		10 U	
2,3,4,6-Tetrachlorophenol	ug/l		240	10 U		10 U		10 U		10 U		10 U	
2,4,5-Trichlorophenol	ug/l		1200	25 U		25 U		25 U		25 U		25 U	
2,4,6-Trichlorophenol	ug/l		4.1	10 U		10 U		10 U		10 U		10 U	
2,4-Dichlorophenol	ug/l		46	10 U		10 U		10 U		10 U		10 U	
2,4-Dimethylphenol	ug/l		360	10 U		10 U		10 U		10 U		10 U	
2,4-Dinitrophenol	ug/l		39	25 U		25 U		25 U		25 U		25 U	
2,4-Dinitrotoluene	ug/l		0.24	10 U		10 U		10 U		10 U		10 U	

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID Sample ID Sample Date Fraction			MW-110 MW-110020603FD 2/6/2003 T	MW-110 MW-110071403 7/14/2003 D	MW-110 MW-110071403 7/14/2003 T	MW-111 MW-111020403 2/4/2003 D	MW-111 MW-111020403 2/4/2003 T	MW-111 MW-111071603 7/16/2003 D	MW-111 MW-111071603 7/16/2003 T	MW-111 MW-111071603FD 7/16/2003 D	MW-113 MW-113020503 2/5/2003 D	MW-113 MW-113020503 2/5/2003 T								
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	
2,6-Dichlorophenol	ug/l			10	U			10	U			10	U			10	U		10	UJ
2,6-Dinitrotoluene	ug/l	0.049		10	U			10	U			10	U			10	U		10	UJ
2-Acetylaminofluorene (TIC)	ug/l	0.016		10	U			10	U			10	U			10	U		10	UJ
2-Chloronaphthalene	ug/l	750		10	U			10	U			10	U			10	U		10	UJ
2-Chlorophenol	ug/l	91		10	U			10	U			10	U			10	U		10	UJ
2-Methylnaphthalene	ug/l	36		10	U			10	U			10	U			10	U		10	UJ
2-Methylphenol	ug/l	930		10	U			10	U			10	U			10	U		10	UJ
2-Naphthylamine	ug/l	0.039		10	U			10	U			10	U			10	U		10	UJ
2-Nitroaniline	ug/l	190		25	U			25	U			25	U			25	U		25	UJ
2-Nitrophenol	ug/l			10	U			10	U			10	U			10	U		10	UJ
2-Picoline	ug/l			10	U			10	U			10	U			10	U		10	UJ
3&4-Methylphenol	ug/l			10	U			10	U			10	U			10	U		10	UJ
3,3'-Dichlorobenzidine	ug/l	0.13		10	U			10	U			10	U			10	U		10	UJ
3,3'-Dimethylbenzidine	ug/l	0.0065		10	U			10	U			10	U			10	U		10	UJ
3-Methylcholanthrene	ug/l	0.0011		10	U			10	U			10	U			10	U		10	UJ
3-Nitroaniline	ug/l			25	U			25	U			25	U			25	U		25	UJ
4,6-Dinitro-2-Methylphenol	ug/l	1.5		25	U			25	U			25	U			25	U		25	UJ
4-Aminobiphenyl	ug/l	0.003		10	U			10	U			10	U			10	U		10	UJ
4-Bromophenyl Phenyl Ether	ug/l			10	U			10	U			10	U			10	U		10	UJ
4-Chloro-3-Methylphenol	ug/l	1400		10	U			10	U			10	U			10	U		10	UJ
4-Chloroaniline	ug/l	0.37		10	U			10	U			10	U			10	U		10	UJ
4-Chlorophenyl Phenyl Ether	ug/l			10	U			10	U			10	U			10	U		10	UJ
4-Nitroaniline	ug/l	3.8		25	U			25	U			25	U			25	U		25	UJ
4-Nitrophenol	ug/l			25	U			25	U			25	U			25	U		25	UJ
5-Nitro-o-Toluidine	ug/l	8.2		10	U			10	U			10	U			10	U		10	UJ
7,12-Dimethylbenz(A)Anthracene	ug/l	0.0001		10	U			10	U			10	U			10	U		10	UJ
Acenaphthene	ug/l	530		10	U			10	U			10	U			10	U		10	UJ
Acenaphthylene	ug/l			10	U			10	U			10	U			10	U		10	UJ
Acetophenone	ug/l	1900		10	U			10	U			10	U			10	U		10	UJ
Aniline	ug/l	13		10	U			10	U			10	U			10	U		10	UJ
Anthracene	ug/l	1800		10	U			10	U			10	U			10	U		10	UJ
Benzanamine, N,N-Dimethyl-4-(Pheylazo)-	ug/l	0.005		10	U			10	U			10	U			10	U		10	UJ
Benzeneethanamine, Alpha, Alpha-Dimethyl-	ug/l			10	U			10	U			10	U			10	U		10	UJ
Benzo(A)Anthracene	ug/l	0.03		10	U			10	U			10	U			10	U		10	UJ
Benzo(A)Pyrene	ug/l	0.2	0.025	10	U			10	U			10	U			10	U		10	UJ
Benzo(B)Fluoranthene	ug/l		0.25	10	U			10	U			10	U			10	U		10	UJ
Benzo(G,H,I)Perylene	ug/l			10	U			10	U			10	U			10	U		10	UJ
Benzo(K)Fluoranthene	ug/l		2.5	10	U			10	U			10	U			10	U		10	UJ
Benzoic Acid	ug/l		75000	25	U			25	U			26	U			25	U		25	UJ
Benzyl Alcohol	ug/l		2000	10	U			10	U			10	U			10	U		10	UJ
bis-(2-Chloroethoxy)Methane	ug/l	59		10	U			10	U			10	U			10	U		10	UJ
bis-(2-Chloroethyl)Ether	ug/l	0.014		10	U			10	U			10	U			10	U		10	UJ
bis-(2-Ethylhexyl)Phthalate	ug/l	6	5.6	10	U			10	U			10	U			10	U		10	UJ
Butylbenzyl Phthalate	ug/l		16	10	U			10	U			10	U			10	U		10	UJ
Chlorobenzilate	ug/l	0.31		10	U			10	U			10	U			10	U		10	UJ
Chrysene	ug/l	25		10	U			10	U			10	U			10	U		10	UJ
Diallate	ug/l	0.54		10	U			10	U			10	U			10	U		10	UJ
Dibenzo(a,h)Anthracene	ug/l		0.025	10	U			10	U			10	U			10	U		10	UJ
Dibenzofuran	ug/l		7.9	10	U			10	U			10	U							

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID Sample ID Sample Date Fraction			MW-110 MW-110020603FD 2/6/2003 T	MW-110 MW-110071403 7/14/2003 D	MW-110 MW-110071403 7/14/2003 T	MW-111 MW-111020403 2/4/2003 D	MW-111 MW-111020403 2/4/2003 T	MW-111 MW-111071603 7/16/2003 D	MW-111 MW-111071603 7/16/2003 T	MW-111 MW-111071603FD 7/16/2003 D	MW-111 MW-111071603FD 7/16/2003 T	MW-113 MW-113020503 2/5/2003 D	MW-113 MW-113020503 2/5/2003 T	
Parameter	Units	MAY 2023 RSL MCL TAPW	MAY 2023 RSL MCL TAPW	Result Lab Qual	Result Lab Qual	Result Lab Qual	Result Lab Qual	Result Lab Qual	Result Lab Qual	Result Lab Qual	Result Lab Qual	Result Lab Qual	Result Lab Qual	Result Lab Qual
Hexachlorocyclopentadiene	ug/l	50	0.41	10 U		10 U		10 U		10 U		10 U		10 UJ
Hexachloroethane	ug/l		0.33	10 U		10 U		10 U		10 U		10 U		10 UJ
Hexachlorophene	ug/l		6	80 U		80 R		83 U		81 R		80 R		80 UJ
Hexachloropropene	ug/l			10 U		10 U		10 U		10 U		10 U		10 UJ
Indeno(1,2,3-Cd)Pyrene	ug/l		0.25	10 U		10 U		10 U		10 U		10 U		10 UJ
Isodrin	ug/l			10 U		10 U		10 U		10 U		10 U		10 UJ
Isophorone	ug/l		78	10 U		10 U		10 U		10 U		10 U		10 UJ
Isosafrole	ug/l			10 U		10 U		10 U		10 U		10 U		10 UJ
Kepone	ug/l		0.0035	10 R		10 U		10 R		10 U		10 U		10 R
Methanesulfonic Acid, Ethyl Ester	ug/l			10 U		10 U		10 U		10 U		10 U		10 UJ
Methapyrilene	ug/l			10 U		10 U		10 U		10 U		10 U		10 UJ
Methyl Methanesulfonate	ug/l		0.79	10 U		10 U		10 U		10 U		10 U		10 UJ
Methyl Parathion	ug/l		4.5	10 U		10 U		10 U		10 U		10 U		10 UJ
Naphthalene	ug/l		0.12	10 U		10 U		10 U		10 U		10 U		10 UJ
Nitrobenzene	ug/l		0.14	10 U		10 U		10 U		10 U		10 U		10 UJ
n-Nitrosodiethylamine	ug/l		0.00017	10 U		10 U		10 U		10 U		10 U		10 UJ
n-Nitrosodimethylamine	ug/l		0.00011	10 U		10 U		10 U		10 U		10 U		10 UJ
n-Nitrosodi-n-Butylamine	ug/l		0.0027	10 U		10 U		10 U		10 U		10 U		10 UJ
n-Nitroso-di-n-Propylamine	ug/l		0.011	10 U		10 U		10 U		10 U		10 U		10 UJ
n-Nitrosodiphenylamine	ug/l		12	10 U		10 U		10 U		10 U		10 U		10 UJ
n-Nitrosomethylamine	ug/l		0.00071	10 U		10 U		10 U		10 U		10 U		10 UJ
n-Nitrosomorpholine	ug/l		0.012	10 U		10 U		10 U		10 U		10 U		10 UJ
n-Nitrosopiperidine	ug/l		0.0082	10 U		10 U		10 U		10 U		10 U		10 UJ
n-Nitrosopyrrolidine	ug/l		0.037	10 U		10 U		10 U		10 U		10 U		10 UJ
O,O,O-Triethyl Phosphorothioate	ug/l			10 U		10 U		10 U		10 U		10 U		10 UJ
o-Toluidine	ug/l		4.7	10 U		10 U		10 U		10 U		10 U		10 UJ
Pentachlorobenzene	ug/l		3.2	10 U		10 U		10 U		10 U		10 U		10 UJ
Pentachloronitrobenzene	ug/l		0.12	25 U		25 U		25 U		25 U		25 U		25 UJ
Pentachlorophenol	ug/l	1	0.041	25 U		25 U		25 U		25 U		25 U		25 UJ
Phenacetin	ug/l		34	10 U		10 U		10 U		10 U		10 U		10 UJ
Phenanthere	ug/l			10 U		10 U		10 U		10 U		10 U		10 UJ
Phenol	ug/l		5800	10 U		10 U		10 U		10 U		10 U		10 UJ
Phorate	ug/l		3	10 U		10 U		10 U		10 U		10 U		10 UJ
p-Phenylenediamine	ug/l		20	10 U		10 U		10 U		10 U		10 U		10 UJ
Pronamide	ug/l		1200	10 U		10 U		10 U		10 U		10 U		10 UJ
Pyrene	ug/l		120	10 U		10 U		10 U		10 U		10 U		10 UJ
Pyridine	ug/l		20	10 U		10 U		10 U		10 U		10 U		10 UJ
Quinoline, 4-Nitro-1-Oxide-	ug/l			10 R		10 R		10 R		10 R		10 R		10 R
Safrole	ug/l		0.096	10 U		10 U		10 U		10 U		10 U		10 UJ
Thionazine	ug/l			10 U		10 U		10 U		10 U		10 U		10 UJ
Thiopyrophosphoric Acid ((H ₂ O) ₂ P(S) ₂ O), Tetraethyl	ug/l		7.1	10 U		10 U		10 U		10 U		10 U		10 UJ
Total Aramite	ug/l		1.3	10 U		10 U		10 U		10 U		10 U		10 UJ
Cyanide, Total	ug/l	200	1.5	5 U		5 U		9.7		1.3		10		350

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

FD = Duplicate sample

Exceedances shown may exceed one or more criteria if available

T = Total

D = Dissolved

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID Sample ID Sample Date Fraction	MW-113 MW-113071403 7/14/2003 D	MW-113 MW-113071403 7/14/2003 T	SM09-GW01 SM09-GW010604031 6/4/2003 T	SM09-GW01 SM09-GW010604031 6/4/2003 D				
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.
Metals											
Aluminum	ug/l		20000					37400		87.2	B
Antimony	ug/l	6	7.8	20		20		15.7	B	5.8	B
Arsenic	ug/l	10	0.052	1000		970		174		22.5	
Barium	ug/l	2000	3800	10	J	10	J	926		18.1	B
Beryllium	ug/l	4	25	1.9	B	1.9	B	3.5	B	0.3	U
Boron	ug/l		4000					522		671	
Cadmium	ug/l	5	1.8	9.3		9.2		7.9		0.6	B
Calcium	ug/l							701000		522000	
Chromium	ug/l	100		1.2	B	4.2	J	54.8		2.9	B
Cobalt	ug/l		6	90		90		57.6		8.2	B
Copper	ug/l	1300	800	10		40		156		2.5	B
Iron	ug/l		14000					67700		29.9	U
Lead	ug/l	15	15	10		20		665		1.4	U
Magnesium	ug/l							1130000		1010000	
Manganese	ug/l		430					3110		2230	
Nickel	ug/l		390	10	J	20		171		14.2	B
Potassium	ug/l							53100		70000	
Selenium	ug/l	50	100	1.8	U	1.8	U	31.1		22.4	
Silver	ug/l		94	0.3	U	0.3	U	3.3	B	1.7	U
Sodium	ug/l							724000		728000	
Thallium	ug/l	2	0.2	0	R	0	R	3.6	U	3.6	U
Tin	ug/l		12000	6.9	J	4.9	J				
Vanadium	ug/l		86	10		10		49.2	B	3.1	B
Zinc	ug/l		6000	100		150		7790		79.8	
Mercury	ug/l	2	0.63	0.2	UL	0.2	U	0.5		0.1	U
Pesticides											
4,4'-DDD	ug/l		0.032			0.72	L				
4,4'-DDE	ug/l		0.046			0.07	L				
4,4'-DDT	ug/l		0.23			0.16	L				
Aldrin	ug/l		0.00092			0.05	UL				
Alpha-BHC	ug/l		0.0072			0.41	L				
Beta-BHC	ug/l		0.025			0.09	R				
Chlordane	ug/l					0.51	UL				
cis-Chlordane	ug/l		3.6			0.1	UL				
Delta-BHC	ug/l					0.07	R				
Dieldrin	ug/l		0.0018			0.1	UL				
Endosulfan I	ug/l					0.05	UL				
Endosulfan II	ug/l					0.1	UL				
Endosulfan Sulfate	ug/l		110			0.1	UL				
Endrin	ug/l	2	2.3			0.1	UL				
Endrin Aldehyde	ug/l					0.1	UL				
Endrin Ketone	ug/l					0.1	UL				
Gamma-BHC (Lindane)	ug/l	0.2	0.042			0.05	L				
Heptachlor	ug/l	0.4	0.0014			0.05	UL				
Heptachlor Epoxide	ug/l		0.2	0.0014		0.05	UL				
Methoxychlor	ug/l	40	37			0.51	UL				
Toxaphene	ug/l	3	0.071			1.04	UL				
trans-Chlordane	ug/l		10			0.1	UL				
Herbicides											
2,4,5-T	ug/l		160			0.08	UJ				
2,4,5-TP (Silvex)	ug/l	50	110			0.08	UJ				
2,4-D	ug/l	70	170			0.11	R				
Volatile Organic Compounds											
1,1,1,2-Tetrachloroethane	ug/l		0.57			5	U				
1,1,1-Trichloroethane	ug/l	200	8000			5	U				
1,1,2,2-Tetrachloroethane	ug/l		0.076			5	U				
1,1,2-Trichloroethane	ug/l	5	0.28			5	U				
1,1-Dichloroethane	ug/l		2.8			5	J				
1,1-Dichloroethene	ug/l	7	280			5	J				
1,2,3-Trichloropropane	ug/l		0.00075			5	U				
1,2-Dibromo-3-Chloropropane	ug/l	0.2	0.00033			5	U				
1,2-Dibromoethane	ug/l	0.05	0.0075			5	U				
1,2-Dichloroethane	ug/l	5	0.17			5	J				

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID Sample ID Sample Date Fraction	MW-113 MW-113071403 7/14/2003 D	MW-113 MW-113071403 7/14/2003 T	SM09-GW01 SM09-GW010604031 6/4/2003 T	SM09-GW01 SM09-GW010604031 6/4/2003 D				
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.
1,2-Dichloropropane	ug/l	5	0.85			5	U				
1,4-Dioxane	ug/l		0.46			100	R				
2-Butanone	ug/l		5600			10	U				
2-Hexanone	ug/l		38			10	U				
4-Methyl-2-Pentanone	ug/l		6300			10	U				
Acetone	ug/l		18000			10	U				
Acetonitrile	ug/l		130			50	R				
Acrolein	ug/l		0.042			50	R				
Acrylonitrile	ug/l		0.052			10	U				
Allyl Chloride	ug/l		0.73			5	U				
Benzene	ug/l	5	0.46			2	J				
Bromodichloromethane	ug/l	80	0.13			5	U				
Bromoform	ug/l	80	3.3			5	U				
Bromomethane	ug/l		7.5			5	U				
Carbon Disulfide	ug/l		810			5	U				
Carbon Tetrachloride	ug/l	5	0.46			5	U				
Chlorobenzene	ug/l	100	78			4	J				
Chloroethane	ug/l		8300			5	U				
Chloroform	ug/l	80	0.22			5	U				
Chloromethane	ug/l		190			5	U				
Chloroprene	ug/l		0.019			5	U				
cis-1,2-Dichloroethene	ug/l	70	36			5	U				
cis-1,3-Dichloropropene	ug/l					5	U				
Dibromochloromethane	ug/l	80	0.87			5	U				
Dibromomethane	ug/l		8.3			5	U				
Dichlorodifluoromethane	ug/l		200			5	U				
Ethyl Cyanide	ug/l					10	U				
Ethyl Methacrylate	ug/l		630			5	U				
Ethylbenzene	ug/l	700	1.5			5	U				
Iodomethane	ug/l					25	U				
Isobutanol	ug/l		5900			5	R				
m&p-Xylenes	ug/l					10	U				
Methacrylonitrile	ug/l		1.9			5	U				
Methyl Methacrylate	ug/l		1400			5	U				
Methylene Chloride	ug/l	5	11			5	U				
o-Xylene	ug/l		190			5	U				
Styrene	ug/l	100	1200			5	U				
Tetrachloroethene	ug/l	5	11			5	U				
Toluene	ug/l	1000	1100			5	U				
trans-1,2-Dichloroethene	ug/l	100	68			5	U				
trans-1,3-Dichloropropene	ug/l					5	U				
trans-1,4-Dichloro-2-Butene	ug/l		0.0013			5	U				
Trichloroethene	ug/l	5	0.49			5	U				
Trichlorofluoromethane	ug/l		5200			5	U				
Vinyl Acetate	ug/l		410			5	U				
Vinyl Chloride	ug/l	2	0.019			5	J				
Semi-Volatile Organic Compounds											
1,2,4,5-Tetrachlorobenzene	ug/l		0.17			10	U				
1,2,4-Trichlorobenzene	ug/l	70	1.2			10	U				
1,2-Dichlorobenzene	ug/l	600	300			10	U				
1,3,5-Trinitrobenzene	ug/l		590			10	U				
1,3-Dichlorobenzene	ug/l					10	U				
1,3-Dinitrobenzene	ug/l		2			10	U				
1,4-Dichlorobenzene	ug/l	75	0.48			10	U				
1,4-Naphthoquinone	ug/l					10	U				
1-Naphthylamine	ug/l					10	U				
2,2'-Oxybis(1-Chloropropane)	ug/l		710			10	U				
2,3,4,6-Tetrachlorophenol	ug/l		240			10	U				
2,4,5-Trichlorophenol	ug/l		1200			25	U				
2,4,6-Trichlorophenol	ug/l		4.1			10	U				
2,4-Dichlorophenol	ug/l		46			10	U				
2,4-Dimethylphenol	ug/l		360			10	U				
2,4-Dinitrophenol	ug/l		39			25	UJ				
2,4-Dinitrotoluene	ug/l		0.24			10	U				

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Parameter	Units	MAY 2023 RSL		MAY 2023 RSL		MW-113		MW-113		SM09-GW01		SM09-GW01			
		MCL	TAPW	MW-113071403	Sample Date Fraction	7/14/2003	D	MW-113071403	7/14/2003	T	SM09-GW010604031	6/4/2003	T	SM09-GW010604031	6/4/2003
2,6-Dichlorophenol	ug/l							10	U						
2,6-Dinitrotoluene	ug/l		0.049					10	U						
2-Acetylaminofluorene (TIC)	ug/l		0.016					10	U						
2-Chloronaphthalene	ug/l		750					10	U						
2-Chlorophenol	ug/l		91					10	U						
2-Methylnaphthalene	ug/l		36					10	U						
2-Methylphenol	ug/l		930					10	U						
2-Naphthylamine	ug/l		0.039					10	U						
2-Nitroaniline	ug/l		190					25	U						
2-Nitrophenol	ug/l							10	U						
2-Picoline	ug/l							10	U						
3&4-Methylphenol	ug/l							10	U						
3,3'-Dichlorobenzidine	ug/l		0.13					10	U						
3,3'-Dimethylbenzidine	ug/l		0.0065					10	UJ						
3-Methylcholanthrene	ug/l		0.0011					10	U						
3-Nitroaniline	ug/l							25	U						
4,6-Dinitro-2-Methylphenol	ug/l		1.5					25	U						
4-Aminobiphenyl	ug/l		0.003					10	U						
4-Bromophenyl Phenyl Ether	ug/l							10	U						
4-Chloro-3-Methylphenol	ug/l		1400					10	U						
4-Chloroaniline	ug/l		0.37					10	U						
4-Chlorophenyl Phenyl Ether	ug/l							10	U						
4-Nitroaniline	ug/l		3.8					25	U						
4-Nitrophenol	ug/l							25	U						
5-Nitro-o-Tolidine	ug/l		8.2					10	U						
7,12-Dimethylbenz(A)Anthracene	ug/l		0.0001					10	U						
Acenaphthene	ug/l		530					10	U						
Acenaphthylene	ug/l							10	U						
Acetophenone	ug/l		1900					10	U						
Aniline	ug/l		13					10	U						
Anthracene	ug/l		1800					10	U						
Benzanamine, N,N-Dimethyl-4-(Phehylazo)-	ug/l		0.005					10	U						
Benzeneethanamine, Alpha, Alpha-Dimethyl-	ug/l							10	U						
Benzo(A)Anthracene	ug/l		0.03					10	U						
Benzo(A)Pyrene	ug/l	0.2	0.025					10	U						
Benzo(B)Fluoranthene	ug/l		0.25					10	U						
Benzo(G,H,I)Perylene	ug/l							10	U						
Benzo(K)Fluoranthene	ug/l		2.5					10	U						
Benzoic Acid	ug/l		75000					25	U						
Benzyl Alcohol	ug/l		2000					10	U						
bis-(2-Chloroethoxy)Methane	ug/l		59					10	U						
bis-(2-Chloroethyl)Ether	ug/l		0.014					10	U						
bis-(2-Ethylhexyl)Phthalate	ug/l	6	5.6					10	U						
Butylbenzyl Phthalate	ug/l		16					10	U						
Chlorobenzilate	ug/l		0.31					10	U						
Chrysene	ug/l		25					10	U						
Diallate	ug/l		0.54					10	U						
Dibeno(a,h)Anthracene	ug/l		0.025					10	U						
Dibenzofuran	ug/l		7.9					10	U						
Diethyl Phthalate	ug/l		15000					10	U						
Dimethoate	ug/l		44					10	U						
Dimethyl Phthalate	ug/l							10	U						
Di-n-Butyl Phthalate	ug/l		900					10	U						
Di-n-Octyl Phthalate	ug/l		200					10	U						
Dinoseb	ug/l	7	15					10	U						
Diphenylamine	ug/l							10	U						
Disulfoton	ug/l		0.5					10	U						
Ethane, Pentachloro-	ug/l		0.65					10	U						
Ethyl Parathion	ug/l		86					10	U						
Famphur	ug/l							10	U						
Fluoranthene	ug/l		800					10	U						
Fluorene	ug/l		290					10	U						
Hexachlorobenzene	ug/l	1	0.0098					10	U						
Hexachlorobutadiene	ug/l		0.14					10	U						

Table 2. 2003 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Parameter	Units	MAY 2023 RSL		MAY 2023 RSL		MW-113		MW-113		SM09-GW01		SM09-GW01		
		MCL	TAPW			MW-113071403	7/14/2003	D	T	SM09-GW010604031	6/4/2003	T	SM09-GW010604031	6/4/2003
Hexachlorocyclopentadiene	ug/l	50	0.41					10	U					
Hexachloroethane	ug/l		0.33					10	U					
Hexachlorophene	ug/l		6					82	R					
Hexachloropropene	ug/l							10	U					
Indeno(1,2,3-Cd)Pyrene	ug/l		0.25					10	U					
Isodrin	ug/l							10	U					
Isophorone	ug/l		78					10	U					
Isosafrole	ug/l							10	U					
Kepone	ug/l		0.0035					10	U					
Methanesulfonic Acid, Ethyl Ester	ug/l							10	U					
Methapyrilene	ug/l							10	U					
Methyl Methanesulfonate	ug/l		0.79					10	U					
Methyl Parathion	ug/l		4.5					10	U					
Naphthalene	ug/l		0.12					10	U					
Nitrobenzene	ug/l		0.14					10	U					
n-Nitrosodiethylamine	ug/l		0.00017					10	U					
n-Nitrosodimethylamine	ug/l		0.00011					10	U					
n-Nitrosodi-n-Butylamine	ug/l		0.0027					10	U					
n-Nitroso-di-n-Propylamine	ug/l		0.011					10	U					
n-Nitrosodiphenylamine	ug/l		12					10	U					
n-Nitrosomethylalkylamine	ug/l		0.00071					10	U					
n-Nitrosomorpholine	ug/l		0.012					10	U					
n-Nitrosopiperidine	ug/l		0.0082					10	U					
n-Nitrosopyrrolidine	ug/l		0.037					10	U					
O,O,O-Triethyl Phosphorothioate	ug/l							10	U					
o-Toluidine	ug/l		4.7					10	U					
Pentachlorobenzene	ug/l		3.2					10	U					
Pentachloronitrobenzene	ug/l		0.12					25	U					
Pentachlorophenol	ug/l	1	0.041					25	U					
Phenacetin	ug/l		34					10	U					
Phenanthrene	ug/l							10	U					
Phenol	ug/l		5800					10	U					
Phorate	ug/l		3					10	U					
p-Phenylenediamine	ug/l		20					10	UJ					
Pronamide	ug/l		1200					10	U					
Pyrene	ug/l		120					10	U					
Pyridine	ug/l		20					10	U					
Quinoline, 4-Nitro-1-Oxide-	ug/l							10	R					
Safrole	ug/l		0.096					10	U					
Thionazine	ug/l							10	U					
Thiopyrophosphoric Acid ((H ₂ O) ₂ P(S)] ₂ O), Tetraethyl	ug/l		7.1					10	U					
Total Aramite	ug/l		1.3					10	U					
Cyanide, Total	ug/l	200	1.5					1000						

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent
 RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

FD = Duplicate sample

Exceedances shown may exceed one or more criteria if available

T = Total

D = Dissolved

Table 3. 2004 Groundwater Analytical Results
 South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID Sample ID Sample Date Fraction	MW-113 37982-0034-04 12/21/2004 T	MW-113 37982-0034-05 12/21/2004 D
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result Lab Qual.	Result Lab Qual.
Metals					
Aluminum	ug/l		20000	10700	J
Antimony	ug/l	6	7.8	0.24	B
Arsenic	ug/l	10	0.052	1280	K
Barium	ug/l	2000	3800	11.1	L
Beryllium	ug/l	4	25	2.3	J
Cadmium	ug/l	5	1.8	0.0092	J
Calcium	ug/l			497000	J
Chromium	ug/l	100		2.5	UL
Cobalt	ug/l		6	112	J
Copper	ug/l	1300	800	6	J
Iron	ug/l		14000	452000	J
Lead	ug/l	15	15	10	UL
Magnesium	ug/l			286000	J
Manganese	ug/l		430	6110	J
Nickel	ug/l		390	23.7	J
Potassium	ug/l			44400	J
Selenium	ug/l	50	100	5.9	U
Silver	ug/l		94	2	UJ
Sodium	ug/l			409000	442000
Thallium	ug/l	2	0.2	0.12	U
Vanadium	ug/l		86	1.6	U
Zinc	ug/l		6000	88.8	J
Mercury	ug/l	2	0.63	0.061	B
Pesticides					
4,4'-DDD	ug/l		0.032	0.66	
4,4'-DDE	ug/l		0.046	0.11	J
4,4'-DDT	ug/l		0.23	0.29	
Aldrin	ug/l		0.00092	0.015	
Alpha-BHC	ug/l		0.0072	0.56	
Beta-BHC	ug/l		0.025	0.08	J
cis-Chlordane	ug/l		3.6	0.0024	U
Delta-BHC	ug/l			0.045	J
Dieldrin	ug/l		0.0018	0.0039	U
Endosulfan I	ug/l			0.0039	U
Endosulfan II	ug/l			0.018	J
Endosulfan Sulfate	ug/l		110	0.0041	U
Endrin	ug/l	2	2.3	0.031	J
Endrin Aldehyde	ug/l			0.02	U
Endrin Ketone	ug/l			0.0039	U
Gamma-BHC (Lindane)	ug/l	0.2	0.042	0.023	J
Heptachlor	ug/l	0.4	0.0014	0.002	U
Heptachlor Epoxide	ug/l	0.2	0.0014	0.0032	U
Kepone	ug/l		0.0035	1	UJ
Methoxychlor	ug/l	40	37	0.03	U
Toxaphene	ug/l	3	0.071	0.3	U
trans-Chlordane	ug/l		10	0.022	U
General Chemistry					
Alkalinity to pH 4.5	ug/l			80600	
Alkalinity to pH 8.3	ug/l			410	U
Chloride	ug/l			44400	
Nitrogen, Nitrate	ug/l	10000	32000	40	UL
Nitrogen, Nitrite	ug/l	1000	2000	160	
Sulfate	ug/l			4310000	

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL),
 Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

Exceedances shown may exceed one or more criteria if available

T = Total

D = Dissolved

Table 4. 2006 Groundwater Analytical Results
 South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID	SWMU1-HP-01		SWMU1-HP-01		SWMU1-HP-02		SWMU1-HP-02		SWMU1-HP-02		W106-HP-02		W106-HP-02		W106-HP-03		W106-HP-03			
	Sample ID	SWMU1-HP01_121406	SWMU1-HP01_121406	SWMU1-HP02_121406	SWMU1-HP02_121406	SWMU1-HP02D_121406	SWMU1-HP02D_121406	SWMU1-HP02D_121406	SWMU1-HP02D_121406	W106-HP02_121406	W106-HP02_121406	W106-HP02_121406	W106-HP02_121406	W106-HP03_121406	W106-HP03_121406	W106-HP03_121406	W106-HP03D_121406	W106-HP03D_121406					
	Sample Date	12/14/2006	T	12/14/2006	D	12/14/2006	T	12/14/2006	D	12/14/2006	T	12/14/2006	D	12/14/2006	T	12/14/2006	D						
Parameter	Units	MAY 2023 RSL	MAY 2023 RSL																				
Metals																							
Aluminum	ug/l		20000	58400		217		6820		80.2	U	5540		80.2	U	8120	K	19800		4100		14600	
Antimony	ug/l	6	7.8	31.3	K	12.2	B	9.7	U	9.7	U	9.7	U	9.7	U	48.3	U	9.7	U	9.7	U		
Arsenic	ug/l	10	0.052	7440	J	9050		4250	J	3820		4280	J	3780		81100	L	79100	L	65700	L		
Barium	ug/l	2000		3800	358	L	9.1		77	L	1.9	J	47.9	L	2.4	J	16.7	L	14.1	J	178	L	
Beryllium	ug/l	4	25	2.3	K	0.94	U	0.94	U	0.94	U	0.94	U	0.94	U	1.3	K	4.7	U	1.3	K		
Cadmium	ug/l	5	1.8	0.91	U	0.91	U	0.91	U	0.91	U	0.91	U	0.91	U	12.1	L	15.2	K	0.91	UL		
Calcium	ug/l			75400		47600		55500		48500		59700		50000		433000		413000		486000		449000	
Chromium	ug/l	100			110	K	6.9	J	229	K	2.3	U	194	K	2.3	U	3.2	K	2.3	U	19.6	K	
Cobalt	ug/l		6	67.1	K	2.1	U	6.3	K	2.1	U	4.4	K	2.1	U	714	K	725	L	68.5	K		
Copper	ug/l	1300		800	849	K	2.2	U	106	K	2.2	U	59	K	2.2	U	19.8	K	8.7	K	5.6	K	
Iron	ug/l		14000	61700		171	B	28900		3080		20500		3130		1320000		1340000		769000		757000	
Lead	ug/l	15	15	808	J	6.9	U	59.6	J	6.9	U	37.9	J	6.9	U	12.1	K	34.3	U	337	K	6.9	U
Magnesium	ug/l			16900		10400		10800		9700		11300		9720		223000		217000		344000		334000	
Manganese	ug/l		430	1240	K	239		399	K	249		397	K	251		6400	K	6700	K	2020	K	1810	K
Nickel	ug/l		390	58	K	7.8	J	74.5	K	15.7		64.7	K	16.3		114	K	117		33.3	K	24.8	K
Potassium	ug/l			43800	J	41500	J	21300	J	18800	J	22100	J	18200	J	14600	J	14100	J	39000	J	37000	J
Selenium	ug/l	50	100	9.4	U	9.4	UL	9.4	U	9.4	UL	9.4	U	9.4	UL	9.4	U	46.9	UL	25.1	K	27.7	L
Silver	ug/l		94	2.7	J	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	8	U	1.6	U	1.6	U
Sodium	ug/l			288000		298000		1610000		1600000		1510000		1570000		284000	K	267000	K	207000	K	205000	K
Thallium	ug/l	2	0.2	13.5	U	13.5	U	13.5	U	13.5	U	13.5	U	13.5	U	67.5	U	13.5	U	13.5	U	13.5	U
Vanadium	ug/l		86	138	K	24.1		29	K	3.2	J	29.8	K	4.6	J	15	UL	39.6	L	23.1	K	1.5	U
Zinc	ug/l		6000	483	K	8.1	U	306	K	8.1	U	238	K	8.1	U	4330	K	4280	K	1090	K	428	K
Mercury	ug/l	2	0.63	5.9		0.28	U	0.15	J	0.056	U	0.19	J	0.056	U	0.28	U	0.28	U	0.28	U	1.4	
Pesticides																							
4,4'-DDD	ug/l		0.032													0.019	U			0.99	J		0.48
4,4'-DDE	ug/l		0.046													0.024	U			0.2		0.1	
4,4'-DDT	ug/l		0.23													0.029	U			0.91		0.48	
Aldrin	ug/l		0.00092													0.019	U			0.019	U	0.0038	
Alpha-BHC	ug/l		0.0072													0.052				0.08		0.042	
Beta-BHC	ug/l		0.025													0.038	U			0.038	U	0.022	
cis-Chlordane	ug/l		3.6													0.014	U			0.014	U	0.0029	
Delta-BHC	ug/l															0.038	U			0.038	U	0.03	
Dieldrin	ug/l		0.0018													0.019	U			0.024	J	0.037	
Endosulfan I	ug/l															0.014	U			0.014	U	0.0029	
Endosulfan II	ug/l															0.019	U			0.019	U	0.003	

Table 4. 2006 Groundwater Analytical Results
 South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID			SWMU1-HP-01	SWMU1-HP-01		SWMU1-HP-02	SWMU1-HP-02		SWMU1-HP-02	SWMU1-HP-02		W106-HP-02	W106-HP-02		W106-HP-03	W106-HP-03		W106-HP-03		
Sample ID	SWMU1-HP01_121406	12/14/2006	T	SWMU1-HP01_121406	12/14/2006	D	SWMU1-HP02_121406	12/14/2006	D	SWMU1-HP02D_121406	12/14/2006	T	W106-HP02_121406	12/14/2006	D	W106-HP03_121406	12/14/2006	D	W106-HP03D_121406	12/14/2006
Sample Date Fraction																				
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	
Acetone	ug/l		18000									6	U			6	U		6	U
Acetonitrile	ug/l		130									25	U			25	U		25	U
Benzene	ug/l	5	0.46									0.5	U			0.5	U		0.5	U
Bromodichloromethane	ug/l	80	0.13									1	U			1	U		1	U
Bromoform	ug/l	80	3.3									1	U			1	U		1	U
Bromomethane	ug/l		7.5									1	U			1	U		1	U
Carbon Disulfide	ug/l		810									1	U			1	U		1	U
Carbon Tetrachloride	ug/l	5	0.46									1	U			1	U		1	U
Chlorobenzene	ug/l	100	78									0.8	U			0.8	U		0.8	U
Chloroethane	ug/l		8300									1	U			1	U		1	U
Chloroform	ug/l	80	0.22									0.8	U			0.8	U		0.8	U
Chloromethane	ug/l		190									1	U			1	U		1	U
cis-1,2-Dichloroethene	ug/l	70	36									0.8	U			0.8	U		0.8	U
cis-1,3-Dichloropropene	ug/l											1	U			1	U		1	U
Cyclohexane	ug/l		13000									2	U			2	U		2	U
Dibromochloromethane	ug/l	80	0.87									1	U			1	U		1	U
Dichlorodifluoromethane	ug/l		200									2	U			2	U		2	U
Ethylbenzene	ug/l	700	1.5									0.8	U			0.8	U		0.8	U
Isopropylbenzene	ug/l		450									1	U			1	U		1	U
Methyl Acetate	ug/l		20000									1	U			1	U		1	U
Methyl Tert-Butyl Ether	ug/l		14									0.5	U			0.5	U		0.5	U
Methylcyclohexane	ug/l											1	U			1	U		1	U
Methylene Chloride	ug/l	5	11									2	U			2	U		2	U
o-Xylene	ug/l		190																	
Styrene	ug/l	100	1200									1	U			1	U		1	U
Tetrachloroethene	ug/l	5	11									0.8	U			0.8	U		0.8	U
Toluene	ug/l	1000	1100									0.7	U			0.7	U		0.7	U
Total Xylenes	ug/l	10000	190									0.8	U			0.8	U		0.8	U
trans-1,2-Dichloroethene	ug/l	100	68									0.8	U			0.8	U		0.8	U
trans-1,3-Dichloropropene	ug/l											1	U			1	U		1	U
Trichloroethene	ug/l	5	0.49									1	U			1	U		1	U
Trichlorofluoromethane	ug/l		5200									2	U			2	U		2	U
Vinyl Chloride	ug/l	2	0.019									1	U			1	U		1	U
Semi-Volatile Organic Compounds																				
1,1'-Biphenyl	ug/l		0.83									1	U			0.9	U		0.9	U
2,2'-Oxybis(1-Chloropropane)	ug/l		710									1	U			0.9	U		0.9	U
2,4,5-Trichlorophenol	ug/l		1200									1	U			0.9	U		0.9	U
2,4,6-Trichlorophenol	ug/l		4.1									1	U			0.9	U		0.9	U
2,4-Dichlorophenol	ug/l		46									1	U			0.9	U		0.9	U
2,4-Dimethylphenol	ug/l		360									3	U			3	U		3	U
2,4-Dinitrophenol	ug/l		39									19	U			19	U		19	U
2,4-Dinitrotoluene	ug/l		0.24									1	U			0.9	U		0.9	U
2,6-Dinitrotoluene	ug/l		0.049									1	U			0.9	U		0.9	U
2-Chloronaphthalene	ug/l		750									2	U			2	U		2	U
2-Chlorophenol	ug/l		91									1	U			0.9	U		0.9	U
2-Methylnaphthalene	ug/l		36									1	U			0.9	U		0.9	U
2-Methylphenol	ug/l		930									1	U			0.9	U		0.9	U
2-Nitroaniline	ug/l		190									1	U			0.9	U		0.9	U
2-Nitrophenol	ug/l											1	U			0.9	U		0.9	U
3,3'-Dichlorobenzidine	ug/l		0.13									2	U			2	U		2	U
3-Nitroaniline	ug/l											1	U			0.9	U		0.9	U
4,6-Dinitro-2-Methylphenol																				

Table 4. 2006 Groundwater Analytical Results
 South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID			SWMU1-HP-01	SWMU1-HP-01	SWMU1-HP-02	SWMU1-HP-02	SWMU1-HP-02	SWMU1-HP-02	W106-HP-02	W106-HP-02	W106-HP-03	W106-HP-03	W106-HP-03						
Parameter	Units	MAY 2023 RSL	MAY 2023 RSL	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.
		MCL	TAPW																
Benzaldehyde	ug/l		19							1	U			0.9	U			0.9	U
Benzo(A)Anthracene	ug/l		0.03							1	U			0.9	U			0.9	U
Benzo(A)Pyrene	ug/l	0.2	0.025							1	U			0.9	U			0.9	U
Benzo(B)Fluoranthene	ug/l		0.25							1	U			0.9	U			0.9	U
Benzo(G,H,I)perylene	ug/l									1	U			0.9	U			0.9	U
Benzo(K)Fluoranthene	ug/l		2.5							1	U			0.9	U			0.9	U
bis-(2-Chloroethoxy)Methane	ug/l		59							1	U			0.9	U			0.9	U
bis-(2-Chloroethyl)Ether	ug/l		0.014							1	U			0.9	U			0.9	U
bis-(2-Ethylhexyl)Phthalate	ug/l	6	5.6							2	U			2	U			2	U
Butylbenzyl Phthalate	ug/l		16							2	U			2	U			2	U
Caprolactam	ug/l		9900							5	U			5	U			5	U
Carbazole	ug/l									1	U			0.9	U			0.9	U
Chrysene	ug/l		25							1	U			1	J			1	J
Dibenzo(a,h)Anthracene	ug/l		0.025							1	U			0.9	U			0.9	U
Dibenzofuran	ug/l		7.9							1	U			0.9	U			0.9	U
Diethyl Phthalate	ug/l		15000							2	U			2	U			2	U
Dimethyl Phthalate	ug/l									2	U			2	U			2	U
Di-n-Butyl Phthalate	ug/l		900							2	U			2	U			2	U
Di-n-Octyl Phthalate	ug/l		200							2	U			2	U			2	U
Fluoranthene	ug/l		800							1	U			1	J			1	J
Fluorene	ug/l		290							1	U			0.9	U			0.9	U
Hexachlorobenzene	ug/l	1	0.0098							1	U			0.9	U			0.9	U
Hexachlorobutadiene	ug/l		0.14							1	U			0.9	U			0.9	U
Hexachlorocyclopentadiene	ug/l		50	0.41						5	U			5	U			5	U
Hexachloroethane	ug/l		0.33							1	U			0.9	U			0.9	U
Indeno(1,2,3-Cd)Pyrene	ug/l		0.25							1	U			0.9	U			0.9	U
Isophorone	ug/l		78							1	U			0.9	U			0.9	U
Naphthalene	ug/l		0.12							1	U			0.9	U			0.9	U
Nitrobenzene	ug/l		0.14							1	U			0.9	U			0.9	U
n-Nitroso-di-n-Propylamine	ug/l		0.011							1	U			0.9	U			0.9	U
n-Nitrosodiphenylamine	ug/l		12							2	U			2	U			2	U
Pentachlorophenol	ug/l	1	0.041							3	U			3	U			3	U
Phenanthrene	ug/l									1	U			1	J			1	J
Phenol	ug/l		5800							1	U			0.9	U			0.9	U
Pyrene	ug/l		120							1	U			1	J			1	J
Pyridine	ug/l		20							2	U			2	U			2	U

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL),
 Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent
 RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

Exceedances shown may exceed one or more criteria if available

T = Total

D = Dissolved

Table 4. 2006 Groundwater Analytical Results
 South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

		Location ID W106-HP-03	Sample ID W106-HP03D_121406	Sample Date 12/14/2006	Fraction D
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual.
Metals					
Aluminum	ug/l		20000	4120	
Antimony	ug/l	6	7.8	9.7	U
Arsenic	ug/l	10	0.052	66400	L
Barium	ug/l	2000	3800	5.7	
Beryllium	ug/l	4	25	0.94	U
Cadmium	ug/l	5	1.8	12.5	K
Calcium	ug/l			440000	
Chromium	ug/l	100		2.3	U
Cobalt	ug/l		6	45.2	
Copper	ug/l	1300	800	5.3	K
Iron	ug/l		14000	747000	
Lead	ug/l	15	15	6.9	U
Magnesium	ug/l			331000	
Manganese	ug/l		430	1670	K
Nickel	ug/l		390	17.4	K
Potassium	ug/l			36400	J
Selenium	ug/l	50	100	31.1	L
Silver	ug/l		94	1.6	U
Sodium	ug/l			197000	K
Thallium	ug/l	2	0.2	13.5	U
Vanadium	ug/l		86	1.5	U
Zinc	ug/l		6000	128	K
Mercury	ug/l	2	0.63	0.28	U
Pesticides					
4,4'-DDD	ug/l		0.032		
4,4'-DDE	ug/l		0.046		
4,4'-DDT	ug/l		0.23		
Aldrin	ug/l		0.00092		
Alpha-BHC	ug/l		0.0072		
Beta-BHC	ug/l		0.025		
cis-Chlordane	ug/l		3.6		
Delta-BHC	ug/l				
Dieldrin	ug/l		0.0018		
Endosulfan I	ug/l				
Endosulfan II	ug/l				
Endosulfan Sulfate	ug/l		110		
Endrin	ug/l	2	2.3		
Endrin Aldehyde	ug/l				
Endrin Ketone	ug/l				
Gamma-BHC (Lindane)	ug/l	0.2	0.042		
Heptachlor	ug/l	0.4	0.0014		
Heptachlor Epoxide	ug/l	0.2	0.0014		
Methoxychlor	ug/l	40	37		
Toxaphene	ug/l	3	0.071		
trans-Chlordane	ug/l		10		
Volatile Organic Compounds					
1,1,1-Trichloroethane	ug/l	200	8000		
1,1,2,2-Tetrachloroethane	ug/l		0.076		
1,1,2-Trichloro-1,2,2-Trifluoroethane	ug/l		10000		
1,1,2-Trichloroethane	ug/l	5	0.28		
1,1-Dichloroethane	ug/l		2.8		
1,1-Dichloroethene	ug/l	7	280		
1,2,4-Trichlorobenzene	ug/l	70	1.2		
1,2-Dibromo-3-Chloropropane	ug/l	0.2	0.00033		
1,2-Dibromoethane	ug/l	0.05	0.0075		
1,2-Dichlorobenzene	ug/l	600	300		
1,2-Dichloroethane	ug/l	5	0.17		
1,2-Dichloropropane	ug/l	5	0.85		
1,3-Dichlorobenzene	ug/l				
1,4-Dichlorobenzene	ug/l	75	0.48		
2-Butanone	ug/l		5600		
2-Hexanone	ug/l		38		
4-Methyl-2-Pentanone	ug/l		6300		

Table 4. 2006 Groundwater Analytical Results
 South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

		Location ID W106-HP-03	Sample ID W106-HP03D_121406	Sample Date 12/14/2006	Fraction D	
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual.	
Acetone	ug/l		18000			
Acetonitrile	ug/l		130			
Benzene	ug/l	5	0.46			
Bromodichloromethane	ug/l	80	0.13			
Bromoform	ug/l	80	3.3			
Bromomethane	ug/l		7.5			
Carbon Disulfide	ug/l		810			
Carbon Tetrachloride	ug/l	5	0.46			
Chlorobenzene	ug/l	100	78			
Chloroethane	ug/l		8300			
Chloroform	ug/l	80	0.22			
Chloromethane	ug/l		190			
cis-1,2-Dichloroethene	ug/l	70	36			
cis-1,3-Dichloropropene	ug/l					
Cyclohexane	ug/l		13000			
Dibromochloromethane	ug/l	80	0.87			
Dichlorodifluoromethane	ug/l		200			
Ethylbenzene	ug/l	700	1.5			
Isopropylbenzene	ug/l		450			
Methyl Acetate	ug/l		20000			
Methyl Tert-Butyl Ether	ug/l		14			
Methylcyclohexane	ug/l					
Methylene Chloride	ug/l	5	11			
o-Xylene	ug/l		190			
Styrene	ug/l	100	1200			
Tetrachloroethene	ug/l	5	11			
Toluene	ug/l	1000	1100			
Total Xylenes	ug/l	10000	190			
trans-1,2-Dichloroethene	ug/l	100	68			
trans-1,3-Dichloropropene	ug/l					
Trichloroethene	ug/l	5	0.49			
Trichlorofluoromethane	ug/l		5200			
Vinyl Chloride	ug/l	2	0.019			
Semi-Volatile Organic Compounds						
1,1'-Biphenyl	ug/l		0.83			
2,2'-Oxybis(1-Chloropropane)	ug/l		710			
2,4,5-Trichlorophenol	ug/l		1200			
2,4,6-Trichlorophenol	ug/l		4.1			
2,4-Dichlorophenol	ug/l		46			
2,4-Dimethylphenol	ug/l		360			
2,4-Dinitrophenol	ug/l		39			
2,4-Dinitrotoluene	ug/l		0.24			
2,6-Dinitrotoluene	ug/l		0.049			
2-Chloronaphthalene	ug/l		750			
2-Chlorophenol	ug/l		91			
2-Methylnaphthalene	ug/l		36			
2-Methylphenol	ug/l		930			
2-Nitroaniline	ug/l		190			
2-Nitrophenol	ug/l					
3,3'-Dichlorobenzidine	ug/l		0.13			
3-Nitroaniline	ug/l					
4,6-Dinitro-2-Methylphenol	ug/l		1.5			
4-Bromophenyl Phenyl Ether	ug/l					
4-Chloro-3-Methylphenol	ug/l		1400			
4-Chloroaniline	ug/l		0.37			
4-Chlorophenyl Phenyl Ether	ug/l					
4-Methylphenol	ug/l		370			
4-Nitroaniline	ug/l		3.8			
4-Nitrophenol	ug/l					
Acenaphthene	ug/l		530			
Acenaphthylene	ug/l					
Acetophenone	ug/l		1900			
Anthracene	ug/l		1800			
Atrazine	ug/l	3	0.3			

Table 4. 2006 Groundwater Analytical Results
 South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

		Location ID W106-HP-03	Sample ID W106-HP03D_121406	Sample Date 12/14/2006	Fraction D		
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual.		
Benzaldehyde	ug/l		19				
Benzo(A)Anthracene	ug/l		0.03				
Benzo(A)Pyrene	ug/l	0.2	0.025				
Benzo(B)Fluoranthene	ug/l		0.25				
Benzo(G,H,I)perylene	ug/l						
Benzo(K)Fluoranthene	ug/l		2.5				
bis-(2-Chloroethoxy)Methane	ug/l		59				
bis-(2-Chloroethyl)Ether	ug/l		0.014				
bis-(2-Ethylhexyl)Phthalate	ug/l	6	5.6				
Butylbenzyl Phthalate	ug/l		16				
Caprolactam	ug/l		9900				
Carbazole	ug/l						
Chrysene	ug/l		25				
Dibenzo(a,h)Anthracene	ug/l		0.025				
Dibenzofuran	ug/l		7.9				
Diethyl Phthalate	ug/l		15000				
Dimethyl Phthalate	ug/l						
Di-n-Butyl Phthalate	ug/l		900				
Di-n-Octyl Phthalate	ug/l		200				
Fluoranthene	ug/l		800				
Fluorene	ug/l		290				
Hexachlorobenzene	ug/l	1	0.0098				
Hexachlorobutadiene	ug/l		0.14				
Hexachlorocyclopentadiene	ug/l	50	0.41				
Hexachloroethane	ug/l		0.33				
Indeno(1,2,3-Cd)Pyrene	ug/l		0.25				
Isophorone	ug/l		78				
Naphthalene	ug/l		0.12				
Nitrobenzene	ug/l		0.14				
n-Nitroso-di-n-Propylamine	ug/l		0.011				
n-Nitrosodiphenylamine	ug/l		12				
Pentachlorophenol	ug/l	1	0.041				
Phenanthrene	ug/l						
Phenol	ug/l		5800				
Pyrene	ug/l		120				
Pyridine	ug/l		20				

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL)
 Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent
 RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

Exceedances shown may exceed one or more criteria if available

T = Total

D = Dissolved

Table 5. 2010 Groundwater Analytical Results
 South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID	B-2	B-2	B-2	MW-108	MW-108	MW-108	MW-109	MW-109	MW-109	MW-109	MW-110			
	Sample ID	Sample Date	B-2 7/6/10	B-2 7/6/10	B-2 7/6/10	MW-108 7/6/10	MW-108 7/6/10	MW-108 7/6/10	MW-109 7/6/10	MW-109 7/6/10	MW-109 7/6/10	MW-109 7/6/10	MW-110 7/6/10				
		Fraction	7/6/2010	T	D	7/6/2010	T	D	7/6/2010	T	D	7/6/2010	T				
Parameter	Units	MAY 2023 RSL	MAY 2023 RSL	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result	Lab Qual	Result			
Metals																	
Arsenic	ug/l	10	0.052			8260	J	8300		28600	J	30200		3820	J	4130	
Iron	ug/l		14000	140000				132000		170000		147000		24000		21200	
Lead	ug/l	15	15			0.38	J	112			12.5	255		5	U	2.1	
Pesticides																	
4,4'-DDD	ug/l		0.032					0.0062	U			0.0025	U			0.0062	R
4,4'-DDE	ug/l		0.046					0.0062	U			0.0025	U			0.0062	R
4,4'-DDT	ug/l		0.23					0.0062	U			0.0025	U			0.0062	R
Aldrin	ug/l		0.00092					0.0062	U			0.0025	U			0.0062	R
Alpha-BHC	ug/l		0.0072					0.031	J			0.025	J			0.01	L
Beta-BHC	ug/l		0.025					0.0062	J			0.0094				0.0062	R
cis-Chlordane	ug/l		3.6					0.0062	U			0.0025	U			0.0062	R
Delta-BHC	ug/l							0.0091	J			0.0055	J			0.0026	JL
Dieldrin	ug/l		0.0018					0.0062	U			0.0025	U			0.0062	R
Endosulfan I	ug/l							0.0062	U			0.0025	U			0.0062	R
Endosulfan II	ug/l							0.0062	U			0.0025	U			0.0062	R
Endosulfan Sulfate	ug/l		110					0.0062	U			0.0025	U			0.0062	R
Endrin	ug/l	2	2.3					0.0062	UJ			0.0025	UJ			0.0062	R
Endrin Aldehyde	ug/l							0.0062	U			0.0025	U			0.0062	R
Endrin Ketone	ug/l							0.0062	U			0.0025	U			0.0062	R
Gamma-BHC (Lindane)	ug/l	0.2	0.042					0.01	J			0.047				0.0062	R
Heptachlor	ug/l	0.4	0.0014					0.0062	U			0.0027	J			0.0062	R
Heptachlor Epoxide	ug/l	0.2	0.0014					0.0062	U			0.0025	U			0.0062	R
Methoxychlor	ug/l	40	37					0.012	U			0.0031	J			0.012	R
Toxaphene	ug/l	3	0.071					0.48	U			0.19	U			0.48	R
trans-Chlordane	ug/l		10					0.018				0.021				0.0062	R
General Chemistry																	
Chloride	ug/l						60200					34400				65300	
Ferric Iron (III)	ug/l			100	UJ					100	UJ			1000	J		100
Ferrous Iron (II)	ug/l			150000	J				170000	J			23000	J		19000	J
Nitrogen, Nitrate (As N)	ug/l						250	U				93	J			250	U
Nitrogen, Nitrite	ug/l						250	U				250	U			220	
Orthophosphate	ug/l			94000					32000				15000			1200	
Sulfate	ug/l						1600000	L				1480000	L			954000	L
Sulfide	ug/l			1000	U			2800				1000	U			1000	U
Sulfite	ug/l			5000	UJ			5000	UJ			5000	UJ			5000	UJ
Total Dissolved Solids	ug/l						2740000					2330000				2080000	
Total Organic Carbon	ug/l						7000					7900				5600	

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL),
 Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

DUP = Duplicate sample

Exceedances shown may exceed one or more criteria if available

T = Total

D = Dissolved

Table 5. 2010 Groundwater Analytical Results
 South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID Sample ID Sample Date Fraction	MW-110 MW-110 7/6/10 7/6/2010 D		MW-110 MW-110 7/6/10 7/6/2010 T		MW-110 MW-110 7/6/10 DUP 7/6/2010 T		MW-110 MW-110 7/6/10 DUP 7/6/2010 D		MW-110 MW-110 7/6/10 DUP 7/6/2010 T	
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.
Metals													
Arsenic	ug/l	10	0.052	1540	J	2350				1400	J	2180	
Iron	ug/l		14000			18200		18000				16400	
Lead	ug/l	15	15	4.8	J	104				5	U	69.1	
Pesticides													
4,4'-DDD	ug/l		0.032			0.0012	U					0.0025	U
4,4'-DDE	ug/l		0.046			0.0012	U					0.0025	U
4,4'-DDT	ug/l		0.23			0.0012	U					0.0025	U
Aldrin	ug/l		0.00092			0.0018	J					0.0025	UJ
Alpha-BHC	ug/l		0.0072			0.035	J					0.014	J
Beta-BHC	ug/l		0.025			0.0015	J					0.0043	J
cis-Chlordane	ug/l		3.6			0.0012	U					0.0025	U
Delta-BHC	ug/l					0.0082	J					0.0022	J
Dieldrin	ug/l		0.0018			0.0012	U					0.0025	U
Endosulfan I	ug/l					0.0012	U					0.0025	U
Endosulfan II	ug/l					0.0012	U					0.0025	U
Endosulfan Sulfate	ug/l		110			0.0012	U					0.0025	U
Endrin	ug/l	2	2.3			0.0012	UJ					0.0025	UJ
Endrin Aldehyde	ug/l					0.0012	U					0.0025	U
Endrin Ketone	ug/l					0.0012	U					0.0025	U
Gamma-BHC (Lindane)	ug/l	0.2	0.042			0.0045	J					0.0027	J
Heptachlor	ug/l	0.4	0.0014			0.0012	U					0.0025	U
Heptachlor Epoxide	ug/l	0.2	0.0014			0.0041						0.0025	U
Methoxychlor	ug/l	40	37			0.0024	U					0.0048	U
Toxaphene	ug/l	3	0.071			0.095	U					0.19	U
trans-Chlordane	ug/l		10			0.01	J					0.063	J
General Chemistry													
Chloride	ug/l					104000						104000	
Ferric Iron (III)	ug/l							100	UJ				
Ferrous Iron (II)	ug/l							19000	J				
Nitrogen, Nitrate (As N)	ug/l					250	U					100	J
Nitrogen, Nitrite	ug/l					250	U					250	U
Orthophosphate	ug/l							1300					
Sulfate	ug/l					1510000	L					1430000	L
Sulfide	ug/l							1000	U				
Sulfite	ug/l							5000	UJ				
Total Dissolved Solids	ug/l					2640000						2620000	
Total Organic Carbon	ug/l					2400						2500	

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL),
 Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent
 RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

DUP = Duplicate sample

Exceedances shown may exceed one or more criteria if available

T = Total

D = Dissolved

Table 6. 2015 Groundwater Analytical Results

SWMU 9
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID	MW-14	MW-15	MW-16	MW-17	MW-17	MW-18	MW-19	SM9-MW01	
			Sample ID	MW-14_092915	MW-15_092915	MW-16_092915	DUP18_100515	MW-17_100515	MW-18_100515	MW-19_092915	SM9-MW01_100515	
			Sample Date	9/29/2015	9/29/2015	9/29/2015	10/5/2015	10/5/2015	10/5/2015	9/29/2015	10/5/2015	
			Sample Type	REG	REG	REG	FD	REG	REG	REG	REG	
			Lab Sample ID	8068279	8068283	8068280	8076575	8076579	8076581	8068282	8076577	
Parameter	Units	MAY 2023 RSL	MAY 2023 RSL	TAPW	CONC	Q	CONC	Q	CONC	Q	CONC	Q
Volatile Organic Compounds												
1,1,1-Trichloroethane	ug/l	200	8000	0.5	U	0.5	U	0.5	U	0.5	U	0.5
1,1,2-Trichloro-1,2,2-Trifluoroethane	ug/l		10000	0.5	U	0.5	U	0.5	U	0.5	U	0.5
1,1-Dichloroethane	ug/l		2.8	0.5	U	0.1	J	0.5	U	0.5	U	0.5
1,1-Dichloroethene	ug/l	7	280	0.5	U	0.2	J	0.5	U	0.5	U	0.5
1,2,3-Trichlorobenzene	ug/l		7	0.5	U	0.1	J	0.5	U	0.5	U	0.5
1,2,4-Trichlorobenzene	ug/l	70	1.2	0.5	U	0.6		0.5	U	0.5	U	0.5
1,2-Dichlorobenzene	ug/l	600	300	0.5	U	3.9		0.5	U	0.5	U	0.5
1,2-Dichloroethane	ug/l	5	0.17	0.5	U	0.5	U	0.2	J	0.1	J	0.5
1,2-Dichloropropane	ug/l	5	0.85	0.5	U	3.2		0.5	U	0.5	U	0.5
1,3-Dichlorobenzene	ug/l			0.5	U	0.3	J	0.5	U	0.5	U	0.5
1,4-Dichlorobenzene	ug/l	75	0.48	0.5	U	4.3		0.5	U	0.5	U	0.1
2-Butanone	ug/l		5600	5	U	5	U	5	U	5	UJ	5
Acetone	ug/l		18000	5	U	5	U	5	U	5	U	44
Benzene	ug/l	5	0.46	0.6		5.9		0.5	U	0.5	U	2.5
Bromoform	ug/l		83	0.5	U	0.5	U	0.5	U	0.5	U	0.5
Carbon Disulfide	ug/l		810	1	U	1	U	1	U	1	U	1
Chlorobenzene	ug/l	100	78	0.5	U	81		0.5	U	0.5	J	0.9
Chloroform	ug/l	80	0.22	0.4	J	0.7		0.5	U	0.2	J	0.4
Chloromethane	ug/l		190	0.5	U	0.5	U	0.5	U	0.5	U	0.5
cis-1,2-Dichloroethene	ug/l	70	25	0.5	U	9.2		0.5	U	0.5	U	0.5
Cyclohexane	ug/l		13000	0.5	U	0.3	J	0.5	U	0.5	U	0.1
Ethylbenzene	ug/l	700	1.5	0.5	U	0.8	U	0.5	U	0.5	U	0.5
Isopropylbenzene	ug/l		450	0.5	U	0.3	J	0.5	U	0.5	U	0.5
m&p-Xylenes	ug/l	10000	190	0.5	U	0.5	U	0.5	U	0.5	U	0.5
Methyl Tert-Butyl Ether	ug/l		14	0.5	U	0.5	U	0.5	U	0.5	U	0.5
Methylcyclohexane	ug/l			0.5	U	0.1	J	0.5	U	0.5	U	0.5
Methylene Chloride	ug/l	5	11	0.5	U	0.5	U	0.5	U	0.5	U	0.5
o-Xylene	ug/l		190	0.5	U	0.5	U	0.5	U	0.5	U	0.5
Styrene	ug/l	100	1200	0.5	U	0.5	U	0.5	U	0.5	U	0.5
Tetrachloroethene	ug/l	5	11	0.5	U	0.5	U	0.5	U	0.5	U	5.4
Toluene	ug/l	1000	1100	0.5	U	1.6		0.5	U	0.5	U	0.5
Total Xylenes	ug/l	10000	190	0.5	U	0.5	U	0.5	U	0.5	U	0.5
trans-1,2-Dichloroethene	ug/l	100	68	0.5	U	0.6		0.5	U	0.5	U	0.5
Trichloroethene	ug/l	5	0.49	0.5	U	16		0.5	U	0.5	U	3.7
Trichlorofluoromethane	ug/l		5200	0.5	U	0.5	U	0.5	U	0.5	U	0.5
Vinyl Chloride	ug/l	2	0.019	0.5	U	0.5	U	0.5	U	0.5	U	0.5
Semi-Volatile Organic Compounds												
2,4,5-Trichlorophenol	ug/l		1200	1	U	1	U	1	U	1	U	13
2,4-Dichlorophenol	ug/l		46	1	U	1	U	1	U	1	U	1
2-Methylnaphthalene	ug/l		36	0.5	U	0.5	U	0.5	U	0.5	U	0.5
2-Methylphenol	ug/l		930	1	U	1	U	1	U	1	U	1
Acenaphthene	ug/l		530	0.2	J	4		0.5	U	0.5	U	0.5

Table 6. 2015 Groundwater Analytical Results

SWMU 9
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID	MW-14	MW-15	MW-16	MW-17	MW-17	MW-18	MW-19	SM9-MW01	
			Sample ID	MW-14_092915	MW-15_092915	MW-16_092915	DUP18_100515	MW-17_100515	MW-18_100515	MW-19_092915	SM9-MW01_100515	
			Sample Date	9/29/2015	9/29/2015	9/29/2015	10/5/2015	10/5/2015	10/5/2015	9/29/2015	10/5/2015	
			Sample Type	REG	REG	REG	FD	REG	REG	REG	REG	
			Lab Sample ID	8068279	8068283	8068280	8076575	8076579	8076581	8068282	8076577	
Parameter	Units	MAY 2023 RSL	MAY 2023 RSL	TAPW	CONC	Q	CONC	Q	CONC	Q	CONC	Q
Acenaphthylene	ug/l				0.5	U	0.1	J	0.5	U	0.5	U
Anthracene	ug/l		1800	0.5	U	0.5	U	0.5	U	0.5	U	0.2
Benz(a)Anthracene	ug/l		0.03	0.5	U	0.5	U	0.5	U	0.5	U	0.5
Benz(a)Pyrene	ug/l	0.2	0.025	0.5	U	0.5	U	0.5	U	0.5	U	0.5
Benz(b)Fluoranthene	ug/l		0.25	0.5	U	0.5	U	0.5	U	0.5	U	0.5
Benz(G,H,I)Perylene	ug/l			0.5	U	0.5	U	0.5	U	0.5	U	0.5
bis-(2-Ethylhexyl)Phthalate	ug/l	6	5.6	5	U	5	U	5	U	5	U	5
Carbazole	ug/l			1	U	1	U	1	U	1	U	1
Chrysene	ug/l		25	0.5	U	0.5	U	0.5	U	0.5	U	0.5
Dibenzofuran	ug/l		7.9	1	U	1	U	1	U	1	U	0.9
Fluoranthene	ug/l		800	0.5	U	1		0.5	U	0.5	U	0.4
Fluorene	ug/l		290	0.5	U	1		0.5	U	0.5	U	0.3
Naphthalene	ug/l		0.12	0.5	U	0.5	U	0.5	U	0.5	U	0.5
n-Nitrosodiphenylamine	ug/l		12	1	U	59		1	U	1	U	1
Phenanthrene	ug/l			0.5	U	0.5	U	0.5	U	0.5	U	0.5
Phenol	ug/l		5800	1	U	1	U	1	U	1	U	1
Pyrene	ug/l		120	0.5	U	0.6		0.5	U	0.5	U	0.3
Pesticides												
4,4'-DDD	ug/l		0.032	0.025	UJ	1.3		0.011	U	0.32	J	0.3
4,4'-DDE	ug/l		0.046	0.011	UJ	0.26	J	0.011	U	0.037	UJ	0.03
4,4'-DDT	ug/l		0.23	0.011	UJ	0.011	UJ	0.029	U	0.28	J	0.31
Aldrin	ug/l		0.00092	0.011	UJ	0.011	UJ	0.011	UJ	0.011	U	0.015
Alpha-BHC	ug/l		0.0072	61		5.5		0.069	U	0.39	J	0.46
Beta-BHC	ug/l		0.025	6.8		2.6		0.023	U	0.56	J	0.64
Delta-BHC	ug/l			6.3		9		0.039		0.044	J	0.048
Endosulfan I	ug/l		100	0.011	UJ	0.011	UJ	0.011	U	0.011	UJ	0.011
Endosulfan II	ug/l		100	0.011	UJ	0.011	UJ	0.011	U	0.011	UJ	0.011
Endosulfan Sulfate	ug/l		110	0.011	UJ	0.011	UJ	0.011	U	0.011	UJ	0.011
Endrin	ug/l	2	2.3	0.011	UJ	0.011	UJ	0.011	U	0.011	UJ	0.011
Gamma-BHC (Lindane)	ug/l	0.2	0.042	11		0.96	J	0.025		0.032	J	0.034
Heptachlor	ug/l	0.4	0.0014	0.011	UJ	0.011	UJ	0.011	U	0.011	UJ	0.011
Heptachlor Epoxide	ug/l	0.2	0.0014	0.011	UJ	0.011	UJ	0.011	U	0.011	UJ	0.011
Methoxychlor	ug/l	40	37	0.021	UJ	0.021	UJ	0.021	U	0.021	UJ	0.021
Dissolved Metals												
Aluminum	ug/l		20000	19800		1930		275	U	3620		3320
Antimony	ug/l	6	7.8	200	U	100	U	20	U	12.4	J	8.6
Arsenic	ug/l	10	0.052	13500		278	U	20	U	20	U	78.3
Barium	ug/l	2000	3800	7.6	U	25.6	U	24.3	U	12.4		10.9
Beryllium	ug/l	4	25	25	U	5	U	5	U	5	U	5
Cadmium	ug/l	5	1.8	50	U	25	U	0.49	J	7.4		6.4
Calcium	ug/l			426000		459000		226000		490000		536000
Chromium	ug/l	100			75	U	16.3	U	15	U	2.3	J
Cobalt	ug/l				6	527		22.5	U	5	U	19.1
												111
												68300
												199000
												200
												U
												200
												U
												18
												J
												13.3
												50
												U
												436000
												542000
												436000
												67
												J
												287
												97
												9.3
												287

Table 6. 2015 Groundwater Analytical Results

SWMU 9
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID	MW-14	MW-15	MW-16	MW-17	MW-17	MW-18	MW-19	SM9-MW01			
Parameter	Units	MAY 2023 RSL	MAY 2023 RSL	TAPW	CONC	Q	CONC	Q	CONC	Q	CONC	Q	CONC	Q
Copper	ug/l	1300	800	78	U	97.1	U	10	U	10	U	8.3	J	
Iron	ug/l		14000	1360000		317000		704	U	89100		520		
Lead	ug/l	15	15	75	U	38.5	U	15	U	15	U	15	U	
Magnesium	ug/l			267000		67900		18800		325000		278000		
Manganese	ug/l		430	6980		2820		13.6	U	811		723		
Mercury	ug/l	2	0.63	0.2	U	0.2	U	0.2	U	0.2	U	0.2	U	
Nickel	ug/l		390	137	U	12.3	U	10	U	11.7		10.2	J	
Potassium	ug/l			49100		36000		7140		45000		39600		
Selenium	ug/l	50	100	100	U	20	U	20	U	26.7		21.1		
Silver	ug/l		94	25	U	5	U	5	U	5	U	5	U	
Sodium	ug/l				582000		917000		138000		45300		39800	
Thallium	ug/l	2	0.2	150	U	30	U	30	U	30	U	30	U	
Vanadium	ug/l		86	25	U	1.7	J	2.1	J	5	U	5	U	
Zinc	ug/l		6000	5280		58.5	U	20	U	1560		1380		

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

FD = Duplicate sample

Exceedances shown may exceed one or more criteria if available

Table 7. 2016 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

		Location ID	MW-108R	MW-108R	MW-108R	MW-108R	MW-108R	MW-109	MW-109	MW-109	MW-110R	MW-110R	MW-110R
		Sample ID	MW-108R-11152016	MW-108R-11152016	MW-108R-11152016	MW-108R-11152016	MW-108R-11152016	MW-109-11152016	MW-109-11152016	MW-109-11152016	MW-110R-11172016	MW-110R-11172016	MW-110R-11172016
		Sample Date Fraction	11/15/2016	T	11/15/2016	T	D	11/15/2016	T	D	11/17/2016	T	D
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.
Metals													
Calcium	ug/l							370000			240000		
Magnesium	ug/l							35000			41000		
Potassium	ug/l							8900			13000		
Silicon	ug/l							48000			49000		
Sodium	ug/l							57000			100000		
General Chemistry													
Alkalinity	ug/l							5000	U		5000	U	
Alkalinity, Phenolphthalein Endpoint	ug/l							5000	U		5000	U	
Arsenic	ug/l	10	0.052		56200	54900			7250	6950			2760
Arsenic Ion (As+3)	ug/l						33600			4470			2080
Arsenic Ion (As+5)	ug/l						7550			1190			284
Bicarbonate Alkalinity	ug/l							5000	U		5000	U	
Bromide	ug/l							1300	U		1300	U	
Carbonate Alkalinity	ug/l							5000	U		5000	U	
Chloride	ug/l							16000			25000		
Dimethylarsinic acid	ug/l		400				1050	U		21	U		21
Fluoride	ug/l	4000	800		167000	139000		19000			10000		
Iron	ug/l		14000		167000	1010		33100	31000		48100		50000
Manganese	ug/l		430	931				1170	1150		580		563
Methyl Arsonic Acid	ug/l		200				1150	U		23	U		23
Nitrogen, Nitrate (As N)	ug/l							250	U		250	U	
Nitrogen, Nitrite	ug/l							130			190		
Phosphorus, Total Orthophosphate (As P)	ug/l							7700			7200		
Sulfate	ug/l							1400000			860000		
Sulfide	ug/l							100	U		100	U	

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

DUP = Duplicate sample

Exceedances shown may exceed one or more criteria if available

T = Total

D = Dissolved

Table 7. 2016 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

		Location ID	MW-110R	MW-110R	MW-111R	MW-111R	MW-111R	MW-111R	MW-111R	MW-111R	MW-118	MW-118	MW-118	MW-118	
		Sample ID	MW-110R-11172016	MW-110R-11172016	MW-111R-11172016	MW-111R-11172016	MW-111R-11172016	MW-111R-11172016	MW-111R-11172016	MW-111R-11172016	MW-118-11172016	MW-118-11172016	MW-118-11172016	MW-118-11172016	
		Sample Date	11/17/2016	D	11/17/2016	T	11/17/2016	T	11/17/2016	D	11/17/2016	T	11/17/2016	T	
Parameter	Units	MAY 2023 RSL	MAY 2023 RSL	MCL	TAPW	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.
Metals															
Calcium	ug/l					580000						280000			
Magnesium	ug/l					15000						34000			
Potassium	ug/l					11000						18000			
Silicon	ug/l					33000						27000			
Sodium	ug/l					56000						260000			
General Chemistry															
Alkalinity	ug/l					5000	U					490000			
Alkalinity, Phenolphthalein Endpoint	ug/l					5000	U					5000	U		
Arsenic	ug/l	10	0.052	2690					2260			1630			30.8
Arsenic Ion (As+3)	ug/l									1120					1 U
Arsenic Ion (As+5)	ug/l									1040					25.4
Bicarbonate Alkalinity	ug/l					5000	U					490000			
Bromide	ug/l					1300	U					2500	U		
Carbonate Alkalinity	ug/l					5000	U					5000	U		
Chloride	ug/l					32000						110000			
Dimethylarsinic acid	ug/l		400							21	U				1.05 U
Fluoride	ug/l	4000	800		3400							8700			
Iron	ug/l		14000					92500					361000		364000
Manganese	ug/l		430					847					5970		6100
Methyl Arsonic Acid	ug/l		200							23	U				1.15 U
Nitrogen, Nitrate (As N)	ug/l					250	U					500	U		
Nitrogen, Nitrite	ug/l					130	U					250	U		
Phosphorus, Total Orthophosphate (As P)	ug/l					1300	U					2500	U		
Sulfate	ug/l					1500000						800000			
Sulfide	ug/l					100	U					100	U		

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

DUP = Duplicate sample

Exceedances shown may exceed one or more criteria if available

T = Total

D = Dissolved

Table 7. 2016 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

		Location ID	MW-118	MW-118	MW-119	MW-119	MW-119	MW-119	MW-120	MW-120	MW-120	MW-120	MW-120	
		Sample ID	MW-118-11172016	MW-118-11172016	MW-119-11152016	MW-119-11152016	MW-119-11152016	MW-119-11152016	DUP-11152016	DUP-11152016	DUP-11152016	MW-120-11152016	MW-120-11152016	
		Sample Date	11/17/2016	11/17/2016	11/15/2016	11/15/2016	11/15/2016	11/15/2016	11/15/2016	11/15/2016	11/15/2016	11/15/2016	11/15/2016	
		Fraction	D	T	T	D	D	T	T	D	T	T	D	
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result Lab Qual.										
Metals														
Calcium	ug/l			210000				360000				380000		
Magnesium	ug/l			77000				100000				63000		
Potassium	ug/l			5700				30000				24000		
Silicon	ug/l			16000				52000				52000		
Sodium	ug/l			92000				160000				110000		
General Chemistry														
Alkalinity	ug/l			23000				5000	U			5000	U	
Alkalinity, Phenolphthalein Endpoint	ug/l			5000	U			5000	U			5000	U	
Arsenic	ug/l	10	0.052	33.6		153000	154000			24400	24000		24000	23800
Arsenic Ion (As+3)	ug/l							93800				13200		
Arsenic Ion (As+5)	ug/l							23100				6260		
Bicarbonate Alkalinity	ug/l			23000				5000	U			5000	U	
Bromide	ug/l			2500	U			2500	U			1300	U	
Carbonate Alkalinity	ug/l			5000	U			5000	U			5000	U	
Chloride	ug/l			5000	U			42000				24000		
Dimethylarsinic acid	ug/l		400					2100	U			21	U	
Fluoride	ug/l	4000	800		150	J			7700				8700	
Iron	ug/l		14000			629000	630000			197000	189000		203000	188000
Manganese	ug/l		430			10900	10700			2150	2150		2380	2060
Methyl Arsonic Acid	ug/l		200					2300	U			23	U	
Nitrogen, Nitrate (As N)	ug/l			500	U			1000				250	U	
Nitrogen, Nitrite	ug/l			250	U			440				340		
Phosphorus, Total Orthophosphate (As P)	ug/l			2500	U			8800				31000		
Sulfate	ug/l			1400000				2800000				1600000		
Sulfide	ug/l			100	U			100	U			38	J	

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

DUP = Duplicate sample

Exceedances shown may exceed one or more criteria if available

T = Total

D = Dissolved

Table 7. 2016 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID	MW-120		MW-121		MW-121		MW-122		MW-122		MW-122		MW-123		MW-123			
			Sample ID	MW-120-11152016	MW-121-11162016	Sample Date	11/15/2016	MW-121-11162016	MW-121-11162016	Sample Date	11/16/2016	MW-122-11162016	MW-122-11162016	Sample Date	11/16/2016	MW-122-11162016	MW-122-11162016	Sample Date	11/16/2016	MW-123-11162016	MW-123-11162016
			Sample Fraction	T	T			D	T		T	D	T		T	D	T		T		
Parameter	Units	MAY 2023 RSL	MCL	MAY 2023 RSL	TAPW	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.
Metals																					
Calcium	ug/l					350000				140000								470000			
Magnesium	ug/l					59000				160000								200000			
Potassium	ug/l					22000				6300								39000			
Silicon	ug/l					49000				23000								32000			
Sodium	ug/l					98000				860000								42000			
General Chemistry																					
Alkalinity	ug/l					5000	U			5000	U							64000			
Alkalinity, Phenolphthalein Endpoint	ug/l					5000	U			5000	U							5000	U		
Arsenic	ug/l	10	0.052					815		998					17.1			12.2			62.8
Arsenic Ion (As+3)	ug/l									82.1								5.56			
Arsenic Ion (As+5)	ug/l									271								7.43			
Bicarbonate Alkalinity	ug/l					5000	U			5000	U							64000			
Bromide	ug/l					1300	U			2500	U							2500	U		
Carbonate Alkalinity	ug/l					5000	U			5000	U							5000	U		
Chloride	ug/l					28000				88000								14000			
Dimethylarsinic acid	ug/l					400				21	U							1.05	U		
Fluoride	ug/l	4000	800	8800						200	J							24000			649000
Iron	ug/l		14000			880000		673000			193000				186000						
Manganese	ug/l		430			27100		21600			1530				1390						40800
Methyl Arsonic Acid	ug/l		200					23	U								1.15	U			
Nitrogen, Nitrate (As N)	ug/l					250	U			500	U							500	U		
Nitrogen, Nitrite	ug/l					360				250	U							250	U		
Phosphorus, Total Orthophosphate (As P)	ug/l					33000				2500	U							2500	U		
Sulfate	ug/l					1600000				4200000								2500000			
Sulfide	ug/l					55	J			78	J							71	J		

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

DUP = Duplicate sample

Exceedances shown may exceed one or more criteria if available

T = Total

D = Dissolved

Table 7. 2016 Groundwater Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

		Location ID	MW-123	MW-123	MW-123	MW-124	MW-124	MW-124	MW-124	MW-124	MW-124
		Sample ID	MW-123-11162016	MW-123-11162016	MW-123-11162016	MW-124-11172016	MW-124-11172016	MW-124-11172016	MW-124-11172016	MW-124-11172016	MW-124-11172016
		Sample Date	11/16/2016	11/16/2016	11/16/2016	11/17/2016	11/17/2016	11/17/2016	11/17/2016	11/17/2016	11/17/2016
		Fraction	D	D	T	T	T	D	D	D	T
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual.						
Metals											
Calcium	ug/l					260000					89000
Magnesium	ug/l					220000					41000
Potassium	ug/l					9100					12000
Silicon	ug/l					22000					19000
Sodium	ug/l					370000					590000
General Chemistry											
Alkalinity	ug/l					170000					1700000
Alkalinity, Phenolphthalein Endpoint	ug/l					5000	U				5000
Arsenic	ug/l	10	0.052	60.7				245		203	
Arsenic Ion (As+3)	ug/l				4.28					110	
Arsenic Ion (As+5)	ug/l				22					94.1	
Bicarbonate Alkalinity	ug/l					170000					1700000
Bromide	ug/l					1300	J				2500
Carbonate Alkalinity	ug/l					5000	U				5000
Chloride	ug/l					180000					44000
Dimethylarsinic acid	ug/l		400		1.05	U			21	U	
Fluoride	ug/l	4000	800			420	J				410
Iron	ug/l		14000	574000			41300		40600		
Manganese	ug/l		430	40100			718		755		
Methyl Arsonic Acid	ug/l		200		1.15	U			5.33	J	
Nitrogen, Nitrate (As N)	ug/l					500	U				500
Nitrogen, Nitrite	ug/l					250	U				250
Phosphorus, Total Orthophosphate (As P)	ug/l					2500	U				2500
Sulfate	ug/l					3000000					110000
Sulfide	ug/l					38	J				53

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

DUP = Duplicate sample

Exceedances shown may exceed one or more criteria if available

T = Total

D = Dissolved

Table 8. 2019 Groundwater Analytical Results
SWMU 9
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

			Location ID Sample ID Sample Date Sample Type Lab Sample ID	MW-122 DUP02-09-120519 12/5/2019 FD 1219456		MW-122 MW122-09-120519 12/5/2019 REG 1219461		MW-123D MW123D-09-120519 12/5/2019 REG 1216364		MW-123S MW123S-09-120619 12/6/2019 REG 1219458		MW-124D MW124D-09-120519 12/5/2019 REG 1216362		MW-124S DUP01-09-120419 12/4/2019 FD 1216354	
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	CONC	Q	CONC	Q	CONC	Q	CONC	Q	CONC	Q	CONC	Q
Volatile Organic Compounds															
1,1,1-Trichloroethane	ug/l	200	8000	0.5	U	0.5	U	0.5	U	5	U	0.5	U	0.5	U
1,1,2-Trichloro-1,2,2-Trifluoroethane	ug/l		10000	0.5	U	0.5	U	0.5	U	5	U	0.5	U	0.5	U
1,1-Dichloroethane	ug/l		2.8	0.5	U	0.5	U	0.5	U	5	U	0.1	J	0.5	U
1,1-Dichloroethene	ug/l	7	280	0.5	U	0.5	U	0.5	U	5	U	0.5	U	0.5	U
1,2,3-Trichlorobenzene	ug/l		7	0.5	U	0.5	U	0.5	U	5	U	0.5	U	0.5	U
1,2,4-Trichlorobenzene	ug/l	70	1.2	0.5	U	0.5	U	0.5	U	5	U	0.5	U	0.1	J
1,2-Dichlorobenzene	ug/l	600	300	0.5	U	0.5	U	0.1	J	6		0.5	U	0.2	J
1,2-Dichloroethane	ug/l	5	0.17	0.4	J	0.4	J	0.5	U	5	U	0.5	U	0.09	J
1,2-Dichloropropane	ug/l	5	0.85	0.5	U	0.5	U	0.5	U	5	U	0.5	U	0.5	U
1,3-Dichlorobenzene	ug/l			0.5	U	0.5	U	0.5	U	5	U	0.5	U	0.5	U
1,4-Dichlorobenzene	ug/l	75	0.48	0.5	U	0.5	U	0.08	J	5.1		0.5	U	0.2	J
2-Butanone	ug/l		5600	5	U	5	U	5	U	50	U	1.7	J	5	U
Acetone	ug/l		18000	5	U	5	U	10		50	U	8.7		5.6	
Benzene	ug/l	5	0.46	0.5	U	0.5	U	0.5	U	19		0.4	J	0.3	J
Bromochloromethane	ug/l		83	0.5	U	0.5	U	0.5	U	5	U	0.06	J	0.5	U
Carbon Disulfide	ug/l		810	1	U	1	U	0.1	J	10	U	0.9	J	1	U
Chlorobenzene	ug/l	100	78	0.5	U	0.5	U	1.6		55		0.6		22	
Chloroform	ug/l	80	0.22	0.5	U	0.5	U	0.5	U	5	U	1.7		0.2	J
Chloromethane	ug/l		190	0.5	U	0.5	U	0.5	UJ	5	U	0.5	UJ	0.5	UJ
cis-1,2-Dichloroethene	ug/l	70	25	0.5	U	0.5	U	0.5	U	5	U	0.5	U	0.5	
Cyclohexane	ug/l		13000	0.5	U	0.5	U	0.5	U	3.4	J	0.2	J	0.5	U
Ethylbenzene	ug/l	700	1.5	0.5	U	0.5	U	0.5	U	1.3	J	0.08	J	0.2	J
Isopropylbenzene	ug/l		450	0.5	U	0.5	U	0.5	U	0.5	J	0.4	J	0.2	J
m&p-Xylenes	ug/l	10000	190	0.5	U	0.5	U	0.5	U	2	J	0.7		0.6	
Methyl Tert-Butyl Ether	ug/l		14	0.5	U	0.5	U	0.5	U	5	U	0.07	J	0.5	U
Methylcyclohexane	ug/l			0.5	U	0.5	U	0.5	U	4	J	0.5		3.2	
Methylene Chloride	ug/l	5	11	0.5	U	0.5	U	0.5	U	5	U	0.5	U	0.5	U
o-Xylene	ug/l		190	0.5	U	0.5	U	0.5	U	1.7	J	0.4	J	0.5	J
Styrene	ug/l	100	1200	0.5	U	0.5	U	0.5	U	5	U	0.5	U	0.5	U
Tetrachloroethene	ug/l	5	11	0.5	U	0.5	U	0.5	U	5	U	0.5	U	0.1	J
Toluene	ug/l	1000	1100	0.5	U	0.5	U	0.5	U	5	U	0.1	J	0.3	J
Total Xylenes	ug/l	10000	190	1	U	1	U	1	U	3.7	J	1.1		1.1	
trans-1,2-Dichloroethene	ug/l	100	68	0.5	U	0.5	U	0.5	U	5	U	0.5	U	0.3	J
Trichloroethene	ug/l	5	0.49	0.07	J	0.07	J	0.5	U	5	U	0.5	U	0.8	
Trichlorofluoromethane	ug/l		5200	0.5	U	0.5	U	0.5	U	5	U	0.5	U	0.06	J
Vinyl Chloride	ug/l	2	0.019	0.5	U	0.5	U	0.5	U	5	U	0.5	U	0.1	J
Semi-Volatile Organic Compounds															
2,4,5-Trichlorophenol	ug/l		1200	2	U	2	U	2	U	2	U	2	U	2	U
2,4-Dichlorophenol	ug/l		46	2	U	2	U	2	U	0.9	J	2	U	2	U
2-Methylnaphthalene	ug/l		36	0.5	U	0.5	U	0.5	U	2		0.2	J	0.2	J
2-Methylphenol	ug/l		930	2	U	2	U	2	U	2	U	2	U	2	U
Acenaphthene	ug/l		530	0.5	U	0.5	U	0.5	U	0.3	J	110		0.2	J
Acenaphthylene	ug/l			0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Anthracene	ug/l		1800	0.5	U	0.5	U	0.5	U	0.5	U	1		0.2	J
Benzo(A)Anthracene	ug/l		0.03	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U

Table 8. 2019 Groundwater Analytical Results

SWMU 9

Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID	MW-122	MW-122	MW-123D	MW-123S	MW-124D	MW-124S				
			Sample ID	DUP02-09-120519	MW122-09-120519	MW123D-09-120519	MW123S-09-120619	MW124D-09-120519	DUP01-09-120419				
			Sample Date	12/5/2019	12/5/2019	12/5/2019	12/6/2019	12/5/2019	12/4/2019				
			Sample Type	FD	REG	REG	REG	REG	FD				
			Lab Sample ID	1219456	1219461	1216364	1219458	1216362	1216354				
Parameter	Units	MAY 2023 RSL	MAY 2023 RSL	CONC	Q	CONC	Q	CONC	Q	CONC	Q	CONC	Q
Benzo(A)Pyrene	ug/l	0.2	<u>0.025</u>	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Benzo(B)Fluoranthene	ug/l		<u>0.25</u>	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Benzo(G,H,I)perylene	ug/l			0.5	U	0.5	U	0.5	U	0.2	J	0.5	U
bis-(2-Ethylhexyl)Phthalate	ug/l	6	5.6	11	U	11	U	11	U	11	U	11	U
Carbazole	ug/l			2	U	2	U	2	U	2	J	2	U
Chrysene	ug/l		25	0.5	U	0.5	U	0.5	U	0.5	U	0.2	J
Dibenzofuran	ug/l		7.9	2	U	2	U	2	U	2	U	2	U
Fluoranthene	ug/l		800	0.5	U	0.5	U	0.5	U	0.3	J	0.5	U
Fluorene	ug/l		290	0.5	U	0.5	U	0.5	U	0.7		0.3	J
Naphthalene	ug/l		<u>0.12</u>	0.5	U	0.5	U	0.5	U	<u>0.8</u>		<u>0.2</u>	J
n-Nitrosodiphenylamine	ug/l		<u>12</u>	3	U	3	U	3	U	3	U	3	U
Phenanthrene	ug/l			0.5	U	0.5	U	0.5	U	0.8		0.6	J
Phenol	ug/l		5800	2	U	2	U	2	U	2	U	2	U
Pyrene	ug/l		120	0.5	U	0.5	U	0.5	U	0.5	J	0.5	U
Pesticides													
4,4'-DDD	ug/l		<u>0.032</u>	<u>0.052</u>	J-	<u>0.056</u>	J-	<u>0.048</u>	J	<u>1.3</u>	J-	<u>0.13</u>	J-
4,4'-DDE	ug/l		<u>0.046</u>	0.011	UJ	0.0042	J-	0.01	UJ	<u>0.18</u>	J-	0.011	UJ
4,4'-DDT	ug/l		<u>0.23</u>	0.011	UJ	0.011	UJ	0.052	UJ	<u>0.26</u>	J-	0.04	J-
Aldrin	ug/l		<u>0.00092</u>	0.011	UJ	0.011	UJ	0.01	UJ	0.05	UJ	0.011	UJ
Alpha-BHC	ug/l		<u>0.0072</u>	<u>0.58</u>	J-	<u>0.55</u>	J-	<u>0.045</u>	J-	<u>0.2</u>	J-	<u>0.059</u>	J-
Beta-BHC	ug/l		<u>0.025</u>	<u>0.07</u>	J-	<u>0.06</u>	J-	0.018	J	<u>0.21</u>	J-	<u>0.07</u>	J-
Delta-BHC	ug/l			0.023	J-	0.024	J-	0.035	J-	0.25	J-	0.023	J-
Endosulfan I	ug/l		100	0.011	UJ	0.011	UJ	0.01	UJ	0.05	UJ	0.011	UJ
Endosulfan II	ug/l		100	0.011	UJ	0.011	UJ	0.01	UJ	0.05	UJ	0.011	UJ
Endosulfan Sulfate	ug/l		110	0.011	UJ	0.011	UJ	0.01	UJ	0.05	UJ	0.011	UJ
Endrin	ug/l	2	2.3	0.011	UJ	0.011	UJ	0.01	UJ	0.05	UJ	0.011	UJ
Gamma-BHC (Lindane)	ug/l	0.2	<u>0.042</u>	0.031	J-	0.027	J-	0.01	UJ	0.05	UJ	0.011	UJ
Heptachlor	ug/l	0.4	<u>0.0014</u>	0.011	UJ	0.011	UJ	0.052	UJ	0.05	UJ	0.011	UJ
Heptachlor Epoxide	ug/l	0.2	<u>0.0014</u>	0.011	UJ	0.011	UJ	0.01	UJ	0.05	UJ	0.011	UJ
Methoxychlor	ug/l	40	37	0.022	UJ	0.021	UJ	0.1	UJ	0.1	UJ	0.021	UJ
trans-Chlordane	ug/l		10	0.011	UJ	0.011	UJ	0.01	UJ	0.05	UJ	0.011	UJ
Metals (Dissolved)													
Aluminum	ug/l		<u>20000</u>	10200		10300		200	U	521		200	U
Antimony	ug/l	6	<u>7.8</u>	50	U	50	U	50	U	50	U	50	U
Arsenic	ug/l	10	<u>0.052</u>	30	U	30	U	<u>27.4</u>	J	<u>409</u>		<u>435</u>	<u>369</u>
Barium	ug/l	2000	3800	9.8		9.6		149		24.3		144	
Beryllium	ug/l	4	25	5	U	5	U	5	U	5	U	5	U
Cadmium	ug/l	5	<u>1.8</u>	5	U	5	U	5	U	5	U	5	U
Calcium	ug/l			583000		532000		349000		447000		293000	
Chromium	ug/l	100		15	U	15	U	15	U	15	U	15	U
Cobalt	ug/l		<u>6</u>	<u>32.9</u>		<u>31.1</u>		3.8	J	3.3	J	1.6	J
Copper	ug/l	1300	<u>800</u>	20	U	20	U	20	U	20	U	20	U
Iron	ug/l		<u>14000</u>	<u>94700</u>		<u>93800</u>		<u>108000</u>		<u>267000</u>		<u>31600</u>	
Lead	ug/l	15	<u>15</u>	15	U	15	U	15	U	<u>21.9</u>		15	U
Magnesium	ug/l			319000		317000		169000		102000		25500	
Manganese	ug/l		<u>430</u>	<u>613</u>		<u>604</u>		<u>3170</u>		<u>2310</u>		395	
												286	

Table 8. 2019 Groundwater Analytical Results

SWMU 9

Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID	MW-122	MW-122	MW-123D	MW-123S	MW-124D	MW-124S
			Sample ID	DUP02-09-120519	MW122-09-120519	MW123D-09-120519	MW123S-09-120619	MW124D-09-120519	DUP01-09-120419
			Sample Date	12/5/2019	12/5/2019	12/5/2019	12/6/2019	12/5/2019	12/4/2019
			Sample Type	FD	REG	REG	REG	REG	FD
			Lab Sample ID	1219456	1219461	1216364	1219458	1216362	1216354
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	CONC	Q	CONC	Q	CONC	Q
Mercury	ug/l	2	0.63	0.2	U	0.2	U	0.23	
Nickel	ug/l		390	9.2	J	8.3	J	10	U
Potassium	ug/l			34700		36100		25000	
Selenium	ug/l	50	100	50	U	50	U	50	U
Silver	ug/l		94	10	U	10	U	10	U
Sodium	ug/l			31500		32600		526000	
Thallium	ug/l	2	0.2	30	U	30	U	30	U
Vanadium	ug/l		86	3.2	J	2.2	J	10	U
Zinc	ug/l		6000	76.9		83.2		20	U
								20	U
								20	59

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ)

of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

FD = Duplicate sample

Exceedances shown may exceed one or more criteria if available

Table 8. 2019 Groundwater Analytical Results

SWMU 9

Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID MW124S	MW-14 MW14-09-120519 12/5/2019 REG 1219462		MW-14 DUP-09-120519 12/5/2019 FD (metals only) 1219465		MW-15 MW15-09-120619 12/6/2019 REG 1219459		MW-16 MW16-09-120519 12/5/2019 REG 1219455		MW-17 MW17-09-120619 12/6/2019 REG 1219460	
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	CONC	Q	CONC	Q	CONC	Q	CONC	Q	CONC	Q
Volatile Organic Compounds													
1,1,1-Trichloroethane	ug/l	200	8000	0.5	U	0.5	U			5	U	0.5	U
1,1,2-Trichloro-1,2,2-Trifluoroethane	ug/l		10000	0.5	U	0.5	U			5	U	0.5	U
1,1-Dichloroethane	ug/l		2.8	0.5	U	0.5	U			5	U	0.5	U
1,1-Dichloroethene	ug/l	7	280	0.5	U	0.5	U			5	U	0.5	U
1,2,3-Trichlorobenzene	ug/l		7	0.5	U	0.5	U			5	U	0.5	U
1,2,4-Trichlorobenzene	ug/l	70	1.2	0.09	J	0.5	U			0.8	J	0.5	U
1,2-Dichlorobenzene	ug/l	600	300	0.2	J	0.5	U			5.6		0.1	J
1,2-Dichloroethane	ug/l	5	0.17	0.1	J	0.06	J			0.5	J	0.5	J
1,2-Dichloropropane	ug/l	5	0.85	0.5	U	0.5	U			4.4	J	0.5	U
1,3-Dichlorobenzene	ug/l			0.5	U	0.5	U			5	U	0.5	U
1,4-Dichlorobenzene	ug/l	75	0.48	0.1	J	0.5	U			5.8		0.1	J
2-Butanone	ug/l		5600	5	U	5	U			50	U	5	U
Acetone	ug/l		18000	5	U	5	U			50	U	5	U
Benzene	ug/l	5	0.46	0.4	J	0.4	J			5.4		0.5	U
Bromochloromethane	ug/l		83	0.5	U	0.5	U			5	U	0.5	U
Carbon Disulfide	ug/l		810	0.07	J	1	U			10	U	0.09	J
Chlorobenzene	ug/l	100	78	20		0.3	J			160		1.8	
Chloroform	ug/l	80	0.22	0.2	J	0.8				5	U	0.5	U
Chloromethane	ug/l		190	0.5	UJ	0.5	U			5	U	0.5	U
cis-1,2-Dichloroethene	ug/l	70	25	0.5		0.5	U			5.8	J	0.5	U
Cyclohexane	ug/l		13000	0.5	U	0.5	U			5	U	0.5	U
Ethylbenzene	ug/l	700	1.5	0.2	J	0.5	U			5	U	0.5	U
Isopropylbenzene	ug/l		450	0.2	J	0.5	U			5	U	0.5	U
m&p-Xylenes	ug/l	10000	190	0.7		0.5	U			5	U	0.1	J
Methyl Tert-Butyl Ether	ug/l		14	0.5	U	0.05	J			5	U	0.5	U
Methylcyclohexane	ug/l			3.6		0.5	U			5	U	0.1	J
Methylene Chloride	ug/l	5	11	0.5	U	0.5	U			5	U	0.5	U
o-Xylene	ug/l		190	0.5		0.5	U			5	U	0.5	U
Styrene	ug/l	100	1200	0.5	U	0.5	U			5	U	0.5	U
Tetrachloroethene	ug/l	5	11	0.1	J	0.07	J			5	U	0.5	U
Toluene	ug/l	1000	1100	0.3	J	0.5	U			5	U	0.5	U
Total Xylenes	ug/l	10000	190	1.2		1	U			10	U	1	U
trans-1,2-Dichloroethene	ug/l	100	68	0.2	J	0.5	U			5	U	0.5	U
Trichloroethene	ug/l	5	0.49	0.6		0.4	J			14		0.5	U
Trichlorofluoromethane	ug/l		5200	0.5	U	0.5	U			5	U	0.5	U
Vinyl Chloride	ug/l	2	0.019	0.5	U	0.5	U			5	U	0.5	U
Semi-Volatile Organic Compounds													
2,4,5-Trichlorophenol	ug/l		1200	2	U	2	U			2	U	2	U
2,4-Dichlorophenol	ug/l		46	2	U	2	U			2	U	2	U
2-Methylnaphthalene	ug/l		36	0.2	J	0.5	U			0.5	U	0.5	U
2-Methylphenol	ug/l		930	2	U	2	U			2	U	2	U
Acenaphthene	ug/l		530	0.2	J	0.5	U			5		0.5	U
Acenaphthylene	ug/l			0.5	U	0.5	U			0.1	J	0.5	U
Anthracene	ug/l		1800	0.1	J	0.5	U			0.5	U	0.5	U
Benzo(A)Anthracene	ug/l		0.03	0.5	U	0.5	U			0.5	U	0.5	U

Table 8. 2019 Groundwater Analytical Results
SWMU 9
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886

			Location ID Sample ID Sample Date Sample Type Lab Sample ID	MW-124S MW124S-09-120419 12/4/2019 REG 1216356	MW-14 MW14-09-120519 12/5/2019 REG 1219462	MW-14 DUP-09-120519 12/5/2019 FD (metals only) 1219465	MW-15 MW15-09-120619 12/6/2019 REG 1219459	MW-16 MW16-09-120519 12/5/2019 REG 1219455	MW-17 MW17-09-120619 12/6/2019 REG 1219460
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	CONC Q	CONC Q		CONC Q	CONC Q	CONC Q
Benzo(A)Pyrene	ug/l	0.2	0.025	0.5	U	0.5	U	0.5	U
Benzo(B)Fluoranthene	ug/l		0.25	0.5	U	0.5	U	0.5	U
Benzo(G,H,I)perylene	ug/l			0.5	U	0.5	U	0.5	U
bis-(2-Ethylhexyl)Phthalate	ug/l	6	5.6	11	U	11	U	11	U
Carbazole	ug/l			2	U	2	U	2	U
Chrysene	ug/l		25	0.5	U	0.5	U	0.5	U
Dibenzofuran	ug/l		7.9	2	U	2	U	2	U
Fluoranthene	ug/l		800	0.2	J	0.5	U	0.5	U
Fluorene	ug/l		290	0.3	J	0.5	U	0.5	U
Naphthalene	ug/l		0.12	0.1	J	0.5	U	0.5	U
n-Nitrosodiphenylamine	ug/l		12	3	U	3	U	54	3
Phenanthrene	ug/l			0.3	J	0.1	J	0.5	U
Phenol	ug/l		5800	2	U	2	U	2	U
Pyrene	ug/l		120	0.3	J	0.5	U	0.5	U
Pesticides									
4,4'-DDD	ug/l		0.032	0.55	J-	0.03	J-	2	J-
4,4'-DDE	ug/l		0.046	0.01	UJ	0.01	UJ	0.26	J-
4,4'-DDT	ug/l		0.23	0.029	J-	0.01	UJ	0.011	UJ
Aldrin	ug/l		0.00092	0.01	UJ	0.01	UJ	0.011	UJ
Alpha-BHC	ug/l		0.0072	0.14	J-	16	J-	4.1	J-
Beta-BHC	ug/l		0.025	0.14	J-	0.81	J-	1	J-
Delta-BHC	ug/l			0.19	J-	0.94	J-	10	J-
Endosulfan I	ug/l		100	0.01	UJ	0.01	UJ	0.011	UJ
Endosulfan II	ug/l		100	0.01	UJ	0.01	UJ	0.011	UJ
Endosulfan Sulfate	ug/l		110	0.01	UJ	0.01	UJ	0.0049	J-
Endrin	ug/l	2	2.3	0.01	UJ	0.01	UJ	0.011	UJ
Gamma-BHC (Lindane)	ug/l	0.2	0.042	0.01	UJ	2.8	J-	0.011	UJ
Heptachlor	ug/l	0.4	0.0014	0.01	UJ	0.01	UJ	0.011	UJ
Heptachlor Epoxide	ug/l	0.2	0.0014	0.01	UJ	0.01	UJ	0.011	UJ
Methoxychlor	ug/l	40	37	0.02	UJ	0.021	UJ	0.021	UJ
trans-Chlordane	ug/l		10	0.01	UJ	0.01	UJ	0.011	UJ
Metals (Dissolved)									
Aluminum	ug/l		20000	200	U	50200		48900	
Antimony	ug/l	6	7.8	50	U	50	U	50	U
Arsenic	ug/l	10	0.052	309		8470		8430	314
Barium	ug/l	2000	3800	11.1		5	U	5	U
Beryllium	ug/l	4	25	5	U	5	U	5	U
Cadmium	ug/l	5	1.8	5	U	5	U	5	U
Calcium	ug/l			554000		444000		433000	
Chromium	ug/l	100		15	U	15	U	15	U
Cobalt	ug/l		6	2.7	J	539		538	
Copper	ug/l	1300	800	20	U	498		488	
Iron	ug/l		14000	8430		971000		970000	
Lead	ug/l	15	15	15	U	15	U	15	U
Magnesium	ug/l			193000		187000		182000	
Manganese	ug/l		430	274		6150		6090	
								2930	
									238
									107

**Table 8. 2019 Groundwater Analytical Results
SWMU 9
Corrective Measures Study
Honeywell Delaware Valley Works
Claymont, Delaware
WSP Project No. 3482230886**

Location ID Sample ID Sample Date Sample Type Lab Sample ID				MW-124S MW124S-09-120419 12/4/2019 REG 1216356	MW-14 MW14-09-120519 12/5/2019 REG 1219462	MW-14 DUP-09-120519 12/5/2019 FD (metals only) 1219465	MW-15 MW15-09-120619 12/6/2019 REG 1219459	MW-16 MW16-09-120519 12/5/2019 REG 1219455	MW-17 MW17-09-120619 12/6/2019 REG 1219460						
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	CONC	Q	CONC	Q			CONC	Q	CONC	Q	CONC	Q
Mercury	ug/l	2	0.63	0.2	U	0.21		0.21		0.2	U	0.2	U	0.2	U
Nickel	ug/l		390	10.2		139		138		14.7		10	U	4	J
Potassium	ug/l			15700		33500		32700		39200		12000		24500	
Selenium	ug/l	50	100	72.9		250	U	250	U	50	U	50	U	28.5	J
Silver	ug/l		94	10	U	111		117		10	U	10	U	10	U
Sodium	ug/l			60200		430000		420000		877000		107000		98700	
Thallium	ug/l	2	0.2	30	U	40.9	J-	41.3		9.5	J	30	U	30	U
Vanadium	ug/l		86	10	U	58		58		19.9		10	U	10	U
Zinc	ug/l		6000	37.9		4440		4420		29.8		12.6	J	161	

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

$\mu\text{g/L}$ = micrograms per liter

$\mu\text{g}/\text{L}$ – micrograms per liter
FD = Duplicate sample

FD – Duplicate sample
Exceedances shown may exceed one or more criteria if available

Table 8. 2019 Groundwater Analytical Results

SWMU 9

Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID Sample ID Sample Date Sample Type Lab Sample ID	MW-18 MW18-09-120619 12/6/2019 REG 1219452		MW-19 MW19-09-120619 12/6/2019 REG 1219454		SM9-MW01 SM9MW1-09-120419 12/4/2019 REG 1216366		SWMU9-MW-1 SWMU9-MW1-09-120419 12/4/2019 REG 1216358		SWMU9-MW-2 SWMU9-MW2-09-120319 12/3/2019 REG 1216352	
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	CONC	Q	CONC	Q	CONC	Q	CONC	Q	CONC	Q
Volatile Organic Compounds													
1,1,1-Trichloroethane	ug/l	200	8000	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2-Trichloro-1,2,2-Trifluoroethane	ug/l		10000	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethane	ug/l		2.8	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethene	ug/l	7	280	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,3-Trichlorobenzene	ug/l		7	0.1	J	0.5	U	0.5	U	0.5	U	0.5	U
1,2,4-Trichlorobenzene	ug/l	70	1.2	0.5	J	0.5	U	0.5	U	0.5	U	0.2	J
1,2-Dichlorobenzene	ug/l	600	300	5.3		0.09	J	0.5	U	0.5	U	1.2	
1,2-Dichloroethane	ug/l	5	0.17	0.5	U	0.3	J	0.5	U	0.5	U	0.4	J
1,2-Dichloropropane	ug/l	5	0.85	0.5	U	0.5	U	0.5	U	0.5	U	0.3	J
1,3-Dichlorobenzene	ug/l			0.2	J	0.5	U	0.5	U	0.5	U	0.5	U
1,4-Dichlorobenzene	ug/l	75	0.48	4.2		0.1	J	0.5	U	0.5	U	0.2	J
2-Butanone	ug/l		5600	5	U	5	U	5	U	5	U	1.8	J
Acetone	ug/l		18000	5	U	5	U	1.8	J	5	U	12	
Benzene	ug/l	5	0.46	6.8		1.8		0.05	J	0.06	J	7	
Bromochloromethane	ug/l		83	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Disulfide	ug/l		810	0.06	J	1	U	0.2	J	1	U	10	
Chlorobenzene	ug/l	100	78	45		1.1		0.08	J	0.5	U	67	
Chloroform	ug/l	80	0.22	0.4	J	0.5	J	0.5	U	0.5	U	0.1	J
Chloromethane	ug/l		190	0.5	U	0.5	U	0.5	UJ	0.5	UJ	0.5	UJ
cis-1,2-Dichloroethene	ug/l	70	25	0.5	U	0.09	J	0.5	U	0.5	U	0.5	U
Cyclohexane	ug/l		13000	0.06	J	0.5	U	0.5	U	0.5	U	0.8	
Ethylbenzene	ug/l	700	1.5	0.08	J	0.5	U	0.5	U	0.07	J	1.1	
Isopropylbenzene	ug/l		450	0.2	J	0.08	J	0.5	U	0.5	U	0.2	J
m&p-Xylenes	ug/l	10000	190	0.2	J	0.5	U	0.5	U	0.5	U	3.1	
Methyl Tert-Butyl Ether	ug/l		14	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Methylcyclohexane	ug/l			0.5	U	0.5	U	0.5	U	0.5	U	1.8	
Methylene Chloride	ug/l	5	11	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
o-Xylene	ug/l		190	0.5	U	0.5	U	0.5	U	0.1	J	1.3	
Styrene	ug/l	100	1200	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Tetrachloroethene	ug/l	5	11	0.5	J	3		0.5	U	0.5	U	0.6	
Toluene	ug/l	1000	1100	0.5	U	0.5	U	0.5	U	0.5	U	1.6	
Total Xylenes	ug/l	10000	190	0.2	J	1	U	1	U	1	U	4.4	
trans-1,2-Dichloroethene	ug/l	100	68	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trichloroethene	ug/l	5	0.49	0.1	J	0.8		0.5	U	0.5	U	0.1	J
Trichlorofluoromethane	ug/l		5200	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Vinyl Chloride	ug/l	2	0.019	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Semi-Volatile Organic Compounds													
2,4,5-Trichlorophenol	ug/l		1200	2	U	9		50	U	2	U	2	U
2,4-Dichlorophenol	ug/l		46	2	U	2	U	50	U	2	U	2	U
2-Methylnaphthalene	ug/l		36	0.5	U	0.5	U	13	U	0.5	U	0.5	
2-Methylphenol	ug/l		930	2	U	2	U	50	U	2	U	2	U
Acenaphthene	ug/l		530	0.5	U	0.2	J	13	U	0.5	U	0.5	U
Acenaphthylene	ug/l			0.5	U	0.5	U	13	U	0.5	U	0.5	U
Anthracene	ug/l		1800	0.5	U	0.2	J	13	U	0.5	U	0.5	U
Benzo(A)Anthracene	ug/l		0.03	0.5	U	0.5	U	4	J	0.5	U	0.5	U

Table 8. 2019 Groundwater Analytical Results

SWMU 9

Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID	MW-18	MW-19	SM9-MW01	SWMU9-MW-1	SWMU9-MW-2					
			Sample ID	MW18-09-120619	MW19-09-120619	SM9MW1-09-120419	SWMU9-MW1-09-120419	SWMU9-MW2-09-120319					
			Sample Date	12/6/2019	12/6/2019	12/4/2019	12/4/2019	12/3/2019					
			Sample Type	REG	REG	REG	REG	REG					
			Lab Sample ID	1219452	1219454	1216366	1216358	1216352					
Parameter	Units	MAY 2023 RSL	MAY 2023 RSL	CONC	Q	CONC	Q	CONC	Q	CONC	Q		
Benzo(A)Pyrene	ug/l	0.2	<u>0.025</u>	0.5	U	0.5	U	<u>4</u>	<u>J</u>	0.5	U	0.5	U
Benzo(B)Fluoranthene	ug/l		<u>0.25</u>	0.5	U	0.5	U	<u>4</u>	<u>J</u>	0.5	U	0.5	U
Benzo(G,H,I)perylene	ug/l			0.5	U	0.5	U	13	U	0.5	U	0.5	U
bis-(2-Ethylhexyl)Phthalate	ug/l	6	5.6	11	U	11	U	280	U	11	U	11	U
Carbazole	ug/l			2	U	0.6	J	50	U	2	U	2	U
Chrysene	ug/l		25	0.5	U	0.5	U	4	J	0.5	U	0.5	U
Dibenzofuran	ug/l		7.9	2	U	2	U	50	U	2	U	2	U
Fluoranthene	ug/l		800	0.5	U	0.2	J	10	J	0.5	U	0.5	U
Fluorene	ug/l		290	0.5	U	0.5	U	13	U	0.5	U	0.5	U
Naphthalene	ug/l		<u>0.12</u>	0.5	U	0.5	U	13	U	<u>0.3</u>	<u>J</u>	<u>0.7</u>	
n-Nitrosodiphenylamine	ug/l		<u>12</u>	3	U	3	U	75	U	3	U	3	U
Phenanthrene	ug/l			0.5	U	0.3	J	8	J	0.2	J	0.5	U
Phenol	ug/l		5800	2	U	2	U	50	U	2	U	2	U
Pyrene	ug/l		120	0.5	U	0.5	U	9	J	0.5	U	0.5	U
Pesticides													
4,4'-DDD	ug/l		<u>0.032</u>	0.011	UJ	<u>0.46</u>	<u>J-</u>	<u>3.2</u>	<u>J-</u>	0.012	J-	0.03	J-
4,4'-DDE	ug/l		<u>0.046</u>	0.011	UJ	0.01	UJ	<u>0.072</u>	<u>J-</u>	0.01	UJ	0.01	UJ
4,4'-DDT	ug/l		<u>0.23</u>	0.011	UJ	0.01	UJ	<u>0.5</u>	<u>J-</u>	0.01	UJ	0.01	UJ
Aldrin	ug/l		<u>0.00092</u>	0.011	UJ	0.01	UJ	0.011	UJ	0.01	UJ	0.01	UJ
Alpha-BHC	ug/l		<u>0.0072</u>	<u>75</u>	<u>J-</u>	<u>22</u>	<u>J-</u>	<u>0.22</u>	<u>J-</u>	<u>0.024</u>	<u>J-</u>	<u>0.13</u>	<u>J-</u>
Beta-BHC	ug/l		<u>0.025</u>	<u>10</u>	<u>J-</u>	<u>1.4</u>	<u>J-</u>	<u>0.07</u>	<u>J-</u>	0.0053	J-	<u>0.029</u>	<u>J-</u>
Delta-BHC	ug/l			20	J-	1.2	J-	0.052	J-	0.0062	J-	0.041	J-
Endosulfan I	ug/l		100	0.011	UJ	0.01	UJ	0.011	UJ	0.01	UJ	0.01	UJ
Endosulfan II	ug/l		100	0.011	UJ	0.01	UJ	0.011	UJ	0.01	UJ	0.01	UJ
Endosulfan Sulfate	ug/l		110	0.011	UJ	0.01	UJ	0.011	UJ	0.01	UJ	0.01	UJ
Endrin	ug/l	2	2.3	0.011	UJ	0.01	UJ	0.011	UJ	0.01	UJ	0.01	UJ
Gamma-BHC (Lindane)	ug/l	0.2	<u>0.042</u>	0.011	UJ	<u>2.3</u>	<u>J-</u>	0.026	J-	0.01	UJ	0.01	UJ
Heptachlor	ug/l	0.4	<u>0.0014</u>	0.011	UJ	0.01	UJ	0.011	UJ	0.01	UJ	0.01	UJ
Heptachlor Epoxide	ug/l	0.2	<u>0.0014</u>	0.011	UJ	0.01	UJ	0.011	UJ	0.01	UJ	0.01	UJ
Methoxychlor	ug/l	40	37	0.022	UJ	0.021	UJ	0.022	UJ	0.021	UJ	0.021	UJ
trans-Chlordane	ug/l		10	0.011	UJ	0.01	UJ	0.011	UJ	0.01	UJ	0.01	UJ
Metals (Dissolved)													
Aluminum	ug/l		<u>20000</u>	2790		<u>35200</u>		<u>296000</u>		322		<u>62000</u>	
Antimony	ug/l	6	<u>7.8</u>	50	U	50	U	500	U	50	U	50	U
Arsenic	ug/l	10	<u>0.052</u>	<u>20300</u>		<u>41800</u>		<u>409</u>		<u>33.6</u>		<u>71.8</u>	
Barium	ug/l	2000	3800	16.1		11.6		83.4		348		10.7	
Beryllium	ug/l	4	25	5	U	5	U	23.2	J	5	U	14.6	
Cadmium	ug/l	5	<u>1.8</u>	<u>9.1</u>		5	U	50	U	1.2	J	1.5	J
Calcium	ug/l			542000		460000		394000		40400		436000	
Chromium	ug/l	100		15	U	15	U	18	J	1.9	J	62.5	
Cobalt	ug/l		<u>6</u>	5	U	<u>75.6</u>		<u>170</u>		5	U	<u>207</u>	
Copper	ug/l	1300	<u>800</u>	20	U	29.3		100	U	20	U	20	U
Iron	ug/l		<u>14000</u>	<u>400000</u>		<u>675000</u>		<u>2440000</u>		<u>108000</u>		<u>372000</u>	
Lead	ug/l	15	<u>15</u>	15	U	<u>87.1</u>		<u>32.5</u>		15	U	<u>110</u>	
Magnesium	ug/l			51500		130000		363000		25700		407000	
Manganese	ug/l		<u>430</u>	<u>986</u>		<u>3450</u>		<u>64800</u>		<u>2060</u>		<u>4760</u>	

Table 8. 2019 Groundwater Analytical Results

SWMU 9

Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

			Location ID	MW-18	MW-19	SM9-MW01	SWMU9-MW-1	SWMU9-MW-2					
			Sample ID	MW18-09-120619	MW19-09-120619	SM9MW1-09-120419	SWMU9-MW1-09-120419	SWMU9-MW2-09-120319					
			Sample Date	12/6/2019	12/6/2019	12/4/2019	12/4/2019	12/3/2019					
			Sample Type	REG	REG	REG	REG	REG					
			Lab Sample ID	1219452	1219454	1216366	1216358	1216352					
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	CONC	Q	CONC	Q	CONC	Q	CONC	Q		
Mercury	ug/l	2	0.63	0.2	U	0.16	J	0.11	J	0.2	U	0.2	U
Nickel	ug/l		390	3	J	56.8		85.4		9.5	J	77.8	
Potassium	ug/l			15500		33500		25200		10000		46100	
Selenium	ug/l	50	100	50	U	50	U	500	U	50	U	50	U
Silver	ug/l		94	35.5		59.2		100	U	5.7	J	10	U
Sodium	ug/l			38500		157000		2840000		65500		200000	
Thallium	ug/l	2	0.2	30	U	27.8	J	59.6		30	U	30	U
Vanadium	ug/l		86	10	U	38		102		5.9	J	70.9	
Zinc	ug/l		6000	836		634		2570		20	U	1090	

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL), Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established

RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

FD = Duplicate sample

Exceedances shown may exceed one or more criteria if available

Table 9. 2016 Pore Water Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID			DVW-16-01	DVW-16-01	DVW-16-01	DVW-16-01	DVW-16-01	DVW-16-01	DVW-16-01	DVW-16-01	DVW-16-01	DVW-16-01	DVW-16-01	DVW-16-01	DVW-16-01	DVW-16-01	DVW-16-01	DVW-16-01	
	Sample ID	DVW-16-01-PW-00-10-16111	DVW-16-01-PW-00-10-16111	DVW-16-01-PW-161101	DVW-16-01-PW-161118	DVW-16-01-PW-81-91-161101	DVW-16-01-SW-161117	DVW-16-01-SW-161117	DVW-16-01-SW-161117	DVW-16-01-SW-161117	DVW-16-01-SW-161117	DVW-16-01-SW-161117	DVW-16-1001-PW-00-10-16111	DVW-16-1001-PW-00-10-16111	DVW-16-02-PW-11/15/				
	Sample Date	11/17/2016	11/17/2016	11/17/2016	11/1/2016	11/18/2016	11/1/2016	11/1/2016	11/17/2016	11/17/2016	11/17/2016	11/17/2016	11/17/2016	11/17/2016	11/17/2016				
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Result
Metals																			
Calcium	ug/l					310000												310000	
Iron	ug/l		14000			8100												8600	
Magnesium	ug/l					18000												17000	
Manganese	ug/l		430			1600												1500	
Potassium	ug/l					12000												11000	
Silicon	ug/l					37000												36000	
Sodium	ug/l					89000												88000	
General Chemistry																			
Alkalinity	ug/l					300000												340000	
Alkalinity, Phenolphthalein Endpoint	ug/l					5000	U											5000	U
Arsenic	ug/l	10	0.052	259			32700										3.94	1.67	U
Arsenic Ion (As+3)	ug/l			222													0.247	J	228
Arsenic Ion (As+5)	ug/l			10.1													1.19	10.3	
Bicarbonate Alkalinity	ug/l					300000												340000	
Bromide	ug/l					410	J											460	J
Carbonate Alkalinity	ug/l					5000	U											5000	U
Chloride	ug/l					94000												95000	
Dimethylarsinic acid	ug/l		400	0.6	U												0.15	U	0.6
Fluoride	ug/l	4000	800			3600												3600	
Methyl Arsonic Acid	ug/l		200	0.6	U												0.15	U	0.6
Nitrogen, Nitrate (As N)	ug/l					54	U											54	U
Nitrogen, Nitrite	ug/l					70	U											70	U
Phosphorus, Total Orthophosphate (As P)	ug/l					12000												12000	
Sulfate	ug/l					630000												600000	
Sulfide	ug/l					36	U											36	U

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL),
 Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent
 RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

Exceedances shown may exceed one or more criteria if available

Table 9. 2016 Pore Water Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

		Location ID	6-02	DVW-16-02		DVW-16-02		DVW-16-02		DVW-16-02		DVW-16-02		DVW-16-03		DVW-16-03		DVW-1				
		Sample ID	00-10-161115	DVW-16-02-PW-00-10-161115	11/15/2016	DVW-16-02-PW-161118	11/18/2016	DVW-16-02-SW-161115	11/15/2016	DVW-16-02-SW-161115	11/15/2016	DVW-16-03-PW-161115	11/18/2016	DVW-16-03-PW-81-91-161111	11/16/2016	DVW-16-03-PW-81-91-161116	11/16/2016	DVW-16-03-SW-161116	11/16/2016	DVW-16-03-S		
Parameter	Units	MAY 2023 RSL	MAY 2023 RSL	MCL	TAPW	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result			
Metals																						
Calcium	ug/l						430000										480000					
Iron	ug/l						14000		200000								290000					
Magnesium	ug/l								42000									41000				
Manganese	ug/l						430		1900								6800					
Potassium	ug/l								14000									9500	J			
Silicon	ug/l								37000									27000				
Sodium	ug/l								99000									110000				
General Chemistry																						
Alkalinity	ug/l								5000	U								22000				
Alkalinity, Phenolphthalein Endpoint	ug/l								5000	U								5000	U			
Arsenic	ug/l	10	0.052										5.98		19.5		417000			5.83	3.07	
Arsenic Ion (As+3)	ug/l								3460		3.99						3770	329000			3.16	
Arsenic Ion (As+5)	ug/l								52.4		1.43						177	63900			1.53	
Bicarbonate Alkalinity	ug/l								5000	U									22000			
Bromide	ug/l								290	U									290	U		
Carbonate Alkalinity	ug/l								5000	U									5000	U		
Chloride	ug/l								69000										71000			
Dimethylarsinic acid	ug/l						400		U				3	U	0.15	U		3	U	300	U	0.15
Fluoride	ug/l	4000	800				2400						3	U	0.15	U				14000		
Methyl Arsonic Acid	ug/l						200		U				3	U	0.15	U		3	U	300	U	0.15
Nitrogen, Nitrate (As N)	ug/l								110	U									110	U		
Nitrogen, Nitrite	ug/l								140	U									140	U		
Phosphorus, Total Orthophosphate (As P)	ug/l								770	U									770	U		
Sulfate	ug/l								1500000										2100000			
Sulfide	ug/l								71	J												

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL),
 Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent
 RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

Exceedances shown may exceed one or more criteria if available

Table 9. 2016 Pore Water Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

		Location ID	6-03	DVW-16-03	DVW-16-03	DVW-16-04	DVW-16-04	DVW-16-04	DVW-16-04	DVW-16-04	DVW-16-04	DVW-16-05	DVW-16-06	DVW-16-06	
		Sample ID	DW-161116	DVW-16-103-SW-161116	DVW-16-103-SW-161116	DVW-16-04-PW-161118	DVW-16-04-PW-81-91-161118	DVW-16-04-PW-81-91-161118	DVW-16-04-SW-161118	DVW-16-04-SW-161118	DVW-16-04-SW-161118	DVW-16-05-PW-161118	DVW-16-05-PW-161118	DVW-16-06-PW-161118	DVW-16-106-1
		Sample Date	016	11/16/2016	11/16/2016	11/18/2016	11/18/2016	11/18/2016	11/18/2016	11/18/2016	11/18/2016	11/18/2016	11/18/2016	11/18/2016	11/18/2
Parameter	Units	MAY 2023 RSL	MAY 2023 RSL	MCL	TAPW	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result
Metals															
Calcium	ug/l										790000				
Iron	ug/l				14000						32000				
Magnesium	ug/l										47000				
Manganese	ug/l				430						5100				
Potassium	ug/l										14000				
Silicon	ug/l										32000				
Sodium	ug/l										140000				
General Chemistry															
Alkalinity	ug/l										1000000				
Alkalinity, Phenolphthalein Endpoint	ug/l										5000	U			
Arsenic	ug/l	10	0.052		J+	4.34			3.42	J+		1480			
Arsenic Ion (As+3)	ug/l								2.19		845	1330			
Arsenic Ion (As+5)	ug/l								1.43		84.4	300			
Bicarbonate Alkalinity	ug/l											1000000			
Bromide	ug/l											290	U		
Carbonate Alkalinity	ug/l											5000	U		
Chloride	ug/l											130000			
Dimethylarsinic acid	ug/l		400	U					0.15	U	3	U	3	U	3
Fluoride	ug/l	4000	800									35000			
Methyl Arsonic Acid	ug/l		200	U					0.15	U	3	U	3	U	3
Nitrogen, Nitrate (As N)	ug/l											110	U		
Nitrogen, Nitrite	ug/l											140	U		
Phosphorus, Total Orthophosphate (As P)	ug/l											770	U		
Sulfate	ug/l											2400000			
Sulfide	ug/l											280			

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL),
 Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent
 RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

Exceedances shown may exceed one or more criteria if available

Table 9. 2016 Pore Water Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

		Location ID	6-06	DVW-16-07	DVW-16-07	DVW-16-07	DVW-16-07	DVW-16-07	DVW-16-07	DVW-16-07	DVW-16-08	DVW-16-08	
Parameter	Units	MAY 2023 RSL	MAY 2023 RSL	Sample ID	DVW-16-07-PW-00-10-161114	DVW-16-07-PW-00-10-161114	DVW-16-07-PW-081-091-161114	DVW-16-07-PW-161118	DVW-16-07-PW-81-91-161111	DVW-16-07-SW-161114	DVW-16-07-SW-161114	DVW-16-08-PW-00-10-161111	DVW-16-08-PW-00-10-161111
		Units	MCL	TAPW	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.
Metals													
Calcium	ug/l					100000				390000			93000
Iron	ug/l			14000		85	U			2500			30000
Magnesium	ug/l					56000				51000			33000
Manganese	ug/l			430		8100				4100			10000
Potassium	ug/l					17000				12000			7000
Silicon	ug/l					12000	J			28000			20000
Sodium	ug/l					260000				97000			210000
General Chemistry													
Alkalinity	ug/l					410000				1000000			250000
Alkalinity, Phenolphthalein Endpoint	ug/l					5000	U			5000	U		5000 U
Arsenic	ug/l	10	0.052		1260			70.1				1.95	J+
Arsenic Ion (As+3)	ug/l				991			35.3		1070		0.195	J
Arsenic Ion (As+5)	ug/l				134			10.1		81.2		1.1	54.3
Bicarbonate Alkalinity	ug/l					410000				1000000			250000
Bromide	ug/l					1300				290	U		2600
Carbonate Alkalinity	ug/l					5000	U			5000	U		5000 U
Chloride	ug/l					550000				140000			520000
Dimethylarsinic acid	ug/l		400	U	0.6	U		0.15	U	3	U		3 U
Fluoride	ug/l	4000	800			640				9100			710
Methyl Arsonic Acid	ug/l		200	U	0.6	U		0.15	U	3	U		3 U
Nitrogen, Nitrate (As N)	ug/l					54	U			110	U		22 U
Nitrogen, Nitrite	ug/l					70	U			140	U		28 U
Phosphorus, Total Orthophosphate (As P)	ug/l					390	U			770	U		150 U
Sulfate	ug/l					7600				32000			14000
Sulfide	ug/l					79	J			110			190

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL),
 Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent
 RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

Exceedances shown may exceed one or more criteria if available

Table 9. 2016 Pore Water Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

Location ID				DVW-16-08		DVW-16-08		DVW-16-08		DVW-16-08		DVW-16-08		DVW-16-09		DVW-16-10		DVW-16-10		
	Sample ID	DVW-16-08-PW-161118 11/18/2016	DVW-16-08-PW-81-91-16111 11/17/2016	DVW-16-08-PW-81-91-16111 11/17/2016	DVW-16-08-SW-161117 11/17/2016	DVW-16-08-SW-161117 11/17/2016	DVW-16-08-SW-161117 11/17/2016	DVW-16-08-SW-161117 11/17/2016	DVW-16-09-PW-161118 11/18/2016	DVW-16-10-PW-05-10-161118 11/18/2016	DVW-16-10-PW-05-10-161118 11/18/2016	DVW-16-10-PW-161118 11/18/2016	DVW-16-10-PW-161118 11/18/2016	DVW-16-10-PW-161118 11/18/2016	DVW-16-10-PW-161118 11/18/2016	DVW-16-10-PW-161118 11/18/2016	DVW-16-10-PW-161118 11/18/2016			
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	Result	Lab Qual.	
Metals																				
Calcium	ug/l							660000										490000		
Iron	ug/l		14000					2200										43000		
Magnesium	ug/l							17000										54000		
Manganese	ug/l		430					1700									3700			
Potassium	ug/l							5800									13000			
Silicon	ug/l							34000									24000			
Sodium	ug/l							90000									60000			
General Chemistry																				
Alkalinity	ug/l							320000									260000			
Alkalinity, Phenolphthalein Endpoint	ug/l							5000	U								5000	U		
Arsenic	ug/l	10	0.052			1910				3.85		1.86	J+				40.1			
Arsenic Ion (As+3)	ug/l			1140		762						0.169	J	421		30.7			360	
Arsenic Ion (As+5)	ug/l			51.9		16.1	J					1.2		29.1		4.42			169	
Bicarbonate Alkalinity	ug/l							320000									260000			
Bromide	ug/l							420	J								490	J		
Carbonate Alkalinity	ug/l							5000	U								5000	U		
Chloride	ug/l							150000									58000			
Dimethylarsinic acid	ug/l		400	3	U	3	U					0.15	U	3	U	0.15	U		3	U
Fluoride	ug/l	4000	800					15000									6200			
Methyl Arsonic Acid	ug/l		200	3	U	3	U					0.15	U	3	U	0.15	U		3	U
Nitrogen, Nitrate (As N)	ug/l							54	U								54	U		
Nitrogen, Nitrite	ug/l							70	U								70	U		
Phosphorus, Total Orthophosphate (As P)	ug/l							2400									390	U		
Sulfate	ug/l							1400000									640000			
Sulfide	ug/l							50	J								40	J		

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL),
 Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent
 RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

Exceedances shown may exceed one or more criteria if available

Table 9. 2016 Pore Water Analytical Results
 SWMU 9 and South Plant South Parcel
 Corrective Measures Study
 Honeywell Delaware Valley Works
 Claymont, Delaware
 WSP Project No. 3482230886

		Location ID	DVW-16-10	DVW-16-10
		Sample ID	DVW-16-10-SW-161118	DVW-16-10-SW-161118
		Sample Date	11/18/2016	11/18/2016
Parameter	Units	MAY 2023 RSL MCL	MAY 2023 RSL TAPW	Result Lab Qual.
Metals				
Calcium	ug/l			
Iron	ug/l		14000	
Magnesium	ug/l			
Manganese	ug/l		430	
Potassium	ug/l			
Silicon	ug/l			
Sodium	ug/l			
General Chemistry				
Alkalinity	ug/l			
Alkalinity, Phenolphthalein Endpoint	ug/l			
Arsenic	ug/l	10	0.052	3.28 11.4
Arsenic Ion (As+3)	ug/l			1.06
Arsenic Ion (As+5)	ug/l			1.7
Bicarbonate Alkalinity	ug/l			
Bromide	ug/l			
Carbonate Alkalinity	ug/l			
Chloride	ug/l			
Dimethylarsinic acid	ug/l		400	0.15 U
Fluoride	ug/l	4000	800	
Methyl Arsonic Acid	ug/l		200	0.15 U
Nitrogen, Nitrate (As N)	ug/l			
Nitrogen, Nitrite	ug/l			
Phosphorus, Total Orthophosphate (As P)	ug/l			
Sulfate	ug/l			
Sulfide	ug/l			

Notes:

Exceeds the U.S. Environmental Protection Agency (EPA) Regional Screening Level (RSL),
 Maximum Contaminant Level (MCL) (May 2023)

Exceeds the EPA Tapwater RSL

Blanks indicate RSL not established or sample not analyzed for that constituent
 RSLs assume target cancer risk (TR) of 1E-06 and target hazard quotient (THQ) of 1.0

U = undetected

J = estimated value

J+ = estimated biased high

J- = estimated biased low

R = rejected

ug/L = micrograms per liter

Exceedances shown may exceed one or more criteria if available

Appendix C

Sediment Data Summary Delaware Valley Works, Claymont, Delaware									
Location	Sample Type	TOC	Lead	Arsenic	4,4'-DDD	4,4'-DDE	4,4'-DDT	Total DDx	
		Conc mg/kg	Conc mg/kg	Conc mg/kg	Conc ug/kg	Conc ug/kg	Conc ug/kg	Conc ug/kg	Normalized ug/gOC
DVW-SE-01	REG	35000			16,000	1,700	32,000	49700	1,420
DVW-SE-03	REG	21000			1,900	190	7,700	9790	466
DVW-SE-05	REG	22000			6,000	470	19,000	25470	1,158
DVW-SE-07	REG	47000			530	54	1,100	1684	36
DVW-SE-07	FD	35000			240	56	51	347	10
DVW-SE-09	REG	24000			350	34	1,200	1584	66
DVW-SE-11	REG	31000			2,100	180	2,700	4,980	161
DVW-SE-13	REG	27000			700	120	1,800	2,620	97
DVW-SE-15	REG	21000			680	64	990	1,734	83
DVW-SE-17	REG	39000			930	190	2,100	3,220	83
DVW-SE-19	REG	41000			530	130	410	1,070	26
DVW-SE-21	REG	28000			450	48	2,300	2,798	100
DVW-SE-23	REG	45000			440	86	480	1,006	22
DVW-SE-23	FD	32000			5,100	120	1,100	6,320	198
DVW-SE-25	REG	39000			700	93	3,900	4,693	120
DVW-SE-27	REG	39000			120	44	46	210	5
DVW-SE-29	REG	37000			610	62	400	1,072	29
SE-01	REG	24200	242	189	2,700	260	2,900	5,860	242
SE-02	REG	21900	279	224	21,000	2,400	230,000	253,400	11,571
SE-03	REG	18700	436	405	21,000	2,700	3,600	27,300	1,460
SE-04	REG	2920	399	388	34,000	1,100	15,000	50,100	17,158
SE-05	REG	16600	527	1,180	1,100,000	28,000	970,000	2,098,000	126,386
SE-06	REG	29400	77	222	3,500	98	3,300	6,898	235
SE-06	FD	25000	79	213	3,800	100	2,700	6,600	264
SE-07	REG	24400	353	2,190	140,000	9,200	16,000	165,200	6,770
SE-08	REG	16800	313	1,600	220,000	6,900	16,000	242,900	14,458
SE-09	REG	16100	370	2,090	77,000	18,000	5,600	100,600	6,248
SE-11	REG	26800	488	255	1,300	280	620	2,200	82
SE-11A	REG			160					NC
SE-11B	REG			110					NC
SE-12	REG	36400	100	84	310	30	170	510	14
SE-13	REG	30700	69	57	240	17	150	407	13
SE-14	REG	41200	77	86	280	34	270	584	14
SE-15	REG	30000	69	89	740	36	930	1,706	57
SE-16	REG	25900	78	129	850	64	1,200	2,114	82
SE-16A	REG	14000	49	27	61,000	5,100	57,000	123,100	8,793
SE-16B	REG	21000	440	290	170,000	20,000	220,000	410,000	19,524

Sediment Data Summary Delaware Valley Works, Claymont, Delaware									
Location	Sample Type	TOC	Lead	Arsenic	4,4'-DDD	4,4'-DDE	4,4'-DDT	Total DDx	
		Conc mg/kg	Conc mg/kg	Conc mg/kg	Conc ug/kg	Conc ug/kg	Conc ug/kg	Conc ug/kg	Normalized ug/gOC
SE-16C	REG	28000	490	270	60,000	5,400	48,000	113,400	4,050
SE-16H	REG	18000	420	200	6,800	1,800	4,900	13,500	750
SE-16K	REG	15000	48	47	36	5	310	351	23
SE-16K	FD	15000	48	47	560	20	2,900	3,480	232
SE-16M	REG	24000	180		2,400	160	16,000	18,560	773
SE-16M	FD	23000	200		880	200	2,300	3,380	147
SE-16O	REG	20000	440		1,400	220	4,000	5,620	281
SE-16P	REG	26000	340		590	500	1,400	2,490	96
SE-16Q	REG	35000	130						
SE-17	REG	22900	481	1,050	4,200	180	2,900	7,280	318
SE-17A	REG	17,000	430	460	2,500	120	4,500	7,120	419
SE-17A	FD	15,000	440	410	2,400	110	5,300	7,810	521
SE-17B	REG	9,600	910	2,000	3,400	450	1,100	4,950	516
SE-17C	REG	31,000	240	1,700	1,500	36	1,300	2,836	91
SE-17D	REG	10,000	1,500	1,800	3,700	440	2,600	6,740	674
SE-17E	REG	20,000	800	1,200	2,000	78	1,900	3,978	199
SE-17E	FD	20,000	750	1,200	1,400	86	5,400	6,886	344
SE-17F	REG	16,000	1,800	2,400	3,700	250	1,500	5,450	341
SE-17G	REG	9,800	610	1,700					
SE-17H	REG	12,000	1,100	3,000	2,600	340	2,100	5,040	420
SE-17I	REG	21,000	800	2,300	740	93	1,200	2,033	97
SE-17I	FD	19,000	740	2,300	670	92	610	1,372	72
SE-17J	REG	8,800	430	1,300	6,300	370	3,900	10,570	1,201
SE-17J-E	REG	12,000	1,300	660	42,000	11,000	50,000	103,000	8,583
SE-17J-E	FD	13,000	1,300	610	38,000	11,000	46,000	95,000	7,308
SE-17J-F11	REG	12000	660	490	61,000	4,300	38,000	103,300	8,608
SE-17J-F15	REG	16000	570	150	3,800	490	2,800	7,090	443
SE-17J-F16	REG	16000	480		16,000	1,600	5,500	23,100	1,444
SE-17J-F18	REG	12000	230		8,100	1,200	19,000	28,300	2,358
SE-17J-F19	REG	23000	310		5,800	2,900	6,500	15,200	661
SE-17J-F19	FD	19000	270		9,900	2,900	12,000	24,800	1,305
SE-17J-F2	REG	10,000	1,500	620	35,000	9,800	4,300	49,100	4,910
SE-17J-F20	REG	26000	180		5,900	310	1,000	7,210	277
SE-17J-F3	REG	3,800	2,700	680	2,500	500	9,500	12,500	3,289
SE-17J-F4	REG	5,100	1,100	400	24,000	2,600	17,000	43,600	8,549
SE-17J-F5	REG	6500	290	140	9,900	5,000	10,000	24,900	3,831
SE-17J-F6	REG	7500	760	1,300	9,400	1,100	7,200	17,700	2,360

Sediment Data Summary Delaware Valley Works, Claymont, Delaware									
Location	Sample Type	TOC	Lead	Arsenic	4,4'-DDD	4,4'-DDE	4,4'-DDT	Total DDx	
		Conc mg/kg	Conc mg/kg	Conc mg/kg	Conc ug/kg	Conc ug/kg	Conc ug/kg	Conc ug/kg	Normalized ug/gOC
SE-17J-F7	REG	4000	1,100	410	23,000	700	34,000	57,700	14,425
SE-17J-G	REG	5,100	1,400	670	1,100	240	4,700	6,040	1,184
SE-17J-I	REG	3,600	1,100	290	10,000	1,500	3,500	15,000	4,167
SE-17J-I	FD	3,900	710	260	9,500	1,500	7,600	18,600	4,769
SE-17J-J	REG	9,400	60	12	390	88	960	1,438	153
SE-17J-K1	REG	2700	970	280	1,100	320	3,600	5,020	1,859
SE-17J-K2	REG	4400	79	79	11,000	11,000	5,400	27,400	6,227
SE-17J-K3	REG	4,000	210	180	16,000	5,900	5,200	27,100	6,775
SE-17J-K6	REG	5900	280	45	7,300	520	5,100	12,920	2,190
SE-17J-L1	REG	18,000	68	41	160	34	160	354	20
SE-17J-M1	REG	8,100	260	310	1,400	460	640	2,500	309
SE-17J-M1	FD	8,700	240	160	1,900	320	1,200	3,420	393
SE-17J-M2	REG	14,000	120	48	2,500	780	25,000	28,280	2,020
SE-17J-M2	FD	15,000	130	37	1,900	330	680	2,910	194
SE-17J-M3	REG	15,000	54	17	150	180	44	374	25
SE-17J-M3	FD	20,000	52	17	300	150	360	810	41
SE-17J-N3	REG	10000	190	61	1,300	320	8,500	10,120	1,012
SE-17J-P3	REG	3400	310	99	61,000	2,900	70,000	133,900	39,382
SE-17J-P6	REG	11000	65	21	390	47	2,100	2,537	231
SE-17J-Q	REG	4500	350	93	20,000	1,500	69,000	90,500	20,111
SE-17J-R	REG	800	740	130	25,000	1,300	32,000	58,300	72,875
SE-17J-S2	REG	23,000	520		29,000	6,300	16,000	51,300	2,230
SE-17J-S4	REG	20,000	1,100		4,100	710	9,100	13,910	696
SE-17J-S5	REG	34,000	4,500		2,600	1,200	5,600	9,400	276
SE-17J-S6	REG	30,000	400		1,500	1,000	2,300	4,800	160
SE-17J-S6	FD	33,000	330		24,000	2,800	39,000	65,800	1,994
SE-17J-S7	REG	17,000	400		23,000	3,400	39,000	65,400	3,847
SE-17J-S7	FD	19,000	390		4,000	1,300	7,000	12,300	647
SE-17J-T2	REG	23,000	340		6,500	1,100	9,700	17,300	752
SE-17J-T4	REG	25,000	330		160,000	7,000	10,000	177,000	7,080
SE-17J-T4	FD	31,000	340		180,000	7,700	8,600	196,300	6,332
SE-17J-T6	REG	11,000	320		6,800	2,900	100,000	109,700	NC
SE-17J-T7	REG	15,000	330		2,900	520	4,400	7,820	NC
SE-17J-T7	FD	17,000	310		2,500	330	710	3,540	208
SE-17J-T8	REG	15,000	460		4,500	1,800	8,100	14,400	960
SE-17J-U10	REG	8,300	170		2,800	1,200	5,900	9,900	1,193
SE-17J-U11	REG	13,000	120		1,700	160	6,100	7,960	612

Sediment Data Summary Delaware Valley Works, Claymont, Delaware									
Location	Sample Type	TOC	Lead	Arsenic	4,4'-DDD	4,4'-DDE	4,4'-DDT	Total DDx	
		Conc mg/kg	Conc mg/kg	Conc mg/kg	Conc ug/kg	Conc ug/kg	Conc ug/kg	Conc ug/kg	Normalized ug/gOC
SE-17J-U12	REG	9,900			6,700	880	18,000	25,580	2,584
SE-17J-U5	REG	17,000	51		440	37	7,100	7,577	446
SE-17J-U7	REG	14,000	84		6,200	240	6,200	12,640	903
SE-17K	REG	10,000	360	1,100					
SE-17L	REG	21,000	2,900	5,200	1,700	220	720	2,640	126
SE-17L-A	REG		910	1900					NC
SE-17L-B	REG		580	1900					NC
SE-17L-C	REG		490	1200					NC
SE-17L-D	REG		270	280					NC
SE-17L-E	REG	23,000	150	52	280	150	360	790	34
SE-18	REG	24,100	64	26	260	38	500	798	33
SE-18A	REG	29,000	550	270	1,400	2,300	4,600	8,300	286
SE-19	REG	32,400	50	17	140	16	110	266	8
SE-20	REG	22,500	38	20	150	13	190	353	16
SE-20A	REG	21,000	81	49	540	180	3,000	3,720	177
SE-21	REG	26,700	127	61	190	220	230	640	24
SE-21A	REG	26,000	91	110	390	200	770	1,360	52
SE-21B	REG	18,000	87	390	240	61	110	411	23
SE-21D	REG	27,000	190	170	500	370	650	1,520	56
SE-22	REG	26,600	353	860	350	55	440	845	32
SE-23	REG	33,700	165	165	1,900	240	2,600	4,740	141
SE-24	REG	12,400	611	3,500	1,500	340	1,600	3,440	277
SE-25	REG	93,300	260	944	68,000	8,700	140,000	216,700	2,323
SE-25	FD	58,500	190	741	56,000	4,500	89,000	149,500	2,556
SE-26	REG	58,200	738	960	66,000	5,800	32,000	103,800	1,784
SE-27	REG	41,500	408	396	1,800,000	220,000	5,300,000	7,320,000	176,386
SE-28	REG	80,100	282	785	42,000	6,300	74,000	122,300	1,527
SE-29	REG	20,000	2,020	1,010	23,000	2,100	1,200	26,300	1,315
Note:									
NC - not calculated									

Table 3 - Data Summary Table

							Positive Result
Client Sample ID:		LOC-001	LOC-002	LOC-003	FD-01*	LOC-004	LOC-005
Lab Sample ID:			JC77221-1	JC77181-2	JC77181-3	JC77181-1	JC75098-1
Date Sampled:			11/1/2018	10/31/2018	10/31/2018	10/31/2018	10/1/2018
Matrix:			Pore Water				
Pesticides		NA	PREP				
alpha-BHC	ug/l			0.076	0.11	0.045	0.010 U
beta-BHC	ug/l			0.024	0.037	0.0080 U	0.011 U
delta-BHC	ug/l			0.0071 U	0.0071 U	0.0075 U	0.010 U
gamma-BHC (Lindane)	ug/l			0.022	0.043	0.0060 U	0.0080 U
4,4'-DDD	ug/l			0.016	0.016	0.018	0.18
4,4'-DDE	ug/l			0.0050 U	0.0050 U	0.0050 U	0.072 J
4,4'-DDT	ug/l			0.0046 U	0.0046 U	0.0075	0.27
Metals		NA					
Arsenic (Total)	ug/l		9630	6230	6120	3100	NA
Arsenic (Dissolved)	ug/l		9410	6650	5890	3850	FILT
Client Sample ID:		LOC-006	LOC-007	LOC-008	LOC-009	RINSATE	
Lab Sample ID:		JC75098-2	JC75098-3	JC75196-2	JC75196-1	JC75098-4	
Date Sampled:		10/1/2018	10/1/2018	10/2/2018	10/2/2018	10/1/2018	
Matrix:		Pore Water	Pore Water	Pore Water	Pore Water	DI Water	
Pesticides							
alpha-BHC	ug/l	0.015	0.010 U	0.014 U	0.014	0.0047 U	
beta-BHC	ug/l	0.013 J	0.011 U	0.015 U	0.0069 J	0.0050 U	
delta-BHC	ug/l	0.0088 U	0.010 U	0.014 U	0.012	0.0047 U	
gamma-BHC (Lindane)	ug/l	0.0080 J	0.0080 U	0.011 U	0.0040 U	0.0037 U	
4,4'-DDD	ug/l	8.5 J	3.2 J	5.1 J	0.32	0.0036 U	
4,4'-DDE	ug/l	2.4 J	0.17 J	0.22 J	0.032	0.0047 U	
4,4'-DDT	ug/l	20.4 J	0.41	1.1	0.025	0.0043 U	
Metals							
Arsenic (Total)	ug/l	NA	1700	504	656	1.0 J	
Arsenic (Dissolved)	ug/l	FILT	FILT	115	382	3.0 U	

Footnotes:

* - This sample is a field duplicate collected at LOC-003.

U - This analyte was not detected at or above the reported detection limit.

J - This result is an estimated value.

NA – Sample could not be collected at this location.

PREP - Sample preparation problem, pesticide results are not available.

FILT - Sample could not be filtered for dissolved arsenic analysis.

Appendix D



Table 1
Groundwater Parameter Quality Data
Arsenic Study Groundwater Report November 2016
Honeywell-Delaware Valley Works Facility South Plant, Claymont, DE

Location	MW-16	MW-17	MW-18	MW-108R	MW-109	MW-110R	MW-111R	MW-118	MW-119
Method	Parameter Name	Sample Date	11/16/2016	11/16/2016	11/16/2016	11/15/2016	11/15/2016	11/17/2016	11/15/2016
E300.0	Bromide		3.6	2.5 U	2.5 U	1.3 U	1.3 U	2.5 U	2.5 U
E300.0	Chloride		760	19	9.9	16	32	110	42
E300.0	Fluoride		2.4	9.5	11	19	3.4	8.7	7.7
E300.0	Nitrate as N		2	0.5 U	0.11 J	0.25 U	0.25 U	0.25 U	0.15 J
E300.0	Nitrite as N		0.25 U	0.25 U	0.25 U	0.13	0.19	0.25 U	0.44
E300.0	Orthophosphate as P		2.5 U	2.5 U	2.5 U	7.7	7.2	2.5 U	8.8
E300.0	Sulfate		810	2600	2400	1400	860	1500	800
SM2320B	Bicarbonate Alkalinity as CaCO ₃		84	52	5 U	5 U	5 U	490	23
SM2320B	Carbonate Alkalinity as CaCO ₃		5 U	5 U	5 U	5 U	5 U	5 U	5 U
SM2320B	Phenolphthalein Alkalinity		5 U	5 U	5 U	5 U	5 U	5 U	5 U
SM2320B	Total Alkalinity as CaCO ₃ to pH 4.5		84	52	5 U	5 U	5 U	490	23
SM4500S2-D	Sulfide		0.05 J	0.1 U					
SW6020	Calcium		320000	440000	480000	370000	240000	580000	280000
SW6020	Magnesium		51000	310000	64000	35000	41000	15000	34000
SW6020	Potassium		16000	27000	15000	8900	13000	11000	18000
SW6020	Silicon		5700	17000	26000	48000	49000	33000	27000
SW6020	Sodium		380000	30000	40000	57000	100000	56000	260000

Notes:

U = Undetected

J = Estimated

Dup-11152016 was taken at MW-120

mg/L: milliliters per liter

ug/L: micrograms per liter

Table 1
Groundwater Parameter Quality Data
Arsenic Study Groundwater Report November 2016
Honeywell-Delaware Valley Works Facility South Plant, Claymont, DE

Location	MW-120	DUP-11152016	MW-121	MW-122	MW-123	MW-124	FB-11152016	FB-11162016	FB-111716
Method	Parameter Name	Sample Date	11/15/2016	11/15/2016	11/16/2016	11/16/2016	11/17/2016	11/16/2016	11/17/2016
E300.0	Bromide		1.3 U	1.3 U	2.5 U	2.5 U	1.3 J	2.5 U	0.5 U
E300.0	Chloride		28	24	88	14	180	44	1 U
E300.0	Fluoride		8.8	8.7	0.2 J	24	0.42 J	0.41 J	0.1 U
E300.0	Nitrate as N		0.25 U	0.25 U	0.5 U	0.5 U	0.5 U	0.5 U	0.1 U
E300.0	Nitrite as N		0.36	0.34	0.25 U	0.25 U	0.25 U	0.25 U	0.05 U
E300.0	Orthophosphate as P		33	31	2.5 U	2.5 U	2.5 U	2.5 U	0.5 U
E300.0	Sulfate		1600	1600	4200	2500	3000	110	1 U
SM2320B	Bicarbonate Alkalinity as CaCO ₃		5 U	5 U	5 U	64	170	1700	5 U
SM2320B	Carbonate Alkalinity as CaCO ₃		5 U	5 U	5 U	5 U	5 U	5 U	5 U
SM2320B	Phenolphthalein Alkalinity		5 U	5 U	5 U	5 U	5 U	5 U	5 U
SM2320B	Total Alkalinity as CaCO ₃ to pH 4.5		5 U	5 U	5 U	64	170	1700	5 U
SM4500S2-D	Sulfide		0.055 J	0.038 J	0.078 J	0.071 J	0.038 J	0.053 J	0.1 U
SW6020	Calcium		350000	380000	140000	470000	260000	89000	2500 U
SW6020	Magnesium		59000	63000	160000	200000	220000	41000	2500 U
SW6020	Potassium		22000	24000	6300	39000	9100	12000	2500 U
SW6020	Silicon		49000	52000	23000	32000	22000	19000	2500 U
SW6020	Sodium		98000	110000	860000	42000	370000	590000	2500 U

Notes:

U = Undetected

J = Estimated

Dup-11152016 was taken at MW-120

mg/L: milliliters per liter

ug/L: micrograms per liter

Table 2
Groundwater Arsenic Speciation Data
Arsenic Study Groundwater Report November 2016
Honeywell-Delaware Valley Works Facility South Plant, Claymont, DE

Parameter	Fraction	Location		MW-16	MW-17	MW-18	MW-108R	MW-109	MW-110R	MW-111R
		Sample Date		11/16/2016	11/16/2016	11/16/2016	11/15/2016	11/15/2016	11/17/2016	11/17/2016
As	TR			50.8	11.8	14000	56200	7250	2760	2260
As	D			27	1.15	13300	54900	6950	2690	1630
As(III)	D			30.4	0.532 B	3980	33600	4470	2080	1120
As(V)	D			6.97	0.502 B	7240	7550	1190	284	1040
DMAs	D			≤ 0.150 U	≤ 0.150 U	≤ 3.00 U	≤ 150 U	≤ 3.00 U	≤ 3.00 U	≤ 3.00 U
Fe	TR			5810	80000	486000	167000	33100	48100	92500
Fe	D			3040	74900	442000	139000	31000	50000	85900
MMAs	D			≤ 0.150 U	≤ 0.150 U	≤ 3.00 U	≤ 150 U	≤ 3.00 U	≤ 3.00 U	≤ 3.00 U
Mn	TR			66.3	1350	981	931	1170	580	847
Mn	D			51	1310	992	1010	1150	563	830

Notes:

D: Dissolved fraction

TR: Total recoverable fraction

U: Result is ≤ the MDL or client requested reporting limit (CRRL). Result reported as the MDL or CRRL.

B: Detected by the instrument, the result is > the MDL but ≤ the MRL. Result is reported and considered an estimate.

Table 2
Groundwater Arsenic Speciation Data
Arsenic Study Groundwater Report November 2016
Honeywell-Delaware Valley Works Facility South Plant, Claymont, DE

Location Sample Date		MW-118 11/17/2016	MW-119 11/15/2016	MW-120 11/15/2016	Dup-1115 2016 11/15/2016	MW-121 11/16/2016	MW-122 11/16/2016	MW-123 11/16/2016	MW-124 11/17/2016
Parameter	Fraction								
As	TR	30.8	153000	24000	24400	815	17.1	62.8	245
As	D	33.6	154000	23800	24000	998	12.2	60.7	203
As(III)	D	≤ 0.100 U	93800	12600	13200	82.1	5.56	4.28	110
As(V)	D	25.4	23100	6490	6260	271	7.43	22	94.1
DMAs	D	≤ 0.150 U	≤ 300 U	≤ 3.00 U	≤ 3.00 U	≤ 3.00 U	≤ 0.150 U	≤ 0.150 U	≤ 3.00 U
Fe	TR	361000	629000	203000	197000	880000	193000	649000	41300
Fe	D	364000	630000	188000	189000	673000	186000	574000	40600
MMAs	D	≤ 0.150 U	≤ 300 U	≤ 3.00 U	≤ 3.00 U	≤ 3.00 U	≤ 0.150 U	≤ 0.150 U	5.33 B
Mn	TR	5970	10900	2380	2150	27100	1530	40800	718
Mn	D	6100	10700	2060	2150	21600	1390	40100	755

Notes:

D: Dissolved fraction

TR: Total recoverable fraction

U: Result is ≤ the MDL or client requested reporting limit (CRRL). Result reported as the MDL or CRRL.

B: Detected by the instrument, the result is > the MDL but ≤ the MRL. Result is reported and considered an estimate.

Table 1
Analytical Results Summary - Sediment

Location ID	DVW-16-01	DVW-16-01	DVW-16-02	DVW-16-02	DVW-16-03	DVW-16-03	DVW-16-04	DVW-16-04
Sample ID	DVW-16-01-SED-161103	DVW-16-01-SED-161114	DVW-16-02-SED-161103	DVW-16-02-SED-161114	DVW-16-03-SED-161103	DVW-16-03-SED-161114	DVW-16-04-SED-161104	DVW-16-04-SED-161114
Sample Date	11/3/2016	11/14/2016	11/3/2016	11/14/2016	11/3/2016	11/14/2016	11/4/2016	11/14/2016
Depth	0 - 15 cm	0 - 6 in	0 - 15 cm	0 - 6.8 in	0 - 15 cm	0 - 8.5 in	0 - 15 cm	0 - 7 in
Sample Type	N	N	N	N	N	N	N	N
Matrix	SE							
X	651890.01	651890.01	651981.03	651981.03	652067.95	652067.95	652352.23	652352.23
Y	657182.06	657182.06	657225.28	657225.28	657256.32	657256.32	657022.48	657022.48
	Method							
Conventional Parameters								
Sulfide (mg/kg)	SW9034	--	1400	--	690	--	480	--
Total organic carbon (pct)	LloydKahn	5.1	--	4.8	--	3.2	--	3.9
Total solids (pct)	SM2540G	50.51	--	49.46	--	51.82	--	47.93
Metals (mg/kg)								
Arsenic	SW6020BM	250	--	461	--	1830*	--	331*
								--

Notes:

* = Laboratory reported values for Arsenic for Sample DVW-16-03 and DVW-16-

04 reassigned in accordance with Section 3.5 of Supplemental Pathway

Investigation Results Report (Anchor QEA 2017)

Bold = Detected result

-- = results not reported or not applicable

cm = centimeter

FD = field duplicate sample

in = inches

J = estimated value

lb/ft³ = pounds per cubic feet

mg/kg = milligrams per kilogram

N = normal environmental sample

pct = percent

SE = sediment matrix

U = compound analyzed, but not detected above detection limit

Horizontal coordinate datum is NAD 1983 State Plane Delaware FIPS

0700 (US Survey Feet).

All undetect results are reported at the reporting limit.

USEPA Stage 2B data validation was completed by Validata, LLC.

Table 1
Analytical Results Summary - Sediment

Location ID	DVW-16-05	DVW-16-05	DVW-16-05	DVW-16-06	DVW-16-06	DVW-16-06	DVW-16-06	DVW-16-07	DVW-16-07
Sample ID	DVW-16-05-SED-161104	DVW-16-105-SED-161104	DVW-16-05-SED-161114	DVW-16-06-SED-161103	DVW-16-06-SED-161114	DVW-16-106-SED-161114	DVW-16-106-SED-161114	DVW-16-07-SED-161103	DVW-16-07-SED-161114
Sample Date	11/4/2016	11/4/2016	11/14/2016	11/3/2016	11/14/2016	11/14/2016	11/3/2016	11/3/2016	11/14/2016
Depth	0 - 15 cm	0 - 15 cm	0 - 9 in	0 - 15 cm	0 - 9 in	0 - 9 in	0 - 15 cm	0 - 15 cm	0 - 7 in
Sample Type	N	FD	N	N	N	N	N	N	N
Matrix	SE	SE	SE	SE	SE	SE	SE	SE	SE
X	652444.61	652444.61	652444.61	652770.89	652770.89	652770.89	652953.44	652953.44	652953.44
Y	657064.32	657064.32	657064.32	657247.95	657247.95	657247.95	657339.86	657339.86	657339.86
	Method								
Conventional Parameters									
Sulfide (mg/kg)	SW9034	--	--	2200	--	1700	1800	--	910
Total organic carbon (pct)	LloydKahn	3.4	3.7	--	2.9	--	--	3.2	--
Total solids (pct)	SM2540G	49.36	52.02	--	59.27	--	--	48.03	--
Metals (mg/kg)									
Arsenic	SW6020BM	342	373	--	270	--	--	144	--

Notes:

* = Laboratory reported values for Arsenic for Sample DVW-16-03 and DVW-16-

04 reassigned in accordance with Section 3.5 of Supplemental Pathway

Investigation Results Report (Anchor QEA 2017)

Bold = Detected result

-- = results not reported or not applicable

cm = centimeter

FD = field duplicate sample

in = inches

J = estimated value

lb/ft³ = pounds per cubic feet

mg/kg = milligrams per kilogram

N = normal environmental sample

pct = percent

SE = sediment matrix

U = compound analyzed, but not detected above detection limit

Horizontal coordinate datum is NAD 1983 State Plane Delaware FIPS

0700 (US Survey Feet).

All undetect results are reported at the reporting limit.

USEPA Stage 2B data validation was completed by Validata, LLC.

Table 1
Analytical Results Summary - Sediment

Location ID	DVW-16-08	DVW-16-08	DVW-16-09	DVW-16-09	DVW-16-10	DVW-16-10	DVW-16-10
Sample ID	DVW-16-08-SED-161103	DVW-16-08-SED-161114	DVW-16-09-SED-161104	DVW-16-09-SED-161114	DVW-16-10-SED-161103	DVW-16-10-SED-161103	DVW-16-10-SED-161114
Sample Date	11/3/2016	11/14/2016	11/4/2016	11/14/2016	11/3/2016	11/14/2016	11/14/2016
Depth	0 - 15 cm	0 - 8.5 in	0 - 15 cm	0 - 8 in	0 - 15 cm	0 - 7.5 in	0 - 15 cm
Sample Type	N	N	N	N	N	N	N
Matrix	SE						
X	652207.70	652207.70	652553.22	652553.22	652669.31	652669.31	652669.31
Y	657173.37	657173.37	657120.66	657120.66	657181.17	657181.17	657181.17
Method							
Conventional Parameters							
Sulfide (mg/kg)	SW9034	--	770	--	930	--	93
Total organic carbon (pct)	LloydKahn	3	--	3.1	--	2.8	--
Total solids (pct)	SM2540G	49.67	--	47.05	--	45.78	--
Metals (mg/kg)							
Arsenic	SW6020BM	48.7	--	104	--	250 J	--

Notes:

* = Laboratory reported values for Arsenic for Sample DVW-16-03 and DVW-16-

04 reassigned in accordance with Section 3.5 of Supplemental Pathway

Investigation Results Report (Anchor QEA 2017)

Bold = Detected result

-- = results not reported or not applicable

cm = centimeter

FD = field duplicate sample

in = inches

J = estimated value

lb/ft³ = pounds per cubic feet

mg/kg = milligrams per kilogram

N = normal environmental sample

pct = percent

SE = sediment matrix

U = compound analyzed, but not detected above detection limit

Horizontal coordinate datum is NAD 1983 State Plane Delaware FIPS

0700 (US Survey Feet).

All undetect results are reported at the reporting limit.

USEPA Stage 2B data validation was completed by Validata, LLC.

Table 1
Analytical Results Summary - Surface Water

Location ID	DVW-16-01	DVW-16-02	DVW-16-03	DVW-16-04	DVW-16-07	DVW-16-08	DVW-16-10
Sample ID	DVW-16-01-SW-161117	DVW-16-02-SW-161115	DVW-16-03-SW-161116	DVW-16-04-SW-161118	DVW-16-07-SW-161114	DVW-16-08-SW-161117	DVW-16-10-SW-161118
Sample Date	11/17/2016	11/15/2016	11/16/2016	11/18/2016	11/14/2016	11/17/2016	11/18/2016
Sample Type	N	N	N	N	N	N	N
Matrix	WS						
X	651890.01	651981.03	652067.95	652067.95	652352.23	652953.44	652207.70
Y	657182.06	657225.28	657256.32	657256.32	657022.48	657339.86	657173.37
	Method						
Metals (µg/L)							
Arsenic	E1638M	3.94	19.5	5.83	4.34	6.55	3.45
Metals, Dissolved (µg/L)							
Arsenic	E1638M	1.67 J	5.98	3.07 J	3.42 J	2.73 J	1.95 J
Arsenic III	BAL4100-002	0.247 J	3.99	3.16	2.19	1.16	0.195 J
Arsenic V	BAL4100-002	1.19	1.43	1.53	1.43	1.56	1.1
Organometallic Compounds, Dissolved (µg/L)							
Cacodylic acid (DMA)	BAL4100-002	1.05 U					
Methylarsonic acid (MMA)	BAL4100-002	1.15 U					

Notes:

* = Total and Dissolved Arsenic values for DVW-16-10 reassigned in accordance with Section 3.5 of the Supplemental Pathway Investigation Results Report (Anchor QEA 2017)

Bold = Detected result

-- = results not reported or not applicable

µg/L = micrograms per liter

FD = field duplicate sample

J = estimated value

mg/kg = milligrams per kilogram

N = normal environmental sample

U = compound analyzed, but not detected above detection limit

WS = surface water matrix

Horizontal coordinate datum is NAD 1983 State Plane Delaware FIPS 0700 (US Survey Feet).

All undetect results are reported at the reporting limit.

USEPA Stage 2B data validation was completed by Validata, LLC.

Table 1
Analytical Results Summary - Porewater

	Location ID	DVW-16-01	DVW-16-01	DVW-16-01	DVW-16-01	DVW-16-02
	Sample ID	DVW-16-01-PW-161101	DVW-16-01-PW-00-10-161117	DVW-16-1001-PW-00-10-161117	DVW-16-01-PW-161118	DVW-16-02-PW-00-10-161115
	Sample Date	11/1/2016	11/17/2016	11/17/2016	11/18/2016	11/15/2016
	Sample Type	N	N	FD	N	N
	Matrix	WX	WX	WX	WX	WX
	X	651890.01	651890.01	651890.01	651890.01	651981.03
	Y	657182.06	657182.06	657182.06	657182.06	657225.28
Method						
Conventional Parameters (porewater) (mg/L)						
Alkalinity, bicarbonate as calcium carbonate (CaCO ₃)	SM2320B	--	300	340	--	5 U
Alkalinity, carbonate as calcium carbonate (CaCO ₃)	SM2320B	--	5 U	5 U	--	5 U
Alkalinity, phenolphthalein as calcium carbonate (CaCO ₃)	SM2320B	--	5 U	5 U	--	5 U
Alkalinity, total as calcium carbonate (CaCO ₃)	SM2320B	--	300	340	--	5 U
Bromide	E300.0	--	0.41 J	0.46 J	--	2.5 U
Chloride	E300.0	--	94	95	--	69
Fluoride	E300.0	--	3.6	3.6	--	2.4
Nitrate as nitrogen	E300.0	--	0.25 U	0.25 U	--	0.5 U
Nitrite as nitrogen	E300.0	--	0.13 U	0.13 U	--	0.25 U
Orthophosphate	E300.0	--	12	12	--	2.5 U
Sulfate	E300.0	--	630	600	--	1500
Sulfide	E376.2	66 J	0.1 U	0.1 U	--	0.071 J
Metals (porewater) (µg/L)						
Calcium	SW6020A	--	310000	310000	--	430000
Iron	SW6020A	--	8100	8600	--	200000
Magnesium	SW6020A	--	18000	17000	--	42000
Manganese	SW6020A	--	1600	1500	--	1900
Potassium	SW6020A	--	12000	11000	--	14000
Silicon	SW6020A	--	37000	36000	--	37000
Sodium	SW6020A	--	89000	88000	--	99000
Metals, Dissolved (porewater) (µg/L)						
Arsenic	E1638M	32700	259	254	--	4770
Arsenic III	BAL4100-002	93000 J	222	228	1710	3210
Arsenic V	BAL4100-002	15500 J	10.1	10.3	96.2	2540
Organometallic Compounds, Dissolved (porewater) (µg/L)						
Cacodylic acid (DMA)	BAL4100-002	2100 UJ	4.2 U	4.2 U	21 U	21 U
Methylarsonic acid (MMA)	BAL4100-002	2300 UJ	4.6 U	4.6 U	23 U	23 U

Notes:

Bold = Detected result

-- = results not reported or not applicable

µg/L = micrograms per liter

FD = field duplicate sample

J = estimated value

N = normal environmental sample

U = compound analyzed, but not detected above detection limit

UJ = Compound analyzed, but not detected above estimated detection limit

WX = porewater matrix

Horizontal coordinate datum is NAD 1983 State Plane Delaware FIPS 0700 (US Survey Feet).

All undetect results are reported at the reporting limit.

USEPA Stage 2B data validation was completed by Validata, LLC.

Table 1
Analytical Results Summary - Porewater

	Location ID	DVW-16-02	DVW-16-03	DVW-16-03	DVW-16-04	DVW-16-04	DVW-16-05	DVW-16-06
	Sample ID	DVW-16-02-PW-161118	DVW-16-03-PW-81-91-161116	DVW-16-03-PW-161118	DVW-16-04-PW-161118	DVW-16-04-PW-81-91-161118	DVW-16-05-PW-161118	DVW-16-06-PW-161118
	Sample Date	11/18/2016	11/16/2016	11/18/2016	11/18/2016	11/18/2016	11/18/2016	11/18/2016
	Sample Type	N	N	N	N	N	N	N
	Matrix	WX	WX	WX	WX	WX	WX	WX
	X	651981.03	652067.95	652067.95	652352.23	652352.23	652444.61	652770.89
	Y	657225.28	657256.32	657256.32	657022.48	657022.48	657064.32	657247.95
Method								
Conventional Parameters (porewater) (mg/L)								
Alkalinity, bicarbonate as calcium carbonate (CaCO ₃)	SM2320B	--	22	--	--	1000	--	--
Alkalinity, carbonate as calcium carbonate (CaCO ₃)	SM2320B	--	5 U	--	--	5 U	--	--
Alkalinity, phenolphthalein as calcium carbonate (CaCO ₃)	SM2320B	--	5 U	--	--	5 U	--	--
Alkalinity, total as calcium carbonate (CaCO ₃)	SM2320B	--	22	--	--	1000	--	--
Bromide	E300.0	--	2.5 U	--	--	2.5 U	--	--
Chloride	E300.0	--	71	--	--	130	--	--
Fluoride	E300.0	--	14	--	--	35	--	--
Nitrate as nitrogen	E300.0	--	0.5 U	--	--	0.5 U	--	--
Nitrite as nitrogen	E300.0	--	0.25 U	--	--	0.25 U	--	--
Orthophosphate	E300.0	--	2.5 U	--	--	2.5 U	--	--
Sulfate	E300.0	--	2100	--	--	2400	--	--
Sulfide	E376.2	--	--	--	--	0.28	--	--
Metals (porewater) (µg/L)								
Calcium	SW6020A	--	480000	--	--	790000	--	--
Iron	SW6020A	--	290000	--	--	32000	--	--
Magnesium	SW6020A	--	41000	--	--	47000	--	--
Manganese	SW6020A	--	6800	--	--	5100	--	--
Potassium	SW6020A	--	9500 J	--	--	14000	--	--
Silicon	SW6020A	--	27000	--	--	32000	--	--
Sodium	SW6020A	--	110000	--	--	140000	--	--
Metals, Dissolved (porewater) (µg/L)								
Arsenic	E1638M	--	417000	--	--	1480	--	--
Arsenic III	BAL4100-002	3460	329000	3770	845	1330	1820	475
Arsenic V	BAL4100-002	52.4	63900	177	84.4	300	111	34.8
Organometallic Compounds, Dissolved (porewater) (µg/L)								
Cacodylic acid (DMA)	BAL4100-002	21 U	2100 U	21 U	21 U	21 U	21 U	21 U
Methylarsonic acid (MMA)	BAL4100-002	23 U	2300 U	23 U	23 U	23 U	23 U	23 U

Notes:

Bold = Detected result

-- = results not reported or not applicable

µg/L = micrograms per liter

FD = field duplicate sample

J = estimated value

N = normal environmental sample

U = compound analyzed, but not detected above detection limit

UU = Compound analyzed, but not detected above estimated detection limit

WX = porewater matrix

Horizontal coordinate datum is NAD 1983 State Plane Delaware FIPS 0700 (US Survey Feet).

All undetect results are reported at the reporting limit.

USEPA Stage 2B data validation was completed by Validata, LLC.

Table 1
Analytical Results Summary - Porewater

	Location ID	DVW-16-06	DVW-16-07	DVW-16-07	DVW-16-07	DVW-16-08	DVW-16-08
	Sample ID	DVW-16-106-PW-161118	DVW-16-07-PW-00-10-161114	DVW-16-07-PW-081-091-161114	DVW-16-07-PW-161118	DVW-16-08-PW-00-10-161117	DVW-16-08-PW-81-91-161117
	Sample Date	11/18/2016	11/14/2016	11/14/2016	11/18/2016	11/17/2016	11/17/2016
	Sample Type	FD	N	N	N	N	N
	Matrix	WX	WX	WX	WX	WX	WX
	X	652770.89	652953.44	652953.44	652953.44	652207.70	652207.70
	Y	657247.95	657339.86	657339.86	657339.86	657173.37	657173.37
Method							
Conventional Parameters (porewater) (mg/L)							
Alkalinity, bicarbonate as calcium carbonate (CaCO ₃)	SM2320B	--	410	1000	--	250	320
Alkalinity, carbonate as calcium carbonate (CaCO ₃)	SM2320B	--	5 U	5 U	--	5 U	5 U
Alkalinity, phenolphthalein as calcium carbonate (CaCO ₃)	SM2320B	--	5 U	5 U	--	5 U	5 U
Alkalinity, total as calcium carbonate (CaCO ₃)	SM2320B	--	410	1000	--	250	320
Bromide	E300.0	--	1.3	2.5 U	--	2.6	0.42 J
Chloride	E300.0	--	550	140	--	520	150
Fluoride	E300.0	--	0.64	9.1	--	0.71	15
Nitrate as nitrogen	E300.0	--	0.25 U	0.5 U	--	0.1 U	0.25 U
Nitrite as nitrogen	E300.0	--	0.13 U	0.25 U	--	0.05 U	0.13 U
Orthophosphate	E300.0	--	1.3 U	2.5 U	--	0.5 U	2.4
Sulfate	E300.0	--	7.6	32	--	14	1400
Sulfide	E376.2	--	0.079 J	0.11	--	0.19	0.05 J
Metals (porewater) (µg/L)							
Calcium	SW6020A	--	100000	390000	--	93000	660000
Iron	SW6020A	--	85 U	2500	--	30000	2200
Magnesium	SW6020A	--	56000	51000	--	33000	17000
Manganese	SW6020A	--	8100	4100	--	10000	1700
Potassium	SW6020A	--	17000	12000	--	7000	5800
Silicon	SW6020A	--	12000 J	28000	--	20000	34000
Sodium	SW6020A	--	260000	97000	--	210000	90000
Metals, Dissolved (porewater) (µg/L)							
Arsenic	E1638M	--	1260	70.1	--	658	1910
Arsenic III	BAL4100-002	427	991	35.3	1070	574	762
Arsenic V	BAL4100-002	65.1	134	10.1	81.2	54.3	16.1 J
Organometallic Compounds, Dissolved (porewater) (µg/L)							
Cacodylic acid (DMA)	BAL4100-002	21 U	4.2 U	1.05 U	21 U	21 U	21 U
Methylarsonic acid (MMA)	BAL4100-002	23 U	4.6 U	1.15 U	23 U	23 U	23 U

Notes:

Bold = Detected result

-- = results not reported or not applicable

µg/L = micrograms per liter

FD = field duplicate sample

J = estimated value

N = normal environmental sample

U = compound analyzed, but not detected above detection limit

UU = Compound analyzed, but not detected above estimated detection limit

WX = porewater matrix

Horizontal coordinate datum is NAD 1983 State Plane Delaware FIPS 0700 (US Survey Feet).

All undetect results are reported at the reporting limit.

USEPA Stage 2B data validation was completed by Validata, LLC.

Table 1
Analytical Results Summary - Porewater

	Location ID	DVW-16-08	DVW-16-09	DVW-16-10	DVW-16-10
	Sample ID	DVW-16-08-PW-161118	DVW-16-09-PW-161118	DVW-16-10-PW-05-10-161118	DVW-16-10-PW-161118
	Sample Date	11/18/2016	11/18/2016	11/18/2016	11/18/2016
	Sample Type	N	N	N	N
	Matrix	WX	WX	WX	WX
	X	652207.70	652553.22	652669.31	652669.31
	Y	657173.37	657120.66	657181.17	657181.17
Conventional Parameters (porewater) (mg/L)					
Alkalinity, bicarbonate as calcium carbonate (CaCO ₃)	SM2320B	--	--	260	--
Alkalinity, carbonate as calcium carbonate (CaCO ₃)	SM2320B	--	--	5 U	--
Alkalinity, phenolphthalein as calcium carbonate (CaCO ₃)	SM2320B	--	--	5 U	--
Alkalinity, total as calcium carbonate (CaCO ₃)	SM2320B	--	--	260	--
Bromide	E300.0	--	--	0.49 J	--
Chloride	E300.0	--	--	58	--
Fluoride	E300.0	--	--	6.2	--
Nitrate as nitrogen	E300.0	--	--	0.25 U	--
Nitrite as nitrogen	E300.0	--	--	0.13 U	--
Orthophosphate	E300.0	--	--	1.3 U	--
Sulfate	E300.0	--	--	640	--
Sulfide	E376.2	--	--	0.04 J	--
Metals (porewater) (µg/L)					
Calcium	SW6020A	--	--	490000	--
Iron	SW6020A	--	--	43000	--
Magnesium	SW6020A	--	--	54000	--
Manganese	SW6020A	--	--	3700	--
Potassium	SW6020A	--	--	13000	--
Silicon	SW6020A	--	--	24000	--
Sodium	SW6020A	--	--	60000	--
Metals, Dissolved (porewater) (µg/L)					
Arsenic	E1638M	--	--	40.1	--
Arsenic III	BAL4100-002	1140	421	30.7	360
Arsenic V	BAL4100-002	51.9	29.1	4.42	169
Organometallic Compounds, Dissolved (porewater) (µg/L)					
Cacodylic acid (DMA)	BAL4100-002	21 U	21 U	1.05 U	21 U
Methylarsonic acid (MMA)	BAL4100-002	23 U	23 U	1.15 U	23 U

Notes:

Bold = Detected result

-- = results not reported or not applicable

µg/L = micrograms per liter

FD = field duplicate sample

J = estimated value

N = normal environmental sample

U = compound analyzed, but not detected above detection limit

UU = Compound analyzed, but not detected above estimated detection limit

WX = porewater matrix

Horizontal coordinate datum is NAD 1983 State Plane Delaware FIPS 0700 (US Survey Feet).

All undetect results are reported at the reporting limit.

USEPA Stage 2B data validation was completed by Validata, LLC.