

```

<Project xmlns="http://schemas.microsoft.com/developer/msbuild/2003">
  <PropertyGroup>
    <ProjectGuid>{E299897F-352F-431C-BD3A-E687F61DA429}</ProjectGuid>
    <ProjectVersion>19.5</ProjectVersion>
    <FrameworkType>VCL</FrameworkType>
    <MainSource>SafewaterLCRR.dpr</MainSource>
    <Base>True</Base>
    <Config Condition="'$(Config)'=='>Debug</Config>
    <Platform Condition="'$(Platform)'=='>Win64</Platform>
    <TargetedPlatforms>3</TargetedPlatforms>
    <AppType>Application</AppType>
  </PropertyGroup>
  <PropertyGroup Condition="'$(Config)'=='Base' or '$(Base)'!='>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="('$(Platform)'=='Win32' and '$(Base)'=='true') or
'$(Base_Win32)'!='>
    <Base_Win32>true</Base_Win32>
    <CfgParent>Base</CfgParent>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="('$(Platform)'=='Win64' and '$(Base)'=='true') or
'$(Base_Win64)'!='>
    <Base_Win64>true</Base_Win64>
    <CfgParent>Base</CfgParent>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="'$(Config)'=='Debug' or '$(Cfg_1)'!='>
    <Cfg_1>true</Cfg_1>
    <CfgParent>Base</CfgParent>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="('$(Platform)'=='Win32' and '$(Cfg_1)'=='true') or
'$(Cfg_1_Win32)'!='>
    <Cfg_1_Win32>true</Cfg_1_Win32>
    <CfgParent>Cfg_1</CfgParent>
    <Cfg_1>true</Cfg_1>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="('$(Platform)'=='Win64' and '$(Cfg_1)'=='true') or
'$(Cfg_1_Win64)'!='>
    <Cfg_1_Win64>true</Cfg_1_Win64>
    <CfgParent>Cfg_1</CfgParent>
    <Cfg_1>true</Cfg_1>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="'$(Config)'=='Release' or '$(Cfg_2)'!='>
    <Cfg_2>true</Cfg_2>
    <CfgParent>Base</CfgParent>
    <Base>true</Base>

```

```

    </PropertyGroup>
    <PropertyGroup Condition="('$$(Platform)'=='Win32' and '$(Cfg_2)'=='true') or
'$(Cfg_2_Win32)'!=''>
        <Cfg_2_Win32>true</Cfg_2_Win32>
        <CfgParent>Cfg_2</CfgParent>
        <Cfg_2>true</Cfg_2>
        <Base>true</Base>
    </PropertyGroup>
    <PropertyGroup Condition="('$$(Platform)'=='Win64' and '$(Cfg_2)'=='true') or
'$(Cfg_2_Win64)'!=''>
        <Cfg_2_Win64>true</Cfg_2_Win64>
        <CfgParent>Cfg_2</CfgParent>
        <Cfg_2>true</Cfg_2>
        <Base>true</Base>
    </PropertyGroup>
    <PropertyGroup Condition="'$(Base)'!=''>

<VerInfo_Keys>CompanyName=;FileDescription=;FileVersion=1.0.0.0;InternalName=;LegalC
opyright=;LegalTrademarks=;OriginalFilename=;ProductName=;ProductVersion=1.0.0.0;Com
ments=</VerInfo_Keys>
    <VerInfo_Locale>1033</VerInfo_Locale>
    <SanitizedProjectName>SafewaterLCRR</SanitizedProjectName>
    <Icon_MainIcon>$(BDS)\bin\delphi_PROJECTICON.ico</Icon_MainIcon>

<DCC_Namespace>System;Xml;Data;Datanap;Web;Soap;Vcl;Vcl.Imaging;Vcl.Touch;Vcl.Sampl
es;Vcl.Shell;$(DCC_Namespace)</DCC_Namespace>
    <DCC_DcuOutput>.\$(Platform)\$(Config)</DCC_DcuOutput>
    <DCC_ExeOutput>K:\SafewaterLCRI</DCC_ExeOutput>
    <DCC_E>false</DCC_E>
    <DCC_N>false</DCC_N>
    <DCC_S>false</DCC_S>
    <DCC_F>false</DCC_F>
    <DCC_K>false</DCC_K>
    <PostBuildEvent><![CDATA[copy K:\SafeWaterLCRI\SafeWaterLCRR.exe
K:\SafeWaterLCRI\SafeWaterLCRR_$(Platform).exe
$(PostBuildEvent)]]></PostBuildEvent>
    </PropertyGroup>
    <PropertyGroup Condition="'$(Base_Win32)'!=''>
        <DCC_ExeOutput>K:\SafewaterLCRI</DCC_ExeOutput>

<UWP_DelphiLogo150>$(BDS)\bin\Artwork\Windows\UWP\delphi_UwpDefault_150.png</UWP_De
lphiLogo150>

<UWP_DelphiLogo44>$(BDS)\bin\Artwork\Windows\UWP\delphi_UwpDefault_44.png</UWP_De
lphiLogo44>

<DCC_Namespace>Winapi;System.Win;Data.Win;Datanap.Win;Web.Win;Soap.Win;Xml.Win;Bde;
$(DCC_Namespace)</DCC_Namespace>
    <VerInfo_IncludeVerInfo>true</VerInfo_IncludeVerInfo>
    <Manifest_File>$(BDS)\bin\default_app.manifest</Manifest_File>

```

<DCC_UsePackage>DBXSqliteDriver;dxSkinBlueprintRS24;dxSpreadSheetConditionalFormatt
ingDialogsRS24;DBXDb2Driver;dxPSDBTeeChartRS24;dxPSdxGaugeControlLnkRS24;vclactnband;
dxSpreadSheetRS24;vclFireDAC;dxDockingRS24;tethering;dxSkinVisualStudio2013BlueRS24;
dxPScxTLLnkRS24;dxBarExtItemsRS24;FireDACADSDriver;dxFireDACServerModeRS24;JvPluginS
ystem;dxSkinOffice2007BlackRS24;dxPSTeeChartRS24;StatTools524;FireDACMSSQLDriver;vcl
touch;JvBands;vcldb;Intraweb;svn;JvJans;dxSkinXmas2008BlueRS24;dxSkinscxSchedulerPai
nterRS24;FlexCel_Report;dxSkinsdxBarPainterRS24;dxSkinOffice2010BlackRS24;dxADOServe
rModeRS24;JvDotNetCtrls;dxGDIPlusRS24;VCL_FlexCel_Components;dxPSdxDBTVLnkRS24;frx24
;vclib;dxSkinLilianRS24;MtxCore524;FireDACDBXDriver;dxNavBarRS24;vclx;cxTreeListRS24
;dxSkinDevExpressDarkStyleRS24;dxtrmdRS24;RESTBackendComponents;dxRibbonRS24;VCLREST
Components;cxExportRS24;dxSkinOffice2013LightGrayRS24;cxTreeListdxBarPopupMenuRS24;c
xPivotGridChartRS24;StatCore524;dxTabbedMDIRS24;vclie;dxSkinVisualStudio2013LightRS2
4;bindengine;CloudService;JvHMI;FireDACMySQLDriver;cxPivotGridOLAPRS24;dxSkinSharpRS
24;dxSkinBlackRS24;DataSnapClient;dxPSLnksRS24;bindcompdbx;dxSkinCoffeeRS24;IndyIPSe
rver;DBXSybaseASEDriver;dxSkinsdxRibbonPainterRS24;dxCoreRS24;IndySystem;dxSkinOffic
e2013DarkGrayRS24;dsncon;FireDACMSAccDriver;fmxFireDAC;FireDACInfxDriver;vclimg;Jc
l;FlexCel_XlsAdapter;emshosting;dxBarDBNavRS24;dxSkinDarkSideRS24;dxSkinOffice2013Wh
iteRS24;DBXOdbcDriver;FireDACTDataDriver;FMXTee;dxPScxExtCommonRS24;dxPSdxLCLnkRS24;
soaprtl;DbxCommonDriver;dxPScxPivotGridLnkRS24;JvManagedThreads;xmlrtl;soapmidas;Dat
aSnapNativeClient;fmxobj;JvTimeFramework;dxSkinMcSkinRS24;rtl;dxLayoutControlRS24;Db
xClientDriver;cxGridRS24;DBXSybaseASADriver;dxSkinBlueRS24;CodeSiteExpressPkg;dxSpel
lCheckerRS24;JvSystem;JvStdCtrls;cxLibraryRS24;dxSkinStardustRS24;dxSkinCaramelRS24;
appanalytics;dxSkinsCoreRS24;dxDBXServerModeRS24;dxSkinHighContrastRS24;IndyIPClient
;dxMapControlRS24;bindcompvcl;dxPSdxMapControlLnkRS24;dxSkinTheAsphaltWorldRS24;frxe
24;TeeUI;cxPageControlRS24;cxEditorsRS24;JvDocking;JvPascalInterpreter;VclSmp;dxSkin
SevenClassicRS24;dxPsPrVwAdvRS24;FireDACODBCDriver;cxSchedulerRibbonStyleEventEditor
RS24;FMX_FlexCel_Components;JclVcl;DataSnapIndy10ServerTransport;dxSkinPumpkinRS24;M
txDb524;dxSkinscxPCPainterRS24;dxPSPrVwRibbonRS24;dxSpreadSheetReportDesignerRS24;Da
taSnapProviderClient;FireDACMongoDBDriver;dxSkinSevenRS24;JvControls;JvPrintPreview;
dxdborRS24;dxmdsRS24;dxHttpIndyRequestRS24;RESTComponents;DataSnapServerMidas;cxSche
dulerGridRS24;cxPivotGridRS24;DBXInterBaseDriver;FlexCel_Pdf;FMX_FlexCel_Core;StatSe
ries524;emscclientfiredac;DataSnapFireDAC;svnu;JvGlobus;dxdbtrRS24;dxSkinMetropolisR
S24;PwrSave;dxSkinMoneyTwinsRS24;dxPScxPCProdRS24;DBXMSSQLDriver;JvMM;DataSnapConnec
torsFreePascal;dxWizardControlRS24;bindcompfmx;JvNet;dxBarExtDBItemsRS24;DBXOracleDr
iver;dxPSdxOCLnkRS24;dxPSdxFCLnkRS24;inetdb;JvAppFrm;dxSkinOffice2016ColorfulRS24;cx
SchedulerTreeBrowserRS24;FmxTeeUI;emsedge;AbbreviaVCLD;FireDACIBDriver;fmx;fmxdae;dx
SkinSpringTimeRS24;dxSkinValentineRS24;dxSkinLondonLiquidSkyRS24;dxSkinWhiteprintRS2
4;JvWizards;dbexpress;IndyCore;dxSkiniMaginaryRS24;dxTileControlRS24;JvPageComps;dsn
ap;emscclient;DataSnapCommon;cxDataRS24;FireDACCommon;dxSkinOffice2007PinkRS24;JvDB;d
xSkinOffice2016DarkRS24;dxPSdxSpreadSheetLnkRS24;MtxTee524;DataSnapConnectors;dxSkin
DevExpressStyleRS24;soapserver;JclDeveloperTools;dxOfficeCoreRS24;dxBarRS24;dxSkinMe
tropolisDarkRS24;FireDACOracleDriver;DBXMySQLDriver;JvCmp;dxPSRichEditControlLnkRS24
;DBXFirebirdDriver;dxPScxCommonRS24;FireDACCommonODBC;FireDACCommonDriver;dxPSdxPDFV
iewerLnkRS24;inet;IndyIPCommon;JvCustom;dxSkinVS2010RS24;vcl;JvXPCtrls;dxSkinSharpPl
usRS24;dxPSdxDBOCLnkRS24;FireDACDb2Driver;dxThemeRS24;dxSkinOffice2007GreenRS24;made
xcept_;madBasic_;TeeDB;FireDAC;dxPScxVGridLnkRS24;dxPScxGridLnkRS24;JvCore;JvCrypt;F
ireDACSqliteDriver;FireDACPgDriver;ibmonitor;FireDACASADriver;dxSkinOffice2010BlueRS
24;MtxVisualizer524;dxServerModeRS24;MtxTools524;JvDlgs;JvRuntimeDesign;FlexCel_Core
;ibxpress;Tee;DataSnapServer;ibxbindings;cxSchedulerRS24;vclwinx;FireDACDSDriver;dxS

kinOffice2007BlueRS24;madDisAsm_;dxPSCoreRS24;dxSkinsdxDLPainterRS24;frxTee24;CustomIPTransport;vcldsnap;dxSkinGlassOceansRS24;dxRibbonCustomizationFormRS24;dxPScxSchedulerLnkRS24;dxSkinSummer2008RS24;dxSkinDarkRoomRS24;bindcomp;dxSkinFoggyRS24;FrameViewerXE9;DBXInformixDriver;dxorgcRS24;dxPDFViewerRS24;dxSkinOffice2010SilverRS24;dxRichEditControlRS24;dxSkinsdxNavBarPainterRS24;dbxcds;VCL_FlexCel_Core;adortl;dxSkinSilverRS24;dxSkinVisualStudio2013DarkRS24;dxConnRS24;FlexCel_Render;cxVerticalGridRS24;dxFlowChartRS24;frxDB24;dsnxml;dbrtl;IndyProtocols;inetdbxpress;dxSkinOffice2007SilverRS24;dxGaugeControlRS24;dxSkinLiquidSkyRS24;JclContainers;fmxase;parser;\$(DCC_UsePackage)</DCC_UsePackage>

<AppDPIAwarenessMode>none</AppDPIAwarenessMode>

</PropertyGroup>

<PropertyGroup Condition="'\$(Base_Win64)'!=''>

<DCC_ExeOutput>K:\SafewaterLCRI</DCC_ExeOutput>

<UWP_DelphiLogo150>\$(BDS)\bin\Artwork\Windows\UWP\delphi_UwpDefault_150.png</UWP_DelphiLogo150>

<UWP_DelphiLogo44>\$(BDS)\bin\Artwork\Windows\UWP\delphi_UwpDefault_44.png</UWP_DelphiLogo44>

<VerInfo_IncludeVerInfo>true</VerInfo_IncludeVerInfo>

<Manifest_File>\$(BDS)\bin\default_app.manifest</Manifest_File>

<DCC_Namespace>Winapi;System.Win;Data.Win;DatanSnap.Win;Web.Win;Soap.Win;Xml.Win;\$(DCC_Namespace)</DCC_Namespace>

<DCC_UsePackage>DBXSqliteDriver;dxSkinBlueprintRS24;dxSpreadSheetConditionalFormattingDialogsRS24;DBXDb2Driver;dxPSDBTeeChartRS24;dxPSdxGaugeControlLnkRS24;vcLactnband;dxSpreadSheetRS24;vclFireDAC;dxDockingRS24;tethering;dxSkinVisualStudio2013BlueRS24;dxPScxTLLnkRS24;dxBarExtItemsRS24;FireDACADSDriver;dxFireDACServerModeRS24;dxSkinOffice2007BlackRS24;dxPSTeeChartRS24;StatTools524;FireDACMSSQLDriver;vcltouch;vcldb;Intraweb;dxSkinXmas2008BlueRS24;dxSkinscxSchedulerPainterRS24;FlexCel_Report;dxSkinsdxBarPainterRS24;dxSkinOffice2010BlackRS24;dxADOServerModeRS24;dxGDIPlusRS24;VCL_FlexCel_Components;dxPSdxDBTVLnkRS24;vclib;dxSkinLilianRS24;MtxCore524;FireDACDBXDriver;dxNavBarRS24;vclx;cxTreeListRS24;dxSkinDevExpressDarkStyleRS24;dxtrmdRS24;RESTBackendComponents;dxRibbonRS24;VCLRESTComponents;cxExportRS24;dxSkinOffice2013LightGrayRS24;cxTreeListdxBarPopupMenuRS24;cxPivotGridChartRS24;StatCore524;dxTabbedMDIRS24;vclie;dxSkinVisualStudio2013LightRS24;bindengine;CloudService;FireDACMySQLDriver;cxPivotGridOLAPRS24;dxSkinSharpRS24;dxSkinBlackRS24;DataSnapClient;dxPSLnksRS24;bindcompdbx;dxSkinCoffeeRS24;IndyIPServer;DBXSybaseASEDriver;dxSkinsdxRibbonPainterRS24;dxCoreRS24;IndySystem;dxSkinOffice2013DarkGrayRS24;dsncon;FireDACMSAccDriver;fmxFireDAC;FireDACInfxDriver;vclimg;FlexCel_XlsAdapter;emshosting;dxBarDBNavRS24;dxSkinDarkSideRS24;dxSkinOffice2013WhiteRS24;DBXOdbcDriver;FireDACTDataDriver;FMXTee;dxPScxExtCommonRS24;dxPSdxLCLnkRS24;soaprtl;DbxCommonDriver;dxPScxPivotGridLnkRS24;xmlrtl;soapmidas;DataSnapNativeClient;fmxobj;dxSkinMcSkinRS24;rtl;dxLayoutControlRS24;DbxClientDriver;cxGridRS24;DBXSybaseASADriver;dxSkinBlueRS24;dxSpellCheckerRS24;cxLibraryRS24;dxSkinStardustRS24;dxSkinCaramelRS24;appanalytics;dxSkinsCoreRS24;dxDBXServerModeRS24;dxSkinHighContrastRS24;IndyIPClient;dxMapControlRS24;bindcompvcl;dxPSdxMapControlLnkRS24;dxSkinTheAsphaltWorldRS24;TeeUI;cxPageControlRS24;cxEditorsRS24;VclSmp;dxSkinSevenClassicRS24;dxPsPrVwAdvRS24;FireDACODBCDriver;cxSchedulerRibbonStyleEventEditorRS24;FMX_FlexCel_Components;DataSnapIndy10ServerTransport;dxSkinPumpkinRS24;MtxDb524;dxSk

inscxPCPainterRS24;dxPSPrVwRibbonRS24;dxSpreadSheetReportDesignerRS24;DataSnapProviderClient;FireDACMongoDBDriver;dxSkinSevenRS24;dxdborRS24;dxmdsRS24;dxHttpIndyRequestRS24;RESTComponents;DataSnapServerMidas;cxSchedulerGridRS24;cxPivotGridRS24;DBXInterBaseDriver;FlexCel_Pdf;FMX_FlexCel_Core;StatSeries524;emscclientfiredac;DataSnapFireDAC;dxdbtrRS24;dxSkinMetropolisRS24;dxSkinMoneyTwinsRS24;dxPScxPCProdRS24;DBXMSSQLDriver;DataSnapConnectorsFreePascal;dxWizardControlRS24;bindcompfmx;dxBarExtDBItemsRS24;DBXOracleDriver;dxPSdxOCLnkRS24;dxPSdxFCLnkRS24;inetdb;dxSkinOffice2016ColorfulRS24;cxSchedulerTreeBrowserRS24;FmxTeeUI;emsedge;AbbreviaVCLD;FireDACIBDriver;fmx;fmxdae;dxSkinSpringTimeRS24;dxSkinValentineRS24;dxSkinLondonLiquidSkyRS24;dxSkinWhiteprintRS24;dbexpress;IndyCore;dxSkinImaginaryRS24;dxTileControlRS24;dsnapp;emscclient;DataSnapCommon;cxDataRS24;FireDACCommon;dxSkinOffice2007PinkRS24;dxSkinOffice2016DarkRS24;dxPSdxSpreadSheetLnkRS24;MtxTee524;DataSnapConnectors;dxSkinDevExpressStyleRS24;soapserver;dxOfficeCoreRS24;dxBarRS24;dxSkinMetropolisDarkRS24;FireDACOracleDriver;DBXMySQLDriver;dxPSRichEditControlLnkRS24;DBXFirebirdDriver;dxPScxCommonRS24;FireDACCommonODBC;FireDACCommonDriver;dxPSdxPDFViewerLnkRS24;inet;IndyIPCommon;dxSkinVS2010RS24;vcl;dxSkinSharpPlusRS24;dxPSdxDBOCLnkRS24;FireDACDb2Driver;dxThemeRS24;dxSkinOffice2007GreenRS24;TeeDB;FireDAC;dxPScxVGridLnkRS24;dxPScxGridLnkRS24;FireDACSQLiteDriver;FireDACPgDriver;ibmonitor;FireDACASADriver;dxSkinOffice2010BlueRS24;dxServerModeRS24;MtxTools524;FlexCel_Core;ibxpress;Tee;DataSnapServer;ibxbindings;cxSchedulerRS24;vclwinx;FireDACDSDriver;dxSkinOffice2007BlueRS24;dxPSCoreRS24;dxSkinsdxDLPainterRS24;CustomIPTransport;vcldsnapp;dxSkinGlassOceansRS24;dxRibbonCustomizationFormRS24;dxPScxSchedulerLnkRS24;dxSkinSummer2008RS24;dxSkinDarkRoomRS24;bindcomp;dxSkinFoggyRS24;DBXInformixDriver;dxorgcRS24;dxPDFViewerRS24;dxSkinOffice2010SilverRS24;dxRichEditControlRS24;dxSkinsdxNavBarPainterRS24;dbxcds;VCL_FlexCel_Core;adortl;dxSkinSilverRS24;dxSkinVisualStudio2013DarkRS24;dxCommRS24;FlexCel_Render;cxVerticalGridRS24;dxFlowChartRS24;dsnappxml;dbRTL;IndyProtocols;inetdbxpress;dxSkinOffice2007SilverRS24;dxGaugeControlRS24;dxSkinLiquidSkyRS24;fmxase;\$(DCC_UsePackage)</DCC_UsePackage>

<AppDPIAwarenessMode>none</AppDPIAwarenessMode>

</PropertyGroup>

<PropertyGroup Condition="'\$(Cfg_1)'!=''>

<DCC_Define>DEBUG;\$(DCC_Define)</DCC_Define>

<DCC_DebugDCUs>true</DCC_DebugDCUs>

<DCC_Optimize>>false</DCC_Optimize>

<DCC_GenerateStackFrames>true</DCC_GenerateStackFrames>

<DCC_DebugInfoInExe>true</DCC_DebugInfoInExe>

<DCC_RemoteDebug>true</DCC_RemoteDebug>

<DCC_RangeChecking>true</DCC_RangeChecking>

<DCC_IntegerOverflowCheck>true</DCC_IntegerOverflowCheck>

</PropertyGroup>

<PropertyGroup Condition="'\$(Cfg_1_Win32)'!=''>

<DCC_Define>madExcept;\$(DCC_Define)</DCC_Define>

<BT_BuildType>Debug</BT_BuildType>

<DCC_RangeChecking>true</DCC_RangeChecking>

<DCC_MapFile>3</DCC_MapFile>

<VerInfo_IncludeVerInfo>true</VerInfo_IncludeVerInfo>

<DCC_RemoteDebug>>false</DCC_RemoteDebug>

<AppDPIAwarenessMode>PerMonitor</AppDPIAwarenessMode>

</PropertyGroup>

<PropertyGroup Condition="'\$(Cfg_1_Win64)'!=''>

<DCC_ExeOutput>K:\SafewaterLCRI</DCC_ExeOutput>

```

    <VerInfo_IncludeVerInfo>true</VerInfo_IncludeVerInfo>
    <BT_BuildType>Debug</BT_BuildType>
    <AppDPIAwarenessMode>PerMonitor</AppDPIAwarenessMode>
    <DCC_Define>madExcept;$(DCC_Define)</DCC_Define>
    <DCC_MapFile>3</DCC_MapFile>
</PropertyGroup>
<PropertyGroup Condition="'$(Cfg_2)'!=''">
    <DCC_LocalDebugSymbols>>false</DCC_LocalDebugSymbols>
    <DCC_Define>RELEASE;$(DCC_Define)</DCC_Define>
    <DCC_SymbolReferenceInfo>0</DCC_SymbolReferenceInfo>
    <DCC_DebugInformation>0</DCC_DebugInformation>
</PropertyGroup>
<PropertyGroup Condition="'$(Cfg_2_Win32)'!=''">
    <DCC_ExeOutput>K:\SafewaterLCRI</DCC_ExeOutput>
    <BT_BuildType>Debug</BT_BuildType>
    <VerInfo_IncludeVerInfo>true</VerInfo_IncludeVerInfo>
    <AppDPIAwarenessMode>PerMonitor</AppDPIAwarenessMode>
</PropertyGroup>
<PropertyGroup Condition="'$(Cfg_2_Win64)'!=''">
    <DCC_ExeOutput>K:\SafewaterLCRI</DCC_ExeOutput>
    <VerInfo_IncludeVerInfo>true</VerInfo_IncludeVerInfo>
    <BT_BuildType>Debug</BT_BuildType>
    <AppDPIAwarenessMode>PerMonitor</AppDPIAwarenessMode>
    <DCC_Define>madExcept;$(DCC_Define)</DCC_Define>
    <DCC_MapFile>3</DCC_MapFile>
    <DCC_DebugInformation>2</DCC_DebugInformation>
    <DCC_LocalDebugSymbols>true</DCC_LocalDebugSymbols>
</PropertyGroup>
<ItemGroup>
    <DelphiCompile Include="$(MainSource)">
        <MainSource>MainSource</MainSource>
    </DelphiCompile>
    <DCCReference Include="frmMain.pas">
        <Form>Form1</Form>
    </DCCReference>
    <DCCReference Include="..\codeLCRR\LCRModel.pas"/>
    <DCCReference Include="..\codeLCRR\LCRConfig.pas"/>
    <DCCReference Include="..\codeLCRR\LCRGlobals.pas"/>
    <DCCReference Include="..\codeLCRR\LCRPWSRecords.pas"/>
    <DCCReference Include="..\codeLCRR\LCRPopulation.pas"/>
    <DCCReference Include="..\codeLCRR\LCRCosts.pas"/>
    <DCCReference Include="..\codeLCRR\LCRMetricCollector.pas"/>
    <DCCReference Include="..\codeLCRR\DataElements.pas"/>
    <DCCReference Include="..\codeLCRR\CostingSteps.pas"/>
    <DCCReference Include="..\codeLCRR\LCRResultsFile.pas"/>
    <DCCReference Include="..\codeLCRR\BigIni.pas"/>
    <DCCReference Include="..\codeLCRR\CCTCostEquations.pas"/>
    <DCCReference Include="..\codeLCRR\LCRBenefits.pas"/>
    <DCCReference Include="..\codeLCRR\VLSSystemData.pas"/>
    <DCCReference Include="frmTestParser.pas">

```

```

    <Form>frmTestParse</Form>
    <FormType>dfrm</FormType>
</DCCReference>
<DCCReference Include="..\codeLCRR\LCRAggregation.pas"/>
<DCCReference Include="..\codeLCRR\LCRAggregationConsts.pas"/>
<DCCReference Include="..\codeLCRR\LCRCostVars.pas"/>
<DCCReference Include="..\codeLCRR\StateStrataData.pas"/>
<DCCReference Include="..\codeLCRR\StateSchoolSampData.pas"/>
<DCCReference Include="..\codeLCRR\LCRMicroOut.pas"/>
<DCCReference Include="..\codeLCRR\LCRPreCompile.pas"/>
<DCCReference Include="..\codeLCRR\LCRCompiledCostTemplate.pas"/>
<DCCReference Include="..\codeLCRR\LCRCompiledCost.pas"/>
<DCCReference Include="..\codeLCRR\CalcDistSpecFun.pas"/>
<DCCReference Include="..\codeLCRR\SafewaterCalcDist.pas"/>
<DCCReference Include="..\codeLCRR\SafewaterUncertBucket.pas"/>
<DCCReference Include="J:\MathParser\Components\Parser.pas"/>
<BuildConfiguration Include="Base">
    <Key>Base</Key>
</BuildConfiguration>
<BuildConfiguration Include="Debug">
    <Key>Cfg_1</Key>
    <CfgParent>Base</CfgParent>
</BuildConfiguration>
<BuildConfiguration Include="Release">
    <Key>Cfg_2</Key>
    <CfgParent>Base</CfgParent>
</BuildConfiguration>
</ItemGroup>
<ProjectExtensions>
    <Borland.Personality>Delphi.Personality.12</Borland.Personality>
    <Borland.ProjectType>Application</Borland.ProjectType>
    <BorlandProject>
        <Delphi.Personality>
            <Source>
                <Source Name="MainSource">SafewaterLCRR.dpr</Source>
            </Source>
            <Excluded_Packages>
                <Excluded_Packages Name="$(BDSBIN)\dcloffice2k280.bpl">Microsoft
Office 2000 Sample Automation Server Wrapper Components</Excluded_Packages>
                <Excluded_Packages Name="$(BDSBIN)\dclofficexp280.bpl">Microsoft
Office XP Sample Automation Server Wrapper Components</Excluded_Packages>
            </Excluded_Packages>
        </Delphi.Personality>
        <Deployment Version="4">
            <DeployFile LocalName="K:\SafewaterLCRI\SafewaterLCRR.exe"
Configuration="Release" Class="ProjectOutput"/>
            <DeployFile LocalName="K:\SafewaterLCRI\SafewaterLCRR.exe"
Configuration="Debug" Class="ProjectOutput"/>
            <DeployFile LocalName="K:\SafewaterLCRI\SafewaterLCRR.exe"
Configuration="Debug" Class="ProjectOutput">

```

```

        <Platform Name="Win32">
            <RemoteName>SafewaterLCRR.exe</RemoteName>
            <Overwrite>true</Overwrite>
        </Platform>
    </DeployFile>
    <DeployFile LocalName="K:\SafewaterLCRI\SafewaterLCRR.exe"
Configuration="Debug" Class="ProjectOutput">
        <Platform Name="Win64">
            <RemoteName>SafewaterLCRR.exe</RemoteName>
            <Overwrite>true</Overwrite>
        </Platform>
    </DeployFile>
    <DeployFile LocalName="K:\SafewaterLCRI\SafewaterLCRR.rsm"
Configuration="Debug" Class="DebugSymbols">
        <Platform Name="Win64">
            <RemoteName>SafewaterLCRR.rsm</RemoteName>
            <Overwrite>true</Overwrite>
        </Platform>
    </DeployFile>
    <DeployClass Name="AdditionalDebugSymbols">
        <Platform Name="iOSSimulator">
            <Operation>1</Operation>
        </Platform>
        <Platform Name="OSX32">
            <RemoteDir>Contents\MacOS</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Win32">
            <Operation>0</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="AndroidClasses">
        <Platform Name="Android">
            <RemoteDir>classes</RemoteDir>
            <Operation>64</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>classes</RemoteDir>
            <Operation>64</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="AndroidFileProvider">
        <Platform Name="Android">
            <RemoteDir>res\xml</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\xml</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>

```



```

</DeployClass>
<DeployClass Name="AndroidGDBServer">
  <Platform Name="Android">
    <RemoteDir>library\lib\armeabi-v7a</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="AndroidLibnativeArmeabiFile">
  <Platform Name="Android">
    <RemoteDir>library\lib\armeabi</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="Android64">
    <RemoteDir>library\lib\armeabi</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="AndroidLibnativeArmeabiv7aFile">
  <Platform Name="Android64">
    <RemoteDir>library\lib\armeabi-v7a</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="AndroidLibnativeMipsFile">
  <Platform Name="Android">
    <RemoteDir>library\lib\mips</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="Android64">
    <RemoteDir>library\lib\mips</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="AndroidServiceOutput">
  <Platform Name="Android">
    <RemoteDir>library\lib\armeabi-v7a</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="Android64">
    <RemoteDir>library\lib\arm64-v8a</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="AndroidServiceOutput_Android32">
  <Platform Name="Android64">
    <RemoteDir>library\lib\armeabi-v7a</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="AndroidSplashImageDef">

```

```

    <Platform Name="Android">
        <RemoteDir>res\drawable</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\drawable</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="AndroidSplashStyles">
    <Platform Name="Android">
        <RemoteDir>res\values</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\values</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="AndroidSplashStylesV21">
    <Platform Name="Android">
        <RemoteDir>res\values-v21</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\values-v21</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_Colors">
    <Platform Name="Android">
        <RemoteDir>res\values</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\values</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_DefaultAppIcon">
    <Platform Name="Android">
        <RemoteDir>res\drawable</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\drawable</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_LauncherIcon144">

```

```

    <Platform Name="Android">
        <RemoteDir>res\drawable-xxhdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\drawable-xxhdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_LauncherIcon192">
    <Platform Name="Android">
        <RemoteDir>res\drawable-xxxhdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\drawable-xxxhdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_LauncherIcon36">
    <Platform Name="Android">
        <RemoteDir>res\drawable-ldpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\drawable-ldpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_LauncherIcon48">
    <Platform Name="Android">
        <RemoteDir>res\drawable-mdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\drawable-mdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_LauncherIcon72">
    <Platform Name="Android">
        <RemoteDir>res\drawable-hdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\drawable-hdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_LauncherIcon96">

```

```

    <Platform Name="Android">
        <RemoteDir>res\drawable-xhdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\drawable-xhdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_NotificationIcon24">
    <Platform Name="Android">
        <RemoteDir>res\drawable-mdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\drawable-mdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_NotificationIcon36">
    <Platform Name="Android">
        <RemoteDir>res\drawable-hdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\drawable-hdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_NotificationIcon48">
    <Platform Name="Android">
        <RemoteDir>res\drawable-xhdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\drawable-xhdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_NotificationIcon72">
    <Platform Name="Android">
        <RemoteDir>res\drawable-xxhdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\drawable-xxhdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_NotificationIcon96">

```

```

    <Platform Name="Android">
        <RemoteDir>res\drawable-xxxhdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\drawable-xxxhdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_SplashImage426">
    <Platform Name="Android">
        <RemoteDir>res\drawable-small</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\drawable-small</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_SplashImage470">
    <Platform Name="Android">
        <RemoteDir>res\drawable-normal</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\drawable-normal</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_SplashImage640">
    <Platform Name="Android">
        <RemoteDir>res\drawable-large</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\drawable-large</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_SplashImage960">
    <Platform Name="Android">
        <RemoteDir>res\drawable-xlarge</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\drawable-xlarge</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_Strings">

```

```

    <Platform Name="Android">
        <RemoteDir>res\values</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <RemoteDir>res\values</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="DebugSymbols">
    <Platform Name="iOSSimulator">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="OSX32">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Win32">
        <Operation>0</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="DependencyFramework">
    <Platform Name="OSX32">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
        <Extensions>.framework</Extensions>
    </Platform>
    <Platform Name="OSX64">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
        <Extensions>.framework</Extensions>
    </Platform>
    <Platform Name="OSXARM64">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
        <Extensions>.framework</Extensions>
    </Platform>
    <Platform Name="Win32">
        <Operation>0</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="DependencyModule">
    <Platform Name="iOSDevice32">
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="iOSDevice64">
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>

```

```

    <Platform Name="iOSSimARM64">
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="OSX32">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="OSX64">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="OSXARM64">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="Win32">
        <Operation>0</Operation>
        <Extensions>.dll;.bpl</Extensions>
    </Platform>
</DeployClass>
<DeployClass Required="true" Name="DependencyPackage">
    <Platform Name="iOSDevice32">
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="iOSDevice64">
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="iOSSimARM64">
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="OSX32">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="OSX64">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="OSXARM64">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>

```

```

        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="Win32">
        <Operation>0</Operation>
        <Extensions>.bpl</Extensions>
    </Platform>
</DeployClass>
<DeployClass Name="File">
    <Platform Name="Android">
        <Operation>0</Operation>
    </Platform>
    <Platform Name="Android64">
        <Operation>0</Operation>
    </Platform>
    <Platform Name="iOSDevice32">
        <Operation>0</Operation>
    </Platform>
    <Platform Name="iOSDevice64">
        <Operation>0</Operation>
    </Platform>
    <Platform Name="iOSSimARM64">
        <Operation>0</Operation>
    </Platform>
    <Platform Name="OSX32">
        <RemoteDir>Contents\Resources\StartUp\</RemoteDir>
        <Operation>0</Operation>
    </Platform>
    <Platform Name="OSX64">
        <RemoteDir>Contents\Resources\StartUp\</RemoteDir>
        <Operation>0</Operation>
    </Platform>
    <Platform Name="OSXARM64">
        <RemoteDir>Contents\Resources\StartUp\</RemoteDir>
        <Operation>0</Operation>
    </Platform>
    <Platform Name="Win32">
        <Operation>0</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="ProjectAndroidManifest">
    <Platform Name="Android">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Android64">
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="ProjectOSXDebug">
    <Platform Name="OSX64">

```



```

<RemoteDir>..\$(PROJECTNAME).app.dSYM\Contents\Resources\DWARF</RemoteDir>
    <Operation>1</Operation>
</Platform>
<Platform Name="OSXARM64">

<RemoteDir>..\$(PROJECTNAME).app.dSYM\Contents\Resources\DWARF</RemoteDir>
    <Operation>1</Operation>
</Platform>
</DeployClass>
<DeployClass Name="ProjectOSXEntitlements">
    <Platform Name="OSX32">
        <RemoteDir>..\</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="OSX64">
        <RemoteDir>..\</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="OSXARM64">
        <RemoteDir>..\</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="ProjectOSXInfoPList">
    <Platform Name="OSX32">
        <RemoteDir>Contents</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="OSX64">
        <RemoteDir>Contents</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="OSXARM64">
        <RemoteDir>Contents</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="ProjectOSXResource">
    <Platform Name="OSX32">
        <RemoteDir>Contents\Resources</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="OSX64">
        <RemoteDir>Contents\Resources</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="OSXARM64">
        <RemoteDir>Contents\Resources</RemoteDir>
        <Operation>1</Operation>
    </Platform>

```

```

</DeployClass>
<DeployClass Required="true" Name="ProjectOutput">
  <Platform Name="Android">
    <RemoteDir>library\lib\armeabi-v7a</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="Android64">
    <RemoteDir>library\lib\arm64-v8a</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="iOSDevice32">
    <Operation>1</Operation>
  </Platform>
  <Platform Name="iOSDevice64">
    <Operation>1</Operation>
  </Platform>
  <Platform Name="iOSSimARM64">
    <Operation>1</Operation>
  </Platform>
  <Platform Name="Linux64">
    <Operation>1</Operation>
  </Platform>
  <Platform Name="OSX32">
    <RemoteDir>Contents\MacOS</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="OSX64">
    <RemoteDir>Contents\MacOS</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="OSXARM64">
    <RemoteDir>Contents\MacOS</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="Win32">
    <Operation>0</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="ProjectOutput_Android32">
  <Platform Name="Android64">
    <RemoteDir>library\lib\armeabi-v7a</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="ProjectUWPManifest">
  <Platform Name="Win32">
    <Operation>1</Operation>
  </Platform>
  <Platform Name="Win64">
    <Operation>1</Operation>
  </Platform>

```

```

        </Platform>
    </DeployClass>
    <DeployClass Name="ProjectiOSDeviceDebug">
        <Platform Name="iOSDevice32">

<RemoteDir>..\$(PROJECTNAME).app.dSYM\Contents\Resources\DWARF</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).app.dSYM\Contents\Resources\DWARF</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="ioSSimARM64">

<RemoteDir>..\$(PROJECTNAME).app.dSYM\Contents\Resources\DWARF</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="ProjectiOSEntitlements">
        <Platform Name="iOSDevice32">
            <RemoteDir>..\</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="iOSDevice64">
            <RemoteDir>..\</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="ioSSimARM64">
            <RemoteDir>..\</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="ProjectiOSInfoPList">
        <Platform Name="iOSDevice32">
            <Operation>1</Operation>
        </Platform>
        <Platform Name="iOSDevice64">
            <Operation>1</Operation>
        </Platform>
        <Platform Name="ioSSimARM64">
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="ProjectiOSLaunchScreen">
        <Platform Name="iOSDevice64">
            <RemoteDir>..\$(PROJECTNAME).launchscreen</RemoteDir>
            <Operation>64</Operation>
        </Platform>
        <Platform Name="ioSSimARM64">

```

```

        <RemoteDir>..\$(PROJECTNAME).launchscreen</RemoteDir>
        <Operation>64</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="ProjectiOSResource">
    <Platform Name="iOSDevice32">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice64">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSSimARM64">
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="UWP_DelphiLogo150">
    <Platform Name="Win32">
        <RemoteDir>Assets</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Win64">
        <RemoteDir>Assets</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="UWP_DelphiLogo44">
    <Platform Name="Win32">
        <RemoteDir>Assets</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Win64">
        <RemoteDir>Assets</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="iOS_AppStore1024">
    <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="iPad_AppIcon152">
    <Platform Name="iOSDevice64">

```

```
<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="iOSSimARM64">
```

```
<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="iPad_AppIcon167">
  <Platform Name="iOSDevice64">
```

```
<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="iOSSimARM64">
```

```
<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="iPad_Launch2x">
  <Platform Name="iOSDevice64">
```

```
<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</RemoteDir>
  <Operation>1</Operation>
</Platform>
  <Platform Name="iOSSimARM64">
```

```
<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</RemoteDir>
  <Operation>1</Operation>
</Platform>
</DeployClass>
<DeployClass Name="iPad_LaunchDark2x">
  <Platform Name="iOSDevice64">
```

```
<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</RemoteDir>
  <Operation>1</Operation>
</Platform>
  <Platform Name="iOSSimARM64">
```

```
<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</RemoteDir>
  <Operation>1</Operation>
</Platform>
</DeployClass>
<DeployClass Name="iPad_Notification40">
```

```

        <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="iPad_Setting58">
    <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="iPad_SpotLight80">
    <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="iPhone_AppIcon120">
    <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="iPhone_AppIcon180">
    <Platform Name="iOSDevice64">

```

```

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="iPhone_Launch2x">
  <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</Remoted
ir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</Remoted
ir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="iPhone_Launch3x">
  <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</Remoted
ir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</Remoted
ir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="iPhone_LaunchDark2x">
  <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</Remoted
ir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</Remoted
ir>
    <Operation>1</Operation>
  </Platform>

```



```

        </DeployClass>
        <DeployClass Name="iPhone_Setting87">
            <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
                <Operation>1</Operation>
            </Platform>
            <Platform Name="ioSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
                <Operation>1</Operation>
            </Platform>
        </DeployClass>
        <DeployClass Name="iPhone_Spotlight120">
            <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
                <Operation>1</Operation>
            </Platform>
            <Platform Name="ioSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
                <Operation>1</Operation>
            </Platform>
        </DeployClass>
        <DeployClass Name="iPhone_Spotlight80">
            <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
                <Operation>1</Operation>
            </Platform>
            <Platform Name="ioSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
                <Operation>1</Operation>
            </Platform>
        </DeployClass>
        <ProjectRoot Platform="Android" Name="$(PROJECTNAME)"/>
        <ProjectRoot Platform="Android64" Name="$(PROJECTNAME)"/>
        <ProjectRoot Platform="iOSDevice32" Name="$(PROJECTNAME).app"/>
        <ProjectRoot Platform="iOSDevice64" Name="$(PROJECTNAME).app"/>
        <ProjectRoot Platform="ioSSimARM64" Name="$(PROJECTNAME).app"/>
        <ProjectRoot Platform="ioSSimulator" Name="$(PROJECTNAME).app"/>
        <ProjectRoot Platform="Linux64" Name="$(PROJECTNAME)"/>
        <ProjectRoot Platform="OSX32" Name="$(PROJECTNAME).app"/>
        <ProjectRoot Platform="OSX64" Name="$(PROJECTNAME).app"/>
        <ProjectRoot Platform="OSXARM64" Name="$(PROJECTNAME).app"/>
        <ProjectRoot Platform="Win32" Name="$(PROJECTNAME)"/>
        <ProjectRoot Platform="Win64" Name="$(PROJECTNAME)"/>
    </Deployment>

```

```

        <Platforms>
            <Platform value="Win32">True</Platform>
            <Platform value="Win64">True</Platform>
        </Platforms>
        <ModelSupport>False</ModelSupport>
    </BorlandProject>
    <ProjectFileVersion>12</ProjectFileVersion>
</ProjectExtensions>
<Import Project="$(BDS)\Bin\CodeGear.Delphi.Targets"
Condition="Exists('$(BDS)\Bin\CodeGear.Delphi.Targets')"/>
<Import
Project="$(APPDATA)\Embarcadero\$(BDSAPPDATABASEDIR)\$(PRODUCTVERSION)\UserTools.proj"
Condition="Exists('$(APPDATA)\Embarcadero\$(BDSAPPDATABASEDIR)\$(PRODUCTVERSION)\UserTools.proj')"/>
<Import Project="$(MSBuildProjectName).deployproj"
Condition="Exists('$(MSBuildProjectName).deployproj')"/>
<PropertyGroup Condition="'$(Config)'=='Debug' And '$(Platform)'=='Win32'">
    <PreBuildEvent/>
    <PreBuildEventIgnoreExitCode>False</PreBuildEventIgnoreExitCode>
    <PreLinkEvent/>
    <PreLinkEventIgnoreExitCode>False</PreLinkEventIgnoreExitCode>
    <PostBuildEvent>copy K:\SafeWaterLCRI\SafeWaterLCRR.exe
K:\SafeWaterLCRI\SafeWaterLCRR_$(Platform).exe
</PostBuildEvent>
    <PostBuildEventIgnoreExitCode>False</PostBuildEventIgnoreExitCode>
</PropertyGroup>
<PropertyGroup Condition="'$(Config)'=='Debug' And '$(Platform)'=='Win64'">
    <PreBuildEvent/>
    <PreBuildEventIgnoreExitCode>False</PreBuildEventIgnoreExitCode>
    <PreLinkEvent/>
    <PreLinkEventIgnoreExitCode>False</PreLinkEventIgnoreExitCode>
    <PostBuildEvent>copy K:\SafeWaterLCRI\SafeWaterLCRR.exe
K:\SafeWaterLCRI\SafeWaterLCRR_$(Platform).exe
</PostBuildEvent>
    <PostBuildEventIgnoreExitCode>False</PostBuildEventIgnoreExitCode>
</PropertyGroup>
<PropertyGroup Condition="'$(Config)'=='Release' And '$(Platform)'=='Win32'">
    <PreBuildEvent/>
    <PreBuildEventIgnoreExitCode>False</PreBuildEventIgnoreExitCode>
    <PreLinkEvent/>
    <PreLinkEventIgnoreExitCode>False</PreLinkEventIgnoreExitCode>
    <PostBuildEvent>copy K:\SafeWaterLCRI\SafeWaterLCRR.exe
K:\SafeWaterLCRI\SafeWaterLCRR_$(Platform).exe
</PostBuildEvent>
    <PostBuildEventIgnoreExitCode>False</PostBuildEventIgnoreExitCode>
</PropertyGroup>
<PropertyGroup Condition="'$(Config)'=='Release' And '$(Platform)'=='Win64'">
    <PreBuildEvent/>
    <PreBuildEventIgnoreExitCode>False</PreBuildEventIgnoreExitCode>

```

```
    <PreLinkEvent/>
    <PreLinkEventIgnoreExitCode>False</PreLinkEventIgnoreExitCode>
    <PostBuildEvent>copy K:\SafeWaterLCRI\SafeWaterLCRR.exe
K:\SafeWaterLCRI\SafeWaterLCRR_$(Platform).exe
</PostBuildEvent>
    <PostBuildEventIgnoreExitCode>False</PostBuildEventIgnoreExitCode>
  </PropertyGroup>
</Project>
```